

PRACTICE PAPER
MATHEMATICS Compulsory Part
PAPER 1
Question-Answer Book

(2¼ hours)

This paper must be answered in English

INSTRUCTIONS

1. After the announcement of the start of the examination, you should first write your Candidate Number in the space provided on Page 1 and stick barcode labels in the spaces provided on Pages 1, 3, 5, 7, 9 and 11.
2. This paper consists of THREE sections, A(1), A(2) and B.
3. Attempt ALL questions in this paper. Write your answers in the spaces provided in this Question-Answer Book. Do not write in the margins. Answers written in the margins will not be marked.
4. Graph paper and supplementary answer sheets will be supplied on request. Write your Candidate Number, mark the question number box and stick a barcode label on each sheet, and fasten them with string INSIDE this book.
5. Unless otherwise specified, all working must be clearly shown.
6. Unless otherwise specified, numerical answers should be either exact or correct to 3 significant figures.
7. The diagrams in this paper are not necessarily drawn to scale.
8. No extra time will be given to candidates for sticking on the barcode labels or filling in the question number boxes after the 'Time is up' announcement.

Please stick the barcode label here.

Candidate Number



1. Simplify $\frac{(m^5 n^{-2})^6}{m^4 n^{-3}}$ and express your answer with positive indices. (3 marks)

Answers written in the margins will not be marked.

2. Make a the subject of the formula $\frac{5+b}{1-a} = 3b$. (3 marks)

Page total

Please stick the barcode label here.

3.

(a) $9x^2 - 42xy + 49y^2$,

(b) $9x^2 - 42xy + 49y^2 - 6x + 14y$.

(3 marks)

4.

(4 marks)

Answers written in the margins will not be marked.

- [illegible]

- (a) Let O be the pole. Are A , O and C collinear? Explain your answer.
- (b) Find the area of $\triangle ABC$.

[illegible]

PP-DSE-MATH-CP 1-4

Please stick the barcode label here.

7. In Figure 1, BD is a diameter of the circle $ABCD$. If $AB = AC$ and $\angle BDC = 36^\circ$, find $\angle ABD$.
(4 marks)




Figure 1

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

- (5 marks)

PP-DSE-MATH-CP 1-6

Please stick the barcode label here.

9. The following table shows the distribution of the numbers of online hours spent by a group of children on a certain day.

Number of online hours	2	3	4	5
Number of children	r	8	12	s

It is given that r and s are positive numbers.

- (a) Find the least possible value and the greatest possible value of the inter-quartile range of the distribution.
- (b) If $r = 9$ and the median of the distribution is 3, how many possible values of s are there? Explain your answer.

(5 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

10. Let $f(x)$ be a polynomial. When $f(x)$ is divided by $x-1$, the quotient is $6x^2+17x-2$. It is given that $f(1) = 4$.

(b) Factorize $f(x)$. (3 marks)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Please stick the barcode label here.

11. Let \$C\$ be the cost of manufacturing a cubical carton of side \$x\$ cm . It is given that \$C\$ is partly constant and partly varies as the square of \$x\$. When \$x = 20\$, \$C = 42\$; when \$x = 120\$, \$C = 112\$.
- (a) Find the cost of manufacturing a cubical carton of side 50 cm . (4 marks)
- (b) If the cost of manufacturing a cubical carton is \$58\$, find the length of a side of the carton. (2 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

-
- The graph shows the distance from town P (km) on the y-axis versus time on the x-axis. The y-axis has labels 0, 2, 12, and 16. The x-axis has labels 1:00, 1:32, 2:03, 2:18, and 3:00. Ada's path is a line from (1:00, 0) to (2:18, 12) to (3:00, 2). Billy's path is a line from (1:00, 16) to (1:32, 10) to (2:03, 10) to (3:00, 2). They meet at 2:18 at a distance of 8 km from town P.

Figure 2

Page total

Please stick the barcode label here.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

A bar graph showing the number of students who like different fruits. The vertical axis (y-axis) is labeled 'Number of students' and the horizontal axis (x-axis) is labeled 'Fruit'. There are five bars representing different fruits: Apple, Banana, Orange, Papaya, and Pear. The values for each bar are: Apple (6), Banana (11), Orange (5), Papaya (k), and Pear (10). The bars are shaded with diagonal lines.

Fruit	Number of students
Apple	6
Banana	11
Orange	5
Papaya	k
Pear	10

Answers written in the margins will not be marked.

- [illegible]

PP-DSE-MATH-CP 1-12

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.



(a) Write down a pair of similar triangles in Figure 3. (2 marks)

(b) Suppose that $\angle AOD = 90^\circ$. A rectangular coordinate system, with O as the origin, is introduced in Figure 3 so that the coordinates of A and D are $(6, 0)$ and $(0, 12)$ respectively. If the ratio of the area of $\triangle BCD$ to the area of $\triangle OAD$ is $16:45$, find

(i) the coordinates of C ,

(ii) the equation of the circle $OABC$.

[illegible]

PP-DSE-MATH-CP 1-14

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

15. The mean score of a class of students in a test is 48 marks. The scores of Mary and John in the test are 36 marks and 66 marks respectively. The standard score of Mary in the test is -2 .

- (a) Find the standard score of John in the test. (2 marks)
- (b) A student, David, withdraws from the class and his test score is then deleted. It is given that his test score is 48 marks. Will there be any change in the standard score of John due to the deletion of the test score of David? Explain your answer. (2 marks)

Answers written in the margins will not be marked.

PP-DSE-MATH-CP 1-16

Answers written in the margins will not be marked.

-
- This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

17. (a) Express $\frac{1}{1+2i}$ in the form of $a+bi$, where a and b are real numbers. (2 marks)

(b) The roots of the quadratic equation $x^2 + px + q = 0$ are $\frac{10}{1+2i}$ and $\frac{10}{1-2i}$. Find

(i) p and q ,

(ii) the range of values of r such that the quadratic equation $x^2 + px + q = r$ has real roots. (5 marks)

[illegible]

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

-

Figure 4

- [illegible]

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

[illegible]

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

[illegible]

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

PRACTICE PAPER
MATHEMATICS Compulsory Part
PAPER 2

(1¼ hours)

INSTRUCTIONS

1. Read carefully the instructions on the Answer Sheet. After the announcement of the start of the examination, you should first stick a barcode label and insert the information required in the spaces provided. No extra time will be given for sticking on the barcode label after the 'Time is up' announcement.
2. When told to open this book, you should check that all the questions are there. Look for the words '**END OF PAPER**' after the last question.
3. All questions carry equal marks.
4. **ANSWER ALL QUESTIONS.** You are advised to use an HB pencil to mark all the answers on the Answer Sheet, so that wrong marks can be completely erased with a clean rubber. You must mark the answers clearly; otherwise you will lose marks if the answers cannot be captured.
5. You should mark only **ONE** answer for each question. If you mark more than one answer, you will receive **NO MARKS** for that question.
6. No marks will be deducted for wrong answers.

There are 30 questions in Section A and 15 questions in Section B.
The diagrams in this paper are not necessarily drawn to scale.
Choose the best answer for each question.

Section A

1. $x^3(2x+x) =$

A. $3x^4$.

B. $2x^5$.

C. $3x^5$.

D. $2x^6$.

2. If $3a+1=3(b-2)$, then $b =$

A. $a+1$.

B. $a+3$.

C. $a+\frac{7}{3}$.

D. $a-\frac{5}{3}$.

3. $p^2-q^2-p-q =$

A. $(p+q)(p-q-1)$.

B. $(p+q)(p+q-1)$.

C. $(p-q)(p-q+1)$.

D. $(p-q)(p+q-1)$.

4. Let m and n be constants. If $m(x-3)^2 + n(x+1)^2 \equiv x^2 - 38x + 41$, then $m =$

- A. -4 .
- B. -1 .
- C. 3 .
- D. 5 .

5. Let $f(x) = x^4 - x^3 + x^2 - x + 1$. When $f(x)$ is divided by $x + 2$, the remainder is

- A. -2 .
- B. 0 .
- C. 11 .
- D. 31 .


6. Let k be a constant. If the quadratic equation $3x^2 + 2kx - k = 0$ has equal roots, then $k =$

- A. -3 .
- B. 3 .
- C. -3 or 0 .
- D. 0 or 3 .

7. In the figure, the x -intercepts of the straight lines L_1 and L_2 are 5 while the y -intercepts of the straight lines L_2 and L_3 are 3 . Which of the following are true?

- I. The equation of L_1 is $x = 5$.
- II. The slope of L_2 is $\frac{3}{5}$.
- III. The point $(2, 3)$ lies on L_3 .


- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III



8. The figure shows the graph of $y = ax^2 - 2x + b$, where a and b are constants. Which of the following is/are true?

- I. $a > 0$
- II. $b < 0$
- III. $ab < 1$

- A. I only
- B. II only
- C. I and III only
- D. II and III only



9. The solution of $4x > x - 3$ or $3 - x < x + 7$ is

- A. $x > -2$.
- B. $x < -2$.
- C. $x > -1$.
- D. $x < -2$ or $x > -1$.

10. John buys a vase for \$1600 . He then sells the vase to Susan at a profit of 20% . At what price should Susan sell the vase in order to have a profit of 20% ?

- A. \$ 2 240
- B. \$ 2 304
- C. \$ 2 400
- D. \$ 2 500

11. If the circumference of a circle is increased by 40% , then the area of the circle is increased by

- A. 18% .
- B. 20% .
- C. 40% .
- D. 96% .

12. Let α and β be non-zero constants. If $(\alpha + \beta) : (3\alpha - \beta) = 7 : 3$, then $\alpha : \beta =$

- A. 5 : 9 .
- B. 9 : 5 .
- C. 19 : 29 .
- D. 29 : 19 .

13. If z varies directly as x and inversely as y^2 , which of the following must be constant?


- A. $\frac{x}{y^2 z}$
- B. $\frac{z}{xy^2}$
- C. $\frac{yz}{x^2}$
- D. $\frac{xz}{y^2}$

14. 0.009049999 =

- A. 0.00905 (correct to 3 decimal places).
- B. 0.00905 (correct to 3 significant figures).
- C. 0.00905 (correct to 6 decimal places).
- D. 0.00905 (correct to 6 significant figures).


15. In the figure, O is the centre of the sector $OABC$. If the area of $\triangle OAC$ is 12 cm^2 , find the area of the segment ABC .

- A. $3(\pi - 2) \text{ cm}^2$
- B. $3(\pi - 1) \text{ cm}^2$
- C. $6(\pi - 2) \text{ cm}^2$
- D. $6(\pi - 1) \text{ cm}^2$




16. The figure shows a right circular cone of height 8 cm and slant height 17 cm. Find the volume of the circular cone.

- A. $255\pi \text{ cm}^3$
 B. $345\pi \text{ cm}^3$
 C. $480\pi \text{ cm}^3$
 D. $600\pi \text{ cm}^3$




17. In the figure, $ABCD$ is a rectangle. E is the mid-point of BC . F is a point lying on CD such that $DF = 2CF$. If the area of $\triangle CEF$ is 1 cm^2 , then the area of $\triangle AEF$ is

- A. 2 cm^2 .
 B. 3 cm^2 .
 C. 4 cm^2 .
 D. 6 cm^2 .




18. In the figure, $AB = 4 \text{ cm}$, $BC = CD = DE = 8 \text{ cm}$ and $FG = 9 \text{ cm}$. Find the perimeter of $\triangle AEH$.

- A. 60 cm
 B. 74 cm
 C. 150 cm
 D. 164 cm




19. In the figure, $AB = BC$ and D is a point lying on BC such that $CD = DE$. If $AB \parallel CE$, find $\angle CDE$.

- A. 52°
 B. 58°
 C. 64°
 D. 76°




20. In the figure, O is the centre of the semi-circle $ABCD$. AC and BD intersect at E . If $AD \parallel OC$, then $\angle AED =$

- A. 48° .
 B. 55° .
 C. 57° .
 D. 66° .




21. In the figure, O is the centre of the circle $ABCD$. If $\widehat{AB} = \widehat{BC} = 2\widehat{CD}$, then $\angle BCD =$

- A. 64° .
 B. 87° .
 C. 93° .
 D. 116° .



22. In the figure, $ABCD$ is a square. F is a point lying on AD such that $CF \parallel BE$. If $AB = AE$, find $\angle ABF$ correct to the nearest degree.




- A. 17°
- B. 18°
- C. 22°
- D. 26°



23. For $0^\circ \leq \theta \leq 90^\circ$, the least value of $\frac{30}{3 \sin^2 \theta + 2 \sin^2 (90^\circ - \theta)}$ is

- A. 5.
- B. 6.
- C. 10.
- D. 15.

24. Which of the following parallelograms have rotational symmetry and reflectional symmetry?




- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III

25. If the point $(-2, -1)$ is reflected with respect to the straight line $y = -5$, then the coordinates of its image are
- A. $(-8, -1)$.
 - B. $(-2, -9)$.
 - C. $(-2, 11)$.
 - D. $(12, -1)$.
26. The coordinates of the points A and B are $(1, -3)$ and $(-5, 7)$ respectively. If P is a point lying on the straight line $y = x + 2$ such that $AP = PB$, then the coordinates of P are
- A. $(-2, 0)$.
 - B. $(-2, 2)$.
 - C. $(0, 2)$.
 - D. $(3, 5)$.
27. The equation of a circle is $2x^2 + 2y^2 + 8x - 12y + 3 = 0$. Which of the following are true?
- I. The coordinates of the centre of the circle are $(-2, 3)$.
 - II. The radius of the circle is 7 .
 - III. The point $(2, 3)$ lies outside the circle.
- A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

28. Two numbers are randomly drawn at the same time from four cards numbered 2, 3, 5 and 7 respectively. Find the probability that the sum of the numbers drawn is a multiple of 4.

- A. $\frac{1}{3}$
 B. $\frac{1}{4}$
 C. $\frac{1}{6}$
 D. $\frac{5}{16}$

29. The box-and-whisker diagram below shows the distribution of the heights (in cm) of some students. Which of the following is/are true?




- I. The height of the tallest student is 180 cm .
 II. The inter-quartile range of the distribution is 15 cm .
 III. Less than half of the students are taller than 170 cm .

- A. I only
 B. II only
 C. I and III only
 D. II and III only

30. The figure below shows the cumulative frequency polygons of the test score distributions X and Y . Let m_1 , r_1 and s_1 be the median, the range and the standard deviation of X respectively while m_2 , r_2 and s_2 be the median, the range and the standard deviation of Y respectively. Which of the following are true?


- I. $m_1 > m_2$
 II. $r_1 > r_2$
 III. $s_1 > s_2$

- A. I and II only
 B. I and III only
 C. II and III only
 D. I, II and III




Section B

31.




The figure above shows the graph of $y = f(x)$. If $2f(x) = g(x)$, which of the following may represent the graph of $y = g(x)$?


A.




B.



C.



D.




32. $B0000000023_{16} =$

- A. $11 \times 16^{10} + 23$.
- B. $11 \times 16^{10} + 35$.
- C. $12 \times 16^{11} + 23$.
- D. $12 \times 16^{11} + 35$.

33. If the roots of the quadratic equation $x^2 - kx + 3 = 0$ are α and β , then $\alpha^3 + \beta^3 =$
- A. k^3 .
- B. $k^3 - 3k$.
- C. $k^3 - 9k$.
- D. $k^3 - 12k$.
34. If x is a real number, then the real part of $(x + 3i)(3 + i)$ is
- A. $3x$.
- B. $x + 3$.
- C. $3x + 3$.
- D. $3x - 3$.
35. The n th term of a sequence is $2n + 3$. If the sum of the first m terms of the sequence is less than 3000 , then the greatest value of m is
- A. 52 .
- B. 53 .
- C. 56 .
- D. 57 .
36. Let $b > 1$. If $a = \log_{12} b$, then $\frac{1}{a} =$
- A. $\log_b \frac{1}{12}$.
- B. $\log_b 12$.
- C. $\log_{12} \frac{1}{b}$.
- D. $\frac{1}{\log_b 12}$.


37. The graph in the figure shows the linear relation between $\log_3 t$ and $\log_3 x$. If $x = kt^a$, then $k =$

- A. $\frac{1}{81}$.
 B. 81 .
 C. $\frac{-4}{5}$.
 D. $\frac{-5}{4}$.




38. Let a be a constant and $-90^\circ < \theta < 90^\circ$. If the figure shows the graph of $y = a \sin(x^\circ + \theta)$, then

- A. $a = -2$ and $\theta = -45^\circ$.
 B. $a = -2$ and $\theta = 45^\circ$.
 C. $a = 2$ and $\theta = -45^\circ$.
 D. $a = 2$ and $\theta = 45^\circ$.




39. The figure shows a right prism $ABCDEF$ with a right-angled triangle as the cross-section. A , B , E and F lie on the horizontal ground. G is a point lying on AB such that $AG:GB = 5:3$. If $\angle DAE = a$, $\angle CBF = b$, $\angle CGF = c$ and $\angle DGE = d$, which of the following is true?

- A. $a > c > d$
 B. $a > d > c$
 C. $c > b > d$
 D. $c > d > b$



40. In the figure, A is the common centre of the two circles. BC is a chord of the larger circle and touches the smaller circle at D . AD produced meets the larger circle at E . F is a point lying on the smaller circle such that E, D, A and F are collinear. If $BC = 24$ cm and $DE = 8$ cm, then $EF =$

- A. 13 cm .
- B. 16 cm .
- C. 18 cm .
- D. 20 cm .



41. If the straight line $x - y = 0$ and the circle $x^2 + y^2 + 6x + ky - k = 0$ do not intersect with each other, find the range of values of k .

- A. $2 < k < 18$
- B. $-18 < k < -2$
- C. $k < 2$ or $k > 18$
- D. $k < -18$ or $k > -2$

42. Let O be the origin. If the coordinates of the points A and B are $(18, -24)$ and $(18, 24)$ respectively, then the x -coordinate of the orthocentre of $\triangle OAB$ is

- A. -14 .
- B. 10 .
- C. 12 .
- D. 25 .

43. Mary, Tom and 8 other students participate in a solo singing contest. If each participant performs once only and the order of performance is randomly arranged, find the probability that Mary performs just after Tom.

- A. $\frac{1}{2}$
 B. $\frac{1}{10}$
 C. $\frac{1}{45}$
 D. $\frac{1}{90}$

44. The mean, the variance and the inter-quartile range of a set of numbers are 40, 9 and 18 respectively. If 5 is added to each number of the set and each resulting number is then tripled to form a new set of numbers, find the mean, the variance and the inter-quartile range of the new set of numbers.

	<u>Mean</u>	<u>Variance</u>	<u>Inter-quartile range</u>
A.	120	27	69
B.	120	81	69
C.	135	27	54
D.	135	81	54

45. Let A be a group of numbers $\{\alpha, \beta, \gamma, \delta\}$ and B be another group of numbers $\{\alpha+2, \beta+2, \mu+2, \gamma+2, \delta+2\}$, where $\alpha < \beta < \mu < \gamma < \delta$. Which of the following must be true?

- I. The median of A is smaller than that of B .
 II. The range of A and the range of B are the same.
 III. The standard deviation of A is greater than that of B .

- A. I and II only
 B. I and III only
 C. II and III only
 D. I, II and III

END OF PAPER