

MATHEMATICS Compulsory Part
PAPER 1
Question-Answer Book

8.30 am – 10.45 am (2½ hours)

This paper must be answered in English

INSTRUCTIONS

1. After the announcement of the start of the examination, you should first write your Candidate Number in the space provided on Page 1 and stick barcode labels in the spaces provided on Pages 1, 3, 5, 7, 9 and 11.
2. This paper consists of THREE sections, A(1), A(2) and B.
3. Attempt ALL questions in this paper. Write your answers in the spaces provided in this Question-Answer Book. Do not write in the margins. Answers written in the margins will not be marked.
4. Graph paper and supplementary answer sheets will be supplied on request. Write your Candidate Number, mark the question number box and stick a barcode label on each sheet, and fasten them with string INSIDE this book.
5. Unless otherwise specified, all working must be clearly shown.
6. Unless otherwise specified, numerical answers should be either exact or correct to 3 significant figures.
7. The diagrams in this paper are not necessarily drawn to scale.
8. No extra time will be given to candidates for sticking on the barcode labels or filling in the question number boxes after the ‘Time is up’ announcement.

Please stick the barcode label here.

Candidate Number



SECTION A(1) (35 marks)

1. Simplify $\frac{(xy^{-2})^3}{y^4}$ and express your answer with positive indices. (3 marks)

2. Factorize

(a) $a^2 - 2a - 3$,
(b) $ab^2 + b^2 + a^2 - 2a - 3$.

(3 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Please stick the barcode label here.

3. (a) Round up 123.45 to 1 significant figure.
(b) Round off 123.45 to the nearest integer.
(c) Round down 123.45 to 1 decimal place.

(3 marks)

Answers written in the margins will not be marked.

4. The table below shows the distribution of the numbers of calculators owned by some students.

Number of calculators	0	1	2	3
Number of students	7	14	15	4

Find the median, the mode and the standard deviation of the above distribution.

(3 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

5. Consider the formula $2(3m + n) = m + 7$.

(a) Make n the subject of the above formula.

(b) If the value of m is increased by 2, write down the change in the value of n .

(4 marks)

Answers written in the margins will not be marked.

6. The marked price of a toy is \$255 . The toy is now sold at a discount of 40% on its marked price.

(a) Find the selling price of the toy.

(b) If the percentage profit is 2% , find the cost of the toy.

(4 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Please stick the barcode label here.

7. Let $f(x) = 4x^3 - 5x^2 - 18x + c$, where c is a constant. When $f(x)$ is divided by $x-2$, the remainder is -33 .

- (a) Is $x+1$ a factor of $f(x)$? Explain your answer.
(b) Someone claims that all the roots of the equation $f(x) = 0$ are rational numbers. Do you agree? Explain your answer.

(5 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

8. The coordinates of the points P and Q are $(-3, 5)$ and $(2, -7)$ respectively. P is rotated anticlockwise about the origin O through 270° to P' . Q is translated leftwards by 21 units to Q' .

(a) Write down the coordinates of P' and Q' .

(b) Prove that PQ is perpendicular to $P'Q'$.

(5 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Please stick the barcode label here.

9. In Figure 1, D is a point lying on AC such that $\angle BAC = \angle CBD$.




Figure 1

- (a) Prove that $\triangle ABC \sim \triangle BDC$.
- (b) Suppose that $AC = 25\text{ cm}$, $BC = 20\text{ cm}$ and $BD = 12\text{ cm}$. Is $\triangle BCD$ a right-angled triangle? Explain your answer.

(5 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

SECTION A(2) (35 marks)

10. Town X and town Y are 80 km apart. Figure 2 shows the graphs for car A and car B travelling on the same straight road between town X and town Y during the period 7:30 to 9:30 in a morning. Car A travels at a constant speed during the period. Car B comes to rest at 8:15 in the morning.




Figure 2

- (a) Find the distance of car A from town X at 8:15 in the morning. (2 marks)
- (b) At what time after 7:30 in the morning do car A and car B first meet? (2 marks)
- (c) The driver of car B claims that the average speed of car B is higher than that of car A during the period 8:15 to 9:30 in the morning. Do you agree? Explain your answer. (2 marks)


Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Please stick the barcode label here.

11. There are 33 paintings in an art gallery. The box-and-whisker diagram below shows the distribution of the prices (in thousand dollars) of the paintings in the art gallery. It is given that the mean of this distribution is 53 thousand dollars.



- (a) Find the range and the inter-quartile range of the above distribution. (3 marks)
- (b) Four paintings of respective prices (in thousand dollars) 32, 34, 58 and 59 are now donated to a museum. Find the mean and the median of the prices of the remaining paintings in the art gallery. (3 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

12. The circle C passes through the point $A(6, 11)$ and the centre of C is the point $G(0, 3)$.

- (a) Find the equation of C . (2 marks)
- (b) P is a moving point in the rectangular coordinate plane such that $AP = GP$. Denote the locus of P by Γ .
- (i) Find the equation of Γ .
 - (ii) Describe the geometric relationship between Γ and the line segment AG .
 - (iii) If Γ cuts C at Q and R , find the perimeter of the quadrilateral $AQGR$. (5 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Please stick the barcode label here.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

13. It is given that $f(x)$ is the sum of two parts, one part varies as x^2 and the other part is a constant. Suppose that $f(2) = 59$ and $f(7) = -121$.

(a) Find $f(6)$. (4 marks)

(b) $A(6, a)$ and $B(-6, b)$ are points lying on the graph of $y = f(x)$. Find the area of ΔABC , where C is a point lying on the x -axis. (4 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

14. Figure 3 shows a vessel in the form of a frustum which is made by cutting off the lower part of an inverted right circular cone of base radius 72 cm and height 96 cm . The height of the vessel is 60 cm . The vessel is placed on a horizontal table. Some water is now poured into the vessel. John finds that the depth of water in the vessel is 28 cm .




Figure 3

- (a) Find the area of the wet curved surface of the vessel in terms of π . (4 marks)
- (b) John claims that the volume of water in the vessel is greater than 0.1 m^3 . Do you agree? Explain your answer. (4 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

SECTION B (35 marks)

15. The graph in Figure 4 shows the linear relation between $\log_4 x$ and $\log_8 y$. The slope and the intercept on the horizontal axis of the graph are $\frac{-1}{3}$ and 3 respectively. Express the relation between x and y in the form $y = Ax^k$, where A and k are constants. (3 marks)




Figure 4

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

16. In Figure 5, the 1st pattern consists of 3 dots. For any positive integer n , the $(n+1)$ th pattern is formed by adding 2 dots to the n th pattern. Find the least value of m such that the total number of dots in the first m patterns exceeds 6 888 . (4 marks)




Figure 5

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

17. Figure 6(a) shows a solid pyramid $VABCD$ with a rectangular base, where $AB = 18 \text{ cm}$, $BC = 10 \text{ cm}$, $VB = VC = 30 \text{ cm}$ and $\angle VAB = \angle VDC = 110^\circ$.




Figure 6(a)




Figure 6(b)

- (a) Find $\angle VBA$. (2 marks)
- (b) P , Q , M and N are the mid-points of AB , CD , VB and VC respectively. A geometric model is made by cutting off $PBCQNM$ from $VABCD$ as shown in Figure 6(b). A craftsman claims that the area of the trapezium $PQNM$ is less than 70 cm^2 . Do you agree? Explain your answer. (5 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

18. (a) In Figure 7, the equation of the straight line L_1 is $6x + 7y = 900$ and the x -intercept of the straight line L_2 is 180. L_1 and L_2 intersect at the point (45, 90). The shaded region (including the boundary) represents the solution of a system of inequalities. Find the system of inequalities. (4 marks)




Figure 7

- (b) A factory produces two types of wardrobes, X and Y . Each wardrobe X requires 6 man-hours for assembly and 2 man-hours for packing while each wardrobe Y requires 7 man-hours for assembly and 3 man-hours for packing. In a certain month, the factory has 900 man-hours available for assembly and 360 man-hours available for packing. The profits for producing a wardrobe X and a wardrobe Y are \$440 and \$665 respectively. A worker claims that the total profit can exceed \$80 000 that month. Do you agree? Explain your answer. (4 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

19. Ada and Billy play a game consisting of two rounds. In the first round, Ada and Billy take turns to throw a fair die. The player who first gets a number ‘3’ wins the first round. Ada and Billy play the first round until one of them wins. Ada throws the die first.

- (a) Find the probability that Ada wins the first round of the game. (3 marks)
- (b) In the second round of the game, balls are dropped one by one into a device containing eight tubes arranged side by side (see Figure 8). When a ball is dropped into the device, it falls randomly into one of the tubes. Each tube can hold at most three balls.




Figure 8

The player of this round adopts one of the following two options.

Option 1: Two balls are dropped one by one into the device. If the two balls fall into the same tube, then the player gets 10 tokens. If the two balls fall into two adjacent tubes, then the player gets 5 tokens. Otherwise, the player gets no tokens.

Option 2: Three balls are dropped one by one into the device. If the three balls fall into the same tube, then the player gets 50 tokens. If the three balls fall into three adjacent tubes, then the player gets 10 tokens. If the three balls fall into two adjacent tubes, then the player gets 5 tokens. Otherwise, the player gets no tokens.

- (i) If the player of the second round adopts Option 1, find the expected number of tokens got.
- (ii) Which option should the player of the second round adopt in order to maximise the expected number of tokens got? Explain your answer.
- (iii) Only the winner of the first round plays the second round. It is given that the player of the second round adopts the option which can maximise the expected number of tokens got. Billy claims that the probability of Ada getting no tokens in the game exceeds 0.9. Is the claim correct? Explain your answer.

(10 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.