

# Rajalakshmi Engineering College

Name: SUBASH R  
Email: 240701538@rajalakshmi.edu.in  
Roll no: 240701538  
Phone: 9150202710  
Branch: REC  
Department: CSE - Section 7  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 8\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotException AtTheRateException DomainException

A typical email address should have a "." character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

### ***Input Format***

The first line of input contains the email to be validated.

### ***Output Format***

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

### **Sample Test Case**

Input: sample@gmail.com

Output: Valid email address

### **Answer**

```
import java.util.*;
class DotException extends Exception{DotException(String m){super(m);}}
class AtTheRateException extends Exception{AtTheRateException(String m)
{super(m);}}
class DomainException extends Exception{DomainException(String m)
{super(m);}}
public class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        String email=sc.nextLine().trim();
        sc.close();
        try{
            validate(email);
            System.out.println("Valid email address");
        }catch(DotException e){
            System.out.println("DotException: "+e.getMessage());
            System.out.println("Invalid email address");
        }catch(AtTheRateException e){
            System.out.println("AtTheRateException: "+e.getMessage());
            System.out.println("Invalid email address");
        }catch(DomainException e){
            System.out.println("DomainException: "+e.getMessage());
            System.out.println("Invalid email address");
        }
    }
    static void validate(String email)throws
    DotException,AtTheRateException,DomainException{
        String[] validDomains={"in","com","net","biz"};
        if (email.indexOf('@') == -1 || email.indexOf('@') != email.lastIndexOf('@') ||
        email.startsWith("@") || email.endsWith("@"))
            throw new AtTheRateException("Invalid @ usage");
        if(email.startsWith(".")||email.endsWith("."))
```

```
        throw new DotException("Invalid Dot usage");
        int at=email.indexOf('@');
        if(at==-1||email.indexOf('.',at)==-1)
            throw new DotException("Invalid Dot usage");
        String last=email.substring(email.lastIndexOf('.')+1);
        boolean ok=false;
        for(String d:validDomains)if(d.equals(last))ok=true;
        if(!ok)throw new DomainException("Invalid Domain");
    }
}
```

**Status :** Correct

**Marks :** 10/10