

Curriculum vitae

MASYOGA DORIS



Personal Details

Surname(s) / First name(s) : **Doris, Masyoga**
Address : Permata Puri Blok R No. 12 a Batam, Indonesia
Phone Mobile : (62)-81270354304
Email : masyogadoris@yahoo.com/masyogadoris@gmail.com
Nationality : Indonesian
Date of Birth : May, 4th 1985
Gender : Male
Marital Status : Married

Working Experience

2017 - 2017 PT. CLADTEK BI METAL MANUFACTURING:
AUTO WELDING OPERATOR

2016 - 2017 PT. CLADTEK BI METAL MANUFACTURING:
MANUAL WELDER

2015 – 2016 **PT. SMOE INDONESIA : WELDER GTAW SMAW**
Under Bechtel : **WHEATSTONE LNG PROJECT**
Eb 002 module
DA 002 module

2014 – 2015 **PT. PROFAB INDONESIA : WELDER GTAW SMAW**
Involved in the Project
Bouyancy NOV

2013 – 2014 **PT. SMOE INDONESIA : WELDER GTAW SMAW**
Under Bechtel : **APLNG PROJECT**
Been Involved in the Project
Cryo Module DB 001
Cryo Module DB 002
Cryo Module EA 001
Cryao Module DA 001

2012 – 2013 **PT. PROFAB INDONESIA : WELDER GTAW SMAW**
Been Involved in the Project
APL Module

1049 Module
MODEC Module
Kawasakido forward a copy of your updated
resume for evaluation. Project Vessel 1055, 1059, 1061

2011 - 2012 **PT. STARINDO : POSITION : WELDER GTAW SMAW**
Repair Cosmic 1 – 20 Tanker

2008 - 2011 **PT. MCDERMOTT INDONESIA : POSITION : L & OD**
Been Involved in the Project
North Rankin B Jacket
Maerks Module
Esso Module
Chevron Module
Gorgon Project

Career Summary

Nine's years of extensive experienced in WELDER GTAW/ SMAW PIPING at several company in Batam, , I am well known as a team player and have never left a project under bad conditions. Projects present many challenges and it gives a good sense of achievement and job satisfaction to have been a part of team that gets the job done. Have a good leadership, opens and commit to accept new things for future self-improvement and able to work in a team.

Education and Course Experience

2000-2003 SEKOLAH MENENGAH KEJURUAN NEGRI 2
PAYAKUMBUH

2005 **General English Course**

2014 Participant in the seminar **PHASE ARRAY ULTRASONIC
TESTING ADVANTAGE OF PA UT IN INSPECTION
PIPELINE**

Qualification Skills

WELDER PIPING

Additional Details

Mothertounge Bahasa (aktif)
Other language(s) English (active)

Yours Faithfully,



Masyoga Doris



PT. CLADTEK BI METAL MANUFACTURING

JL. TENGIRI, BATU AMPAR, BATAM - INDONESIA
PHONE : +62-778-414137 FAX: +62-778-413168



Certificate Number : **CT-00-WC-350**
QW-484A WELDER PERFORMANCE QUALIFICATIONS (WPQ)
(QW-301, Section IX, ASME Boiler and Pressure Vessel Code)

Welder's Name

MASYOGA DORIS

Identification No.

CT-737

TEST DESCRIPTION

Identification of WPS followed: CT-00-WPS-195 ☒ Test Coupon ☐ Production Weld
Specification of Base Metal(s): API 5L X65 Thickness: 17.3mm (Include Clad N06625)
Joint Design: Butt Joint

TESTING VARIABLES AND QUALIFICATION LIMITS

Welding Variables (QW-350)	Actual Values	Range Qualified
Welding Process(es)	GTAW	GTAW
Type (i.e. manual, semi-auto) used	Manual	Manual/Semi Auto
Backing (With/Without)	Without	With/Without
☐ Plate ☒ Pipe (enter dia if pipe or tube)	Pipe 6" NPS	73mm to unlimited
Base metal P Number to P Number	P No. 1 Gr. 2 to P No. 1 Gr. 2	1 to 15F, 34, 41 to 49
Filler Metal or Electrode specification(s) (SFA) (info only)	5.14	-
Filler Metal or Electrode classification(s) (info only)	ERNICrMo-3	-
Filler Metal F-Number(s)	43	34, 41-46
Consumable Insert (GTAW or PAW)	Without	Without
Filler type(solid/metal or flux cored/powder) (GTAW or PAW)	Bare Solid	Bare Solid
Weld deposit thickness for each welding process		
Process 1: <u>GTAW</u> 3 layers min ☒ Yes ☐ No	17.3mm	Max to be welded
Process 2: <u>NA</u> 3 layers min ☐ Yes ☐ No	-	-
Position Qualified	6G	All (F,H,V,O)
Vertical Progression (Uphill or Downhill)	Uphill	Uphill
Type of Fuel Gas (OFW)	N/A	N/A
Inert Gas Backing (GTAW,PAW,GMAW)	With	With
GTAW Current Type/Polarity (AC, DCEP, DCEN)	DCEN	DCEN

RESULTS

Visual Examination of Completed Weld Result (QW-302.4) **Accepted**
☐ Transverse Face and Root Bend [QW-462.3 (a)] ☐ Longitudinal Bends [QW-462.3 (b)] ☐ Side Bends [QW-462.2]
☐ Pipe Bend Specimen, Corrosion-Resistant Weld Metal Overlay [QW-462.5 (c)]
☐ Plate Bend Specimen, Corrosion-Resistant Weld Metal Overlay [QW-462.5 (d)]
☐ Pipe Specimen, Macro Test for Fusion [QW-462.5 (b)] ☐ Plate Specimen, Macro Test for Fusion [QW-462.5 (e)]

Type	Result	Type	Result	Type	Result
-	-	-	-	-	-
-	-	-	-	-	-

NDE Examination:

☒ Volumetric Examination Result (QW-191): **Accepted** Report Number: CT-343-SPO-NDT-RT-WQT-023 ☒ RT ☐ UT
Date: 04 August 2016
☐ Others NDE Examination Result: N/A Report Number: - ☐ PT ☐ MT
Fillet Weld - Fracture Test (QW-181.2) N/A Length & percent of defects: N/A

☐ Fillet Weld in Plate [QW-462.4 (b)] ☐ Fillet Weld in Pipe [QW-462.4 (c)]
Macro examination (QW-184) N/A Fillet size (in) - x - Concavity/Convexity (in) -

Others Test N/A
Film or specimens evaluated by PCN Level II Company Cladtek
Mechanical tests conducted by - Laboratory Test No -
Date -

Welding Supervised by Welding Supervisor Witnessed by QC Inspector, 3rd Party

We Certify that the statements in this record are correct and that the test coupons were prepared, welded and tested, in accordance with the requirements of Section IX of the ASME Boiler and Pressure Vessel Code (2015 Edition)

Issued Date: 11 August 2016

Certified By

PT. Cladtek Bi Metal Manufacturing

Witnessed / Reviewed

Welding Engineer

ATOS AUSRI

QUALIFICATION PT. BECHTEL



[illegible]



PIPE WELDING ABSOLUTES

- 1) Maximum Hi-Lo 1.6mm.
- 2) Maximum Root Gap 4mm.
- 3) Minimum 2 Pass untuk Las Soket.
- 4) Proteksi Angin Diperlukan.
- 5) Welder Stamp di semua Las-Lasan.
- 6) Bersihkan dan inspeksi semua Las-Lasan.
- 7) Weld Card dipersyaratkan.

- 8) Hanya Welder yg bisa mengambil dan mengembalikan kawat las
- 9) Semua Karat, cat, Galvanis harus dihilangkan sebelum mengelas.
- 10) Letakkan Ground langsung ke benda kerja.
- 11) Dilarang melakukan pengelasan antara galvanis dg stainless steel.

 ASME Section IX Certified Pipe Welder Masyoga Doris P-270		WSLNG 25657-215 Badge# 203211
	Max Thickness	Dia. Certified
SMAW = CS	☒ Unlimit. With Backing	☒ 150mm and Above
GTAW = CS	☒ Unlimited	☒ 25mm and Above
GTAW = SS	☒ Unlimited	☒ 25mm and Above
STT = SS	☐ Root & HP only	☐ >250mm 9.27mm
FCAW = CS	☐ Unlimit. With Backing	☐ Plate Only
Start Date	29-Jun-15	☒ GTAW Only on
Wil Veronie		All Socket Welds

The image shows a white rectangular card. At the top left, the text "Wheatstone Project" is printed in a bold, black, sans-serif font. To its right is a logo consisting of a green circle with white curved lines inside, followed by the text "SMOE Indonesia" in a black, sans-serif font. Below this, there is a green rectangular box containing the word "SMOE" in white, bold, sans-serif capital letters. Underneath the green box is a portrait of a man with short dark hair and a light blue shirt, framed by a thick green border. Below the portrait, the name "Doris, Masyoga" is printed in a bold, black, sans-serif font. At the bottom of the card is a standard 1D barcode, and below that, the number "203211" is printed in a large, bold, black, sans-serif font.



PT. DIP ENGINEERING

STEEL CONSTRUCTION, MAN POWER SUPPLY
MECHANICAL & ELECTRICAL

CERTIFICATE OF EMPLOYMENT

SURAT PENGALAMAN KERJA

Ref No. 6262/DIP-E-SPK/IV/2015

This is to certify that the following person :

Yang di bawah ini menerangkan bahwa :

<u>Name</u> <i>Nama</i>	: MASYOGA DORIS
<u>Badge No</u> <i>Nomor Karyawan</i>	: DIP - 6262
<u>Position</u> <i>Posisi</i>	: WELDER 6G GTAW/SMAW
<u>Period for Service</u> <i>Masa Kerja</i>	: 19 November 2014 - 18 April 2015
<u>Job Location</u> <i>Lokasi kerja</i>	: PT. PROFAB INDONESIA
<u>Reason</u> <i>Alasan</i>	: Finish Contract

Has Employed by PT. DIP ENGINEERING - BATAM since the date showed above.


Telah bekerja di PT. DIP ENGINEERING - BATAM selama masa yang tersebut di atas.

We would like to take this opportunity to thank to him for the past effort, contribution and loyalty during his employment, and we wish him the best of his future endeavors

Pada kesempatan ini kami ingin mengucapkan terima kasih atas kemampuan, kontribusi dan loyalitasnya selama bekerja, dan kami berharap semoga memperoleh yang terbaik di waktu yang akan datang

Batam, 20 April 2015

Sincerely Yours,


Febrizal Yani. SE
HR Manager




HEAD OFFICE & WORKSHOP :

Komp. Repindo Industrial Estate Blok C2 No. 09 Jl. Tenggiri Batu Ampar - Batam, Indonesia

Telp. 0778 - 412292 Fax. 0778 - 412393

Website : www.dip-engineering.com

Certificate no.: WP3806-TM-1

QW-484A Welder Performance Qualification (WPQ) (QW-301, Section IX, ASME Boiler and Pressure Vessel Code)																																									
Welder's Name:	MASYOGA DORIS	Stamp No.:	WP-3806																																						
Test Description																																									
Identification of WPS followed	WPS-TM5-A-LT46	☒ Test Coupon	☐ Production weld																																						
Specification of Base metal(s):	A106 B	Thickness	168.3 mm OD, SCH.XXS (21.95 mm)																																						
Testing Conditions and Qualification Limits																																									
Welding Variables (QW-350) Welding process(es) Type (i.e.; manual, semi-auto) used Backing (metal, weld metal, double welded, etc) ☐ Plate ☒ Pipe (enter diameter if pipe or tube) Base metal P- or S- Number to P- or S-Number Filler Metal or Electrode specification(s) (SFA) (info only) Filler Metal or Electrode classification(s) (info. Only) Filler Metal F-Number(s) Consumable insert (GTAW or PAW) Filler type (solid/metal or flux cored/powder) (GTAW or PAW) Weld deposit thickness for each welding process Process 1: <u>GTAW</u> 3 layers min ☐ Yes ☒ No Process 2: <u>SMAW</u> 3 layers min ☒ Yes ☐ No Position qualified Vertical Progression (uphill or downhill) Inert Gas Backing (GTAW, PAW, GMAW) Type of Fuel Gas (OFW) Transfer Mode (spray/globular or pulse to short circuit-GMAW) GTAW welding current type/polarity (AC, DCEP, DCEN)		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Actual Values</th> <th style="text-align: center;">Range Qualified</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">GTAW + SMAW</td> <td style="text-align: center;">GTAW + SMAW</td> </tr> <tr> <td style="text-align: center;">Manual</td> <td style="text-align: center;">Manual</td> </tr> <tr> <td style="text-align: center;">GTAW (without), SMAW (with backing)</td> <td style="text-align: center;">GTAW (with or without), SMAW (with backing)</td> </tr> <tr> <td style="text-align: center;">168.3 mm OD</td> <td style="text-align: center;">73 mm OD Min</td> </tr> <tr> <td style="text-align: center;">P1</td> <td style="text-align: center;">P-No. 1 through P-No. 15F, P-No. 34, and P-No. 41 through P-No. 49</td> </tr> <tr> <td style="text-align: center;">(GTAW) 5.18, (SMAW) 5.5</td> <td style="text-align: center;">Any, same below F no.</td> </tr> <tr> <td style="text-align: center;">ER-70S-G, E-7018-1</td> <td style="text-align: center;">Any, same below F no.</td> </tr> <tr> <td style="text-align: center;">F6 (GTAW), F4 (SMAW)</td> <td style="text-align: center;">F6 (GTAW), F1-F4 (SMAW)</td> </tr> <tr> <td style="text-align: center;">N/A</td> <td style="text-align: center;">N/A</td> </tr> <tr> <td style="text-align: center;">N/A</td> <td style="text-align: center;">N/A</td> </tr> <tr> <td style="text-align: center;">4 mm</td> <td style="text-align: center;">8.0 mm</td> </tr> <tr> <td style="text-align: center;">17.95 mm</td> <td style="text-align: center;">Unlimited</td> </tr> <tr> <td style="text-align: center;">6 G</td> <td style="text-align: center;">All</td> </tr> <tr> <td style="text-align: center;">Uphill</td> <td style="text-align: center;">Uphill</td> </tr> <tr> <td style="text-align: center;">N/A</td> <td style="text-align: center;">N/A</td> </tr> <tr> <td style="text-align: center;">N/A</td> <td style="text-align: center;">N/A</td> </tr> <tr> <td style="text-align: center;">N/A</td> <td style="text-align: center;">N/A</td> </tr> <tr> <td style="text-align: center;">DCEP (SMAW)</td> <td style="text-align: center;">DCEP (SMAW)</td> </tr> </tbody> </table>		Actual Values	Range Qualified	GTAW + SMAW	GTAW + SMAW	Manual	Manual	GTAW (without), SMAW (with backing)	GTAW (with or without), SMAW (with backing)	168.3 mm OD	73 mm OD Min	P1	P-No. 1 through P-No. 15F, P-No. 34, and P-No. 41 through P-No. 49	(GTAW) 5.18, (SMAW) 5.5	Any, same below F no.	ER-70S-G, E-7018-1	Any, same below F no.	F6 (GTAW), F4 (SMAW)	F6 (GTAW), F1-F4 (SMAW)	N/A	N/A	N/A	N/A	4 mm	8.0 mm	17.95 mm	Unlimited	6 G	All	Uphill	Uphill	N/A	N/A	N/A	N/A	N/A	N/A	DCEP (SMAW)	DCEP (SMAW)
Actual Values	Range Qualified																																								
GTAW + SMAW	GTAW + SMAW																																								
Manual	Manual																																								
GTAW (without), SMAW (with backing)	GTAW (with or without), SMAW (with backing)																																								
168.3 mm OD	73 mm OD Min																																								
P1	P-No. 1 through P-No. 15F, P-No. 34, and P-No. 41 through P-No. 49																																								
(GTAW) 5.18, (SMAW) 5.5	Any, same below F no.																																								
ER-70S-G, E-7018-1	Any, same below F no.																																								
F6 (GTAW), F4 (SMAW)	F6 (GTAW), F1-F4 (SMAW)																																								
N/A	N/A																																								
N/A	N/A																																								
4 mm	8.0 mm																																								
17.95 mm	Unlimited																																								
6 G	All																																								
Uphill	Uphill																																								
N/A	N/A																																								
N/A	N/A																																								
N/A	N/A																																								
DCEP (SMAW)	DCEP (SMAW)																																								
Results																																									
Visual examination results (QW-302.4)		Passed (13 Sep 2012)																																							
Bend Test: ☐ Root and face ☐ Side ☐ Corrosion resistant overlay bend ☐ Macro Test for fusion																																									
Radiographic test results (QW-304 and QW-305) (for alternative qualification of groove welds by radiography)		Passed Report No. <u>HI/RT/WQT/890</u> Radiographic test conducted by: <u>PT. Hitek Indo Mulia</u>																																							
Fillet Weld - Fracture Test <u>N/A</u> Length and percent of defects Macro exam. <u>N/A</u> Fillet leg size <u> </u> in. x <u> </u> in. Concavity/ convexity <u> </u> in.		Film or specimens evaluated by <u>QC Inspector</u> Company <u>PT Profab Indonesia</u> Welding supervised by <u>Welding Supervisor</u> Witnessed By <u>QC Inspector</u> Mechanical test conducted by <u> </u> Laboratory test no. <u> </u>																																							
We certify that the statements in this record are correct and that the test coupons were prepared, welded and tested, in accordance with the requirements of Section IX of the ASME Boiler and Pressure Vessel Code 2010.																																									
Certified by: <u>PT. PROFAB INDONESIA</u>  RUBI POTERA WELDING Engineer QA/QC Dept.		 MERRY SYAMSUDIN Welding Engineer Asst QA/QC Dept.																																							
		Witnessed by:  Initial: BA Batam Office 2/12/2012 Lloyd's Register PT. Lloyd's Register Indonesia Lloyd's Register																																							



Certificate no.: WP3806-T1-6G

QW-484A Welder Performance Qualification (WPQ)
(QW-301, Section IX, ASME Boiler and Pressure Vessel Code)

Welder's Name:	MASYOGA DORIS	PROFAB Stamp No.:	WP-3806
Test Description			
Identification of WPS followed	WPS-ASME-T665-A-LT46	☒ Test Coupon	☐ Production weld
Specification of Base metal(s):	API 5L X65	Thickness	60.3 mm OD, Thk 11.07 mm
Testing Conditions and Qualification Limits			
Welding Variables (QW-350)	Actual Values	Range Qualified	
Welding process(es)	GTAW	GTAW	
Type (i.e., manual, semi-auto) used	Manual	Manual	
Backing (metal, weld metal, double welded, etc)	No	No or Yes	
☐ Plate ☒ Pipe (enter diameter if pipe or tube)	60.3 mm OD	25 mm OD Min	
Base metal P- or S- Number to P- or S-Number	P1	P-No. 1 through P-No. 15F, P-No. 34, and P-No. 41 through P-No. 49	
Filler Metal or Electrode specification(s) (SFA) (info only)	5.28	Any, same below F no	
Filler Metal or Electrode classification(s) (info. Only)	ER80S-Ni1	Any, same below F no	
Filler Metal F-Number(s)	F6	F6	
Consumable insert (GTAW or PAW)	No	No	
Filler type (solid/metal or flux cored/powder) (GTAW or PAW)	Solid	Solid	
Weld deposit thickness for each welding process			
Process 1: GTAW 3 layers min ☒ Yes ☐ No	11.07 mm	22.14 mm	
Process 2: - 3 layers min ☐ Yes ☐ No	-	-	
Position qualified	6 G	All	
Vertical Progression (uphill or downhill)	Uphill	Uphill	
Inert Gas Backing (GTAW, PAW, GMAW)	Argon 99.99%	Argon 99.99%	
Type of Fuel Gas (OPW)	N/A	N/A	
Transfer Mode (spray/globular or pulse to short circuit-GMAW)	N/A	N/A	
GTAW welding current type/polarity (AC, DCEP, DCEN)	DCEN	DCEN	

Results

Visual examination results (QW-302.4) **Passed (11-Feb-2015)**

Bend Test: ☐ Root and face ☐ Side ☐ Corrosion resistant overlay bend
☐ Macro Test for fusion

Radiographic test results (QW-304 and QW-305) **Passed** Report No. **HIM/JN1141/WQT/2031**
 (for alternative qualification of groove welds by radiography) Radiographic test conducted by: **PT. Hitek Indo Mulia**

Fillet Weld - Fracture Test **N/A** Length and percent of defects _____ in.

Macro exam. **N/A** Fillet leg size _____ in. x _____ in. Concavity/convexity _____ in.

Film or specimens evaluated by **ASNT LEVEL 2** Company **PT. Hitek Indo Mulia**

Welding supervised by **Welding Supervisor** Witnessed By **QC Inspector**

Mechanical test conducted by _____ Laboratory test no. _____

We certify that the statements in this record are correct and that the test coupons were prepared, welded and tested, in accordance with the requirements of Section IX of the ASME Boiler and Pressure Vessel Code 2010.

Certified by **PT. PROFAB INDONESIA**

JEFFRY MALAU
Welding Engineer Asst
QA/QC Dept
QA/Welding Engineer

PT. PROFAB Indonesia
MERRY SYAMSUDIN
Welding Engineer Asst
QA/QC Dept

Witnessed by **BV**
BUREAU VERITAS
PARIS 1828
INDONESIA
026
0215
SAHRIODIN
Bureau Veritas

WELDER STAMP MC DERMOTT INDONESIA

Badge No. 1296E		Process : GTAW CS/SS/DSS (6G)				
Qualification Range						
Code	Dia. (OD)	Thickness	Position	Base Metal	Joint	F. No.
AWS D1.1	-	-	-	-	-	-
ASME IX	≥ 25 mm	17.48 mm max.	All	P or S No. 1 through P or S No. 11, 34 & 41 through No. 49 of ASME IX	All type joint	All F-No. 6
All Passes						
 3rd PARTY						

Badge No. 1296E		Process : GTAW CS/SS (6G)				
Qualification Range						
Code	Dia. (OD)	Thickness	Position	Base Metal	Joint	F. No.
AWS D1.1	-	-	-	-	-	-
ASME IX	≥ 25 mm	17.48 mm max.	All	P or S No. 1 through P or S No. 11, 34 & 41 through No. 49 of ASME IX	All type joint	All F-No. 6
All Passes						
 3rd PARTY						

Badge No. 1296E		Process : GTAW SS/DSS (6G)				
Qualification Range						
Code	Dia. (OD)	Thickness	Position	Base Metal	Joint	F. No.
AWS D1.1	-	-	-	-	-	-
ASME IX	≥ 25 mm	22.14 mm max.	All	P or S No. 1 through P or S No. 11, 34 & 41 through No. 49 of ASME IX	All type joint	All F-No. 6
All Passes						
 3rd PARTY						

Badge No. 1296E		Process : GTAW CS				
Qualification Range						
Code	Diameter	Thick.	Position	Base Metal	Joint	F-No.
AWS D1.1	Min : 20mm, Max : 100mm	3 mm - 20 mm	All	Material listed in table 3.1 & 4.9 of AWS D1.1	All type joint	All F-No. 6
ASME IX	-	-	-	-	-	-
All Passes						
 3rd PARTY						

PT. McDermott Indonesia
BATAM BASE
 WELDER IDENTIFICATION CARD

NAME : MASYOGA DORIS
BADGE : 1296E
STAMP : ABOR

(SEE REVERSE SIDE FOR QUALIFICATION)

PT. McDermott Indonesia
BATAM BASE
 WELDER IDENTIFICATION CARD

NAME : MASYOGA DORIS
BADGE : 1296E
STAMP : ABOR

(SEE REVERSE SIDE FOR QUALIFICATION)

PT. McDermott Indonesia
BATAM BASE
 WELDER IDENTIFICATION CARD

NAME : MASYOGA DORIS
BADGE : 1296E
STAMP : ABOR

(SEE REVERSE SIDE FOR QUALIFICATION)

PT. McDermott Indonesia
BATAM BASE
 WELDER IDENTIFICATION CARD

NAME : MASYOGA DORIS
BADGE : 1296E
STAMP : ABOR

(SEE REVERSE SIDE FOR QUALIFICATION)



PT. Angkasa Engineers Indonesia

Tunas Industrial Estate Block 2 -V

Jl. Engku Putri, Batam Centre 29462

Batam Island-Indonesia

Tel : +62 778 471 704, 471 705

Fax : +62 778 471 706

info@angkasaengineers.com

do forward a copy of your updated

TO WHOM IT MAY CONCERN

AEI/CERT.NO.5797/P-0914/050514

This is to certify that **Mr. Masyoga Doris** was employed by PT. ANGKASA ENGINEERS INDONESIA for the following project:

P-00914 Australian Pacific LNG at PT. SMOE Indonesia

Duration : 03th October 2013 – 29th April 2014

Position : Welder GTAW/SMAW 6G

Reason of leaving : Finished Contract

During his service in our company, he has proved himself and found willing to work hard.

We would like to thank him for his efforts and wish him the best for his future employment.

Batam, 05th May 2014.



Eni Rosana
Admin & HR Executive



Mechanical - Electrical – Instrumentation



RESUME FOR EVALUATION.

CLADTEK		PT. CLADTEK BI-METAL MANUFACTURING	
WELDER IDENTIFICATION CARD			
NAME	MASYOGA DORIS		
WELDER ID	CT-737		
CERTIFICATE NO	CT-80-WC-350		
PROCESS	GTAW Manual / Semi Auto		
ISSUE DATE	11-Aug-16		
			
WELDER			
Code	ASME IX		
Position/Progression	All (P,H,V,O)		
P No.	34, 41-46		
P No.	1 to 15P, 34, 41 to 46		
Weld Metal Thickness	Max to be welded		
Backing	Wth/Without		
Diameter	73mm to unlimited		
 Welding Engineer			

Form No. 05003 Rev 2 Issued date 20-June-2016

PERHATIAN

1. Paspor ini adalah dokumen milik Negara.
2. Kecuali pejabat yang berwenang, dilarang memuat atau melakukan perubahan, seperti atas informasi-cetakan dan/atau dalam bentuk apapun yang terdapat dalam paspor ini.
3. Harap memertualihkan ketentuan-ketentuan berdasarkan Undang-Undang Republik Indonesia yang diatur dalam Pasal 23 Undang-Undang Nomor 12 Tahun 2006 tentang Kewarganegaraan Republik Indonesia.
4. Harap memuat keterangan atau visa setelah keluar dari Perwakilan Negara Asing yang akan di kunjungi.
5. Dalam hal paspor ini hilang agar segera melapor kepada:
- a. Kantor Perwakilan Negara Republik Indonesia dan Kantor Imigrasi terdekat atau
- b. Kantor Polisi setempat dan Kepala Perwakilan Republik Indonesia terdekat dalam hal terjadi di luar negeri.

[illegible]

B4472048<0IDN8505040M21081042131430/05000000