

Natural Join: -

A NATURAL JOIN is a JOIN operation that creates an implicit join clause for you based on the common columns in the two tables being joined. Common columns are columns that have the same name in both tables. A NATURAL JOIN can be an INNER join.

Difference between Natural join and Inner Join in SQL: -

1. Natural Join: -

Natural Join joins two tables based on same attribute name and datatypes. The resulting table will contain all the attributes of both the table but keep only one copy of each common column.

Example: -

Consider the two tables given below: -

Student Table: -

Roll_No	Name
1	A
2	B
3	C

Marks Table: -

Roll_No	Marks
2	70
3	50
4	85

Consider the given query: -

```
SELECT * FROM Student NATURAL JOIN Marks;
```

Output: -

Roll_No	Name	Marks
2	B	70
3	C	50

2. Inner Join: -

Inner Join joins two table on the basis of the column which is explicitly specified in the ON clause. The resulting table will contain all the attributes from both the tables including common column also.

Example: -

Consider the above two tables and the query is given below: -

```
SELECT * FROM student S INNER JOIN Marks M ON S.Roll_No = M.Roll_No;
```

Output: -

Roll_No	Name	Roll_No	Marks
2	B	2	70
3	C	3	50

Difference between Natural JOIN and INNER JOIN in SQL: -

SR.NO.	NATURAL JOIN	INNER JOIN
1.	Natural Join joins two tables based on same attribute name and datatypes.	Inner Join joins two table on the basis of the column which is explicitly specified in the ON clause.
2.	In Natural Join, the resulting table will contain all the attributes of both the tables but keep only one copy of each common column	In Inner Join, the resulting table will contain all the attribute of both the tables including duplicate columns also

3.	In Natural Join, If there is no condition specifies then it returns the rows based on the common column	In Inner Join, only those records will return which exists in both the tables Based on conditions
4.	SYNTAX: SELECT * FROM table1 NATURAL JOIN table2;	SYNTAX: SELECT * FROM table1 INNER JOIN table2 ON table1.Column_Name = table2.Column_Name;