

The Merchant Shipping (Medicines, Medical Stores And Appliances) Rules, 1966

Source: <https://indiankanoon.org/doc/152671446/>

Skip to main content

Legal Document View

Tools for analyzing structure and cite text of judgments

Unlock Advanced Research with

PRISM

AI

Integrated with over 4 crore judgments and laws ? designed for legal practitioners, researchers, students and institutions

-

Know your Kanoon

-

Doc Gen Hub

-

Counter Argument

-

Case Predict AI

-

Talk with IK Doc

-

...

Upgrade to Premium

[Cites

0

, Cited by

0

]

Union of India - Act

The Merchant Shipping (Medicines, Medical Stores And Appliances) Rules, 1966

UNION OF INDIA

India

The Merchant Shipping (Medicines, Medical Stores And Appliances) Rules, 1966

Rule THE-MERCHANT-SHIPPING-MEDICINES-MEDICAL-STORES-AND-APPLIANCES-RULES-1966 of 1966

Published on 7 October 1966

Commenced on 7 October 1966

[This is the version of this document from 7 October 1966.]

[Note: The original publication document is not available and this content could not be verified.]

The Merchant Shipping (Medicines, Medical Stores And Appliances) Rules, 1966

Published vide Notification Gazette of India, 1966, Part 2, Section 3(ii), page 1746.

1894.

G.S.R. 1573, dated 7th October, 1966. - In exercise of the powers conferred by Section 172 read with Section 457 of the Merchant Shipping Act, 1958 (

44 of 1958

) and in supersession of all the existing rules on the subject, the Central Government hereby makes the following rules, namely :-

1.

Short title, commencement and application.

(1)

These rules may be called the Merchant Shipping (Medicines, Medical Stores and Appliances) Rules, 1966.

(2)

They shall come into force at once.

(3)

They shall apply to all foreign-going Indian ships and all home-trade Indian ships of two hundred tons gross or more but shall not apply to unberthed passenger ships or pilgrim ships.

2.

Definitions.

- In these rules, unless the context otherwise requires :-

(a)

"Act" means the Merchant Shipping Act, 1958 (44 of 1958

);

(b)

"Medical Officer" means a person possessing a degree in medicine and surgery of any recognised University and enrolled as a Medical Practitioner on the register of the Medical Council of any State and also holds a valid licence issued by the Health Officer of the port of departure of the ship in the form prescribed under the Merchant Shipping (Carriage of Medical Officers) Rules, 1961;

(c)

"Official pharmacopoeia" means the Indian Pharmacopoeia (I.P.), the National Formulary of India (N.F.I.), or the British Pharmacopoeia (B.P.C.);

(d)

"Port health officer" means any person appointed by the Central Government either by name or by virtue of his office, to be the Health Officer of a port and includes-

(i)

an additional, deputy or assistant port health officer, or any officer appointed by the Central Government, either by name or by virtue of his office, to perform any of the duties of a health officer of a port;

(ii)

a person appointed by the Central Government under sub-section (3) of Section 172 of the Act to inspect the medicines, medical stores and appliances with which a ship is required to be provided;

(e)

"Schedule" means a Schedule to these rules.

3.

[Scales of Medicines, etc.

[Substituted by G.S.R. 1384, dated 9th October, 1972.]

(1)

Every foreign-going ship which is required to carry on board a medical officer in accordance with the provisions of Section 173 of the Act shall have on board the medicines, medical instruments, appliances, dressings and general medical equipments in quantity specified in Schedule I.

(2)

Every foreign-going ship which is not required to carry on board a medical officer in accordance with Section 173 of the Act and every home-trade ship engaged in voyages which exceed fourteen days in either direction shall have on board, if the ship carries up to 40 persons, the medicines, medical instruments, appliances, dressings and general medical in quantity specified in sub-Column (a) of column (2) of Schedule 11 and, if the ship carries over 40 persons, in quantity specified in sub-column (b) of column (2) of the said Schedule :

Provided that where a ship proceeds on a voyage exceeding six months, it shall carry double the quantities of medicines and dressing specified in sub-column (a) or, as the case maybe, sub-column (b) of column (2) of the said Schedule.

(3)

Every home-trade ship engaged in voyages not exceeding fourteen days in either direction, other than a ship to which

sub-rule (4) applies, shall have on board the medicines, medicals instruments, appliances, dressing and general medical equipments in quantity specified in column (3) of Schedule II :

Provided that any such ship which is never more than twelve hours away from a port of call may not carry on board the medicines, medical stores and appliances indicated by symbol (*) in column (3) of the said Schedule.

(4)

Every home-trade ship which is solely engaged in the coastal trade of India shall have on board the medicines, medical instruments, appliances, dressings and general medical equipments in quantity specified in column (4) of Schedule II.]

4.

[Standards of Medicines, Instruments, Appliances, Dressings and General Medical Equipments.

[Substituted by G.S.R. 1384, dated 9th October, 1972.]

- All such medicines, instruments, appliances, dressings and general medical equipments shall conform to the special requirements relating to labelling, packaging, storage, etc., specified in Schedule I or, as the case may be, in column (5) of Schedule II.]

5.

Labels.

(1)

All labels on containers or wrapping shall be rendered resistant to moisture by the use of an efficient label varnish or by some other suitable means.

(2)

All labels shall indicate---

(a)

both the English and the full Latin name of the preparation as given in the official pharmacopoeias; and

(b)

the prescribed maximum and minimum doses.

(3)

Each preparation shall also have a label showing thereon the name and address of the supplier.

(4)

The articles to be used externally only, shall have on the container or wrapping, a label bearing the words "for external use only".

6.

Poisons.

- [(1) Every medicine indicated by the symbol (P) in Schedule I or indicated as "poison" in column (5) of Schedule II, shall have on its container or wrapping a label with the word "POISON" printed thereon in capital letters either in red lettering or on a red background.]

[Substituted by G.S.R. 1384, dated 9th October, 1972.]

(2)

All such medicines shall be kept under lock and key in a separate cabinet and the key of the cabinet shall be kept in the charge of the Medical Officer, where such officer is on board, or otherwise in the charge of the master of the ship.

7.

Inspection of Medicines, etc., by Port Health Officer.

(1)

The medicines, medical stores and appliances on board a ship shall be inspected at least once in twelve months by the Port Health Officer.

(2)

If the Port Health Officer is satisfied that the provisions of these rules have been complied with, he shall give to the master of the ship a certificate in the form set out in [Schedule III]

[Substituted by G.S.R. 1384, dated 9th October, 1972.]

.

8.

Substitutes.

- If any particular item of medicine or medical store in Schedule I, II or III is not available, a substance having closely

similar pharmacological action or, in the case of prescribed preparations of formulations, similar preparations or formulations which comply with the standards laid down therefor in official pharmacopoeia, may be substituted after obtaining the sanction of the Port Health Officer.

9.

Exemptions.

--(1) The Central Government may, by order in writing and upon such conditions, if any, as it may think fit to impose and for reasons to be recorded, exempt any ship from carrying on board any particular item required by these rules to be carried thereon.

(2)

The exemption order shall be in the form set out in [Schedule IV]

[Substituted by G.S.R. 1384, dated 9th October, 1972.]

.

I

[See rule 3(1)]

Part I

Medicines

Sl. No.

Names of

Medicines

Quantity for 100

persons (Unless otherwise mentioned)

(1)

(2)

(3)

1.

Ammonium

Bicarbonate

15g.

2.

Anti-tetanus

Serum (1500 units) (C)

4

ampoules/vessel.

3.

Application of

Benzyl Benzoate (25%) N.F.I.

250 c.c./250

persons.

4.

Bismuth

Subnitrate or Carbonate

60g.

5.

Boric Acid.

125 g.

6.

Brandy.

250 c.c.

7.

Calamine Lotion.

125 c.c./250

persons.

8.

Chloramphenicol

Capsules (250 mg.) N.F.I.

100 capsules/500

persons.

9.

Chloroform (C) in

amber coloured air-tight bottle (P)

500 c.c./vessel.

10.

Codeine Linctus

N.F.I.

125 c.c./500

persons.

11.

Collodion

Flexible (Meth) N.F.I.

50 c.c./vessel.

12.

Creosote (P).

30 c.c./vessel.

13.

Diphtheria

Antitoxin each c.c. containing notless than 2000 units (C)

20000

units/vessel.

14.

Ear drops,

Neomycin and Bacitracin (Ba-Sulph)

1 bottle/500

persons.

15.

Ear drops, Phenol

and Amethocaine N.F.I. (P)

15 c.c./vessel.

16.

Ether anaesthetic

(in amber coloured air-tight bottles) (C)

500 c.c./500

persons.

17.

Ethyl Chloride

(50 g. tubes for local spray anaesthesia)

5 tubes/vessel.

18.

Eye Drops. Mild

Silver Protein (1% solution in blue bottle) (L) N.F.I.

20 c.c./vessel.

19.

Glucose

500 g./vessel.

20.

Glucose for

injection (25% Sol. 25 c.c.)

25 amps./vessel.

21.

Glucose for

injection (5% Sol. 25 c.c.)

10 amps./vessel.

22.

Glucose

saline-sterile isotonic in 500 c.c. bottle

2 bottles/vessel.

23.

Glycerine

120 c.c./vessel.

24.

Glycerine

suppositories (children size) N.F.I.

12/vessel.

25.

Hydrogen Peroxide

Solution (to be supplied in 125 c.c. amber coloured sealed bottle) (C)

2 bottles/vessel.

26.

Injection of

Acetanilide group of local anaesthesia in cartridges of 2 c.c.

(Xylocaine) (Lignocaine, etc.) (P)

5 cartridges/250

persons.

27.

Injection

Aminophylline 250 mg. in 10 c.c. ampoules I.P.

6 amps./500

persons.

28.

Injection

Alropine Sulphate 0.6 mg. in 1 c.c. ampoules N.F.I. (P).

6 amps/250

persons.

29.

Injection Calcium

Gluconate 10% in 5 c.c. ampoules I.P.

5 amps./500

persons.

30.

Injection

Chlorpromazine 50 mg. per ml. in 2 ml. ampoules

6 amps./vessel.

31.

Injection Emetine

Hydrochloride 60 mg. in 1 c.c. ampoules I.P. (P)

12 amps./250

persons.

32.

Injection

Epinephrine 0.5 c.c. per ampoules I.P. (C)

3 amps./250

persons.

33.

Injection

Ergometrine Maleate 0.5 mg. in 1 c.c. ampoules I.P. (P)

3 amps./250

persons.

34.

Injection

Hydrocortisone Acetate 25 mg. per c.c. in 5 c.c. ampoules (L)

N.F.I. (P)

3 amps./500

persons.

35.

Injection

Hyoscine Hydrobromide 0.6 mg. in 1 c.c. ampoules(L) I.P. (P)

3 amps./250

persons.

36.

Injection Insulin

in 5 c.c. vials of 40 units/c.c. I.P. (C)

1 vial/vessel.

37.

Injection Liver

Crude in 1 c.c. ampoules I.P. (P)

5 amps./500

persons.

38.

Injection

Mersalyl 2 ml. ampoules

6 amps./vessel.

39.

Injection

Morphine Sulphate 10 mg. in 1 c.c. ampoules I.P.

12 amps./250

persons.

40.

Injection

Nikethamide in 2 c.c. ampoules N.F.I.

6 amps./250

persons.

41.

Injection

Non-Adrenaline 2 ml. ampoules

6 amps./vessel.

42.

Injection

Oestradiol Monobenzoate 1 mg. in 1 c.c. ampoules I.P.

5 amps./vessel.

43.

Injection

Pethidine Hydrochloride 50 mg. per ml. in 2 ml. ampoules I.P.

(P)

6 amps./vessel.

44.

Injection

Pituitary (Posterior lobe) in 0.5 c.c. ampoules I.P.

3 amps./vessel.

45.

Injection

Phenisamine-p-amino-Salicylate (Inj. Avil) 0.05 g. per ml. in 1 ml. ampoules)

6 amps./vessel.

46.

Injection

Procainamide Hydrochloride in 10 c.c. vials N.F.I.

2 vial/vessel.

47.

Injection

Procaine Hydrochloride and Epinephrine in 1 c.c. amp. (L) I.P.

(P)

2 amps./vessel.

48.

Injection

Progesterone in 1 c.c. ampoules I.P.

5 amps./vessel.

49.

Injection

Quinidine Sulphate 1 ml. ampoule

6 amps./vessel.

50.

Injection Quinine

Dihydrochloride 300 mg. in 1 c.c. ampoules (for intravenous use)

(This solution must be diluted before use with at least 10 times its volume of sterile saline) I.P.

3 amps./vessel.

51.

Injection

Thrombokinase such as Coagulen 'Ciba'

5 amps./vessel.

52.

Injection Vitamin

B Complex in 10 c.c. vial

1 vial/vessel.

53.

Injection Vitamin

B121000 mcg. per c.c. in 1 c.c. ampoules

10 amps./vessel.

54.

Injection Vitamin

K 10 mg in 1 c.c. ampoules

6 amps./vessel.

55.

Inecacuanha and

opium powder 0.3 g. in capsules I.P.

25/vessel.

56.

Jelly, Tannic

acid or Proflavine Cream B.P.C. 1959 (for burns)

250 c.c./vessel.

57.

Kaolin Light

30 g./250

persons.

58.

Kaolin Poultice

(Kataplasma)

250 g./500

persons.

59.

Lamell Atropine

Sulphate 0.012 mg. (tubes of 20)(P)

2 tubes/vessel.

60.

Lamell Cocaine

1.2 mg. (tubes of 20)(P)

2 tubes/vessel.

61.

Lamell Fluoresce

in Sodium 0.06 mg. (tubes of 20)

2 tubes/vessel.

62.

Lamell

Physostigmine 0.06 mg. (tubes of 20) (P)

2 tubes/vessel.

63.

Lead Subacetate

(strong solution) (P)

60 c.c.

64.

Lint Camphor

Compound (P)

125 c.c./500

persons.

65.

Lint Methyl

Salicylate

125 c.c./500

persons.

66.

Lint Turpentine

125 c.c./500

persons.

67.

Liquid extract of

Glycyrrhiza (Liquorice)

60 c.c.

68.

Liquid Paraffin

259 c.c./vessel.

69.

Magnesium Carb.

(heavy)

60 g.

70.

Magnesium Carb.

(light)

30 g.

71.

Magnesium

Sulphate

500 g./250

persons.

72.

Magnesium

Trisilicate

250 g./500

persons.

73.

Mandi's Throat

Paint

60 c.c./500

persons.

74.

Nasal drop of

Ephedrine N.F.I.

30 c.c./vessel.

75.

Oil-Castor

500 c.c./500

persons.

76.

Oil-Clove

20 c.c./500

persons.

77.

Oil-Mentha

Piperita

60 c.c./vessel.

78.

Oil-Turpentine

60 c.c./vessel.

79.

Oint. Ammoniated

Mercury (2.5 %) I.P. (P)

30 g.

80.

Oint. Benzocaine

Compound (in collapsible tubes of 30 g. with applicator) N.F.I.

5 tubes/250

persons.

81.

Oint. Boric acid

60 g./500

persons.

82.

Oint. Dithranol

I.P.

60 g./250

persons.

83.

Oint.

Sulphathiazole incollapsible tubes of 30 g. (P)

2 tubes/500

persons.

84.

Oint.

Hydrocortisone (Eye) in collapsible tubes of 5 g. N.F.I. (P)

1 tube/vessel.

85.

Oint.

Oxytetracycline Hydrochloride (Eye) in collapsible tubes of 5 g.

N.F.I.

2 tubes/500

persons.

86.

Oint.

Oxytetracycline Hydrochloride (Skin) in collapsible tubes of 30

g.

2 tubes/500

persons.

87.

Oint. Methyl

Salicylate N.F.I.

60 g./250

persons.

88.

Oint. Zinc Oxide

N.F.I.

60 g./250

persons.

89.

Oxytetracycline

Capsules (250 mg.) N.F.I.

50 capsules.

90.

Paraffin Soft

(Yellow).

500 g./250

persons.

91.

Penicillin Sodium

G. Crystalline (500,000 units per vial)

10 vials.

92.

Penicillin

Procaine G 300,000 unit with crystalline penicillin salt 10,000

units per vial (buffered) (P)

10 vials.

93.

Phenol (P)

30 c.c./500

persons

94.

Plasma

Transfusion set with one bottle of dried plasma (a)

1 set/vessel.

95.

Potassium Bromide

30 g.

96.

Potassium Citrate

60g.

97.

Potassium iodide

30 g./250

persons.

98.

Potassium

permanganate

15 g./vessel.

99.

Salicylic Acid

15g./vessel.

100.

Sodium Acid

15 g./vessel.

101.

Sodium Chloride

sterite hypertonic solution in 500 c.c. bottle
2 bottles/vessel.

102.

Sodium Chloride

sterite hypertonic solution in 500 c.c. bottle
2 bottles/vessel.

103.

Sodium Salicylate

125 g./250

persons.

104.

Solution Iodine

(weak) N.F.L.

250 c.c./vessel.

105.

Solution

Mercurochrome 4%.

30 c.c.

106.

Spirit of

Aromatic Ammonia

120 c.c./250

persons.

107.

Spirit of Nitrous

Ether

60 c.c./250

persons.

108.

Spirit Rectified

120 c.c./vessel.

109.

Sulphanilamide

Dusting Powder (P)

125 g./250

persons.

110.

Strong Solution

of Ammonium Acetate

60 c.c.

111.

Syrup Tolu

120 c.c./250

persons.

112.

Tab.

Acetylsalicylic acid 0.3 g. N.F.I.

100

113.

Tab.

Acetylsalicylic and codeine N.F.I.

100/vessel.

114.

Tab. Aluminium

Hydroxide N.F.I.

25/250 persons.

115.

Tab.

Aminophylline 100 mg. N.F.I.

25/250 persons.

116.

Tab. Amodiaquine

Hydrochloride 200 mg.. (Camoquin) or chloroquine Sulphate 200 mg. N.F.I.

50/250 persons.

117.

Tab. Amphetamine

Sulphate N.F.I. (P)

25/vessel.

118.

Tab.

Butobarbitone O.I.G. N.F.I. (P).

50/250 persons.

119.

Tab. Calcium

gluconate 1 g. N.F.I.

50/500 persons.

120.

Tab. Charcoal

activated 0.5 g. N.F.I.

50/500 persons.

121.

Tab.

Chlorpromazine Hydrochloride 25 mg. (L) N.F.I. (P)

50/250 persons.

122.

Tab.

Chlorthiazide 0.5 g. N.F.I. (P)

25/500 persons.

123.

Tab. Codeine

Compound I.P. (L) (P)

100

124.

Tab.

Dexamethasone 0.5 mg.

25/vessel.

125.

Tab.

Di-iodohydroxyquinoline N.F.I. (L)

100

126.

Tab. Digoxin 0.25
mg. N.F.I. (P)
25/250 persons.

127.

Tab. Ephedrine
Hydrochloride 30 mg. I.P. (P)
25/250 persons.

128.

Tab. Ethyll
Biscoumacelateg0.3. g. (Tromexan) I.P.
50/vessel.

129.

Tab. Ferrous
Gluconate 300 mg. N.F.I.
50/500 persons.

130.

Tab. Glyceryl
Trinitrate 0.5 mg. I.P. (C)(L)(P).
25/vessel.

131.

Tab. Hyoscine
Hydrobromide 0.6 mg. N.F.I. (P)
50/vessel.

132.

Tab. Mepyramine
Maleate 50 mg. or Promethazine Hydrochloride 25 mg. N.F.I. (P)
50/250 persons.

133.

Tab.
Oxtriphylline (Choledyl) 100 mg.
50/500 persons.

134.

Tab. Pethidine
Hydrochloride 25 mg. N.F.I. (P)
50/500 persons.

135.

Tab.
Phenobarbitone 30 mg. I.P. (P)
100/250 persons.

136.

Tab.
Phenolphthalein N.F.I.
25

137.

Tab. Phthalyl
Sulphathiazole 0.5 g. or Tab. Sulpha Succidine 0.5 g. N.F.I. (P)
200

138.

Tab. Piperazine
Citrate N.F.I.
100/vessel.

139.

Tab. Prednisolone

5 mg. N.F.I. (P)

20/250 persons.

140.

Tab. Prednisone 5

mg. N.F.I. (P)

20/250 persons.

141.

Tab. Quinine

Dihydrochloride 0.3 g. N.F.I.

50/vessel.

142.

Tab. Reserpine

0.25 mg. (L) N.F.I. (P)

50/250 persons.

143.

Tab. Sodium

Bicarbonate Compound I.P. (Sodamint. tablets)

60

144.

Tab. Sodium

Chloride 1 g. N.F.I.

200/vessel.

145.

Tab. Streptomycin

0.5 g.

20/250 persons.

146.

Tab.

Sulphadimidine 0.5 g. N.F.I. (P)

100

147.

Tab.

Sulphadiazine 0.5 g. N.F.I. (P)

100

148.

Tab. Vegetable

Laxative

100

149.

Tab. Vitamin B

Complex

100/500 persons.

150.

Tab. Vitamin

Compound N.F.I.

100/500 persons.

151.

Tinct. Aconite

(P)

30 c.c./250

persons.

152.

Tinct Belladonna

(P)

60 c.c./500

persons.

153.

Tinct. Benzoin

Co.

120 c.c./250

persons.

154.

Tinct. Camphor

Co.

30 c.c./250

persons.

155.

Tinct. Cardamom

Co.

30 c.c./250

persons.

156.

Tinct. Chloroform

and Morphine Co.

60 c.c./250

persons.

157.

Tinct. Digitalis

(P)

30 c.c./250

persons.

158.

Tinct. Gentian

Co.

30 c.c./250

persons.

159.

Tinct.

Hyoscyamus

30 c.c./250

persons.

160.

Tinct. Ipecacuanha

30 c.c./250

persons.

161.

Tinct. Lobelia

sethereal

30 c.c./250

persons.

162.

Tinct. Nux Vomica

(P)

30 c.c./250

persons.

163.

Tinct. Opium (P)

30 c.c./250

persons.

164.

Tinct. Ammoniated

Quinine

30 c.c./250

persons.

165.

Tinct. Scilla

30 c.c./250

persons.

166.

Tinct. Velerian

Ammonia

60 c.c./vessel.

167.

Vaccine Lymph

(C-below 0°C)

50 c.c./vessel.

168.

Vitrella

(crushable glass capsules) Amyl Nitrite 5 min. N.F.I. (Not to be used after 12 months of supply)

6/vessel.

169.

Water for

injection in 5 c.c. ampoules I.P.

50 amps./500

persons.

Part II

Medical Stores

Sundries

Sl. No.

Articles

Quantity per

250 persons

1.

Antiseptic (vide

Appendix A for specification).

500 c.c.

2.

Anti V.D. Outfit

(vide Appendix B for specification)

for the first 50

members, one outfit per member and one outfit for two members of the crew exceeding 50 to a maximum of 1 gross.

3.

Basin Enamelled

Iron (Minimum size 20 cm. diam. by 10 cm. depth)

1

4.

Bedpan

2/500 persons.

5.

Blankets (Baby)

3/vessel.

6.

Books (The Ship

Captain's Medical Guide-latest edition)

1/vessel.

7.

Bottles (a) 60

ml.

18

(b) 180 ml.

36

8.

Boxes

(a) Ointment

2 doz.

(b) Pill

2 doz

9.

Bucket with lid

1/vessel.

10.

Corks

(a) To fit 60 ml.

bottles

36

(b) To fit 180

ml. bottles

72

11.

Cups feeding,

porcelain

3/vessel.

12.

Disinfectant

(Cresol or equivalent) (vide Appendix A for specification)

15 litres/500

persons.

13.

Douche Reservoir

1 litre with 2 metres of best rubber tubing & stopcock

2/vessel.

14.

Eye Baths (of

glass, porcelain or plastic which is unaffected by immersion in
boiling water for 5 minutes)

3/vessel.

15.

Eye Droppers

3/vessel.

16.

Eye Shades

3

17.

Finger Cots,

Rubber (Assorted size)

6

18.

Funnels (Enamel,

glass or plastic) (5 cm. and 10 cm.)

2/vessel.

19.

Gelatine

Capsules, empty

50/vessel.

20.

Gloves

Rubber-Surgical

2 pairs/vessel.

21.

Hot water bottles

(Rubber) (20 cm. x 30 cm.) with cover

2

22.

Ice Bag

1/vessel.

23.

Ice Chest (if no

cold storage).

1/vessel.

24.

India Rubber

Sheeting 1 metre wide

2 metres.

25.

Infant's prepared

Milk Food

0.5 kilograms.

26.

Insecticide

(a) Liquid (vide

Appendix C for specification)

50 litres

(b) Powder

Do.

125 g.

(c) Sprayer

Do.

2/vessel.

27.

Invalid prepared

Milk Food

500 g.

28.

Labels-Plain (in

packets of 100)

2/vessel.

-Poison (in

packets of 50)

1/vessel.

29.

Measures-glass

graduated, one set consisting of two 5 ml., two 50 ml. and one

100 ml. measures

1/set/vessel.

30.

Methylated spirit

(mineralised)

1/litre.

31.

Mortar and postle

1/vessel.

32.

Nail Brush

1/vessel.

33.

Napkins (Baby)

1 doz./vessel.

34.

Oxygen

1150 litres/500

persons.

35.

Oxygen Therapy

Outfit (vide Appendix D for specification)

1 outfit/vessel.

36.

Palette Knife

(236 cm.) (of stainless steel)

1/vessel.

37.

Paper-

Dispensary (White

demy)

1 quire/vessel.

Filter (in sizes
to fit funnels)

100/vessel.

38.

Safety Pins (5
cm.)

5 dozen/vessel.

39.

Safety Razor
1/vessel.

40.

Safety Razor
Blades

1 dozen/vessel.

41.

Scissors Ship
1/vessel.

42.

Scales and
weights

1 set/vessel.

43.

Sputum mug (with
hinged lid)
3/vessel.

44.

Stabilized
chloride of lime (in 100 g. sealed tins) (vide Appendix E for
specification)

45.

[Stretcher of
Neil-Robertson type or of any other type approved by the
Director-General]

[Substituted by G.S.R. 546, dated 23rd March, 1967.]

1/vessel.

46.

Temperature
Charts

4 dozen/vessel.

47.

Torch with one
dozen battery cells
1/vessel.

48.

Urinals (both
male and female)
1 each/vessel.

49.

Urinary testing

apparatus (Rack for 6 test tubes, uinometer, spirit lamp, litmus paper, 2 pipettes, 12 test tubes, one 60 ml. bottle containing acetic acid, one 60 ml. bottle containing nitric acid, one 120 ml. bottle containing Benedict's solution (qualitative)
1 set/vessel.

Part III

Medical Stores, Instruments and Appliances

Irrespective of number of persons carried and length of voyages except where indicated

Articles

Quantity

A. Main

instrument case, metal lined, with trays or white enamelled with glass shelves containing the following :

(Forships having

1000 persons 1 case or more on board.)

Catheters,

prostatic, silver plated, sizes 6, 8 and 12

3 (1 each)

Director (hernia)

(a)

1

Elevator, skull

1

Forceps (a)

12 pairs

Artery, Spencer

Wells, 17.5 cm.

1 pair

Aural,

Cumberbatch's

1 pair

Bone, angled on

flat, 17.5 cm.

1 pair

Dissecting, 17.5

cm.

2 pairs

Laryngeal,

Mackenzie's opening antero-posteriorly

1 pair

Tongue, Mayo's

pattern, 17.5 cm.

1 pair

Gouge, Robert

Jone's, Arthrodesis, 6 mm.

1

Knives (a)

?...

Blades, No. 23

B.P. type

2 dozen

Handles B.P. type
suitable for No. 23 blades
2
Hernia
1
Tenotomy,
sharp-pointed, Guy's pattern
1
Mallet with lead
core
1
Mouth gag,
Mason's (a)
1
Needle, aneurism
1
Needle Holder 20
cm. (a)
1
Retraotor, wound,
double-ended, Navy-pattern, 3 cm. wide (a)
2
Saws
Amputation, 20
cm.
1
Fergusson's small
(a)
1
Scissors
(a)
Blunt-pointed,
17.5 cm.
1 pair
One blade
sharp-pointed, and other blunt-pointed, 17.5 cm.
1 pair
Trephine, carbon
steel, 2 cm.
1 pair
Trocars and
Cannulae, sizes 8,16 and 21 French Catheter gauge (a)
3
B. Minor
instrument case of washable canvas containing the following :-
1 case
Director, Probe
pointed, 15 cm. (a)
1
Forceps-(a)
Artery, Spencer

Wells, 15 cm.

2 pairs

Cheatles

1 pair

Dissecting, 15
cm.

1 pair

Dressing, 15 cm.

1 pair

Sinus, 15 cm.

1 pair

Splinter 10 cm.

1 pair

Probe, with eye
(silver)

1

Scalpel, 15 cm.

(P)

1

Scissors--(a)

Blunt-pointed, 15
cm.

1 pair

One blade

sharp-pointed, and the other blunt pointed 15 cm.

1 pair

C. Dental

instrument case of washable canvas containing the following :-

1 case

Dental Syringe

(a)-Cartridge type together with 1 doz. 25 mm. needles and 1
doz. 30 mm. needles

1

Elevator (a)

hospital pattern, in metal handle :

Left, stamped

"Left elevator"

1

Right, stamped,

"Right elevator"

1

Forceps-(a)

Dental packing

Incisor-Lower,

stamped "Lower incisor"

1 pair

-Upper, stamped

"Upper incisor"

1 pair

Molar-Lower,

stamped "Lower Molar"

1 pair
-Upper, left,
stamped "Upper Left Molar"
1 pair
-Upper, right,
stamped "Upper Right Molar"
1 pair
Stump-Lower,
stamped "Lower stump"
1 pair
-Upper, stamped
"Upper stump"
1 pair
Probe-(a) Moon's
single ended
1
Instrument
and Appliances
1. Airway and
mouth, London Hospital pattern, (set of three)
1 set
2. Applicators,
wooden
100
3. Bougies-gum
elastic, sizes, 2,4,6 and 8
1 container
(English gauge in
glass or metal container with a sprinkling of French Chalk)
4. Catgut
Straight
intestinal needles, sizes 4 & 8, threaded
with 00 catgut
(70 cm.) in sealed glass tubes, 2 of each
4
20-day, in sealed
glass tubes (70 cm.) Nos. 0, 1, 3,6 of each
18
5. Catheters
(i) With divery
ends, gum elastic & stilettes-1 full set together with 2
Bi-Coudees gumelastic, sizes 8 & 10. English gauge in glass
or plastic cylinder or metal box with hinged lid with a
sprinkling of French Chalk
1 container.
(ii) Jacques
rubber, sizes 4, 6, 8,10 and 12 in glass or plastic cylinder or
metal box with hinged lid with a sprinkling of French Chalk
1 container.
(iii)
Metal-Female (a)

1

6. Diagnostic Set

containing May ophthalmoscope, auroscope with three inter-changeable specule, Duplay nasal speculum, bentarm throat lamp, one larygeal mirror, one post-nasal mirror, holder for wooden tongue spatula or metal tongue depressor, large battery handle and spare lamp

1 set.

7. Drainage---

Tubing, rubber,

in 30 cm. lengths of each nos. 5, 10 & 20 gauge

3 lengths.

Corrugated rubber

sheeting, 30 cm. x 15 cm.

1 sheet.

8. Drop bottle,

chloroform, 60 ml. graduated.

1

9. Dropper,

ether, Bellamy Gardner's

1

10. Eye spud with

covered point (a)

1

11. Flatus tube

1

12. Inhaler,

schimmelbusch

1

13. Microscope

slides

6

14. Needles---

Anti-toxin,

assorted sizes Record Mount

6

Hypodermic No.

15, diameter 0.6 mm., length 23 mm., Recorded Mount

1 dozen

Hypodermic No. 0,

diameter 0.9 mm., length 41 mm., Record Mount

1 dozen

Drawing up

(piercing end), diameter 1.83 mm., length 64 mm., Record Mount

3

Lumber puncture,

90 mm. Howard Jones, 20 B.W.G.

2

15. Shears,

Plaster, Swedish pattern, Modified Lorenz's

1

16. Silk 4 sizes
on metal reel
1 reel
17. Silk worm gut
(assorted sizes), box containing 50
1 box.
18.
Sphygmomanometer (Portable unspillable mercury type)
1
19. Splints---
Assorted thigh,
leg and arm sizes
1 set.
Felt
1 sq. m.
Gooch Splinting
(1 metre wide)
1 metre.
Thomas's small,
medium and large
3
20. Steriliser---
Steam or
electrically heated with automatic cut out (Large enough to
contain mid-wifery forceps)
1
21. Stethoscope-
Binaural,
complete
1
22. Stomach tube,
115 cm. (gauge 18-20) in red rubber with unbreakable funnel to
fit and wooden gag
1
23. Suspensory
bandages with under straps-Small
1
Medium
2
Large
2
24. Suture
needles-Round bodies, cutting-edge, straight half-curved and
curved, assorted sizes
3 dozen
25. Syringe-Ear,
metal, 125 ml.
1
26. Syringe,
Glycerin injection, with vulcanite nozzle,
15 ml.

27. Syringe,
Higginso's with enema nozzle and one No. 8 jacques rubber
catheter
3
28. Syringe,
Hypodermic 2 ml.
3
29. Syringe,
Hypodermic 10 ml.
2
30. Syringe,
Hypodermic 25 ml.
1
31. Table for
operation, metal with lithotomy crutches
1
(legs to be
provided with suitable fitting for attachment to deck).
32.
Thermometer-Clinical, in metal or plastic protective case, lens
fronted, 1/2 in.
3
33. Tongue
depressors, wooden/or
100
Tongue
depressor-metal (a)
1
34. Tourniquet
Esmarch's or Samway's
1
35. Tracheotomy
set consisting of-
Tracheotomy
double tubes, assorted (including infant's size)
3
Trachea dilator
1
Sharp hook
1
36. Transfusion
apparatus for intravenous saline
1 set
37. Tray,
enamelled iron----
25 cm. x 17.5 cm.
1
30 cm. x 25 cm.
1
Kidney shaped,
250 mm.

2

38. Truss,
elastic band type-Single 1 m. with retailed pad right

2

Single 1 m. with
rattailed pad left

2

Double 1 m. with
rattailed pad

2

Part IV

Medical Stores & Dressing %

Sl. No.

Articles

Quantity for

250 persons

1.

Bandages, Elastic

Adhesive 6 cm. x 3 m. (Unstretched) (In metal containers)

2 containers

2.

Bandages, Plaster

of Paris 7.5 cm. x 3 m. (In sealed containers)

6 containers

3.

Bandages,

Triangular-not less than 1 m. (side, 1.25 m. base)

6

4.

Bandages,

unbleached Calico 15 cm. x 6 m.

6

5.

W.O.W. 2.5 cm. x

3 m.

18

6.

W.O. W. 5 cm. x 4

m.

18

7.

W.O.W. 7.5 cm. x

4 m.

18

8.

Cotton Wool-60 g.

20 cm. wide (rolled in packets)

8 packets

9.

Cotton Wool-250

g. 30 cm. wide (rolled in packets)

1 packet.

10.

Dressings,

Paraffin Gauze (B.P.C.) for burn and wound vide Appendix F.

3 cartons.

11.

Dressings, Plain

Wound Standard No. 13 small (B.P.C.) 10 cm. x 7.5 cm.

6

12.

Dressings, Plain

Wound Standard No. 14 Medium (B.P.C.) 15 cm. x 10 cm.

6

13.

Dressings, Plain

Wound Standard No. 15 large (B.P.C.) 20 an. x 15 cm.

6

14.

Flannel

2 sq. metres.

15.

Gauze, Absorbent

Sterilised 1 m. x 15 cm.

9 packets.

16.

Gauze, Absorbent

Sterilised 1m. x 30 cm.

9 packets.

17.

Gauze, Absorbent

Sterilised 1m. x 1 cm.

9 packets.

18.

Gauze Absorbent,

Ribbon 2.5 cm. x 6 metres

1 roll.

19.

Gauze and Cotton

Tissues

0.5 kg.

20.

Jaconet 1 m. x

2m.

1/vessel.

21.

Lint Absorbent

Sterilised 15 cm. x 30 cm.

18 packets.

22.

Lint Absorbent

Sterilised 30 cm. x 30 cm.

9 packets.

23.

Lint Boric 5 cm.

x 15 cm.

9 packets.

24.

Lint Boric 15 cm.

x 30 cm.

12 packets.

25.

Plaster, Zinc

Oxide 1.25 cm. x 5 metres (to be supplied on a spool)

1 spool.

26.

Plaster, Zinc

Oxide 2.5 cm. x 5 metres (to be supplied on a spool)

1 spool.

27.

Plaster, Zinc

Oxide 7.5 cm. x 5 metres (to be supplied on a spool)

1 spool.

28.

Sterilised

Dressings etc. for major operation consisting of --

1/vessel

having--

1000 persons or

more on board.

(i) 2 rolls of

white absorbent gauze, each 1m. x 6 m. folded 20 cm. wide before rolling.

(ii) 6 absorbent

gauze pads (twelve thicknesses of gauze) 25 cm. x 50 cm.

The whole of the

dressings to be wrapped in grease proof paper, sterilised and encased in one or two hermetically sealed metal containers and labelled "Sterilised dressings for major operation."

(iii) 5 dozen

gauze, swabs 15 cm. x 15 cm. (twelve thicknesses of gauzes stitched at edges) packed in dozens

(iv) 1 manytail

calico bandage

(v) 2 bandages

12.5 cm. x 6 m. white open weave

(vi) 1 packet

safety pins

(vii) 8 surgical

towels 1m. x 0.5 m.

(viii) 2

Surgeon's caps

(ix) 2 gowns

(x) 2 surgical
masks

29.

Unbleached Calico

1m. x 3m.

1/vessel.

*For external use. Liquid shall be supplied in green or amber coloured fluted bottles.

(C)

-to be stored in cold storage between 1C and 10 C unless otherwise indicated; (L)-to be protected from light.

(P)

-Poison; I.P. - Indian Pharmacopoeia; N.F.I. - National Formulary of India B.P.C. - British Pharmaceutical Code.

(a)

-should be of rustless and stainless steel.

**The number of tins to be carried shall be calculated on the amount of stabilised chloride of lime required to produce a concentration of 1 part per million parts of water in the largest fresh water tank in the ship. (One 100 g. tin will be required for approximately 22700 litres of water) Stabilised chloride of lime need not be carried if a vessel is equipped with an efficient chlorinating plant.

%Each bandage cotton wool, dressing, gauze and lint is to be individually wrapped and duly labelled with measurements indicated on the label.

Note. - Wherever the quantity of medicines etc. is required to be carried for certain number of persons, the quantity shall be doubled as soon as the number is exceeded and trebled as soon as double the prescribed number is exceeded and so on.

II

[See rule 3(2),(3) and (4) and rule 4.]

Description of

medicine, medical instruments, medical appliances, dressing and
general medical equipment.

Minimum quantities

to be carried on board by ships to which rule 3 (2) applies.

Minimum quantities

to be carried on board by ships to which rule 3(3) applies.

Minimum quantities

to be carried on board by ships to which rule 3(4) applies.

Special

requirements regarding labelling, packaging and storage.

(a) For ships

carrying up to 40 persons on board

(b) For ships

carrying over 40 persons on board.

(1)

(2)

(3)

(4)

(5)

1. Aqua pro.

injectious (water for Injection)

56

112

31

25

Each ampoule

containing 5 co Pyrogen free distilled water. Lotion containing 25% w/v.

2.

Applic. Benzyl Benzoate (Benzyl Benzoate application)

ANTI-SCABIES

LOTION

250 ml.

500 ml.

250 ml.

-

of Benzyl Benzoate

with emulsifying agent and water.

3. Auristillae

glyceris (Glycerine ear drops) (EAR DROPS)

30 ml.

60 ml.

30 ml.

-

Supply in bottle

of distinctive design with dropper.

4.

Auristillae Neomycine Sulphas Cum Bacitracinum (Ear drops Neomycine and Bacitracine)

ANTISEPTIC EAR

DROPS

1 Phial

1 Phial

1 Phial

-

5. Capsule amyli

nitris (amyl nitrite capsules)

6

6

6

Each capsule 0.3

amyl nitrite, covered with absorbent fabric. To be renewed after 12 months.

6. Capsulae

tetracycline hydrochloride (Tetracycline hydrochloride capsules)

80

160

80(*)

Each capsule 250

mg. tetracycline hydrochloride, or an equivalent broad spectrum antibiotic with similar therapeutic effects (to be so labelled).

7.

Compressi acetylsalicylici (Acetylsalicylic acid tablets)

ASPIRIM CAPSULES

250

500

200

100

Each tablet 300

mg. acetylsalicylic acid.

8. Compressi

aminophyllini 20 (Aminophylline tablets) AMINOPHYLLINE TABLETS

20

40

20(*)

Each

tablet 300 mg. aminophylline.

Label "POISON-to

be used only or medical advice by radio."

9.

Compressi Bellad. et Phenobard.

(Belladonna

Tablets) ANTI SPASMODIC TABLETS.

20

50

20

10

Each tablet

containing 25 mg. of Belladonna. Dry Extract and 50 mg. of phenobarbitone. They should be protected from light.

10. Compressi Buto

barbitali

40

80

20(*)

Each tablet 100

mg. butobarbitone. Supply in bottle of distinctive design. Label "POISON".

11.

Compressi chloroquini sulfatis (Chloroquine sulfate tablets)

MALARIA TABLETS

300

500

100(*)

(Only for ships

operating in malarious areas)

Each

tablet 150 mg. chloroquine base : Chloroquine sulfate 200 mg.

Chloroquine

phosphate 250 mg. may be supplied as an alternative.

12. Compressi

chlorothiazidi ((Chlorothiazide tablets))

20

40

20(*)

--

Each

tablet 50 mg. chlorothiazide.

Supply

in bottle of distinctive design.

Label "POISON"-to

be used only on medical advice, transmitted in plain language and not by code.

13.

Compressi chloromazini

hydrochloridi

(Chloropromazine hydrochloride tablets)

TRANQUILLIZER

TABLETS

20

40

20(*)

Each tablet 50 mg.

chloropromazine hydrochloride Supply in bottle of distinctive design. Label "POISON"-to be used only on medical advice by radio.

14. Compressi

codeine phosphat is (Codeine phosphate tablets) CODEINE TABLETS

200

300

100

40

Each tablet 15 mg.

codeine phosphate, or an equivalent drug with similar therapeutic effects (to be so labelled).

15. Compressi

colecynthidis etjalapae co. (Compoundcolocynth jalap tablets)

VEGETABLE LAXATIVE

100

200

40

Each tablet 40 mg.

compound colocynth extract/15 mg. hyescyamus dry extract/5mg. jalap resin/15 mg. podophyllum resin/0.006 ml. peppermint oil. Or an equivalent laxative with similar therapeutic effects (to be so labelled)

16.

Compressi digozini

(DIGOZIN TABLETS)

20

20

20

Each tablet 0.25

mg. digoxin. Supply in bottle of distinctive design. Label
"POISON"--to be used only on medical advice,
transmitted in plain language and not by code.

17.

Hydroxyquinolin (Tablets of Di-Iodo-Hydroxyquinoline)

DYSENTARY TABLETS

100

250

50

25

Each tablet

containing 0.3 mg. of Di-Iodo-Hydroxyquinolin. Label poison. They
should be protected from light.

18.

Compressiephedrinii hydrochloridi (Ephedrine hydrochloride
tablets)

EPHEDRINE TABLETS

60

100

40

20

Each tablet 30 mg.

ephedrine hydrochloride.

19.

Compressi glycerylis trinitratis Glyceryl (trinitrate tablets)

HEART TABLETS

20

40

20

Each

tablet 0.5. mg. glyceryltrinitrate.

Supply in of

distinctive design. Label "POISON".

20.

Compressi Hyoscini

Hydrobromidi

(Hyoscine hydrobromide tablets)

SEASICKNESS

TABLETS

100

200

50

50

Each tablet 0.3

mg. hyoscine hydrobromide, or an equivalent drug with similar
therapeutic effects (to be so labelled). Supply in bottle of
distinctive design, Label "POISON".

21. Compressi

Kalii permanganatis (Potassium permanganate tablets)

50

100

20

20

Each tablet 60mg.

potassium permanganate. Label "One tablet dissolved in 600 mol water may be used as an antiseptic lotion or stomach wash".

22.

Compressi magnesiisilicatis (Magnesium trisilicate tablets)

STOMACH TABLETS

250

500

100

100

Each tablet 250

mg. magnesium trisilicate/120 mg. dried aluminium hydroxide gel/0.02 ml, peppermint oil.

23.

Compressi natrii chloridi solv. (Sodium chloride tablets)

SALT TABLETS

1,000

2,000

500

250

Each tablet 500

mg. sodium chloride, 200 mg. dextrose. Double the quantity to be carried in vessels spending long periods in tropical areas.

24.

Compressi phenobarbitali (Phenobarbitone tablets)

PHENOBARBITONE

TABLETS

50

100

40

20

Each tablet 30 mg.

phenobarbitone. Supply in bottle in distinctive design. Label "POISON".

25.

Compressi Phthalysulphathiazole. (Tablets of Phthalysulphathiazole)

DIARRHOEA TABLETS

100

250

100

50

Each tablet

containing 0.5 mg. of Phthalysulphathiazole. Label "POISON".

They should be protected from light.

26. Compressi

phenoxymethyl penicillin (Phenoxymethyl penicillin tablets) PENCILLIN

300

600

120

60

Each tablet 125

mg. phenoxymethyl penicillin. Store in a cool dry place in container which will prevent access of moisture.

27. Compressi

proguanil hydrochloride (Proguanil hydrochloride tablets)

100

200

100

(Only for ships

operating in malarious areas)

100

Each tablet 100

mg. proguanil hydrochloride. For ships proceeding on voyages to malarious areas the quantity is to be increased to 50 tablets per crew member.

28. Compressi

promethazine hydrochloride (Promethazine hydrochloride tablets)

ANTI-HISTAMINE TABLETS

40

60

40

20

Each tablet 25 mg.

promethazine hydrochloride or an equivalent antihistamine with similar therapeutic effects (to be so labelled).

29.

Compressi Sulfadimidine (Sulfadimidine tablets)

SULFONAMIDE

TABLETS

200

400

100

-

Each tablet 500

mg. sulfadimidine or an equivalent sulfonamide with similar therapeutic effects (to be so labelled). Supply in bottle of distinctive design. Label "POISON".

30. Compressi

Sulfamethoxypyridazine (Sulfamethoxypyridazine tablets) SMP

TABLETS

300

600

100

Each tablet 500

mg. sulfamathoxy pyridazine. Supply in bottle of distinctive design. Label "POISON".

31. Conspersus

dicophani (DDT dusting powder) INSECTICIDE POWDER.

500 g

1000 g

250 g (*)

A white powder for

application to persons and their clothing, harmless to skin and clothing and designed to destroy human infestation by insects and mites. Instructions for use on the label and insufflator included.

32. Conspersus

zinci, amyli, ettalci (Dusting powder of zinc, starch, and talc).

ZINC DUSTING POWDER

150 g

250 g

150 g

A white powder

consisting of 25% zinc oxide, 25% starch, and 50% talc (q weight). Label "External Use".

33. Conspersus

zinci undercenoatis Dusting powder of zinc underceomate RING WORM POWDER

120 g

250 g

120 g(*)

A powder

consisting of 500 g. starch, 100 g. zinc undecenoate, 20.8 g. undecenoic acid, 4.7 ml. pumilo pine oil, and 1000 g. light kaolin.

34. Dimethylis

phithalas (Dimethyl phthalate) INSECT REPELLENT

ONE bottle per

crew member

To be carried on

all vessels proceeding to malarious ports. The supply per individual should be considered adequate for seven days. To be increased if the vessel remains longer in a malarious area.

50-ml. bottle. Label "External Use".

35.

Guttae siilfacetamidi (Sulfacetamide eye drops)

ANTISEPTIC EYE

DROPS

30 ml.

60 ml.

30 ml. (*)

30 ml.

A solution of
sulfacetamide sodium 10% for eye drops. Supply in bottle of
distinctive design with dropper.

36. Guttae

teracainaer (Tetracaine eye drops) ANAESTHETIC EYE DROPS

30 ml.

30 ml.

30 ml.

30 ml.

A

solution of tetracaine hydrochloride 1% for eye drops. Supply in
bottle of distinctive design with dropper.

Lable "External
use-POISON".

37. Injectio

adrenalini (Adrenaline injection) ADRENALINE INJECTION

5

5

5(*)

3

Each ampoule 1 mg.

adrenaline. Supply in "Ampins". Label "To be used
only on medical advice, except in case of anaphylactic shock due
to penicillin injection".

38.

Injectio Atropinas Sulphas (Injection of Atropine Sulphate)

ATROPINE INJECTION

6

12

6

Should be

dispensed in 1 ml. ampoule containing 0.5 mg. of Atropine Sulphate
in water for injection.

39.

Injectio benzylpenicilline (Procaine penicillin G. Injection)

PENCILLIN

INJECTION

50

100

25(*)

25

Each ampoule

600000 international units of procaine penicillin in a sterile
suspension in water or an equivalent antibiotic with similar
therapeutic effects (to be labelled). Store in a cool dry place
and renew when necessary.

40. Injectio

morphini sulfatis (Morphine sulfate injection)

10

20

5

2

Each ampoule 15

mg. morphine sulfate. Supply in "Ampins". Label

'POISON'.

41. Injectio

Nikethamid. (Injection of Nikethamide) CORAMINE INJECTION

3

6

3

3

Should be

dispensed in 2 ml. ampoule containing 25% w/v of Nikethamide in water for injection.

42. Injectio

natrii chloridi (Sodium chloride injection) NORMAL SALINE

INJECTION

4

6

4(*)

Each bottle

1000ml. water gg. sodium chloride sterile. Supply administration set and instructions.

43. Injectio

streptomycini sulfatis (Streptomycin sulfate injection)

STREPTOMYCIN INJECTION

6

12

6(*)

Each ampoule 1000

mg. streptomycin ase, as a sterile solution in water. Store in a cool dry place and renew when necessary.

44. Injectio

tetracyclini hydrochloridi (Tetracycline hydrochloridi injection)

TETRACYCLINE INJECTION

6

12

3

Each ampoule

100mg. tetracycline, or an equivalent broad-spectrum antibiotic with similar therapeutic effects (to be so labelled).

45. Linctus

scillae opiates (Linctus of squill, opiate). COUGH LINCTUS

500ml

1000ml

250ml

250ml

A mixture in equal

volumes of camphorated opium tincture, oxymel of squill, tolu syrup, or an equivalent mixture with similar therapeutic effects (to be so labelled).

46. Linimentum

methylis salicylatis Methyl salicylate liniment

250ml

500ml

250ml(*)

Supply in bottle

of distinctive design. Label "External use", "Not for burns."

47. Liqi. Plumbi

Subacet at. fat. (Strong Solution of Lead) Subacetate SPRAIN

LOTION

120ml

120ml

60ml

60ml

Label "POISON"

2m1. of strong Lead Subacetate Sola is to be diluted with 98 ml. of Purified water before use.

48. Lotio

Calaminae (Calamine Lotion) CALAMINE LOTION

500ml

1000ml

250ml

250ml

Supply in bottle

of distinctive design. Label "External use".

49. Lotio

cetrimidi (Cetrimide lotion) ANTISEPTIC SOLUTION

500ml

1000ml

250ml

250ml

A solution of

cetrimide 1% in water or equivalent. Supply in bottle of distinctive design. Label "External use."

50. Magnesii

hydromidum (Magnesium hydroxide mixture) LIQUID LAXATIVE

500ml

1000ml

250ml

250ml

A mixture

containing 7.9% by weight of magnesium hydroxide with peppermint oil flavouring.

51. (Kaolin and

morphine mixture) Naristillae ephedrinae drine DIARRHOEA MIXTURE

250ml

500ml

250ml(*)

-

A mixture

containing 2000 mg light kaolin, 650 mg. sodium bicarbonate, 0.75 ml. chloroform and morphine tincture, water to 15 ml. (in each dose).

52. Naristillae

ephedrinae drine (Ephedrine nose drops) NOSE DROPS

30ml

60ml

30ml

-

A solution of

norephedrine hydrochloride 1% for nasal drops. Supply in bottle of distinctive design with dropper. Label "External use".

53. Natrli

bicarbonates (Sodium bicarbonate)

125g

250g

125g

-

54. Oleum arachis

(Arachis oil)

250ml

500ml

250ml

-

Oleum olivae

(Olive oil) may be supplied as alternative.

55. Oleum

caryophylli (Oil of cloves) TOOTH ANAESTHETIC

30ml

30ml

30ml

-

Supply in

wide-mouthed bottle of distinctive design Label "External use".

56. Paraffinum

molle flavum (Yellow soft paraffin) SOFT PARAFFIN

125g

250g

125g

125g

57. Pasta Acid.

Taa (Tannic Acid Jelly) BURN OINTMENT

2 tubes

4 tubes

2 tubes

1 tubes

To be supplied in

collapsible tube containing 60 gm. of the Jelly.

58. Tincture

benzoini Composita (Tincture of benzoin compound) INHALATION
MIXTURE.

100ml

200ml

100ml(*)

-

A mixture

containing 10g. crushed benzoin 7.5g. prepared storax 2.5 g. tolu
balsam 2g. aloes alcohol (90%) to 100ml. Label "External
use", Add 5ml. to 500ml. hot water and inhale vapours.

59.

Unguentum acidi benzoici Compositum (Compound benzoic acid
ointment)

WHITFIELD'S

OINTMENT

100g

200g

100g(*)

-

An ointment

containing 6% benzoic acid, 3% salicylic acid, 91% emulsifying
ointment.

60. Unguentum

bacitracini (Bacitracin ointment) ANTIBIOTIC OINTMENT

120g

240g

60g

60g

An ointment

containing bacitracin in a soft paraffin base. Supply in 15g.
tube.

61.

Unguentum benzociani Compositum (Compound benzocaine ointment)

HAEMORRHOID

OINTMENT

120g

180g

120g

An ointment

containing 10% benzocaine, 45% hamamelis ointment. Supply in 15g.
tubes.

62. Unguentum

gamma-benzeni hexachloride (Gamma benzene hexachloride ointment)

ANTISCABIES OINTMENT

150g

300g

150g

-
An ointment
containing gamma benzene hexachloride 1% Supply in 50g. tube.

63.
Unguentum xylocaini hydrochloride (Xylocaine ointment)

LOCAL ANAESTHETIC

OINTMENT

60g

120g

30g(*)

30g

An ointment
containing 5% xylocaine hydrochloride. Supply in 15g tube.

64. Unguentum
zincoxidi (Zinc oxide ointment) ZINC OINTMENT

200g

400g

100g

100g

An ointment
containing 15% zinc oxide.

Instruments

1. Eyespud with
covered point

1

1

-

-

To be made of
stainless steel.

2. Forceps :
dental packing

1

1

1

-

To be made of
stainless steel.

3. Forceps :
dissecting

2

2

1

-

To be made of
stainless steel.

4. Forceps :
homostatic.

2

2

1

1

To be made of
stainless steel, length 15cm.

5. Forceps : sinus

1

1

1

-

To be made of
stainless steel, length 15cm.

6. Forceps :
splinter

1

1

1

-

To be made of
stainless steel, with wide oblique ends.

7. Scalpel :
handle

1

1

1

-

No. 3 handle,
Suitable for standard scalpel blades.

8. Scalpel :
blades

6

6

6

?

No. 10 or No. 11
blades.

9. Scissors

1

1

1

1

To be made of
stainless steel, one blade sharp pointed the other blunt-pointed.
Length 15 cm.

10. Thermometer.

3

6

2

2

Lens-fronted,
stubby-end, half-minute thermometer with metal or plastic cases.

11. Canvas roll

for above instruments

1
1
1
-

12. Applicators

50
50
25
25

To be made of
wood.

13. Artificial air
way

1
2
1
1

For mouth-to-mouth
breathing.

14. Injection
syringe : 2 ml

2
2
-

Both syringes :
glass body with metal plunger and nozzle for standard needles.

15. Injection
syringe : 5 ml

2
4
1
1

Supplied in metal
case.

16. Injection
needles : hypodermic diameter 6.1 length 25 mm.

10
20
6
6

Alternatively,
complete disposable syringes, in which case the quantities
indicated here for the needles will apply to each size of
syrings.

17. Injection
needles Intramuscular diameter 8, length 40 mm.

10
20
6
6

18. Lueradaptors
for syringe.

1
1
-

For use with
hypodermic syringes to enable any type of needle to be used.

19. Tongue
depressors

30
60
20
20

To be made of
wood.

20. Catheter sets:
olivary ends.

1
1
1
-

Set : size : 6,
10, 14 F or 3, 5, 7 U.K.

21. Catheter sets:
soft rubber

1
1
1
-

One of each
together with striletries in a closed glass or plastic cylinder
with a sprinkling of powered talc; or a number of disposable
plastic catheters in the same sizes.

22. Enema kit.

1
1
1
-

It consists of
graduated funnel, rubber tubing 1 metre long with control
clamp attached, connexion and rubber catheter. Supply in a box
plainly labelled "FOR ENEMA USE ONLY".

23. Stomach tube

1
1
1
-

Standard rubber or
plastic 1m. long and fitted with plastic funnel. Tube to bear a
mark indicating when its has reached the stomach.

Appliances

24. Splints :

common set

1

1

1

1

Wooden splints.

Suitable for fractures of limbs and hands.

25. Splints:

serrated, of Gooch type

1

1

1

-

A sheet of split 1

m. x 1 m.

26. Splints :

thigh, wooden.

1

1

1

-

Largest size.

27. Splints: metal

set

1

1

1

-

Metal with padded

ring, One set of three.

28. Splint :

Thomas

1

1

1

1

Esmarch or Samways

type.

29. Tourniquet

1

1

1

-

30. Truss : single

right pad.

1

1

1

-

Elastic band

types with adjustable buckles. The bands to be not less than 1m.
in length.

31. Truss : single
left pad

1

1

1

-

32. Truss : double
pads

1

1

1

-

33. Ligatures,
catgut

3

5

2

-

In sealed glass

tubes sterilized with a fracture scratch and directions for
breaking the tube.

34. Sutures with
needles

4

8

2

-

Sutures of nylon

or silk fitted to eye-less needles a cutting edge. in sterile
sealed glass tubes with fracture scratch and directions for
breaking tube. Half to be straight needles, half to be curved.

35. Suture strips,
non-stitch

24

48

12

12

Size 2.5 x 50 cm.

Butterfly or dumb-bell shape for drawing superficial wounds to
gether in sterile sealed packet.

36. Suspensor
bandages with understraps

2

4

2

2

Half to be of

medium size and half to be of large size.

Dressing

37. Adhesive

elastic bandage, box

2

4

2(*)

2

5 cm. x 1 m.

Supply in a metal container.

38. Adhesive

plaster : small

1

2

1

1

Zinc oxide

plaster. Supply on a spoon. 2.5 cm. x 1 m.

39. Adhesive

plaster : large

1

2

1

-

7.5 cm. x 1.5 m.

Zinc oxide plaster.

Supply on a spool.

40. Bandage crepe

4

6

2

2

7.5 cm. x 1.5 m

Each separately wrapped with size on label.

41. Bandage roll,

guaze, open weave small

10

20

10

-

42. Bandage roll,

guaze, open weave medium

10

20

10

10

Each separately

wrapped with size on label.

43. Bandage roll,

guaze, open weave large

10

20

20

10

44. Bandage

triangle

4

8

2

2

1x1 x 1.3 m. Each

separately wrapped with size on label.

45. Burnand wound

dresfing, box

5

10

3

3

10 x 10 cm.

Sterile bleached cotton of ray on cloth even impregnated with yellow soft paraffin, in a polythene envelope hermetically sealed and free from moisture. Ten envelopes per box.

46. Dressing,

adhesive strip

1

2

1

1

6 cm. x 1 m. in a

sterile packet.

47. First

aid/emergency dressing :small

3

6

3

3

7.5 x 10 cm. pad,

5 cm. x 3 m. bandage.

48. First

aid/emergency dressings : medium

3

6

3

3

10 x 15 cm. pad 5

cm. x 3 m. bandage.

49. First

aid/emergency dressings : large

3

6

3

3

15 x 20 cm. pad,

7.5 cm x 4 m. bandage.

Additional

information for 47, 48 and 49 above.

Pad : cotton wood

enclosed in absorbent gauze.

Bandage :

open-weave gauze with pad stitched to 30 cm. from one end. Pad to be folded length wise with the surface of the dressing on the inside and the rolled end of bandage on the outside. Free end of bandage to be wound round the rolled end of the pad. sterilized separate sealed wrappers. Label with size of pad and following instructions : "Unwind short length of bandage, straighten pad by pulling on ends of bandage. Apply pad to wound without touching it. Bandage firmly.

50. Gauze,

plainsterile : small

5

10

5

5

30 cm x m.

Supply in separate

packet and label with size and name of item.

51. Gauze,

plainsterile : large

10

10

3

-

1 x 1 m.

52. Gauze,

absorbent ribbon

1

2

1

1

2.5 cm x 3 m.

53. Jaconet or

equivalent

1

1

1

-

Bleached cotton

cloth waterproofed in one side.

54. Lint.

absorbent cotton : small

5

10

3

3

15 x 30 cm

Supply in separate

packet and label with size and name of item.

55. Lint absorbent

cotton : large

30 x 30 cm

56. Rolls of

cotton wool : small.

10

20

10

5

20 cm wide, 50g.

57. Rolls of

cotton wool : large

1

2

1

1

30 cm wide 200g.

58. First aid

satchel

1

1

1

1

A canvas bag with

a strap containing :

bandages, crept :

6 bandages, triangle :

4 small

first

aid/emergency dressings

2 medium

1 large

1 roll of

cottonwool, large.

6 safety pints

medium

1 artificial

airway.

General

medical equipment

59. Basins : round

1

1

1

1

White enamelled

iron, aluminium or plastic, not less than 20 cm. diameter and 10

cm. depth. Inscribed "MEDICAL".

60. Basin : Kidney

1

1

1

-

White enamelled

iron, aluminium iron, aluminium or plastic, length 25 cm.

61. Bed-pan

1

1

1

-

White enamelled

iron, large size.

62. Eye bath

1

2

1

1

Made of glass or

plastic that is not affected by boiling.

63. Eye droppers

3

6

3

2

Made of glass or

plastic that is not affected by boiling.

64. Eye shades

3

6

3

2

65. Feeding cup

1

2

1

-

Made of porcelain

or plastic that is not affected by boiling.

66. Finger stalls

3

6

6

4

Assorted sizes,

leather, or larger quantities if disposable type.

67. Hot water

bottles

2

2

1

1

Rubber, with
covers.

68. Ice bags

1

2

1

-

For lowering
temperature.

69. Measuring

glass : small

2

2

1

1

Graduated in ml.

or in minims and drachms.

70. Measuring

glass : large

2

2

1

1

Graduated in ml.

and spoonful doses, or in drachms ounces and spoonful doses.

71. Microscopes

lides

3

6

3(*)

-

72. Rubber

sheeting

1

-

1(*)

1

Size 1 x 2 in.

rolled on a wooden core.

73. Safety pins

15

30

15

15

Size 5 cm. mounted

on a card or cards.

74. Sputum pot :

disposable or

20

30

10

-

Waxed card board

with a twist-on lid, wide base and height not less than 5 cm.

75. Sputum pot :

non-disposable

1

1

1

-

Enamelled iron

with close-fitting hinged lid.

76. Sterilizer

1

1

1

-

Size not less than

17.5 x 5 x 0.5 cm.

77. Stretcher

1

1

1

1

Neil Robertson

type or equivalent.

78. Surgical

gloves. pairs

2

4

2

-

Large size,

roughened rubber.

79. Temperature

charts

5

10

5

-

Four-hourly chart

combining temperature pulse and respiration.

80. Urine bottle

1

1

1

1

Enamelled iron or

plastic, with handle.

81. Urinctest

papers : combined strips albumin/Sugar

2

2

1(*)

-

Container with

close-fetting screw capof metalstrips together with suitable
desiccant (silicagel) Renew after 12 months or earlier if colour
changes are noticed Label "Combined testing strip for
albumin and sugar".

82. Salt test

paper.

2

2

1(*)

-

Booklets of 20

test papers impregnated with silver salt profted from light.

Label "Salt in urine test papers. K. survey from light"

83. Bottles :

dispensing small

6

12

5(*)

-

60 ml. bottles

with screw caps. Marked at 4 ml. 1 (teaspoonful)

84. Bottles :

dispensing large

6

12

5(*)

-

180 ml. bottles

with screw caps. Marked at 4 ml. 1 (teaspoonful)

85. Bottles :

poison

5

10

3(*)

-

60 ml. bottles of

distinctive design.

86. Dispeasing

envelopes

100

100

50

-

Smallsize.

87. Palette knife

1

1

1

-

For dispensing
ointments.

88. Ointment boxes

15

20

6

-

For dispensing
ointments. Either chipwood boxes stacked in nests of three, or
tins of 15g.

89. Labels : plain

100

100

100

-

90. Labels :

poison

50

50

50

-

91. Concentrated

antiseptic

500 ml.

1 litre

500 ml.

250 ml.

A solution of

centrimide 20% in water or equivalent Label "Concentrated
antiseptic lotion" together with full instructions for use.

The recommended dilutions to be suitable for the purpose
specified.

92. Chloride of

lime

Supply in sealed

and dated tins with instructions. The minimum amount to be
carried is to be calculated on the amount of stabilized chloride of
lime or its equivalent necessary to chlorinate the ship's largest
fresh water tank so as to produce concentration of one part of
free chlorine in one million parts of water.

93. Dilute

alcohol.

250 ml.

500 ml.

200 ml. (*)

200 ml.

70%. Supply in

bottle of distinctive design and label "External use"

Alternatively, surgical spirit may be supplied.

94. Disinfectant

2 litres

4 litres

1 litres

1 litres

Supply in bottle

of distinctive design and label Disinfectant together with full instructions for use. The recommended dilutions to be suitable for the purpose specified. (To consist of a white fluid in a finely dispersed stabilized emulsion containing coaltar acids or other phenolic bodies with or without hydrocarbons).

95. Methylated

Spirit

500 ml.

1 litre

500 ml.

-

Only if sterilizer

is heated by a spirit lamp. Supply in bottle of distinctive design, Label "POISON".

96. International

Medical Guide for Ships

1

1

1

1

97. World

Directory of Venereal Diseases : Treatment Centres at ports.

Published by the World Health Organisation.

1

1

1

-

Note.- In the

Schedule, symbol (*) denotes that the items in the relevant column need not be carried on board a ship which is never away for more than twelve hours from a port of call.

III

[See rule 3(3)]

Part I ? Medicines

Note. - Foot notes at end of Schedule 1 are equally applicable to symbols occurring in this schedule.

Serial No.

Name of

Medicine

Quantity for

ship

1.

Acid Boric Eye

Lotion N.F.I.

120 c.c.

2.

Benzyl

Bezoate-Application (25%). N.M.

250 c.c.

3.

Condeine Linctus

N.F.I.

120 c.c.

4.

Epsom Salt in

packets (Mag. Sulph) 30 g. each.

16 packets.

5.

Eye Drops of

Cocaine and Mercuric Chloride *(P)

30 c.c.

6.

Lint Methyl

Salicylate

250 c.c.

7.

Liq.

Plumbi-subacetate Fortis *(P)

120 c.c.

8.

Lotion of

Calamine*

125 c.c.

9.

Magnesium

Carbonate (Heavy)

600 g.

10.

Oil of Cloves

15 c.c.

11.

Ointment of

Benzocaine compound (Whitfield's ointment)

60g.

12.

Ointment of

Benzoic acid Cocina collapsible tube of 30.g with applicator

2 tubes.

13.

Ointment of Zinc

Oxide

60 g

14.

Paraffin Mollae

Plavum (Yellow Soft Paraffin)

120 g.

15.

Potassium

Permanganate

60 g.

16.

Solution

Mercurochrome for small dressing 2%(P)*

60 c.c.

17.

Spt. of Aromatic

Ammonia

60 c.c.

18.

Tablets of Acid

Acetylsalicyl (0.3g.) I.P.

200 tablets.

19.

Tablets of

Amphetamina Sulphate. N.El(P)

25 tablets.

20.

Tablets of

Butobarbitons (100 mg.)(P)

12 tablets.

21.

Tablets of

Chloroquine Sulphate 200 mg.

Amodiaquine

Hydrochloride 200 mg. N.F.I.

50 tablets.

22.

Tablets of Codein

Co. (P)

50 tablets.

23.

Tablets of

Di-iodohydroxy quinoline. N.F.I. (L).

100 tablets.

24.

Tablets of

Ephedrin Hydrochloride 30 mg.(IP)

25 tablets.

25.

Tablets of

Glyceryl Trinitrate 0.5 mg. (IP.)(P)(C) (L)

25 tablets.

26.

Tablets of

Hyoscine Hydrobromide 0.6 mg. N.F.I.(P)

25 tablets.

27.
Tablets of
Mepyramine Maleate 50 mg. N.F.I.(P)
25 tablets.
28.
Tablets of
Mercurous Chloride 10 mg.
25 tablets.
29.
Tablets of
Pethidine Hydrochloride (50 mg.) (IP). (P)
20 tablets.
30.
Tablets of
Phthalyl Sulphathiozole (P)
200 tablets.
31.
Tablets of Soda
Bicarb Co. (Soda Mint Tablets)
30 tablets.
32.
Tablets of Sodium
Chloride 1g. N.F.I.
100 tablets.
33.
Tablets of
Spasminon Belladenol or Atropine or Substitute
20 tablets.
34.
Tablets of
Sulphadimidine (0.5g.) I.P. (P)
100 tablets.
35.
Tablets of
Vegetable Laxative
200 tablets.
36.
Tannic Acid Jelly
(in Collapsible tube of 60 g.)
2 tubes.
37.
Tincture of
Belladonna (P)
30 c.c.
38.
Tincture of
Benzoin Co. (P)
60 c.c.
39.
Tincture Iodine
(P)

120 c.c.

40.

Tincture Opii (P)

60 c.c.

Part II ? Medical Stores

Appliances, Dressings Instruments and Sundries

Serial No.

Name of

Articles

Scale

1.

Adhesive Plaster

2.5. cm. x 3 metres.

2 spools

2.

Antiseptic (for

specification vide Appendix A)

1 litre.

3.

Bandages-Triangular-not

less than 1 m. side and 1.25 m. base.

3

4.

Bandages-White

Open Wove, 2.5 cm. x 3 metres

12

5.

Bandages-White

Open Wove, 7.5 cm. x 4 metres

6

6.

Basin Enamelled

White 20 cm. diameter x 10 cm. depth

1

7.

Bed Pan (large

size)

1

8.

Bleaching Powder

(in 100 g. tins)

10 tins

9.

Bottle with

corks (180 ml. each).

6

10.

Boxes for

Ointment

12

11.

Catheters

Jacques rubber-sizes 3, 5 and 7-one of each to be supplied in a glass, plastic or metal container

1 set

12.

Cotton Wool (15

g. 6 cm. wide) (rolled in packet)

4 packets

13.

Cotton Wool (30

g. 10 cm. wide) (rolled in packet)

4 packets

14.

Disinfectant

(cresol or equivalent) (for specifications vide Appendix A)

2 litres

15.

Dressings-Streilised

No. 13 small B.P.C. Plain wound dresssing 10 cm. x 7.5 cm.

1 dozen

16.

Dressings-Streilised

No. 14 medium B.P.C. Plain wound dresssing 15 cm. x 10 cm.

1 dozen

17.

Dressings-Streilised

No. 15 large B.P.C. Plain wound dressing 20 cm. x 15 cm.

1 dozen

18.

Droppers

2

19.

Enema Can. 1

litre with 2 m. rubber tube and nozzel

1

20.

Eye Bath (glass

or porcelain)

1

21.

Eye Shades (card

board)

4

22.

Eye Spud with

covered point (a)

1

23.

Finger

stalls-leather (assorted size)

6

24.
Forceps-Artery
12.5 cm. (a)
1 pair
25.
Forceps-Epilation
(a) with oblique ends for removal of splinters
1 pair
26.
Gauze, Absorbent
sterilised (1 m x 30 cm.)
2 packets.
27.
Hot Water Bottles
(Rubber) 30 cm. x 20 cm. - with cover
2
28.
India rubber
sheeting (1m. x 2 m.)
1
29.
Insecticide
liquid (vide Appendix C)
10 litres.
30.
Insecticide
Sprayer (for specifications vide Appendix C)
1
31.
Kidney tray
(Enamelled iron-25 cm.)
1
32.
Lint, Absorbent
Sterilised (15 cm. x 30 cm.)
4 packets.
33.
Measuring Glass 5
ml.
2
34.
Measuring Glass
50 ml.
2
35.
Safety pins
(Brass-plated)
1 dozen
36.
Scissors 17.5 cm.
(a) (one blade sharp pointed and the other blunt pointed)

1

37.

Ship Captain's

Medical Guide (latest edition)

1

38.

Splints-assorted,

thigh, leg and arm sizes

1 set

39.

Spuntum mug with

hinged lid

3

40.

[Stretcher of

Neil-Robertson type or of any other type approved by the

Director General]

[Substituted by G.S.R. 546, dated 23rd March, 1967.]

1

41.

Thermometer

(Clinical)

2

42.

Tourniquet,

Esmarchs or Samways

1

43.

Urine Bottles

2

National Emblem

FORM 'A'

Issued by the

Government

IV

[See rule 7(2)]

Certificate of Inspection of Medicines, Medical Stores, etc.

Certified that I have this day inspected the medicines, medical stores and appliances on board S.S./M.V and I am satisfied that they comply with the requirements laid down in the Merchant Shipping (Medicines, Medical Stores and Appliances) Rules, 1966.

.....

(Name of Port)

Dated the day of 19

(Signature)

.....

(Designation)

NOTE. - This certificate shall be valid for a period of one year unless revoked at some earlier date by the Issuing Authority.

National Emblem

Form 'B'

Issued by the Government of India

V

[See rule 9 (2)]

Government Of India

Ministry Of

Certificate of Exemption

The S.S./M.V is hereby exempted from the requirements of the Merchant Shipping (Medicines, Medical Stores and Appliances) Rules, 1966, to the extent and subject to the conditions indicated below :

This certificate shall remain in force until the day of 19

(Name of Port)

.....

Dated the day of 19

(Signature)

.....

(Designation)

Appendix 'A'

Specification of Disinfectants and Antiseptics for Ships

1. Disinfectants

The disinfectant shall conform to the following specification :

(1)

General description. - The disinfectant shall be a white fluid and shall be a finally dispersed, stabilized emulsion containing coal-tar acid or other phenolic bodies, with or without hydrocarbons.

(2)

Germicidal value and the method of its determination. - The germicidal value shall be not less than 1.7 when determined by the modified Chick-Martin method as laid down by the British Standards Specification No. 808 of 1938.

(3)

Stability before dilution. - On standing for three months at ordinary temperatures (5°C to 30°C) the disinfectant fluid shall not precipitate nor show separation of more than traces of oil. A creamed fluid which can be rendered homogeneous by gentle mixing is permissible.

(4)

Stability after dilution. - The disinfectant fluid shall be miscible with distilled water and artificial seawater [27 grammes of sodium chloride and 5 grammes of crystalline magnesium sulphate (Mg SO₄ 7H₂O) dissolved in and made up to 1,000 ml. with distilled water and filtered before use] in all proportions from one to five per cent., inclusive, to give a stable emulsion which shall not break nor show more than traces of separation of either top or bottom oil, when maintained at 18-22°C for six hours. When examining the disinfectant under this sub-paragraph, the sample and diluent shall each be brought to the specified temperatures before mixing, which shall be performed by pouring the former into the latter from a cylinder.

(5)

Odour and corrosive action. - The fluid shall be free from objectionable smell and, when used as directed, shall have no more corrosive action on metals than that occasioned by the water employed as a diluent.

(6)

Packaging, where no container is specified on the tender form, the fluid shall be packaged in containers capable of being stored under normal conditions for six months without deleterious interaction between the fluid and the container.

(7)

Labelling. - The containers shall be labelled to show the name and nature of the contents and with full instructions for use for various purposes. The dilutions recommended in the instructions shall be suitable for the purposes specified. The labels shall be rendered resistant to moisture either by the use of an efficient label varnish which must cover the label and overlap the edges or by some alternative method the effect of which is not inferior to varnishing.

2. ANTISEPTICS

The antiseptic shall conform to the following specification :-

(1)

General description. - The antiseptic shall consist of a homogeneous solution or emulsion of a phenol, chlorocresol,

p-chloro-m-xyleneol or any other germicidal substance that may be approved by the Central Government, dissolved in a suitable solvent.

(2)

Germicidal value. - The germicidal value shall be not less than 3 when determined by the Rideal Walker method as laid down by the British Standards specification No. 541 of 1934.

(3)

Stability of dilution. - The antiseptic shall not show any separation after six hours when mixed, in all proportion from one to four per cent., inclusive, in waters of all degrees of hardness up to the equivalent of 300 parts calcium carbonate per million. These mixtures shall not break or precipitate in less than 6 hours at 22°C and 37°C.

(4)

labelling. - The containers shall be labelled to show the name and nature of the contents and with full instructions for use for various purposes. The dilutions recommended in the instructions shall be suitable for the purposes specified. The labels shall be rendered resistant to moisture either by the use of an efficient label varnish which must cover the label and overlap the edges or by some alternative method the effect of which is not inferior to varnishing.

Appendix 'B'

Specification of Anti-V.D. Outfit

1. The Anti-V.D. Outfit shall comprise a tube of prophylactic ointment and a washing cloth to the following specifications :

Anti-VD. Ointment.

Formula :

Mercurous

chloride

30

grammes

Sulphathiazole

15

grammes

White

soft paraffia

40

grammes

Light

liquid paraffin

14

grammes

Cetyl

alcohol

1

gramme

Oil

of Lavender

0.01

millilitre

The ointment shall be supplied in collapsible tubes, with elongated nozzles and screw caps, each containing 4 g., and labelled Prophylactic Ointment. The length of the nozzle shall not be less than 12.7 mm. nor more than 16 mm.

2. Washing cloth

This cloth shall be of coarse weave soft cotton wash cloth free from size or dressing, or white lint, and not less than 7.5 cm. square impregnated with soap to a total weight of approximately 300 g. per square metre. Soap shall be of the type that will lather in either hard or soft water. As an alternative to soap a suitable synthetic detergent, to give a washing cloth not inferior in any respect to a washing cloth prepared with soap may be used, provided that the detergent employed is not an irritant to the skin.

3. Each kit to be in a separate sealed waterproof envelope bearing the following instructions :

Anti-V.D. Outfit

Instructions for use after exposure

1. Pass water.
2. Wet the wash cloth and thoroughly wash the penis, purse and surrounding skin.
3. Squeeze about 1/4 of the contents of the tube into the canal of the penis. Massage gently with thumb and forefinger for a few seconds after injecting the ointment.
4. Rub the rest of the ointment over the entire length of the penis, purse and adjacent abdomen and thigh for at least 3 minutes paying particular attention to the foreskin, head and neck of penis.
5. Do not pass water for two hours after using the kit if you can avoid it.

Appendix 'C'

Specification of Insecticides and Spray

1. An insecticide suitable after appropriate dilution for spraying infested living quarters; galleys, etc. - (1) The insecticide used shall contain as the active ingredient either 2: 2-di (p-chlorophenyl)-1 : 1 : 1-trichloroethan (DDT) of the gamma isomer of benzene hexachloride (gamma BHC) or both with the addition of pyrethrins, if desired. It may be supplied in the form of a concentrate, such that, after the addition of water in accordance with the instructions printed on the label of the container the product suitable for spraying contains :

(a)
if no pyrethrins are present, either 5 per cent DDT or 0.5 per cent of gamma BHC, or both, or

(b)
if pyrethrins are present, either 3 per cent. DDT with 0.2 per cent. pyrethrins of the equivalent in synergized pyrethrins; or 0.3 per cent. gamma BHC with 0.1 per cent. pyrethrins or the equivalent in synergized pyrethrins; or both.

(2)
The DDT and gamma BHC used for the formulation of the products shall contain not less than 70 per cent of the p.p. - isomer and not less than 90 per cent of the pure gamma isomer, respectively.

(3)
The concentrated form of the insecticide shall have a flash point above 26.70C, and when prepared in a form suitable for spraying, it shall be non-inflammable and leave no residual odour or unsightly deposit. It shall have no undue deleterious effect upon metal finishes, fabrics and plastics with which it may come into contact. Full instructions for dilution to give the appropriate concentration stated above shall be printed on the label of the container. The insecticide shall be carried in containers of a capacity not greater than 500 ml. effectively sealed so that they will remain airtight and watertight under all conditions. The containers shall be packed in sawdust or thick corrugated paper in wooden cases. Storage shall be away from living accommodation.

2. Spray for use with the liquid insecticide. - A soundly constructed all brass atomiser of a type suitable for spraying walls and other surfaces, the body being made from 22 G brass with a capacity of approximately 1 litre. The nozzle, which shall have an aperture of 0.8 mms. diameter, shall be of an uncloggable type or alternatively, a type which, when clogged, is rapidly cleared by a needle or some other method. The atomiser should be of the continuous pressure type and no parts coming into contact with the solution should be made of rubber or leather.

3. Insecticide Powder. - (1) This shall be suitable for application to the body of clothing of infested persons but capable of being used also as a general insecticide. It shall consist of a fine powder containing not less than 5 per cent. of 2 : 2-di-(p-chlorophenyl)-1 : 1 : 1-trichloroethane (DDT) or not less than 0.5 per cent of the gamma isomer of benzene hexachloride (gamma BHC) in a neutral non-hygroscopic inter base.

(2)
The DDT and gamma BHC used for the formulation of the products must contain not less than 70 per cent of the p-p-isomer and not less than 90 per cent of the pure gamma isomer, respectively.

Appendix 'D'

Specification of oxygen therapy equipment for use on Board Ships

1. Three disposable oxygen inhalers of plastic material.
2. One manometer type oxygen Flow meter.
3. One fine adjustment valve with oxygen pressure gauge, bullnosed fitting.
4. 2m. Rubber tubing.
5. One Oxygen Universal cylinder key which provides a lever for tightening fly-nut of bull nosed valve unions and

spanners for the union nuts of fine adjustment valves, also gland nuts of bull nose type oxygen cylinder valves, chromium finish.

6. The above equipment shall be contained in a hardwood carrying case including simple instructions in use of equipment.

Appendix 'E'

Specification of chloride of lime for the treatment of drinking water in ship

1. The chloride of lime shall contain not less than 24 per cent and not more than 26 per cent available chlorine. It shall also contain not less than 14 per cent of free quick lime (CaO).

2. The total water existing in all forms, consisting largely if not entirely, of the water in combination in the form of calcium hydroxide, shall not exceed 7.5 per cent.

3. The chloride of lime shall be of such stability that after passing four weeks in an oven kept at 60°C (+_ 1°C) the percentage of available chlorine shall not decrease more than 2.

4. The chloride of lime shall be put up in 100 g. tins, the date of issue by the manufacturer being stamped on the base of each tin.

5. Each tin shall contain a measure, made of a material resistant to chlorine, to contain 5 g. of the powder, when full, i.e., sufficient to chlorinate approximately 1136 litres of water.

6. Each tin and contents (except the measure, which may be used again) whether partially used or not, shall be renewed within one year following the date stamped on the tin.

Appendix 'F'

Specification of burn and wound dressing paraffin gauze dressing (BPC)

Each dressing shall measure approximately 8.5 cm. x 8.5 cm. and shall be packed in an individual envelope (the dimensions of which shall be not greater than 14 cm. square) in such a manner as to allow it to retain its even impregnation. The envelope shall be made of a suitable material, preferably not more than 20 thousand of a cm. thick shall be impermeable to moisture, free from pin holes and also be grease-proof. The envelope shall be hermetically sealed and remain so under all conditions of sea transport. Thirty-six envelopes shall be packed in a suitable carton appropriately labelled, giving detailed instructions for use.

[* * * * *]

[Omitted by G.S.R. 546, dated 23rd March, 1967.]

Related AI tags, queries and research notes

Translation