

The Merchant Shipping (Form Of Passenger Ships' Survey Certificates) Rules, 1964

Source: <https://indiankanoon.org/doc/21072908/>

[Skip to main content](#)

[Legal Document View](#)

[Tools for analyzing structure and cite text of judgments](#)

[Unlock Advanced Research with](#)

[PRISM](#)

[AI](#)

Integrated with over 4 crore judgments and laws ? designed for legal practitioners, researchers, students and institutions

-

[Know your Kanoon](#)

-

[Doc Gen Hub](#)

-

[Counter Argument](#)

-

[Case Predict AI](#)

-

[Talk with IK Doc](#)

-

...

[Upgrade to Premium](#)

[\[Cites](#)

0

, Cited by

0

]

Union of India - Act

The Merchant Shipping (Form Of Passenger Ships' Survey Certificates) Rules, 1964

UNION OF INDIA

India

The Merchant Shipping (Form Of Passenger Ships' Survey Certificates) Rules, 1964

Rule THE-MERCHANT-SHIPPING-FORM-OF-PASSENGER-SHIPS-SURVEY-CERTIFICATES-RULES-1964 of 1964

Published on 3 April 1964

Commenced on 3 April 1964

[This is the version of this document from 3 April 1964.]

[Note: The original publication document is not available and this content could not be verified.]

The Merchant Shipping (Form Of Passenger Ships' Survey Certificates) Rules, 1964

Published vide Notification Gazette of India, 1964, Part 2, Section 30(i) Page 629.

1895.

G.S.R. 589, dated 3rd April, 1964. - In exercise of the powers conferred by clause (e) of sub-section (2) of Section 236 of the Merchant Shipping Act, 1958 (

44 of 1958

), and in supersession of all previous rules and orders, on the subject, the Central Government hereby makes the following rules, the same having been previously published as required by sub-section (1) of Section 236 of the said Act, namely :-

1.

Short title, Commencement and application.

(1)

These rules may be called the Merchant Shipping (Form of Passenger Ships' Survey Certificates) Rules, 1964.

(2)

They shall come into force at once.

(3)

They shall apply to sea-going passenger ships fitted with mechanical means of propulsion.

2.

Definitions.

- In these rules,---

(a)

"Act" means the Merchant Shipping Act, 1958;

(b)

"Schedule" means a Schedule to these rules;

3.

Declaration of survey.

- The form of declaration of survey referred to in section 223 of the Act shall be as set out in Schedule I.

4.

Certificate of survey.

(1)

The form of certificate of survey referred to in section 225 of the Act shall be as set out in Schedule II.

(2)

Every certificate of survey shall be issued in duplicate by the principal Officer or in his absence by the Surveyor carrying out his duties.

(3)

The owner or master of every ship for which a certificate of survey has been granted shall cause one of the duplicates thereof to be affixed, and kept affixed so long as the certificate remains in force and the ship is in use on some conspicuous part of the ship where it may be easily read by all persons on board thereof.

5.

Expired, cancelled, or suspended certificates of survey.

- Every certificate of survey granted under the Act which has expired or has been cancelled or suspended, shall be forwarded as soon as possible to the Principal Officer by whom the certificate was originally issued.

6.

Penalty.

- Whoever commits a breach of any of the provisions of these rules shall be punishable with fine which may extend to one thousand rupees, and if the breach is a continuing one, with further fine which may extend to fifty rupees for every day after the first during which the breach continues.

I

(See rule 3)

National

Emblem

Issued by the

Government of India.

Declaration Of Survey Of A Passenger Ship

Ship

Name

and official Number Port of Registry

Single,

Twin, Triple or Quadruple Screw, and Registered Horse-Power

Gross

Tonnage
Registered
Tonnage
Registered
in feet
Length
Name
and address of owner of Agent
Master
and Officers.
Rank
Personal
Name (s)
Surname
Number
of Certificate & Place of Issue
Grade
Master
.
.
.
First
Mate
.
.
.
Second
Mate
.
.
.
Chief
Engineer
.
.
.
Second
Engineer
.
.
.
Third
Engineer
.
.
.
Doctor
.
.
.
HULL

By
whom built :
Where
Built
When
Built
Extent
of Double Bottom
Number
of waterlight Transverse Bulkheads extending to the Bulkhead
Deck
Where
Classed Date of Loadline Certificate extending to the Date upto
which it remains valid
Whether,
Steel, welded and or Riveted
Structural
Fire Protection Method
Height
of Guards Rails or Bulwarks
Date
of the last external
Above
Mainor Upper Deck Above the Quarter Dect.
Examination
of the bottom
MACHINERY
AND BOILERS
Engines
Cylinders
Number
Steam
Internal
Combustion
Number
Diameter
Length
of Stroke
Type
Type
Inches/mm.
Inches/mm.
Year
when made :
By
whom made :
BOILERS
No.
(1)
Type
(2)

Coal fire or oil fired

(3)

Working Pressure

(4)

Super heat Temperature

By

whom made

Year

when made

Date

when Surveyor last examined tested, and pressure

Date

when Boilers internally were hydraulically applied, and Boilers
were then in whether the Ship or not.

Main

Auxiliary

EVAPORATORS

No.

of what material made

By

whom made

Year

when made

Maximum

pressure of inlet steam

Diameter

of reduced orifice in reducing nozzle, if fitted

Hydraulic

Test

Date

when applied shell Coils

Pressure

SAFETY

VALVES

STEAM

PIPES

Description

by

whom made

Number

on each Boiler or Evaporator

Limiting

Pressure lbs per square inch

Date

of Hydraulic test

Pressure

applied : lbs per square inch

Main

Boilers

Main

Boiler

Shell

.
.

.

Or

.
.

.

Super
heater

.
.

.

Auxiliary
Boilers

.
.

Auxiliary
Evaporators.

FIRE
APPLIANCES
Extinguishers

No.
Description
Portable

{
Machinery
Spaces.....

Passenger
Spaces ?.....
Crew

Spaces.....
Non-Portable

Fixed
Cargo
Spaces
Installation

Machinery
Spaces.....
Pump

Hoses
Machinery
Spaces.....

Other
Spaces.....
Breathing

Apparatus
Direction
System
Cargo
Spaces

Are
the arrangements such that a fire in one compartment will not
put all the fire pumps out of action ?
MISCELLANEOUS
PARTICULARS
Number
of Power anchore and Length and Diameter of Chain Cables
Description
of the main and Auxiliary Steering Gears
Is
the power for going astern sufficient for the proper control of
the ships in all circumstances
Date
when propeller shafts were last inspected
Minimum
number of certificated lifeboatmen required and Actual on board
Fathoms
Port
Star board
Is
the necessary stability data on board ?
Date
of inspection of certificate of Registry
No.
of persons composing the crew
Diameter
Side
scuttles coming under Rule 33(8)(c) of the Indian Merchant
Shipping (Construction and Survey of Passenger Steamers) Rules,
1956
Between
?.....
deck and ?.....
deck
Number
of side
?.....
Limiting mean draught ?.....
COMPASSES
No.
on board
Date
of last adjustment
Date
when ship was last swung for verification
Name
and address, or name and rating of persons giving accompanying
certificate of adjustment/verification or correctness
HOSPITAL
Permanent
on Upper Deck

Temporary
on Upper Deck
Number
of Banks
Superficial
deck area
Cubic
feet of air space
Number
of Superficial Voyages of duration not exceeding 48 hours
feet
reserved Voyages of over 48 hours
EQUIPMENT
Description
and state of distilling apparatus
Quantity
of pure cold water that it is capable of producing in 24 hours
SPACE
AVAILABLE FOR
UNBERTHER
PASSENGERS
PILGRIMS
(Two
children under 12 to be reckoned as one unberthed passengers)
Space
available for
Unberthed
passengers pilgrims
Total
Sqfeet
Number
of unberthed passengers
Pilgrims
Voyages
of duration exceeding 24 hours
Voyages
of duration between 24 and 48 hours
Voyages
exceeding 48 hours
Fair
Season
Foul
Season
Fair
Season
Foul
Season
Fair
Season
Foul
Season

N.B.- In the case of pilgrim ships items which are not applicable should be struck cut,

SUB-DIVISION

LOAD LINES

Sub-division

load lines assigned and marked on the ship's side at amidships

Freeboard

To

apply when the following alternative spaces are adapted for the carriage of passengers

Criterion

Numeral

Factor

of Sub-division

C.

1

.

.

.

C.

2

.

.

.

C.

3

.

.

.

Sub-division

load lines assigned and marked on the ship's side at amidship under Simla Rules, 1931.

D.

1

.

.

.

D.

2

.

.

.

D.

3

.

.

.

EXEMPTIONS

GRANTED

*Inserted

here the conditions, if any on which the exemption is granted.

LIFE-SAVING

APPLIANCES

Description

Boats

attached to davits No Person

Boats

not attached to davits No Person

Total

No. of Boats.

Cu.

Capacity

Total

No. of persons

Life-boats-Oar

propelled

.

Life-boats-Motor

Class A

.

Life-boats-Motor

Class B

.

Life-boats-Mechanically

Hand Propelled

Total

.

Buoyant

Apparatus

.

Total

.

.

.

Lifebuoys

{

Total

Number

Number

with lights

Lifejackets

.

.

.

Type

of line-throwing appliances :-

No.

of sets of Davits required by Indian Merchant Shipping (Live Saving Appliances) Rules, 1956.

If

full No. of sets of Davits and life-boats capacity required by Indian Merchant Shipping (Life Saving Appliances) Rules, 1956

are not fitted, quote authority for exemptions.

Minimum

Aggregate Capacity of Life-boats required by Indian Merchant Shipping (Life Saving Appliances) Rules, 1956 Class of ship under Indian Merchant Shipping (Life Saving Appliances) rules, 1956.

Radio Installations

Radio Telegraphy Radio Telephony

Radio Personnel

Rank

Personal

Name(s) Surname

Number

of certificate

Class

of certificate

First

Operator

.

.

.

Second

Operator

.

.

.

Third

Operator

.

.

.

Radio Telegraphy

Particulars to be inserted in case of Ships requiring Safety Convention Certificates

Requirements

of Regulations Actual provision

Hours of

listening by operator

Number of

operators

Whether autoalarm

fitted

Whether main

installation fitted

Whether emergency

installation fitted

Whether main and

emergency transmitter electricity separated or combined

Whether

direction-finder fitted

INSTALLATION

Remarks

MAIN

TRANSMITER

Maker's name.

Type No. or
designation

Type of emission

Power rating

Authorised

frequencies

EMERGENCY

TRANSMITER

Maker's name.

Type No. or
designation.

Type of emission.

Power rating.

AUTOMATIC

KEYING DEVICE

Maker's name.

Type No. or
designation

RECEIVERS? (1) Main

(2) Emergency

Type No. or
designation

Range of
frequencies.

POWER SUPPLY

Main source of
electrical energy for the radio equipment

Emergency source
of electrical energy for the radio equipment (if required by the
Rules)

DIRECTION-FINDER(If fitted)

Maker's name.

Type No. or
designation

Date of last
calibration

Has the
calibration been fully verified during the past year

AUTO-ALARM(If fitted)

Maker's Name

Type No. or
designation

RADAR(if
fitted)

Maker's name.

Type

Radio Telephony

Particulars to be inserted in case of Ships requiring Safety Convention Certificates

Requirements

of Chapter of the Convention

Actual

provision

Hours

of listening by operator [Rule 28 of the Indian Merchant Shipping
(Radio) Rules, 1956.]

Number

of operators [Rule 27 of the Indian Merchant Shipping (Radio)
Rules, 1956.]

INSTALLATION

Maker's

name

Type

and number

Situation

in Ship

Frequencies

Transmitting

Receiving

Source

of Electrical Energy

Type

of (if fitted)

Direction-Finder

Main

Emergency

[if required by Rule 25 of the India Merchant Shipping (Radio)
Rules, 1956.]

REMARKS

Note.

- The Radio Inspector should include in this space particulars of
exemptions granted and the authority for such exemptions.

SURVEYOR'S

REMARKS

DECLARATION

TO BE MADE BY SHIP SURVEYOR

DECLARATION

TO BE MADE BY NAUTICAL SURVEYOR

I

HEREBY DECLARE

I

HEREBY DECLARE

that

on I completed the
inspection.....of (a) Official Number

and that :

that

on I completed the inspection
of (a) of

Official Number

1.
the hull of the ship is sufficient for the service intended and in good condition.
1.
The life-saving appliances, the pilot ladders, the lights, shapes and the means of making sound, distress and light signals, the compasses and the depth sounding devices are sufficient for the service intended and in good condition.
2.
the hull, watertight sub-division arrangements and details, structural protection against fire, means of escape, guard rails, stanchions and bulwarks, comply with the Indian Merchant Shipping (Construction and Survey of Passenger Steamers) Rules, 1956.
2.
the life boats, davits and life boat winches, the launching gear and life boat equipment and other life-saving appliances comply with the Indian Merchant Shipping (Life Saving Appliances) Rules, 1956.
3.
the sub-division load lines assigned to the ship are marked on the ship's sides.
3.
the pilot ladders comply with the Indian Merchant Shipping (Pilot Ladders) Rules, 1953.
4.
the required stability information is on board.
4.
the ship is provided with such navigation lights, shapes and means of making sound distress and light signals as are required by the International Collision Regulations the Rules for Distress Signals and the Merchant Shipping Act, 1958.
5.
the shelter for unberthed passengers is such and in such condition as is required by the Merchant Shipping Act, 1958.
5.
the compasses and depth sounding devices comply with the rule requirements.
6.
the various unberthed passenger/pilgrim compartments comply with the rules as regards light, ventilation and means of egress, and measurement for the numbers for which they are fitted.
6.
the certificates of the master and mates are such as are required by the Merchant Shipping Act, 1958.
7.
the fresh water supply stations, latrines and wash places comply with the rules.
7.
in my judgment the ship as regards the items mentioned above is fit to ply.
- 8.

In my judgment the ship as regards the items mentioned above is fit to ply. On international voyages and in the pilgrim trade under Simla Rules, 1931. On short international voyages.

On voyages within the Indian Home Trade limits.

8. the required stability information is on board.

9. in my judgment the ship is fit to carry the number of passengers shown on page of this form under the conditions there indicated provided there is no encumbrance of the space measured for passenger accommodation.

9. the ship is supplied with the navigation instruments required by the rules.

10. in my judgment the equipment mentioned above will be sufficient until (b). Dated at this

.....day of
.....19.

Ship
Surveyor

(a) Delete and initial any items you did not survey.

(b) Insert date or dates.

Day
at ?.....
this ?..... day of
?.....19..

Nautical
Surveyor

Declaration To Be Made By The Radio Inspector

I hereby declare :-

1. That onatI completed the inspection' of the S.S./M. Vof..... official Number.....

2.9 That the ship as regards the radio telephone installation is in my judgment fit to ply on an international voyage
Or

That the ship as regards radiotelegraphy and direction-finder is in my judgment fit to ply on **

(a) a voyage of any kind;

(b) a voyage within the limits in which a range of reception on frequencies from 15 to 20,100 to 160 and 160 to 4,000 kilocycles is permissible;

(c) a voyage on which having regard to the radio personnel carried, the hours at sea must not exceed% hours until***

3. That having regard to the tonnage of the ship and the voyages on which she is fit to ply, the radiotelegraphy/radiotelephony installation complies with the Indian Merchant Shipping (Radio) Rules, 1956.

4. That the Direction-finder complies with the Indian Merchant Shipping (Direction-Finder) Rules, 1956.

5. That the certificates of the radio personnel are such as are required by those Rules.

6. That the telegraphy installation for lifeboats comply with the Indian Merchant Shipping (Life Saving Appliances) Rules, 1956 and Indian Merchant Shipping (Radio) Rules, 1956.

Dated at this day of.....19.

Radio Inspector

*If the survey was partial, state what parts were surveyed.

@Delete the alternative which does not apply.

**Delete the lines which do not apply.

%Insert 8 or 48 as the case may required.

*** Insert date.

Declaration To Be Made By Engineer And Ship Surveyor

I hereby declare :-

that on ***I completed the inspection of (a)..... of Official Number..... and that--

1. the hull, machinery and equipments of the ship are sufficient for the service intended and in good condition.

2. the hull, watertight sub-division arrangements and details, watertight doors, bilge pumping arrangements, electrical installations, structural protection against fire, automatic sprinkler, fire alarm and fire detection systems, provision for cinematograph exhibitions, main and auxiliary machinery, compasses, depth sounding devices, anchors, cables, hawsers and warps, means of escape, guard rails, stanchions and bulwarks comply with the Indian Merchant Shipping (Constructions & Survey of Passenger Steamers) Rules, 1956.

3. the lifeboats, davits and lifeboat winches, the launching gear and lifeboat equipment and other life saving appliances comply with the Indian Merchant Shipping (Life Saving Appliances) Rules, 1956.

4. the appliances for the prevention, detection and extinction of fire comply with the Indian Merchant Shipping (Fire Appliances) Rules, 1956.

5. the pilot ladders comply with the Indian Merchant Shipping (Pilot Ladder) Rules, 1953.

6. the ship is provided with such navigation lights, shapes and means of making sound, distress and light signals as are required by the International Collision Regulations, the Rules for Distress messages and navigational warnings. and the Merchant Shipping Act, 1958.

7.
the certificates of the master, mates, engineers and radio operators are such as are required by the Merchant Shipping Act, 1958.

8.
the sub-division load lines assigned to the ship are marked on the ship's sides.

9.
the required stability information is on board.

10.
the shelter for unberthed passengers is such and in such condition as is required by the Merchant Shipping Act, 1958.

11.
the distilling apparatus is in good working order.

12.
the various unberthed passenger/pilgrim compartments comply with the rules as regards light, ventilation and means of egress, and measurement for the numbers for which they are fitted.

13.
the fresh water supply stations, latrines and wash places comply with the rules.

14.
the ship is supplied with the navigation instruments required by the rules.

15.
in my judgment the ship as regards the items mentioned above is fit to ply-On international voyages and in the pilgrim trade under Simla Rules, 1931 on short international voyages.

On voyages within the Indian Home Trade limits stated on pages of this from.

16.

in my judgment the ship is fit to carry the number of passengers shown on page of this form under the conditions where in dicated provided there is no encumbrance of the space measured for passenger accommodation.

17.

in my judgment the ship as regards the items mentioned above will be sufficient until (b).

Dated at thisday of

.....

Engineer and Ship Surveyor.

*** Insert date.

(a)

Delete and initial any items which you did not survey.

(b)

Insert date or dates.

Notice

When this Declaration has been completed by the Surveyors it is to be given to the Owner, Agent or Master who is required by Section 224 of the Merchant Shipping Act, 1958 to transmit it to the Principal Officer, Mercantile Marine Department Within fourteen days after the date of its receipt. The same section provides that the Owner, Agent or Master shall forfeit a sum not exceeding rupees five for every day that the sending of the Declaration is delayed beyond this period of fourteen days.

This Declaration was (handed) (sent by post) toon theday of19.....

Principal Officer or Surveyor

This Declaration was received on the day of19..... and is returned to the Mercantile Marine Department thisday of.....19.....

Name and address of the person to whom the certificate is to be delivered on application.

The ship is scheduled to sail on the day of19.....

.....

(Owner)

(Agent)

(Master)

Schedule II

[See rule 4(1)]

No.

Certificate Of Survey

National

Emblem

Issued by the For a Foreign-going Passenger Ship

Government of India Home Trade

Steam

Motor Ship " "

Owner or Agent

Port of Registry

Official number

Tonnage Gross

Registered

RADIO

REQUIREMENTS

Requirements

of Regulations

Actual

Provision

Hrs. of listening

by operator

No. of operators

.

Whether fitted

with auto-alarm.

Whether main

installation fitted

Whether emergency

installation fitted

Whether main and

emergency transmitters

electrically

separated or combined

Whether

direction-finder fitted

Number of

passengers for which certified

SUB-DIVISION

LOADLINES

Sub-Divisional

Loadlines assigned and Freeboard marked on the ship's side at amidships.

To apply when the

following alternative spaces are adapted for the carriage of passengers.

NUMBER

OF PASSENGERS AND CREW

Number of

passengers

Crew

Total

passengers and

Crew

First Class

Second Class

Third Class

Unberthed

Passengers

*Notes-1. - Two children between one and twelve years of age are to be reckoned as one passenger.

2. All Cabin passengers are to have the use of sufficient promenade space on deck.

3. If any of the space measured for passengers is occupied by cargo, cattle or stores, the number of passengers for which the space so occupied was measured is to be deducted from the numbers stated above.

4. On any voyage on which this ship may be cleared as an Unberthed Passenger Ship or as a Pilgrim Ship the number of passengers is governed by the Certificate granted for that voyage, and not by this Certificate.

BOATS

AND LIFE-SAVING APPLIANCES

Boats capable of

accommodating

Persons.

Life-rafts

capable of accommodating

Persons.

Buoyant apparatus
capable of supporting

Persons.

Life-Buoys

Life-Jackets

Certificated

life-boatmen

FIRE

APPLIANCES

Extinguishers

No.

Portable

Non-Portable

Pumps

Breathing

Apparatus

Detection System

Cargo Spaces

This is to Certify that the provisions of the Merchant Shipping Act, 1958, relating to the survey of passenger ships have been complied with,

and that the above mentioned ship is fit to ply as a| Foreign going ship/Home Trade ship| with
number of passengers stated above.

This Certificate, unless previously cancelled or suspended remains in force until the day of19. If the ship is then out of a port of survey, she must be surveyed and have a new Certificate before she begins to play with passengers after her next subsequent return to a port of survey.

Dated thisday of..... 19.

Principal Officer,

Mercantile Marine Department District.

1. Either this Certificate, or the duplicate thereof, furnished by the Government of India, is to be put up in a conspicuous place of board the ship so as to be legible to all persons on board, and to be kept so put up and legible while the Certificate remains in force and the ship is in use, otherwise the owner of master shall be a fine which may extend to two hundred rupees.

2. If the number of passengers carried exceeds the number allowed by this Certificate, the owner, agent or master will be liable to fine which may extend to one thousand rupees.

3. In any case of an accident occasioning loss of life or any material damage affecting the seaworthiness or efficiency of the vessel either in the hull or in any part of the machinery a report by letter signed by the owner, agent or master is to be forwarded to the Principal Officer, Mercantile Marine Department Districtwithin 24 hours after arriving in port or as soon thereafter as possible.

4. The Central Government may require the ship to be re-surveyed to such extent as it may think fit if it has reason to believe that since the making of the last Declaration of survey any alteration has been made in the ship's hull, equipments or machinery which affects the efficiency thereof or the seaworthiness, or that her hull, equipments or machinery have sustained any injury or are otherwise insufficient, and if such requirement is not complied with he may cancel this Certificate.

N.B. - Any communication addressed relative to this ship should state the name, port of registry, and official number of the ship and the number of this Certificate.

Related AI tags, queries and research notes

Translation