

The Central Motor Vehicles (Accreditation of Bus Body Builders) Order, 2007

Source: <https://indiankanoon.org/doc/31464681/>

[Skip to main content](#)

[Legal Document View](#)

[Tools for analyzing structure and cite text of judgments](#)

[Unlock Advanced Research with
PRISM](#)

[AI](#)

Integrated with over 4 crore judgments and laws ? designed for legal practitioners, researchers, students and institutions

-

[Know your Kanoon](#)

-

[Doc Gen Hub](#)

-

[Counter Argument](#)

-

[Case Predict AI](#)

-

[Talk with IK Doc](#)

-

...

[Upgrade to Premium](#)

[\[Cites](#)

0

, Cited by

0

]

Union of India - Act

The Central Motor Vehicles (Accreditation of Bus Body Builders) Order, 2007

UNION OF INDIA

India

The Central Motor Vehicles (Accreditation of Bus Body Builders) Order, 2007

Rule THE-CENTRAL-MOTOR-VEHICLES-ACCREDITATION-OF-BUS-BODY-BUILDERS-ORDER-2007 of 2007

Published on 23 March 2003

Commenced on 23 March 2003

[This is the version of this document from 23 March 2003.]

[Note: The original publication document is not available and this content could not be verified.]

The Central Motor Vehicles (Accreditation of Bus Body Builders) Order, 2007

Published vide Notification in the Gazette of India, Extra; Part 2, Section 3, dated 23rd March, 2003.

1835.

S.O.425(E) 23rd March, 2007. - Whereas the Central Government is of the opinion that it is necessary and expedient in the public interest to notify certain norms and process in respect of the accreditation of bus body builders, it therefore, in exercise of the powers conferred by the sub-section (3) of section 109 of the Motor Vehicles Act, 1988 (59 of 1988

) makes the following order to specify such norms and process, namely :-

1.

(1)

This Order may be called as the Central Motor Vehicles (Accreditation of Bus Body Builders) Order, 2007 (hereinafter referred to as the said order).

(2)

It shall come into force after one year from the date of publication of this Order in the Official Gazette.

2.

Definitions.

-

(a)

"Accreditation" means the process of evaluating, assessing and approving the capabilities and capacities of a Bus Body Builder to consistently produce specified quality of bus bodies by the competent authority;

(b)

"Act" means the Motor Vehicles Act, 1988 (59 of 1988

);

(c)

"Assessor" means a technical expert appointed by the Zonal Accreditation Board to carry out the inspection of Bus Body Builders and bus bodies, as per the prescribed norms, standards and procedure;

(d)

"Bus Body Builder (BBB)" means a firm engaged in the fabrication of bus bodies and having the following minimum facilities, namely :-

(i)

infrastructure facilities, namely the land, building and utilities;

(ii)

plant and equipment to undertake corrosion preventive treatment; painting, structural fabrication, paneling, finishing and equipping with necessary ingredients;

(iii)

inspection, quality assurance and testing of fully built buses with all its ingredients either made in-house or bought out; and

(iv)

having upto date knowledge of the Central Motor Vehicles Rules, 1989.

(e)

"Form" means a Form appended to this order;

(f)

"National Accreditation Board (NAB)" means the body constituted by the Government of India to serve as the agency to implement the said rules and monitor the functions of Zonal Accreditation Boards;

(g)

"Secretariat" means the National Accreditation Board Secretariat and the Zonal Accreditation Board Secretariat established under paragraph 9 and paragraph 12, respectively;

(h)

"Zonal Accreditation Board (ZAB)" means a body constituted for any one of the four zones namely, North Zone, South Zone, East Zone and West Zone to function under overall guidance of National Accreditation Board. It shall be responsible for implementation of the process of Accreditation in the respective zone;

3.

Bus Body Builders.

- Bus Body Builders shall be categorized on the basis of the activities undertaken by them as indicated in the Table given below :-

Table

Category

Activities

undertaken

D

Structural assembly, corrosion prevention treatment, painting, finishing and equipping, inspection and testing of bus bodies. They shall invariably have a quality assurance system and facilities for all bought out items, as they shall be outsourcing a large number of items and components. Land, building and other facilities shall be available.

C

In addition to the activities being performed by Category-D, this category of Bus Body Builder shall also have facilities for fabrication of the structural and other components, whereas other sub assemblies or aggregates (like seats, windows, and the like) shall be outsourced by them, besides the standard items like fasteners, brackets, glasses, rubber items as in category-D.

C1

In addition to the activities being performed by category-C, this category of Bus Body Builder shall also undertake design and development of bus bodies.

B

In addition to the activities being performed by category-C, this category of Bus Body Builders shall also undertake fabrication activities of other sub systems and aggregates like seats, windows and the like. In other words, this category of Bus Body Builders shall have all facilities for bus body building except the capability of designing and developing a bus body.

A

This category of Bus Body Builders shall not only have in-house facility for building a complete bus and its sub-assemblies or aggregates, but shall also have capability to design and develop bus bodies.

4.

Accreditation of Bus Body Builders.

- All the Bus Body Builders shall be accredited by National Accreditation Board and Zonal Accreditation Boards as notified under the said order. The accredited Bus Body builders shall meet the type approval requirements specified in the relevant provisions of the Bus Body Code for the relevant type of vehicle in accordance with AIS:052:2001 as amended from time to time till the corresponding Bureau of Indian Standards specifications are notified under the Bureau of Indian Standard Act, 1986(63 of 1986).

5.

Activities involved in the Accreditation System.

(1)

The process of accreditation shall be carried out in the following stages, namely:-

(i)

Constitution and notification of Zonal and National Accreditation Boards by Central Government including establishment of permanent Secretariat at Zonal and National Accreditation Boards,

(ii)

Selection and preparation of panel of assessors at Zonal Accreditation Boards.

(iii)

Notice for commencement of accreditation of Bus Body Builders and the formalities involved therein at Zonal Accreditation Board.

(iv)

Receipt and scrutiny of application at Zonal Accreditation Board.

(v)

Nomination of assessors and planning of assessment at Zonal Accreditation Boards.

(vi)

Assessment at Zonal Accreditation Boards.

(vii)

Scrutiny of assessment report at Zonal Accreditation Board Secretariat for its completeness and putting up to Zonal Accreditation Board for consideration.

(viii)

Grant of provisional accreditation by Zonal Accreditation Board.

(ix)

Approval or ratification of provisional accreditation by National Accreditation Board.

(x)

Issue of accreditation certificate by the Zonal Accreditation Board Secretariat.

(xi)

Conduct of surveillance or re-accreditation assessment at Zonal Accreditation Board.

(xii)

Dealing with the complaints or representations and appeals and other relevant issues at National Accreditation Board, and

(xiii)

Renewal of accreditation at Zonal Accreditation Board.

(2)

The flow chart for Accreditation Activities are given in Annexure BBB-I.

6.

Organization Structure for Accreditation System.

- There shall be four Zonal Accreditation Boards, namely - North Zone Accreditation Board, South Zone Accreditation Board, East Zone Accreditation Board and West Zone Accreditation Board. These zonal bodies shall be responsible for undertaking the accreditation process in their respective zones. The activities of all these Zonal Accreditation Boards shall be coordinated by the National Accreditation Board. The organization structure for Bus Body Builder Accreditation System is given in Annexure BBB-2 and Annexure BBB-2A.

7.

Composition of National Accreditation Board.

- The composition of the National Accreditation Board shall be as indicated in the Table given below, namely :-

Table

Serial

number

Organization

Number

of representatives

Status

1

Department of Road Transport and Highways

Two

Chairman and one member

2

Department of Heavy Industry

One

Member

3

Chairman of the Zonal Accreditation Boards

Four, one each from the Zonal Accreditation Boards

Members

4

Society of India Automobile Manufacture

One

Member

5

Automotive Component Manufacture Association

One

Member

6

Central Institute of Road Transport.

One

Member

7

Association of State Road Transport Undertaking (ASRTU)

including two to be nominated from State Transport Undertakings by Association of State Road Transport Undertakings.

One

Member

8

Automotive Research Association of India

One

Member

9

Vehicles Research and Development Establishment

One

Member

10

Bus Body Builders and their Associations (one representative to be co-opted by the Board and another to be nominated by Department of Road Transport and Highways)

Two

Members

11

Chairman, Central Motor Vehicles Rules-Technical Standing

Committee

One

Member

12

Secretary (to be nominated by Department of Road Transport and Highways)

One

Member Secretary

Total

19 Members including Chairman

8.

Functions of National Accreditation Board.

- The functions of the National Accreditation Board shall be as follows, namely :-

(a)

to lay down rules of transaction of business for Zonal Accreditation Boards and the National Accreditation Board;

(b)

to sanction the manning levels and the number of the Secretariat staff at the National Accreditation Board and Zonal

Accreditation Boards;

(c)

to lay down service conditions for the Secretariat Staff and their pay scales and other terms of appointment;

(d)

to lay down the qualification and the like for appointment of Secretariat staff;

(e)

to act as appellate authority;

(f)

to lay down the qualification, terms and conditions and names of the assessors;

(g)

to lay down required qualification and other conditions of service for the Secretary;

(h)

to define powers and authority of the permanent Secretary as to ensure smooth functioning of the Secretariat of Zonal Accreditation Board;

(i)

to ensure the implementation of the policies and legislation of the Government of India concerning bus body building;

(j)

co-ordination among the different Zonal Accreditation Boards;

(k)

to ensure uniformity in the accreditation process being followed by different Zonal Accreditation Boards;

(l)

interaction with the Government of India;

(m)

to approve the provisional accreditation recommended by Zonal Accreditation Boards;

(n)

to handle grievances or complaints and appeals;

(o)

to undertake random test checks to ensure the compliance with accreditation standards;

(p)

to decide and review the accreditation fee structure from time to time;

(q)

to design the appropriate National Accreditation Board logo and to ensure its proper usage; and

(r)

any other function required for the purpose as may be decided by Zonal Accreditation Board or National Accreditation Board;

9.

National Accreditation Board Secretariat.

(1)

A Secretariat shall be established in Association of State Road Transport Undertakings, New Delhi. A permanent Secretary from the Secretariat shall be nominated by Department of Road Transport and Highways. National Accreditation Board shall either appoint the requisite complement of staff or authorize Association of State Road Transport Undertakings to do so.

(2)

The National Accreditation Board Secretariat shall assist the National Accreditation Board in discharging its functions as enumerated in paragraph 8 above.

10.

Composition of Zonal Accreditation Board.

- The composition of each Zonal Accreditation Board shall be indicated in the Table given below :

Serial

No.

Representatives

Number

of representatives

Status

1

Transport Secretary of Transport Commissioner of one of the
State Governments in the zone on rotational basis

One

Chairman

2

Vehicle manufactures (Representatives to be nominated by
Society of Indian Automobile Manufacture)

Two

Member

3

Technical head of the State Transport Undertaking of each State
in the zone (representatives to be nominated by Association of
State Road Transport Undertakings)

One from each State in the Zone

Member

4

Central Institute of Road Transport

One

Member

5

Automotive Research Association of India

One

Member

6

Bus Body Builders and their Association (to representatives to
be co-opted by the Zonal Accreditation Board and one
representative to be nominated by Department of Road Transport and
Highways)

Three

Member

7

Accessories or component manufacture (representative to be
nominated by Association of Components Manufactures of
Automoblies)

One

Member

8

Zonal Secretary

One

Member Secretary

Total

11 Members including Chairman

11.

Functions of Zonal Accreditation Board.

- The following shall be the functions of the Zonal Accreditation Board.

(a)

to appoint permanent Secretary to the Board;

- (b)
to consider and approve or disapprove the assessment submitted by the Secretariat after due evaluation;
- (c)
to grant provisional accreditation to the Bus Body Builder;
- (d)
to authorize Secretary to issue provisional accreditation certificate within a given time span;
- (e)
to approve the panel of assessors in the zone;
- (f)
to ensure the training of assessors in the assessment techniques; and
- (g)
to define powers and authority of the Secretary to plan the assessment in consultation with the team of assessors and Bus Body Builders.

12.

Zonal Accreditation Board Secretariat.

(1)

A Secretariat shall be established for each Zonal Accreditation Boards. This shall be headed by a permanent Secretary who shall be appointed by Zonal Accreditation Board. Zonal Accreditation Board shall also appoint other staff required for the Board.

(2)

Secretariat for West Zonal Accreditation Board and South Zonal Accreditation Board shall be established in Central Institute of Road Transport, Pune. Secretariat for North Zonal Accreditation Board and East Zonal Accreditation Board shall be established in the Automotive Research Association of India, Pune.

13.

Functions of Zonal Accreditation Board Secretariat.

- The following shall be the functions of Zonal Accreditation Board Secretariat.

- (a)
to invite and accept applications (Form No. BBB-1) for accreditation from perspective Bus Body Builders;
- (b)
to scrutinize applications and obtain additional information, if required;
- (c)
to finalise tentative category of the Bus Body Builder and inform Bus Body Builder regarding accreditation fee for that particular category;
- (d)
to appoint a team of assessors;
- (e)
to arrange assessment for accreditation as per Form No. BBB-5 to Form No. BBB-10 according to the category of the Bus Body Builder, within one month of the receipt of registration fee and the assessment charges;
- (f)
to put up assessed cases after due examination to the Zonal Accreditation Board for their consideration;
- (g)
to issue a provisional accreditation certificate as per recommendation by Zonal Accreditation Board;
- (h)
to coordinate all the activities related to the assessment including appointment of assessors and planning the assessment;
- (i)
to prepare draft agenda of cases to be put up to National Accreditation Board;
- (j)
to prepare and issue the final Accreditation Certificate on approval of the provisional accreditation by National Accreditation Board;
- (k)

to inter alia, maintain and update the following, namely:-

- (a)
panel of assessors;
- (b)
all documents; and
- (c)
liaison with National Accreditation Board/Zonal Accreditation Board and their members.
- (l)
any other function related to the activity

14.

Accreditation Procedure.

(1)

Application for Accreditation:

(i)

The Bus Body Builder intending to get the accreditation shall apply to Zonal Accreditation Board in the prescribed application form (Form No. BBB-1) in duplicate;

(ii)

The application shall be accompanied with the prescribed application fee as decided from time to time by the National Accreditation Board.

(iii)

While applying for accreditation, the Bus Body Builder shall ensure availability of the following, namely:-

(a)

adequate machines or infrastructural facilities for the purpose;

(b)

competent manpower;

(c)

the compliance mechanism of the regulatory or legal and safety requirements;

(d)

compliance mechanism with the environmental requirements so as not to cause hazard to the neighborhood and surroundings;

(e)

adequacy of material management system;

(f)

adequate equipments and know how for item or materials, receipt stage quality assurance, the in-process inspection and final testing of the bus body, wherever applicable; and

(g)

copies of reference documents.

(2)

Acknowledgement, scrutiny and processing of Application:

(i)

Zonal Accreditation Board Secretariat, on receipt of the application along with its enclosures and the requisite fees, etc. shall issue an acknowledgement along with receipt to Bus Body Builder within ten working days, allotting unique Customer Registration Number (CRN) to Bus Body Builder, to be used in future for reference and correspondence;

(ii)

The preliminary scrutiny of the application shall be done by Zonal Accreditation Board Secretariat. The said Secretariat may ask for additional information or clarification, if necessary. If there are gross shortcomings, the Bus Body Builder shall be asked by the said Secretariat to comply with the requirements and shall re submit the application with Compliance Report; and

(iii)

If the application is found to be generally in order, the same is considered for categorization. The Bus Body Builder shall be asked to remit the assessment fee accordingly thereafter.

(3)

Assessment:

(i)

On receipt of assessment fee, the Zonal Secretary shall coordinate with the assessor and the Bus Body Builder for planning the schedule of assessment;

(ii)

Two assessors, a Technical Assessor and a Lead Technical Assessor shall be deputed for assessment;

(iii)

The Technical Assessor shall be responsible for assessment of the technical competency of the Bus Body Builder In terms of machines, manufacturing techniques, method deployed and maintenance and calibration of machines or equipments;

(iv)

The Lead Technical Assessor shall be responsible for the evaluation of Application form, verification of the contents of the application form, verification of the claims made by the Bus Body Builder, maintenance of quality system and overall assessment of the Bus Body Builder;

(v)

The Bus Body Builder shall be informed about the final schedule of assessment and the information about Assessment Team;

(vi)

The Assessment Team shall review the capability of the Bus "Body Builder using Form No. BBB-5 to Form No. BBB-10 for the following areas, and against the claim made by Bus Body Builder. Form No. BBB-2 shall be used for noting the observations made by assessors :

(a)

availability of manufacturing facility including machineries, jigs and fixtures;

(b)

availability of competent manpower. For this purpose the Assessment Team shall verify the records and interview the personnel, where necessary;

(c)

compliance with the relevant legal requirements and environmental conditions including fire hazards;

(d)

provision of safety appliances and measures;

(e)

availability of tools or equipments for inspection, measurement, etc.;

(f)

records of in-process and final inspection of bus bodies;

(g)

if design is included in the scope, verification for the competent manpower and facilities shall be made;

(h)

availability of adequate land, space and infrastructure facilities;

(i)

calibration records for the measuring equipments and inspection/testing facilities; and

(j)

any other requirement decided or specified by the Zonal Accreditation Board or National Accreditation Board from time to time.

(vii)

Once the Assessment is completed, the Assessment Team shall submit the Assessment Report to the Zonal Accreditation Board Secretariat within ten working days. The Assessment Report shall be jointly prepared and signed by the Technical Assessor and the Lead Technical Assessor in Form No. BBB-4 and shall be countersigned by the representative of Bus Body Builder. The assessment report shall give clear recommendation for grant of accreditation or otherwise with due justification and without any ambiguity;

(viii)

Non-conformance found during assessment shall be recorded in Form No. BBB-3 by Technical Assessor and Lead Technical Assessor and shall be informed to Bus Body Builder. The Bus Body Builder shall decide about the proposed corrective action within the definite time schedule but within a maximum period of three months. The Zonal Accreditation Board Secretariat shall monitor the progress of compliance with areas of non-conformity;

(ix)

Depending on the nature of non-conformity, these shall be closed by the Lead Technical assessor on the submission of documentary evidence of corrective action with or without verification visits at the Bus Body Builder's cost;

(x)

Based on the information gathered during the processing of the application, the assessment report, additional information gathered during the assessment and the consequent verifications, if any, the Zonal Secretary shall prepare a brief summary. An agenda item including the summary recommendations, etc. or otherwise with due justification for accreditation shall be placed before the Zonal Accreditation Board for their consideration for grant of provisional accreditation or otherwise;

(xi)

The Zonal Accreditation Board's observation on the Assessment Report and its recommendations shall be the deciding factors for grant of Provisional Accreditation or otherwise. All decisions taken by the Zonal Accreditation Board shall be recorded in the form of minutes. These minutes shall also be sent to National Accreditation Board for information;

(xii)

In case the Zonal Accreditation Board finds deficiencies in the assessment report to arrive at the decision, the Zonal Secretariat shall obtain clarification from the assessor or Bus Body Builder and place before Zonal Accreditation Board for its decision;

(xiii)

The final recommendation of Zonal Accreditation Board shall be placed before the National Accreditation Board, who shall meet at least once in six months depending on the number of applications and reports;

(xiv)

On grant of Accreditation, Zonal Accreditation Board Secretariat shall prepare an Accreditation Certificate mentioning therein the category, date of issue and date of validity of Certificate;

(xv)

Each Certificate shall be signed by the Zonal Secretary mentioning therein the approval by Zonal Accreditation Board and National Accreditation Board;

(xvi)

All the applicant Bus Body Builders shall make all the payments due to Zonal Accreditation Board before the Certificate is issued to Bus Body Builder; and

(xvii)

All the decisions taken by the Zonal Accreditation Board regarding grant or refusal of accreditation, are subject to appeal to the National Accreditation Board whose decision shall be final and binding.

(4)

Accreditation:

(i)

Validity: The Bus Body Builder Accreditation Certificate shall be valid for a period of four years;

(ii)

Use of National Accreditation Board Logo: On grant of Accreditation, the Bus Body Builder shall use National Accreditation Board Logo on Its business promotion literature, namely letter heads, visiting cards, brochures, etc, and

(iii)

Surveillance: Zonal Accreditation Board shall conduct surveillance assessment once in two years and a re-assessment of the Bus Body Builder before the expiry of the Accreditation Certificate. The Surveillance or Re-assessment, shall be similar to the first assessment. During the validity of Accreditation, the Bus Body Builder shall continuously comply with the requirements of the said order.

(5)

Extension or Reduction of Scope of Accreditation:

(i)

The Bus Body Builder, if so desires, may request in writing to Zonal Accreditation Board for the change in the category of Accreditation. For this purpose, Zonal Accreditation Board shall assess the Bus Body Builder during surveillance/re-assessment visit or may organize a supplementary or a special visit; and

(ii)

In case of the Bus Body Builder is accredited for one zone, and if scope is required to be extended to other zones, the same can be done without any assessment but on the payment of additional fee as decided by National Accreditation Board.

(6)

Supplementary or Special Visit: The National Accreditation Board/Zonal Accreditation Board may also arrange for supplementary or special visit at any time during the validity of accreditation in the following circumstances:

(a)

change in category;

(b)

misuse of Accreditation or Certificate or Logo;

(c)

on receipt of a complaint, for the verification of facts; and

(d)

any other circumstances decided by the Zonal Accreditation Board or National Accreditation Board.

(7)

Voluntary Withdrawal: The Bus Body Builder at any time during the validity of accreditation may discontinue their accreditation voluntarily by making a written request to Zonal Accreditation Board. If the Bus Body Builder decides to regain the accreditation status, after it has sought voluntary withdrawal, it shall be treated as a fresh accreditation, and it shall have to pay all the fees for application and accreditation and assessment expenses, as applicable at that time.

(8)

Surveillance:

(i)

Zonal Accreditation Board shall conduct surveillance once in two years for all accredited Bus Body Builders;

(ii)

Surveillance is aimed at examining whether the accredited Bus Body Builder is maintaining all the requirements claimed or declared in the Application;

(iii)

Zonal Accreditation Board shall inform the accredited Bus Body Builder about the surveillance assessment and the surveillance fee to be paid in advance, at least three months before the due date for surveillance visit. The Bus Body Builder shall confirm its readiness within thirty days; and

(iv)

The Bus Body Builder may request for change in scope or category while confirming their readiness.

(9)

Renewal of Accreditation and Re-Assessment:

(i)

The Bus Body Builder may apply for renewal of accreditation by submitting an application in Form No. BBB-1 in two copies;

(ii)

The application shall be accompanied with the prescribed renewal fee as required. The Bus Body Builder may request for change in scope of accreditation or category, which shall explicitly be mentioned in the application form;

(iii)

The request for renewal shall be submitted at least six months before the expiry of the validity of accreditation. Accreditation status of the Bus Body Builder shall expire on the validity date mentioned in the certificate, in case there is no application in time. The Bus Body Builder shall have to apply afresh and the continuity of the Certificate would stand cancelled;

(iv)

The procedure for processing of renewal application is similar to that of fresh application;

(v)

If the results of reassessment visit are positive and all non-conformities are closed before the expiry of the certificate then the validity of the certificate shall be extended by another four years without any discontinuity; and

(vi)

A new certificate of accreditation shall be issued on renewal, however, the Certificate number remains same.

(10)

Appeal: All decisions taken by National Accreditation Board or Zonal Accreditation Board regarding grant or continuation or renewal of accreditation shall be open to appeal by the Bus Body Builder, to the Chairman, National Accreditation Board.

(11)

Audit: The Central Government may carry out Audit of the scheme from time to time to ensure the effective operation of the scheme many of the respective zones. The audit team shall have the power to disqualify any Bus Body Builder or assessor as the case may be in case he is found guilty or violating any of the provisions that is applicable to him.

(12)

Type Approval (TA) and Conformity of Production (CoP) of Bus Bodies: The Central Government will separately notify a suitable procedure for the Type Approval and Conformity of Production of the bus bodies built by the accredited Bus Body Builder.

(13)

Panel of Assessors:

(i)

A panel of assessors shall be prepared by each Zonal Accreditation Board wherein the persons preferably from the same zonal jurisdiction shall be employed;

(ii)

The minimum qualification for Technical Assessor shall be a Bachelor's Degree In Engineering or Technology in relevant field with five years experience in the engineering field. Diploma holders in relevant branch and with the similar background but with a minimum experience of ten years shall also be eligible. The Technical Assessor shall also be required to keep abreast of the Type Approval(TA) and the Conformity of Production(CoP) procedures prescribed under the Central Motor Vehicles Rules, 1989 as amended from time to time;

(iii)

The Lead Assessor shall have the same qualifications as given at clause (b) above and in addition, shall have a background in quality management systems as per ISO 9001:2000/ISO:14001: 1996/ISO/IEC 17025:1999 (NABL) or any other National or International Certification or Accreditation System;

(iv)

The list of empanelled assessors prepared or approved by Zonal Accreditation Board shall be sent to National Accreditation Board for their information and record; and

(v)

If at any time any of the Assessors is found to be transgressing the policy and procedures of Zonal Accreditation Board and National Accreditation Board, their name shall be struck off from the panel by Zonal Accreditation Board under intimation to the National Accreditation Board.

(14)

Confidentiality: The members of the Zonal Accreditation Board, assessors and National Accreditation Board officials shall be required to maintain strict confidentiality of the information gathered regarding the Bus Body Builders during the process of evaluation for grant of accreditation. National Accreditation Board shall impose the same obligation of maintaining secrecy on those to whom they entrust the tasks of a confidential nature, as described above.

(15)

Liability: National Accreditation Board shall not be responsible for any damages, which the Bus Body Builder may suffer as a result of any action or negligence by those who are carrying out the tasks on behalf of National Accreditation Board and any failure to the grant of accreditation or abeyance or suspension or forced withdrawal of the accreditation.

(16)

Amendments to the Policies and Procedures: National Accreditation Board may at any time amend the policies and procedures related to grant of accreditation, maintaining accreditation, surveillance, renewal of accreditation and the

adverse decisions taken thereon. National Accreditation Board shall inform the Bus Body Builder regarding such amendments indicating the transition period which shall be at least six months.

15.

Fees for Assessment of Bus Body Builders.

- The following fees as may be amended by Central Government shall be charged:

Fees to be charged

Category

of Bus Body Builders

Fee

for Assessment (in Rupees)

Initial

Accreditation

Surveillance

A

50000

25000

B

30000

15000

C1

20000

10000

C

20000

10000

D

20000

10000

Annexure BBB-1

(See sub-para (2) of para 5)

Flow Chart For Accreditation Activities

Application for Accreditation by Bus Body Builder

Interaction between

Acknowledgement and Scrutiny of Application (by Zonal

Accreditation Board)

Nomination of assessors and Planning of Assessment (by Zonal

Accreditation Board)

Assessment of Bus Body Builders by Assessment Team

Zonal Accreditation Board and Bus Body Builder

Submission of Assessment Report (By Assessment tea)

Scrutiny of Assessment Report (by Zonal Accreditation Board)

Provisional Accreditation (by Zonal Accreditation Board)

Approval for Accreditation (by National Accreditation Board)

Final issue of Accreditation Certificate (by Zonal

Accreditation Board/Secretary)

Annexure BBB-2

(See para 6)

Organisation Structure For Bus Body Builder Accreditation System

Government

of India Department of Road Transport and Highways

National

Accreditation Board

Representative (s) of:

- Department of Road Transport and Highways (one Chairman and one member)
- Department of Heavy Industry (one member)
- Chairmen of the Zonal Accreditation Boards - 4
- Society of Indian Automobile Manufacturers, Automotive Components Manufacturers Association-1 each
- Association of State Road Transport Undertakings - 2
- Including one member from State Transport Undertakings
- Central Institute of Road Transport, Automotive Research Association of India, Vehicles Research and Development Establishment-1 each
- Bus Body Builder Association-2
- Member - Secretary - to be nominated by Department of Road Transport and Highways

Zonal

Accreditation Boards (4)

Representative (s) of:

- Head of Transport Departments of one of the State Governments (Chairman by rotation)
- Vehicle manufacturers (Society of Indian Automobile Manufacturers) - 2
- The State Transport Undertakings in each state in the Zone -1 each
- Central Institute of Road Transport, Automotive Research Association of India-1 each
- Bus Body Builder Association - 3
- Component manufacturer (Automotive Components Manufacturers Association) -1

Annexure BBB-2A

(See para 6)

Zonal Accreditation Board and Assessors

(See sub-para (2) of para 5)

APPLICATION FOR ACCREDITATION OF BUS BODY BUILDERS

(For the use of Bus Body Builders)

(To be accompanied with the Registration Fee of Rs. 1000/- only [non-refundable] by a D.D. drawn in favour of Zonal Accreditation Board)

Section - I

Part-1

1. Full Name and Address of the Bus Body Builder:

Telephone :

Fax :

Email Address :

2. Factory Address :

Telephone :

Fax :

Email Address :

3. Contact Person name/s :

Contact Phone Numbers (O) (R)

4. Whether Public Sector/Private Sector or Joint Sector Undertaking In case of Partnership firms enclose a copy of

Partnership deed :

5. Whether Proprietorship/Partnership/Private Limited/Public Limited Company :

6. Whether Large Scale/Medium Scale/Small Scale :

7. Factory Registration Certificate :

(i)

Number :

(ii)

Date :

(iii)

Issuing Authority :

Note: Please attach photocopy :

Date of commissioning of the Factory :

8. Sales Tax Registration number :

9. Registered/installed capacity of :

(i)

Bus bodies per annum :

(a)

ordinary; :

(b)

semi-deluxe; :

(c)

deluxe; and :

(d)

super deluxe. :

(ii)

Truck bodies per annum :

(iii)

Others per annum (Please specify) :

10. Registered for construction of :

(i)

All Aluminium bus body bodies :

(ii)

Steel Structure plus aluminium bodies :

(iii)

Composite bodies :

(iv)

Stainless steel bodies :

11. Details of the Act and Rules applicable : Ownership/Rented/Leased

Part-2

12. Land and buildings available :

(a)

Built up (Covered) (Square meters) :

(b)

Uncovered area (Square meters) :

(c)

Total land area (Square meters) :

(Attach a copy of relevant document)

13. Details of manpower (in numbers) :

a) Managerial :

b) Supervisory and others :

c) Production related workmen on : regular basis

d) Production related workmen on contractual basis :

Details should be furnished in the following format

Serial
number
Name
Designation
Educational
and Technical Qualifications
Relevant
Training
Experience
related to present work

14. Production activities undertaken. Please tick (..) wherever applicable

Design and development of bus bodies
Fabrication of structures/components/panelling
Manufacturing/fabrication of subassemblies like
Seat assemblies Windows Doors Luggage carriers
Corrosion prevention unit
Assembling and equipping - Painting
Inspection, quality assurance and testing facilities for
In process Finished items Bought out items

*Details of production machines or equipments

Serial
Number
Machine/Equipment
Specification/
Capacity
Make
and Model
Quantity
(Nos.)
Year
of Purchase
Details in Inspection/Test Equipment/Instruments
Serial
Number
Instrument/Equipment
Specification/
Capacity
Make
and Model
Year
of Purchase
Year
of Purchase
Date
of last calibration
Callibration
frequency

17.
Details of Inspection of in-coming/bought out Items

Serial
Number
Item/Description
Inspection/Details
Equipment
Used

18.

Method of disposal of scrap (in brief):

19.

Availability of safety devices including fire safety (in brief):

Part-3

20.

Number of bus bodies built in last five years

Serial

Number

Year

Type

of bus bodies

Number

of bus bodies built during the year

AL

SA

SS

C

A1:All Aluminium, SS:Steel Structure, SA:Steel and Aluminium, C: Composite

21.

Are you an approved body builder by Defence/Directorate General of Supplies and Disposals/State Transports/Original Equipment Manufacturers ?

If so please give details below:

Approved

bus body builder for State Road Transport Undertakings

Name

of State Transport Undertaking/Original Equipment Manufacturers

Type

of bus(es)

No.

of the bus bodies built during last year

Remarks

City

Inter-city

Deluxe

Others

AL

SA

SS

Comosite

Directorate General of Supplies and Disposals

Defence

Original Equipment Manufacturer

Attach copies of Certificate/Relevant documents)

Part-4

22.

Give financial details for immediate past 3 years (in Rs. Lakhs)

Latest

financial year

Immediate

Past year

Previous

year

a Total Fixed Assets

b Total Current Assets

c Total Secured Loan

d Total Unsecured Loan

e Total Inventory carried

f Total raw materials consumed

(Attach copies of balance sheets and profit and loss statements)

23.

Income tax clearance certificate and details for last 3 years

(i)

(ii)

(iii)

Note: Please attach photocopy

24.

Sales tax clearance certificate and details for last 3 years

(i)

(ii)

(iii)

Note : Please attach photocopy

25.

Are you certified under

ISO 9001 :

QS 9000 :

Any other scheme :

(Attach copy of certificate) :

Declaration

Certified that the information furnished above is true to the best of our knowledge and belief.

- We are familiar with the terms and conditions of maintaining accreditation and will abide by them.
- We agree to comply with accreditation procedures, pay all costs for assessment, verification visit (if any), surveillance and reassessment irrespective of the result.
- We agree to co-operate with the assessment team appointed by ZAC for examination of all relevant documents by them and their visits to those parts of the factory that are covered under the scope of accreditation.

Authorised Signatory (on behalf of the company)

Name :

Designation :

Date :

Note: (1) Annexure - A, B, C and D along with the details shall be attached separately.

(2)

Whenever required separate sheet shall be used.

Enclosures - Check list

Application for Accreditation of Bus Body Builder

1. Draft for Rs. 1000/-towards registration K

Fee draft no. _____ Date _____ :

Bank _____ :

Payable at _____ :

2. Factory Registration Certificate (Serial number 7) :

3. Copy of evidence for premises (Serial number 13) :

4. Annexure - A (Serial number 14) details of manpower :

5. Annexure - B (Serial number 16-A) details of production machine :

6. Annexure - C (Serial number 16-B) Details of Inspection/Test Equipments :

7. Annexure - D (Serial number 17) Details of Inspection of incoming items :

8. Copy of certificate for approval by Defence/DGS&D/STU/OEMs (Serial number 21) :

9. Copies of Balance sheet and Profit and Loss Statement (Serial number 22) :

10. Copies of Income Tax Clearance (Serial number 23) :

11. Copies of Sales Tax Clearance (Serial number 24) :

12. Copy of Certificate for ISO 9001/QS 9000/etc. (Serial number 25) :

13. Any other document :

Details

Relevant Serial Number

Section - II: Scrutiny Of Application

(For use of Zonal Accreditation Board)

Date of Receipt of application :

Details of Registration fee received :

Date of Acknowledgement/Receipt :

Verification for Completeness of Application

Registration No.

Secretary

Date:

Section - III: Decision Of Zonal Accreditation Board

(For use of Zonal Accreditation Board)

Date of Meeting :

Approved/Not approved for Assessment :

If approved, category :

Assessment fee to be charged :

Assessors Appointed

Lead Technical Assessor _____

Technical Assessor _____

Secretary

Date:

Form No. BBB-2

(See para 6)

Assessor's Observations

Bus

Body Builder

Date

Department

Activity assessed

Auditee

Education

Years of Experience

Serial Number

Observation

Remarks

Signature and Name of Assessor

Form No. BBB-3

(See para 14)

Assessor's Summary On Non-Conformance

(Please use separate sheet for raising each Non-Conformance)

Bus Body Builder

Date

Department

Activity Assessed

NC number

Reference to Observation number in Format number 2

Non-Conformation (NC) Raised :

Signature and Name of Bus Body Builder

Representative

Signature and Name of Assessor

CORRECTIVE ACTION PROPOSED/TAKEN BY THE BUS BODY BUILDER :

Signature of Bus Body Builder

ASSESSOR'S COMMENTS ON CORRECTIVE ACTION PROPOSED/TAKEN BY THE
BUS BODY BUILDER:

Signature of Assessor

REMARKS BY LEAD TECHNICAL ASSESSOR, IF ANY :

Signature of Lead Technical Assessor and Date</p>

Form No. BBB-4

(See para 14)

SUMMARY OF THE ASSESSMENT

Category

Date(s) of visit

Type of visit : Accreditation/Surveillance/2nd Surveillance/Re-assessment

Non-conformances recorded earlier visit have/have not been
discharged

Date of earlier :

ASSESSMENT SUMMARY

Non-conformation raised during the visit,

Non-conformation(s) remaining to be discharged*

RECOMMENDATIONS OF ASSESSMENT TEAM :

Date by which remaining Non-conformance(s) are to be
discharged by the Bus Body Builder

Signature of Technical Assessors with Date

Signature of Lead Technical Assessor and Date

Acknowledgement by authorized signatory of the Body
builder and Date

Form No. BBB-5

(See para 14)

Check List

A-Category Bus Body Builder (Chassis built Buses)

Name

of Bus Body Builder ?.....

Address

?.....

Date

of Assessment

Assessors

(1).....

(2).....

Capacity

per annum:

Upto

240

Upto

340

Upto

480

More

than 481

Zone.....

Type

of Bus Body :

Aluminium

Steel

structure

Composite(wood)

bus bodies

Others

specify: ?.....

Serial

No.

Description

Minimum

specification

Minimum

quantity required for production of buses/annum

Actual

quantity available

Specification

details of existing facility

Comments

about quality and suitability of available facilities

Upto 240

Upto 360

Upto 480

More than 481

A

Facilities

A1

Design software

Modelling software eg. Auto CAD

1

1

1

1

A2

Computers

P III, 32 MB Graphic card, 128 MB Ram, 10 GB Hard Disk, CD ROM,

Floppy Drive

1

1

1

1

A.3

Development of prints

Printer

1

1

1

1

A.4

Drafting equipments (if Software not available)

Drawing board, Drafter, Set of Tri-square

1

1

1

1

Design and development manpower

A.5

Design engineers

M. Tech./M.E./B.Tech/B.E. In Design/Structures Mech/

Automobile Engg.

1

1

1

1

A6.

Diploma holders

Mechanical/Electrical

1

1

1

1

A7

Draftsman

1

1

1

1

A8

Others (specify)

Capacity to be calculated for ordinary Bus unit using the following relationship

Form No. BBB-6

(See para 14)

Check List

A. Category Bus Body Builder (Chassis built Buses)

Name

of Bus Body Builder ?

Address

?.....

Date
of Assessment
Assessors

(1).....

(2).....

Capacity
per annum:

Upto

240

Upto

340

Upto

480

More
than 481

Zone.....

Type
of Bus Body :

Aluminium

Steel structure

Composite(wood)

bus bodies

Others

specify: ?.....

Serial

No.

Description

Minimum
specification

Minimum
quantity required for production of buses/annum

Actual

quantity available

Specification
details of existing facility

Comments
about quality and suitability of available facilities

Upto 240

Upto 360

Upto 480

More than 481

B

Seat fabrication and assembly

B1

Total covered area for seat Manufacturing (sq.m)

130

130

130

130

B2

Tube/Pipe cutting machine

Bandsaw (Horizontal) 125 kgs.0.5 HP (approx) or backsaw or
hacksaw or Power press of 40 tonne

1

1

2

2

B.3

Tube bending fixtures

Die for bending

1

1

1

1

B.4

Drafting equipments (if Software not available)

01/04/12

1

1

1

2

B.5

Drilling Machine (bench/pillar)

Horizontal saw or circular S

1

1

1

2

B6.

Sheering Machine

Manual 8*

1

1

1

2

B7

Sewing machine

Heavy duty Industrial

1

1

2

3

B8

Welding Transformer

300 Amps

1

1

2

3

B9

Portable Ginder

6 well, 0.25 HP

1

1

2

2

B10

Total covered area for Window manufacture (sq.m)

70

150

200

300

B.11

Metal cutting machine

Bandsaw : 16* throat, saw width 20 mm or Abrasive cutting machine

1

1

1

2

B.12

Drilling Machine

Bench/pillar type 1/2

1

1

1

2

B.13

Grinder

Portable single wheel 3?wheel dia

1

1

2

2

B.14

Bending Jig Fixture

1

1

1

1

Capacity to be calculated for ordinary Bus unit using the following relationship.

One Intercity bus = 1.2 ordinary bus, One Deluxe Bus= 1.4 ordinary bus. One Super deluxe bus = 1.5 ordinary bus.

Form No. BBB-7

(See Para 14)

CHECK LIST

C-Category Bus Body Builder (Chassis built Buses)

Name

of Bus Body Builder ?.....

Address

?.....

Date

of Assessment

Assessors

(1).....

(2).....

Capacity

per annum:

Upto

240

Upto

340

Upto

480

More

than 481

Zone.....

Type

of Bus Body :

Aluminium

Steel structure

Composite(wood)

bus bodies

Others

specify: ?.....

Serial

No.

Description

Minimum

specification

Minimum

quantity required for production of buses/annum

Actual

quantity available

Specification

details of existing facility

Comments

about quality and suitability of available facilities

Upto 240

Upto 360

Upto 480

More than 481

C

Plant and Equipments

C.1

Sheering Machine

Cutting ara 1.2 m length * 3.25 mm thick

1

1

C.2

Power Press[**]

[Bus body builder shall also have a suitable sheet rolling and forming machine. However, the same is not required if the capacity of press is beyond 50 tonne]

50 tonne (Mechanical/Hydraulic/Manual)

1

C.3

Power Press.[*]

[No gas cutting is allowed if requirements are beyond the capacity of machine and shall be outsourced, if any]

40 tonne (Mechanical/Hydraulic/Manual)

1

1

1

1

C.4

Dies

Depending on sections used in bus bodies

1

1

1

1

Capacity to be calculated for ordinary Bus unit using the following relationship

One Intercity bus= 1.2 ordinary bus, One Deluxe Bus= 1.4 ordinary bus, One Super deluxe bus = 1.5 ordinary bus

Form No. BBB-8

(See para 14)

CHECK LIST

C1-Category Bus Body Builder (Chassis built Buses)

Name

of Bus Body Builder ?.....

Address

?.....

Date

of Assessment

Assessors

(1).....

(2).....

Capacity

per annum:

Upto

240

Upto

340

Upto

480

More

than 481

Zone.....

Type

of Bus Body :

Aluminium

Steel structure

Composite(wood)

bus bodies

Others

specify: ?.....

Serial

No.
Description
Minimum
specification
Minimum
quantity required for production of buses/annum
Actual
quantity available
Specification
details of existing facility
Comments
about quality and suitability of available facilities
Upto 240
Upto 360
Upto 480
More than 481

C.11

Sheering Machine
Cutting ara 1.2 m length * 3.25 mm thick
1
1

C.12

Power Press[**]
[Bus body builder shall also have a suitable sheet rolling and forming machine. However, the same is not required if the capacity of press is beyond 50 tonne]
50 tonne (Mechanical/Hydraulic/Manual)
1

C.13

Power Press.[*]
[No gas cutting is allowed if requirements are beyond the capacity of machine and shall be outsourced, if any]
40 tonne (Mechanical/Hydraulic/Manual)
1
1
1
1

C.14

Dies
Depending on sections used in bus bodies
1
1
1
1

Form No. BBB-9

(See para-14)

CHECK LIST

D-Category Bus Body Builder (Chassis built Buses)

Name
of Bus Body Builder ?.....

Address
?.....

Date

of Assessment

Assessors

(1).....

(2).....

Capacity

per annum:

Upto

240

Upto

340

Upto

480

More

than 481

Zone.....

Type

of Bus Body :

Aluminium

Steel

structure

Composite(wood)

bus bodies

Others

specify: ?.....

Serial

No.

Description

Minimum

specification

Minimum

quantity required for production of buses/annum

Actual

quantity available

Specification

details of existing facility

Comments

about quality and suitability of available facilities

D

Inspection facilities

1.1

Vernier calipers

To measure 0 to 150 m.m, least count 0.01 mm

1

1

1

1

1.2

Micrometres

To measure 0 to 150 m.m, least count 0.01 mm

1

1

1

1

1.3

Thread pitch micrometres

To measure 0 to 25 mm

1

1

1

1

1.4

Hardness testing machine

HRC/Brinnell/Vickers

1

1

1

1

1.5

Hardness testing machine for rubber materials

Shore 'A'

1

1

1

1.6

Multi meter

0.30V

1

1

1

1

1.7

Measuring tape

(i) 0.3m

(ii) 0.100m

2

2

4

4

1.8

Paint thickness checking facility |(after painting bus body)

Thickness gauge 0.401

1

1

1

Capacity to be calculated for ordinary Bus unit using the following relationship

One Intercity bus= 1.2 ordinary bus, One Deluxe Bus= 1.4 ordinary bus, One Super deluxe bus = 1.5 ordinary bus

Sl.

No.

Description

Plant

and Equipments

Minimum

specifications

Minimum

quantity required for production of buses/annum

Actual

quantity available

Specification

/details

Comments

about quantity suitability

upto 24

upto 3

upto 4

more than 481

2

Tool room

2.1

Grinders (Pillar Bench type)

Wheel capacity (m.m) 56 dia * 20 width

1

1

1

1

2.2

Drilening machine (Bench Pillar type)

6 m.m

1

1

2

2

3

Press shop

3.1

Press Break

50 tonne (Mechanical/Hyraulic Manual)

1

1

3.2

Power Press

20 tonne (Mechanical/Hyraulic Manual)

1

3.3

Shearing machine

Cutting area: 3 m length * 3.15 mm thick

1

1

1

1

4

Fabrication shop

4.1

Power saw(s)

Horizontal, band width 20mm, 1HP

1

1

1

2

4.2

Circular saw

Wheel size: 200 mm

1

1

4.3

Band saw with thing table

16* throat, band width 20 mm

1

1

4.4

Oxyacetylene gas welding with cutting equipments

1 set of 2 cylinders

2

2

2

2

4.5

MIG working machines

200amps

1

2

4

4

Optional

4.6

TIG welding machine

100amps

1

1

4.7

Arc welding equipments (transformer/rectifier)

300 to 400 Amps

1

1

4.8

Bending machine for roof tick bending

Die for bending

1

1

1

1

4.9

Bending machine for pillar bending

Die for bending

1

1

1

1

4.1

Portable grinding machine

10 mm dia

1

1

2

2

4.2

Sheet folding equipments

Die for the press/Folding/Hand press

1

1

1

1

4.3

Bluffing machine

8* Buffer, 1/8 HP

5

Fixtures for all models

5.1

Side structure Left and right hand side

One adjustable picture or Fixed one for all models

1

1

1

1

5.2

Roof

One adjustable fixture or Fixed one for all models

1

1

1

1

5.3

Front

One adjustable fixture or Fixed one for all models

1

1

1

1

5.4

Rear

One adjustable future or Fixed one for all models

1

1

1

1

5.5

Doors

One adjustable fixture or Fixed one for all models

1

1

1

1

6

Corrosion prevention system

6.1

Pretreatment shop

Hot phosphating/Cold phosphating/Galvanising

1

1

1

1

Not applicable for complete aluminium bus bodies

6.2

6.3

No of tanks for phosphorating system

Size of the tank (uniform size for all tanks)

7 or 9

1

2

3

4

5

6

7

6.4

Mechanism heating

6.2

Specay guns

6.3

Mechanism of Temperature control

7

Panelling and Equipping facilities

7.1

Solid netting guns/tool

Drive size : mm (Pnenmatic/mechanical)

2

2

5

10

For aluminium bodies only

7.2

Pep riveting guns

Pnenmatic Manual

2

2

5

10

For aluminium bodies only

7.3

Hand drilling machines

For all types of bus bodies

7.4

Size 1

6 mm

2

3

4

5

7.5

Size 2

12 mm

2

3

4

5

7.6

Size 3

10 mm

2

3

4

5

7.7

Panelling sheet stretching equipments

Manual Hydraulic

For G.I. sheet panelling

8

Painting system

8.1

Spray painting system

1

1

1

1

08/02/01

Capacity in litres

1 litres

08/02/02

Capacity system

Pneumatic/Electric/Electrostatic

8.3

Containers

According to necessity

8.4

Sealer system

Manual mechanical

8.5

Painting cycle time required per vehicle (Hrs)

8.6

Drying system

Open drying Oven type

8.7

Oven drying

8.7.1

Heating arrangement and temp required

8.7.2

Temperature control mechanism

8.7.3

Environment control system in booth

8.7.4

Job feeding mechanism

9

Shower system for roof leak testing

9.2

Motor pump for water supply (HP/delivery)

5 HP mono set

1

1

1

1

9.3

Spacing between nozzles

Depending on window size

9.4

Shower system length

One bus length with

9.5

Pipe Size

1- .125*

9.6

Platform

Hard

10

Managerial and supervisory

10.1

Management qualified

Degree/Diploma 10 years experience

2

3

4

5

10.2

Workmen(production related)

Increment of 50 persons for every 120 additional
buses

10.3

Skilled

ITI trained or minimum 10 yrs.

Trade experience

10.4

Semi-skilled

10th std. or minimum 5yrs

10.5

Unskilled

10.6

Inspection staff for :

10.6.1

Receipt state

1

1

1

2

10.6.2

In-process stage, final inspection and testing stages

1

1

1

2

11

Total land area (excluding seat and window manufacturing) in

Meters

1000

2000

3000

4000

11.1

Parking of chassis (uncovered area)

200

300

500

600

11.2

Stores

240

240

400

500

11.3

Offices

100

150

200

250

11.4

Wash rooms for employees

30

30

40

40

11.5

Canteen

2 sqm per person 2 sqm per person

11.6

Roof leak test

100

100

100

100

11.7

Structures assembly and Fittings

450

750

100

1500

11.8

Pretreatment shop

50

50

50

50

11.9

Paint

60

120

200

300

11.1

Press/Machine shop

140

140

300

400

Form No. BBB-10

(See para 14)

CHECK LIST

CD-Category Bus Body Builder (Monocoque Buses)

Name of Bus Body Builder :

Date of Assessment

Asseccors

(1).....(2).....

Address :

Capacity per annum

upto 240

upto 340

upto 480

Mote than 481

Zone

Type of Bus Body

Aluminium

Steel structure

Composite (wood) Bus Bodies

Other specify.....

Sr. No.

Description

Minimum specification

Minimum quantity required for production of buses/annum upto

24

Actual quantity available upto 360

Specification/details of existing facility upto 480

Cements about quantity and suitability of available facilities

1

Abrasive cutting machine

350mm

1

1

2

Portable drilling machine

10

15

15

e

3

Spot welding

450 Amps

1

1

1

4

Drilling Machine (Bench)

28 mm

1

1

2

5

Press

40 tonne

1

1

2

6

Panelling sheet stretching equipment

Manual/Hydraulic

1

1

1

For G.I. Sheet panelling

7

Fixtures for all models

7.1

Side structure Left and right hand side

One adjustable fixture or Fixed one for all models
1
1
1
7.2
Rood
One adjustable fixture or Fixed one for all models
1
1
1
7.3
Front
One adjustable fixture or Fixed one for all models
1
1
1
7.4
?.....
1
1
1
1
7.5
Doors
One adjustable fixture or Fixed one for all models
1
1
1
8
MIG welding machines
200 amps
2
2
4
9
TIG welding machine
200 amps
1
Only for Aluminium bodies
10
Are welding equipment(s)
(Transformed/rectifier)
300 to 400 Amps
1
1
1
11
Others (specify)
Related AI tags, queries and research notes
Translation