

Plant Quarantine (Regulation of Import into India) Order, 2003

Source: <https://indiankanoon.org/doc/166301049/>

[Skip to main content](#)

[Legal Document View](#)

[Tools for analyzing structure and cite text of judgments](#)

[Unlock Advanced Research with
PRISM](#)

[AI](#)

[Integrated with over 4 crore judgments and laws ? designed for legal practitioners, researchers, students and institutions](#)

-

[Know your Kanoon](#)

-

[Doc Gen Hub](#)

-

[Counter Argument](#)

-

[Case Predict AI](#)

-

[Talk with IK Doc](#)

-

...

[Upgrade to Premium](#)

[\[Cites](#)

0

, Cited by

0

]

Union of India - Act

Plant Quarantine (Regulation of Import into India) Order, 2003

UNION OF INDIA

India

Plant Quarantine (Regulation of Import into India) Order, 2003

Rule PLANT-QUARANTINE-REGULATION-OF-IMPORT-INTO-INDIA-ORDER-2003 of 2003

Published on 5 July 2016

Commenced on 5 July 2016

[This is the version of this document from 5 July 2016.]

[Note: The original publication document is not available and this content could not be verified.]

Plant Quarantine (Regulation of Import into India) Order, 2003

Last Updated 24th July, 2018

In exercise of the powers conferred by sub-section (1) of Section 3 of the Destructive Insects and Pests Act, 1914 (2 of 1914

), the Central Government hereby makes the following Order, for the purpose of prohibiting and regulating the import into India of agricultural articles mentioned herein, namely:-

Chapter I

Preliminary

1.

Short title and commencement.

(1)

This order may be called the Plant Quarantine (Regulation of Import into India) Order, 2003.

(2)

Sub-clause (22) of clause 3 shall come into force on the 1st day of April, 2004 and all other provisions of this Order shall come into force on the 1st day of January, 2004.

2.

Definitions.

- In this Order, unless the context otherwise requires. -

(i)

"additional declaration" means a statement that is required by an importing country to be entered in a phytosanitary certificate and which provides specific additional information pertinent to the phytosanitary condition of a consignment;

(ii)

"bio-control agent" means any biological agent such as parasite, predator, parasitoid, microbial organism or self replicating entity that is used for control of pests;

(iii)

"consignment" - means a quantity of seeds, plants and plant products or any regulated article consigned from one party to other at any one time shipment and covered by a phytosanitary certificate, bill of entry of customs, shipping/airway bill or invoice;

(iv)

"cotton" includes ginned cotton, cotton linters and dropping, tripping, fly and other waste products of cotton mill other than yarn waste, but does not include cotton seed or un-ginned cotton;

(v)

"form" means a form appended to this Order

(vi)

"fruit" means any fleshy portion of the plant, that contains seeds, which is used for consumption, including seedless fruit both fresh and dry but does not include preserved or pickled or frozen fruits.

(vii)

"grain" means seeds intended for processing or consumption and not for sowing or propagation.

(viii)

"germplasm" means plants in whole or in parts and their propagules including seeds, vegetative parts, tissue cultures, cell cultures, genes and DNA based sequences that are held in a repository or collected from wild as the case may be and are utilized in genetic studies or plant breeding programmes for crop improvement;

(ix)

"import" means an act of bringing into any part or place of territory of Republic of India any kind of seed, plant or plant product and other regulated article from a place outside India either by sea, land, air or across any customs frontier;

(x)

"import permit" means an official document authorizing importation of a consignment in accordance with specified phytosanitary requirements;

(xi)

"Inspection Authority" means an authority specified in Part I of Schedule XI or an officer of the Directorate of Plant Protection, Quarantine and Storage duly authorized by the Plant Protection Adviser for the purpose of approval and certification of Post-entry quarantine facilities and inspection of growing plants in such facilities in accordance with the guidelines issued by the Plant Protection Adviser and for any specified purpose, an authority specified in Part II of the said Schedule.

(xii)

"Irradiation" means the treatment of food or agricultural products with any type of processing of ionized radiation such as gamma irradiation or micro-electron acceleration processing.

(xiii)

"issuing authority" means an authority as envisaged under Schedule-IV of this order or duly notified by the Central Government from time to time either generally or specifically for issuance of import permit;

(xiv)

"notification" means a notification published in the official Gazette and the expression "notifies" shall be construed

accordingly;

(xv)

"noxious weeds" mean any weed harmful or hazardous or unwholesome to human beings, animal life or parasitic on plant species;

(xvi)

"packing material" means any kind of material of plant origin used for packing of goods;

(xvii)

"pest" means any species, strain or biotype of plant, animal or pathogenic agent injurious to plants and plant products;

(xviii)

"pest risk analysis" means the process of evaluating biological or other scientific and economic evidence to determine whether a pest should be regulated and strength of any phytosanitary measures to be taken against it;

(xix)

"phytosanitary certificate" means a certificate issued in the model format prescribed under the International Plant Protection Convention of the Food & Agricultural Organization and issued by an authorized officer at the country of origin of consignment or re-export;

(xx)

"plant" means a living plants and parts thereof including seed and germplasm;

(xxi)

"plant product" means an un-manufactured material of plant origin including grain and those manufactured products that, by their nature or that of their processing, may create risk for the introduction and spread of a pest.

(xxii)

"Plant Protection Adviser" means the Plant Protection Adviser to the Government of India, Directorate of Plant Protection, Quarantine and Storage;

(xxiii)

"point of entry" means any sea port, airport, or land-border check-post or rail station, river port, foreign post office, courier terminal, container freight station or inland container depot notified as specified in Schedule-I or Schedule-II or Schedule-III as the case may be;

(xxiv)

"post-entry quarantine" means growing of imported plants in confinement for a specified period of time in a glass house, screen house, poly house or any other facility, or isolated field or an off-shore island that is established in accordance with guidelines/standards and are duly approved and certified by an inspection authority notified under this order;

(xxv)

"quarantine pest" means a pest of potential economic importance to the area endangered thereby and not yet present there, or present but not widely distributed and being officially controlled;

(xxvi)

"regulated article" means any article the import of which is regulated by this order;

(xxvii)

"schedule" means a Schedule to this Order;

(xxviii)

"seeds" means seeds intended for sowing or propagating and not for consumption or processing;.

(xxix)

"soil" means earth, sand, clay, silt, loam, compost, manure, peat or sphagnum moss, litter, leaf waste or any organic media that support plant life and shall include ship ballast or any organic medium used for growing plants.

(xxx)

"timber" means a form of dead wood, log and lumber cut from plants, with or without bark or sawn and sized, which is used for manufacturing veneer, plywood, particle or chip board and making building material, furniture, packages, pallets, sports goods and handicrafts;.

(xxxi)

"tissue cultured plant" means any part of a plant or plant tissue or plantlet grown under aseptic or sterile conditions in flasks or other suitable container on appropriate media and shall include ex-agar washed plant lets;

(xxxii)

"dunnage" means wood packing material used to secure or support a commodity but which does not remain associated with the commodity [FAO, 1009; revised ISPM Pub. No. 15, 2002]

(xxxiii)

"wood packing material" means wood or wood products (excluding paper products) used in supporting, protecting or carrying a commodity (includes dunnage) [ISPM Pub. No.15, 2002]

(xxxiv)

"article" means any kind of movable property including any goods and stores consigned from one party to another as a shipment and covered by a bill of entry of customs, shipping or airway bill and/or invoice in the course of international trade.

(xxxv)

Animal Feed- Kibbled-crushed seeds/pellet/dried cake form thereby denatured and free from weed seeds, bacterial and fungal pathogens.

(xxxvi)

[Commodity – A type of plant, plant product, or other article being moved for trade or other purpose .]

[Inserted by Notification No. S.O. 2286(E), dated 4.6.2018.]

Chapter II

General conditions for import

3.

Permits for Import of plants, plant products etc.

(1)

No plants, plant products and other regulated articles (hereinafter referred to as „consignment“) shall be imported into India without complying the phytosanitary conditions stipulated under this Order. The order shall regulate import of all plants, plant products and other articles including but not limited to seeds/grains, pods, nuts, fruits, bulbs, tubers, corms/cormlets, rhizomes, suckers, cuttings, grafts, saplings, bud woods, roots, rootstock, flowers, pollens, dry plant materials, timber, wood, logs, tissue culture plants, soil, earth, clay, sand, peat/moss, live insects, microbial culture, bio-control agents, transgenic plants and genetically modified organisms etc.,

(2)

No categories of plants/plant products in respect of the plant species or variety mentioned in Schedule-IV shall be allowed to be imported into India from the countries mentioned against each in column (4) of the said Schedule.

(3)

Deleted vide Sixth Amendment of 2016, vide S.O.2453 (E), dated 5th July, 2016

(4)

Import of consignments of seeds of coarse cereals, pulses, oil seeds and fodder seeds and seeds/stock material of fruit plant species for propagation shall only be permitted based on the recommendations of EXIM Committee of Department of Agriculture, Cooperation & Farmers Welfare (DAC&FW), except the trial material of the same as specified in Schedule-XII of Plant Quarantine Order.

(5)

Deleted vide Sixth Amendment of 2016, vide S.O.2453 (E), dated 5th July, 2016

(6)

No consignment of regulated articles as referred under Clause 4, 6 & 7 shall be allowed for import unless accompanied with an import permit issued by the authority as specified under Schedule X.

(7)

[(i) The Plant Protection Adviser shall, after obtaining the approval of the Central Government in the Department of Agriculture, Cooperation and Farmers Welfare and based on International Standards established by the International Plant Protection Convention (IPPC) under Food and Agriculture Organization, issue the guidelines for carrying out Pest Risk Analysis (PRA). No import shall be permitted for the consignment other than those listed in Schedule-V, VI and VII unless the Pest Risk Analysis is carried out in accordance with such guidelines and subject to such restrictions and conditions as specified. For this purpose the importer or NPPO of exporting country shall submit an application for PRA for import of agricultural commodities into India in form PQ 23, including the technical information in form PQ 24 for conducting PRA to PPA or Joint Secretary (PP). The technical information must be updated, validated and provided by National Plant Protection Organization (NPPO) of the exporting country. The process of PRA involves the categorization

of pests associated with the commodity into quarantine pests; evaluation of their introduction potential; critical assessment of economic and environmental impact of their introduction and spread; and specification of risk mitigating measures against them. The completion of PRA process shall involve the visit of phytosanitary experts to the country of export to carry out pre-shipment inspections, evaluate post-harvest treatment technologies and quarantine inspection and certification facilities. In the event of interception of a quarantine pest in imported consignment, further import of consignments shall be suspended until earlier PRA in respect of the consignment is reviewed and the risk mitigating measures are evaluated.

(ii)

The commodities with least Phytosanitary risk which are processed to the point where the commodity does not remain capable of being infested with quarantine pests (processed items), shall not require Plant Quarantine clearance.]

(8)

The issue of permit may be refused or withheld by the issuing authority after giving reasonable notice to the applicant and for reasons to be recorded in writing.

(9)

The Import Permit issued shall be valid for twelve months from the date of issue and valid for multiple port access and multiple part shipments in accordance with Clause 3(14) (i) provided the exporter, importer and country of origin are the same for the entire consignment. The issuing authority may, on request, extend the period of validity for a further period of twelve months after charging Rs. 500/- provided such request for extension of validity is made to the issuing authority before the expiry of the permit with adequate reasons to be recorded in writing. Suppression of the facts or any material information while issue of import permit is liable to be cancelled or withdrawn.

(10)

The import permit issued shall not be transferable and no amendments to the permit shall be issued except for change of point of entry subject to reasons to be recorded in writing.

(11)

Deleted vide Sixth Amendment of 2016, vide S.O.2453 (E), dated 5th July, 2016

(12)

No consignment of seed or grain shall be permitted to be imported with contamination of quarantine weeds, which are listed in Schedule-VIII unless the said consignment has been devitalized by the exporting country and a certificate to that effect has been endorsed in the phytosanitary certificate issued by the exporting country. Every application for quarantine inspection and clearance shall be made in Form PQ 15.

(13)

All the consignments of plants and plant products and other regulated articles shall be imported into India only through ports of entry as specified in Schedule-I and Inland Container Depots/Container Freight Stations and foreign post offices falling within the jurisdiction of concerned plant quarantine station operating here under or those notified by the Government from time to time in this behalf

(14)

[(i)(a) All consignments of seeds and plants for propagation and regulated articles such as live insects, microbial cultures, bio-control agents, soil, growing media (with soil, peat or other organic materials) and peat or sphagnum moss shall only be imported into India through Regional Plant Quarantine Stations, Amritsar, Chennai, Kolkata, Mumbai, New Delhi, Bengaluru or through any other points of entry as may be notified from time to time for this purpose, provided that import of germplasm/ transgenic plant material and genetically modified organisms shall be permitted only through New Delhi Airport.

(b)

National Plant Quarantine Station, New Delhi is renamed as Regional Plant Quarantine Station, New Delhi.

(c)

Plant Quarantine Station, Bengaluru is renamed as Regional Plant Quarantine Station, Bengaluru for import of seeds, consumption and propagating material.

(d)

Plant Quarantine Station, Kandla is renamed as Regional Plant Quarantine Station, Kandla for import of consumption materials.

(ii)

All consignments of sand in any form for industrial and non-agricultural purpose shall be imported into India through notified sea ports under Schedule I.]

(15)

On arrival, at the first point of entry the consignment shall be inspected by the Plant Protection Adviser or any other officer duly authorized by him in this behalf and appropriate samples shall be drawn for laboratory testing, in accordance with the guidelines issued by Plant Protection Adviser from time to time.

(16)

The Plant Protection Adviser or the officer authorized by him may, after inspection and laboratory testing, fumigation, irradiation, disinfection or disinfestation, as may be considered necessary by him, accord quarantine clearance for the entry of a consignment or grant provisional clearance for growing under post-entry quarantine, as the case may be in form PQ 16 and or order deportation or destruction of the consignment in form PQ 17 in the event of non-compliance with the restrictions and conditions specified in this Order.

(17)

Where fumigation or disinfestation or disinfection is considered necessary in respect of a consignment of plants, seeds and fruits the importer shall on his own and at his cost arrange for the fumigation, disinfection or disinfestation of the consignment, through an agency approved by the Plant Protection Adviser under the supervision of an officer duly authorized by the Plant Protection Adviser in that behalf.

Provided that where irradiation is necessary in respect of any consignment of fresh fruits or vegetables or other plant products, the same shall be carried out by the importer at his own cost, at an irradiation facility, established as per the regulations of the "Atomic Energy Regulatory Board" and duly approved by the "Plant Protection Adviser" to the Government of India (PPA) under the International Standards established under the "International Plant Protection Convention" and at the scheduled dosage approved by the Plant Protection Adviser under supervision of an officer authorized by him, where necessary"

(18)

It shall be the responsibility of the importer or his authorized agent. -

(i)

to file an application for the quarantine inspection of imported seeds, plants and plant products or other regulated articles in the form PQ 15 along with copies of relevant documents and fees as prescribed under Schedule-IX payable by a demand draft to the competent authority

(ii)

to provide information on any plant and plant product and other articles covered under this Order and which are imported by him/her or are in his/her possession, to Plant Protection Adviser or any officer duly authorised by him;

(iii)

to bring the consignments to the concerned plant quarantine station or to place of inspection, fumigation or treatment as directed by Plant Protection Adviser or any officer duly authorised by him;

(iv)

to permit drawing of appropriate samples for inspection and laboratory investigation and extend necessary facilities towards the same;

(v)

to open, repack and load into or unload from the fumigation chamber and seal the consignment;

(vi)

to remove them after inspection and treatment according to the directions issued by the Plant Protection Adviser or any officer authorised by him;

(vii)

to arrange deportation or destruction of the consignment at the cost of importer as may be deemed necessary by Plant Protection Adviser or an officer authorized by him.

(19)

No consignment or container carrying plants and plant products intended for other countries shall be allowed transit through or transshipment at air or sea ports or land customs stations, unless they are packed in such a manner so as not to permit spillage of material or contamination with soil or escape of any pest, and subject to the condition that the package or container shall not be opened or seals are broken anywhere in India.

(20)

No consignment shall be permitted import unless accompanied by an original Phytosanitary Certificate issued by an authorized officer at the country of origin in PQ Form 21 or at the country of re-export in PQ Form 22;

Provided that cut flowers, garlands, bouquets, dry fruits/nuts etc., weighing not more than two kilograms imported for personal consumption may be allowed to be imported without a Phytosanitary Certificate or an import permit.

Provided that all consignments of Similar material: Inorganic soil additives, Leonardite, Lignite, Pure sand (Silica, Zircon, Quartz, etc.) Pure clay like kaolin etc., Rock aggregates and Gravel, Volcanic pumice, Chalk, Rock salt, Diatomaceous earth, All kinds of ore, Vermiculite, Perlite, Gypsum, Zeolite etc., may be allowed to be imported in any form, for industrial and non agricultural purpose, without a Phytosanitary Certificate or an import permit.

(20A)

No article, packed with raw/solid wood packing material shall be released by the proper officer of Customs unless the wood packaging material has been appropriately treated and marked as per ISPM-15 or is accompanied by a phytosanitary certificate with the treatment endorsed.

The treatment of raw/solid wood packing material prior to export shall include either Methyl bromide (MB) @ 48 g/m³ for 16 hrs at 210C and above or any equivalent thereof or heat treatment (HT) at 560C for 30 min (core temperature of wood) or Kiln Drying (KD) or Chemical Pressure Impregnation (CPI) or any other treatments provided that these meet the HT specification of the ISPM-15.

Any, article, if found packed with raw/solid wood packaging material without specified treatment and without marking as per ISPM-15 or if not accompanied by Phytosanitary Certificate with treatment endorsed, as the case may be, shall be considered untreated and shall be referred by the proper officer of the Customs to Plant Quarantine Officer. The proper officer or Customs shall grant release of such articles packed with untreated wood packaging material only after ensuring that the wood packaging material has been appropriately treated at the point of entry under the supervision of Plant Quarantine Officer.

Provided that above conditions shall not be applicable to wood packaging material wholly made of processed wood products such as ply wood, particle board, oriental strand board or veneer that have been created using glue, heat and pressure or combination thereof. Also the above conditions shall not be applicable to wood packaging material such as veneer peeler cores, saw dust, wood wool and shavings and thin wood pieces (less than 6 mm thickness), unless they are found to be harboring any regulated pests specified in this order.

Provided further that nothing contained in this clause shall be applicable to wood packaging materials used for packaging of bona-fide passenger baggage containing goods other than plant and plant products.

(20 B) No article packed with hay or straw shall be allowed to be imported unless such hay or straw, as the case may be is treated prior to export and the article shall accompany the treatment certificate.

Explanation. - In this sub-clause, the word "treated" shall mean treated by Methyl bromide fumigation @ 48 gm/m³ for 24 hours at normal atmospheric pressure at 210C or above or equivalent thereof; or steam sterilization under pressure 560C for 30 minutes; or any other treatment approved by the Plant Protection Adviser.

(21)

[***]

[Deleted vide Third Amendment of 2004, vide S.O. 644(E), dated 31st May, 2004]

(22)

[***]

[Deleted vide Third Amendment of 2004, vide S.O. 644(E), dated 31st May, 2004]

4.

Import of soil, growing media, etc.

- No import of soil, growing media (with soil, peat or other organic materials), sand and peat or sphagnum moss, similar material and stone shall be permitted except under the following conditions, namely:-

(i)

[The consignments of soil in any form for research purpose; growing media (with soil, peat or other organic materials like sphagnum moss) for horticultural purposes shall be permitted through specified air or sea ports or land customs station, on application made for that purpose. Provided an import permit shall be required for consignment of soil in any form for research purpose; growing media (with soil, peat or other organic materials), peat or sphagnum moss for horticultural purposes.]

[Replaced by Notification No. S.O. 2286(E), dated 4.6.2018.]

Provided an import permit shall be required for consignment of soil in any form for research purpose; growing media (with soil, peat or other organic materials), peat or sphagnum moss for horticultural purposes.

ii. The application or online application for the purpose referred to in (i) above shall be made to the Issuing Authority as listed in Schedule-X, at least 10 days in advance, in PQ Form 06.

iii. A fee of Rs. 1000/- shall be payable along with the application. The fee shall be payable online or in the form of Demand Draft payable to the Competent Authority having jurisdiction.

iv. The Competent Authority may, after scrutiny of the application, and if satisfied of the purpose, for which such consignment is being imported, issue special permit in Form PQ 07. The import permit shall be issued subject to such restrictions and conditions prescribed under Schedule-VI.

5.

Fees for inspection, fumigation, etc.

- The importer of the consignment or his agent shall pay to the Plant Protection Adviser or any other officer duly authorized by him in this behalf, the fees prescribed in Schedule-IX towards inspection, fumigation, dis-infestation, disinfection of consignment.

6.

Permits required for import of Germplasm, Transgenic or Genetically Modified Organisms.

(1)

No consignment of germplasm/transgenics/Genetically Modified Organisms (GMOs) shall be imported into India for the purpose of agricultural research or experimentation purpose without valid permit issued by the Director, National Bureau of Plant Genetic Resources, New Delhi -110012.

Explanation. - In this sub-clause, "purpose of agricultural research or the purpose of experimentation" shall not include commercial imports which are governed by separate guidelines issued by the Genetic Engineering Approval Committee, or as the case may be by the Review Committee on Genetic Manipulation (RCGM)".

(2)

Every application for import of plant germplasm/transgenics/genetically modified organisms for research/experimental purpose by the public/private organizations will be made to the Director, National Bureau of Plant Genetic Resources, New Delhi in form PQ 08 and the permit shall be issued in form PQ 09 in triplicate and a red/green tag in PQ 10 for germplasm and a Red/White tag in PQ 11 for transgenic/Genetically Modified Organisms. Such permits for import of transgenic/Genetically Modified Organisms shall be issued subject to the approval of Genetic Engineering Approval Committee (GEAC) or as the case may be, the Review Committee on Genetic Manipulation (RCGM) set-up by Department of Biotechnology under the provisions of sub-rule (2) of rule 4 of the Rules for the manufacture, use, import, export and storage of hazardous micro-organisms, Genetically engineered organisms or cells made under Sections 6, 8 and 25 of the Environment (Protection) Act, 1986 (

29 of 1986

) and subject to such restrictions and conditions prescribed thereof.

(3)

No imported consignments of plant germplasm/transgenics/genetically modified pests shall be opened at the point of entry and it shall be forwarded to the Director, National Bureau of Plant Genetic Resources, New Delhi.

7.

Import of live insects and other arthropods/nematodes/microbial cultures including algae/bio-control agents.

(1)

No consignment of live insects and other arthropods/nematodes/microbial cultures including algae/bio-control agents shall be permitted into India without valid import permit issued by competent authority as specified under Schedule-X.

(2)

Every application or online application for permit to import live insects and other arthropods/nematodes/microbial cultures including algae/bio-control agents, shall be made in the PQ Form 12 at least thirty days in advance to Plant Protection Adviser along with a fee of Rs. 1000/- towards registration in the form of bank draft issued in favour of the Accounts Officer, Directorate of Plant Protection Quarantine and Storage, Faridabad-121001.

(3)

The competent authority shall issue the permit in PQ Form 13 in triplicate, if satisfied of the purpose for which import is

made and subject to such conditions imposed thereon.

(4)

All the consignments of live insects and other arthropods/nematodes/microbial cultures including algae/bio-control agents shall be permitted only through points of entry specified under Clause 3(14). The consignment of beneficial insects shall be accompanied by a certificate issued by National Plant Protection Organisation at the country of origin with additional declarations for freedom from specified parasites and parasitoids and the bio-control agents free from hyper-parasites. The consignment of beneficial insects/bio-control agents shall be subjected to Post-entry quarantine as may be prescribed by the Plant Protection Adviser.

(5)

Nothing contained in the clause shall apply to import of live insects and other arthropods/nematodes/microbial cultures including algae/bio-control agents having no relevance in agriculture.

8.

Permit required for import of plants and plant products.

(1)

No consignment of plants and plant products, if found infested or infected with a quarantine pest or contaminated with noxious weed species shall be permitted to be imported.

(2)

Every vessel carrying out bulk shipment of grains shall be inspected on board by an officer duly authorized by Plant Protection Adviser before the same accorded permission to off-load the grain at the notified port of entry. On inspection, if found free from quarantine pests and noxious weed species, permission shall be accorded to off-load the grain at the port or order fumigation/treatment of grain on board or immediately upon unloading at the port, as the case may be, before such permission is granted for movement outside the port and subject to such conditions as imposed thereon.

(3)

The bulk shipment (s) of transgenic plants or plant products or genetically modified organisms shall be dealt as per the provisions of the Rules for manufacture, use, import, export and storage of hazardous micro-organisms, Genetically engineered organisms or cells made under Sections 6, 8 and 25 of the Environment (Protection) Act, 1986 (29 of 1986

) or under the mechanism established as per the provisions of Biosafety Protocol by the Ministry of Environment and Forests.

9.

Requirement of Import of Wood and Timber.

(1)

No consignment of timber and wood/bamboo products shall be brought into India unless such consignment fulfils the following conditions, namely:-

(i)

[No consignment of timber and wood/bamboo species other than those listed under Schedule-VI & VII shall be imported into India unless the provisions of Clause 3(7) are fulfilled.

[Replaced by Notification No. S.O. 2286(E), dated 4.6.2018.]

(ii)

The timber/wood with or without bark and bamboo shall be fumigated prior to export with Methyl bromide at 48 g/m³ for 24 hrs at 21°C or above or equivalent thereof or any other treatment duly approved by the Plant Protection Adviser and the treatment shall be endorsed on the Phytosanitary Certificate issued thereof at the country of export or re-export.

(iii)

The timber or sawn or sized wood with or without bark prior to export shall be either fumigated as per Clause 9(2)(ii) or kiln dried at 56°C for 30 minutes (core temperature of wood) or heat treated at 56°C for 30 minutes (core temperature of wood) and the treatment shall be endorsed on the Phytosanitary Certificate issued thereof at the country of export or re-export.

(iv)

Wood/Bamboo based products such as manufactured/ finished/ handicrafts/ furniture/ joinery and articles from carpentry (windows/doors/ shutters/photo frames/ curtain rods/boxes/ thatch etc)/ conveyances (row boats, vehicle decks, trailers etc)/ garden items/house hold articles/ musical instruments/ sporting equipments/ tools/toys/flower vase/ wood fiber/

woody dry branches without bark/ cones/baskets etc/., shall be fumigated/treated prior to manufacturing/crafting/ finishing process etc., with methyl bromide at 48 g/m³ for 24 hrs at 21°C or above at NAP or kiln dried or heat treated at 56°C for 30 minutes (core temperature of wood) or Gamma irradiation at 25 kGray or equivalent thereof or any other treatment duly approved by the Plant Protection Adviser and the treatment shall be endorsed on the Phytosanitary Certificate issued thereof at the country of export or re-export.]

(2)

All the consignments of timber shall be inspected on board prior to unloading at the port of arrival by an officer duly authorized by Plant Protection Adviser and, if necessary, fumigated or treated on board before unloading:

Provided that no such inspection shall be necessary in case of containerized cargo.

(3)

The containerized cargo of timber or sawn/sized wood without bark and wood/bamboo based products shall be inspected by an authorized Plant Quarantine Officer after unloading of the containers from the ship at the port of Container Freight Station or Inland Container Depots under the jurisdiction of concerned Plant Quarantine Station.'

(4)

The provision of this Order shall not apply to consignments of processed wood material such as plywood, particleboard, oriental strand board or veneer that have been manufactured by using glue, heat and pressure or combination thereof.

Chapter III

Special conditions of Import

10.

Special conditions for import of plant species.

(1)

In addition to the general conditions listed above in Chapter-II, the plant species herein after mentioned in Schedule-V, VI and VII shall be permitted to be imported subject to such restrictions and conditions specified in this Chapter.

(2)

Every consignment of plant species herein specified in Schedule-V, VI and VII shall be accompanied by an original Phytosanitary Certificate issued by the authorized officer at country of origin or Phytosanitary Certificate for re-export issued by the country of re-export along with attested copy of phytosanitary certificate from country of origin, as the case may be, with the additional declarations being free from pests mentioned under Schedule-V and VI of this order or that the pests as specified do not occur in the country or state of origin.

(3)

[The special conditions as specified under Schedule V and VI including treatment and freedom from soil and/ or weed shall be endorsed on such Phytosanitary certificate wherever applicable.

(4)

The consignment of plants and planting material shall be imported subject to the conditions stipulated under Clause 3(4).]

[Replaced by Notification No. S.O. 2286(E), dated 4.6.2018.]

Chapter IV

Post-entry Quarantine

11.

[Post-entry quarantine.

[Replaced by Notification No. S.O. 2286(E), dated 4.6.2018.]

(1)

Plants and seeds, which require post-entry quarantine as laid down in Schedule V and VI of this Order, shall be grown in Post-Entry Quarantine (PEQ) facilities duly established by importer at his cost, approved and certified by the Inspection Authority (IA) as per the guidelines prescribed by the Plant Protection Adviser.

(2)

Nothing contained in Sub-clause (1) shall apply to the import of tissue-cultured plants that are certified virusfree as per Schedule-V and VI, but such plants, shall be subjected to inspection at the point of entry to ensure that the phytosanitary requirements are met with.

(3)

Every application for certification of PEQ facilities shall be submitted to the Inspection Authority in Form PQ 18. The

Inspection Authority if satisfied after necessary inspection and verification of facilities shall issue a certificate in Form PQ 19.

(4)

Directorate of Plant Protection Quarantine and Storage (DPPQ&S) shall carry out audit of PEQ facilities jointly with concerned IA for its approval. The inspection will be carried out to establish the compliance of the facility with the relevant SOP.

(5)

At the time of arrival of the consignment, the importer shall produce this certificate before the Officer-in- Charge of the Plant Quarantine (PQ) Station at the entry point along with an undertaking in Form PQ 20.

(6)

Where the Officer-in-Charge of the Regional Plant Quarantine Station, after inspection of the consignment is satisfied, shall accord provisional clearance under PEQ on the production, by an importer, of a certificate from the Inspection Authority with the stipulation that the plants shall be grown in such PEQ facility for the period specified in the PQ Order.

(7)

After according provisional release under post-entry quarantine, the Officer-in-Charge of the Regional Plant Quarantine Station at the entry point shall inform the Inspection Authority, having jurisdiction over the postentry quarantine facility, of their arrival at the location where such plants would be grown by the importer.

(8)

Consignment or part thereof shall not be removed from the designated PEQ facility by way of donation/ distribution/ sale etc. until such time the consignment is granted final clearance by Plant Protection Adviser or the officer authorized by him.

(9)

It shall be the responsibility of the importer or his agent —

(i)

to intimate the Inspection Authority in advance about the date of planting of the imported plant or seed.

(ii)

not to transfer or part with or dispose the consignment during the pendency of PEQ except in accordance with a written approval of Inspection Authority.

(iii)

to permit the Inspection Authority complete access to the PEQ facility at all times and abide by the instructions of such Inspection Authority.

(iv)

to maintain an inspection kit containing all requisite items to facilitate nursery inspection and ensure proper plant protection and upkeep of nursery records.

(v)

to extend necessary facilities to the Inspection Authority during his visit to the nursery and arrange destruction of any part or whole of plant population when ordered by him in the event of infection or infestation by a quarantine pest, in a manner specified by him.

(10)

The Inspection of the consignment in PEQ facility shall be carried out at frequent interval by IA jointly with the nominated Officers of DPPQS. The frequency of the inspections shall be decided considering the growing period of the consignment subject to a minimum of two inspections out of which one inspection shall invariably at the end of PEQ period of the plant species concerned in accordance with the guidelines issued by the Plant Protection Adviser, with a view to detect any pests and advise necessary phytosanitary measures to contain the pests.

(11)

Where the plants in the PEQ are found to be affected by pests and diseases during the specified period the inspection authority shall: -

(i)

Order the destruction of the affected consignment of whole or a part of the plant population in the PEQ if the pest or disease is exotic, or

(ii)

Advise the importer about the curative measures to be taken to the extent necessary, if the pest or disease is not exotic and permit the release of the affected population from the PEQ only after curative measures have been observed to be successful. Otherwise, the plants shall be ordered to be destroyed.

(12)

Where destruction of any plant population is ordered by the Inspection Authority, the importer shall destroy the same in the manner as shall be directed by the IA and under his supervision

(13)

At the end of final inspection, the Inspection Authority shall forward a copy of the report of PEQ inspection duly signed by him to the Plant Protection Adviser under intimation to officer-in-charge of concerned PQ station.

(14)

Final decision regarding release of the consignments shall be granted only by Plant Protection Adviser or the officer authorized by him taking into consideration of inspection report.

(15)

Proper record of each inspection visit shall be maintained by IA.

(16)

The importer shall be liable to pay the prescribed fee for inspection of plants in the PEQ facility as laid down in Schedule-IX.]

[Replaced by Notification No. S.O. 2286(E), dated 4.6.2018.]

Chapter V

Appeal and Revision

12.

Appeal.

(1)

If an importer is aggrieved by the decision of the inspection authority regarding the destruction of any plant population, he may appeal to the Plant Protection Adviser within 7 days from the date of communication of the decision giving the grounds of appeal.

(2)

It shall be lawful for the Plant Protection Adviser to rely on the observations of the inspection authority and such other expert opinion, as he may deem necessary, for deciding the appeal.

(3)

The memorandum of appeal under sub-clause (1) shall set out the grounds in successive paragraphs on which the decision is challenged and shall be accompanied by a bank draft in favour of the Plant Protection Adviser and payable at Faridabad, evidencing the payment of fee of Rs. 100/-

13.

Revision.

- The Plant Protection Adviser may, at any time, call for the records relating to any case pending before the inspection authority for the purpose of satisfying itself as to the legality or propriety of any decision passed by that authority and may pass such order in relation thereto, as it thinks fit:

Provided that no such order shall be passed after the expiry of three months from the date of the decision;

Provided further that the Plant Protection Adviser shall not pass any order prejudicial to any person, without giving him a reasonable opportunity of being heard.

Chapter VI

Power of Relaxation

14.

Relaxation conditions of Import Permit and Phytosanitary Certificate in certain cases.

(1)

The Central Government may, in public interest, relax any of the conditions of this Order relating to the import of any consignment. The Joint Secretary in-charge of Plant Protection in the Department of Agriculture & Cooperation shall be the competent authority for according the relaxation. Further the powers of relaxation has been delegated (vide DAC It. No. 8-5/2004-PPI(pt) dated 2nd February 2005) to officers in charge of the Plant Quarantine Stations for relaxing the conditions of Import permit and phytosanitary certificate required as per Plant Quarantine (Regulation of Import into

India) Order, 2003 as a one-time exception in favour of a single party and not for repeated violations by that party. All second or subsequent cases of violation of requirement of Import Permit and Phytosanitary certificate by any party shall be forwarded to Joint Secretary (Plant Protection), Department of Agriculture & Cooperaton

(2)

In the event of grant of relaxation by competent authority, the consignment shall be released after charging the fee for import permit and fee for plant quarantine inspection at five times of normal rates.

(3)

The provisions of this Order shall apply without prejudice to the Customs Act, 1962 (52 of 1962

) or any other Acts or Order related to imports.

Chapter VII

Repeal and Savings

15.

Repeals and Savings.

(1)

The following orders and notifications are hereby repealed, namely: -

(i)

Rules for regulating the import of insects into India notified under F-193/40A dated 3.2.1941

(ii)

Rules for regulating the import of fungi into India notified under F.16-5(I)/43A dated 10.5.43

(iii)

Import of cotton into India Regulations, 1972

(iv)

Plants, Fruits & Seeds (Regulation of Import into India) Order, 1989

(2)

Not with standing such repeal, an import permit issued by any competent authority, which is in force immediately before the commencement of this Order and shall continue in force till the 31st day of March, 2004 and all appointments made and fees levied under the repealed Rules, Regulations and Orders, and in force immediately before such commencement shall likewise continue in force and be deemed to be made or levied in pursuance of this Order until revoked.

* PQ Forms 01, 02, 03, 04, 05, 10, 11 and 14 has been deleted vide Sixth Amendment of 2016, S.O. 2453 (E), dated 5th July, 2016.

PQ Form 06

Application for Permit to Import soil/growing media/peat or Sphagnum moss

To

(Issuing Authority)

I/We hereby make an application in accordance

with provisions of clause 4 (ii) of the Plant Quarantine

(Regulations of Import into India) Order, 2003 issued under

Sub-section (1) of Section 3 of the Destructive Insects &

Pests, 1914 (2 of 1914) for permission to import soil/growing media/peat or Sphagnum moss as detailed below:

1. Name & Address of the importer

2. Name and address of exporter

3. Country of origin

4. Foreign port of shipment

5. Approximate date of import

6. Point of entry

7. Means of conveyance

8. Description of consignment

9. Quantity

10. No of packages
11. Mode of packing
12. Specific purpose of import

Declaration

I/We hereby undertake

to pay to an officer duly authorized by the Plant Protection
Adviser the prescribed fees towards inspection or treatment of
the consignment and abide by the instructions/guidelines issued
by him.

Date

.....

Place:

.....

(Signature & Name

of the

Importer or his authorized agent)

PQ Form 07

Government of India

Ministry of Agriculture (Department of Agriculture &
Cooperation) Directorate of Plant Protection, Quarantine &
Storage, NH-IV, Faridabad (Haryana) - 121001.

.....

Permit for import of
soil/growing media/peat or Sphagnum moss

Permit No.

.....

Date of issue

.....

Valid up to

.....

In accordance with the provisions of clause 4 of
the Plant Quarantine (Regulation of Import into India) Order,
2003 issued under Sub-section (1) of Section 3 of the Destructive
Insects & Pests Act, 1914 (

2 of 1914

), I hereby grant

permission to import the following consignment of soil/growing
media/peat or Sphagnum moss as detailed below:

1. Name and address of importer
2. Name and address of exporter
3. Country of origin
4. Point of entry
5. Description of consignment
6. Quantity (Wt./vol.)
7. No. of packages
8. Mode of packing
9. The above

permission is granted subject to the following conditions:

(1) The imported

consignment shall be accompanied by an official phytosanitary
certificate issued by an authorized officer in the country of

origin stating that

(a)

.....

(b)

.....

(c)

.....

(2) The permit is not transferable and shall be valid for one year from the date of issue and valid for multiple port access and multiple part shipments provided the exporter, importer and country of origin of the same for the entire consignment. The permit number shall be quoted on the phytosanitary certificate issued at the country of origin/re-export, as the case may be.

(3) The imported consignment of soil/effluents shall be disposed after laboratory investigation in a manner prescribed by an officer duly authorized by the Plant Protection Adviser in this regard.

Date :

.....

Place:

.....

(Seal)

Name

Signature

Designation

of Issuing Authority

PQ Form 08

Application for Permit to Import Germplasm/Transgenics/Genetically Modified Organisms (GMO's) for Research Purpose

To

The Director,

National Bureau of Plant Genetic Resources,

Pusa Campus, New Delhi-110012

I hereby apply for a permit in accordance with provisions of clause 6 (2) of the Plant Quarantine (Regulation of Import into India) Order, 2003 issued under the Sub-section (1) of Section (3) of the Destructive Insects & Pests Act, 1914 (2 of 1914), authorizing the import of plants/planting materials for research purposes as per details given below:

1. Name and address of the applicant

2. Exact description

of Seeds/Planting Materials to be imported:

(a) Common and

botanical name:

(b)

Germplasm/variety/hybrid/composite/synthetic

provenance/clone/others

(c) Form of material

required (seed/rooted plants/scions/tubers/cuttings/bulbs in

vitro cultures

(d) Parentage, if known

3. Place of collection/origin of material to be imported (country/state)

4 Whether transgenic/GMO or not?[If yes, attach the approval letter issued by RCGM (DBT) in original]

5. Name and address of the organization/institution producing the material

6. Number of samples to be imported

7. Quantity to be imported (separately for each accession/variety/.hybrid/transgenic/GMO)

8. Suggested source of availability of material including published reference, if known.

9. (a) Whether the aforesaid germplasm/variety/hybrid was imported by you earlier? If so, details thereof (year, quantity, source, etc.)

(b) Was the material shared with other scientists/National Gene Bank at NBPGR?

10. Expected date and arrival in India

11. Mode of shipment (Airmail/Air freight/accompanied baggage)

12. Place where imported seeds/planting material will be grown and scientists under whose supervision the seeds/planting material will be grow

Declaration

I hereby declare that the germplasm under import has no commercial value/exclusive ownership and may be shared freely for research purposes.

Place:

Date:

Signature of the Applicant & Address

PQ Form 09

National Bureau of

Plant Genetic Resources (ICAR) New Delhi 110012

Permit for Import

of Germplasm/Transgenic/Genetically Modified Organisms for Research Purpose.

Permit No.

.....
Date of issue

.....
Valid up to

.....
In accordance with the provisions of clause 6 (2) of the Plant Quarantine (Regulation of Import into India) Order 2003 issued under Sub-section (1) of Section 3 of the Destructive Insects & Pests Act,1914, I hereby grant permission to import of germplasm/transgenic/genetically modified organisms herein specified

1. Name and address of importer

2. Name and address of exporter

3. Country of origin

4. Point of Entry
5. Description of
germplasm/transgenic/Genetically modified organism (Botanical
name)
6. Variety to be imported
7. Quantity(Weight/Nos.)
8. No of Packages
9. Mode of Packing
9. The above

permission is granted subject to following conditions:-

(1) The consignment
of germplasm/transgenic shall be free from soil, weed species and
plant debris.

(2) (i) The
consignment shall be accompanied by a Phytosanitary
Certificate/Phytosanitary Certificate (re-export issued by an
authorized officer in the country of origin/country of re-export)
as the case may be with additional declaration for the freedom
from:

(a)
.....
.....
.....

(b)
.....
.....
.....

or that the above
specified pests do not occur in the country or state of origin.

(ii) Certified that
the germplasm/transgenic as described above obtained from mother
crop/stock which were inspected on regular intervals by an
appropriate authority in the country of origin and found free
from:

(3) The consignment
shall be grown in an approved Post entry quarantine facility
established by the importer at

..... (name
of location of PEQ facility) under the supervision
of.....

.....
.....
for a period of (days/months)

..... (Name &
Address of Inspection Authority)

(4) The permit is not transferable and valid for
one-time import. The permit number shall be quoted on the
phytosanitary certificate issued at the country of origin or
re-export as the case may be.

Place: New Delhi

Date:

Seal
Name
Signature
Director
National Bureau of Plant Genetics Resources
PQ Form 12
Application for Permit to import live insects and other arthropods/nematodes/microbial cultures including algae/bio-control agents
To
The Plant Protection
Adviser to the Government of India,
Directorate of Plant
Protection, Quarantine & Storage,
NMV-IV, Faridabad (Haryana)-121001)
I/We hereby make an application, in accordance
with provisions of Clause 7 of Plant Quarantine Regulation of
Import Order, 2003, made under Sub-section (1) of the Section 3
of the Destructive Insects & Pests Act, 1914 (
2 of 1914
) for
a permission to import of following live insects and other
arthropods/nematodes/microbial cultures including
algae/bio-control agents for research/experimental purpose as
detailed below:
1. Description of
insects/mites/nematodes/microbial cultures/biocontrol agents
intended to import (common/scientific names)
2. Taxon (Class/order/family/sub-family
tribe/races or strains)
3. Stages of the organism
4. Number of specimens or units
5. Host species, if any (Common/Scientific Name)
6. Mode of packing & no. of packages and
distinguishing marks, if any
7. Country of origin & foreign port of
shipment
8. Mode of shipment & point of entry
9. Name and address of importer
10. Name & address of exporter
11. Approximate date of import
12. Purpose of import
Declaration
I/We hereby undertake
to abide by the instructions/guidelines issued by the Plant
Protection Adviser to
the Government of India from time to time in this regard.
Date:.....
Place (Seal)
(Signature of Applicant)
PQ Form 13
(Emblem)

Government of India

Ministry of Agriculture Department of Agriculture &
Cooperation Directorate of Plant Protection, Quarantine &
Storage NH-IV, Faridabad (Haryana-121001)

Permit for import
of live insects and other arthropods/nematodes/microbial cultures
including algae/bio-control agents

Permit No.

.....

Date of issue

.....

Valid up to

.....

In accordance with provision of clause 7 (3) of
the Plant Quarantine (Regulation of Import into India) Order,
2003 issued under Sub-section (1) of Section 3 of the Destructive
Insects & Pests Act, 1914 (

2 of 1914

), I hereby grant

permission for import of following live insects and other
arthropods/nematodes/microbial cultures including
algae/bio-control agents as detailed below:

1. Name & Address of Importer
2. Name & Address of Exporter
3. Country of origin
4. Point of Entry
5. Description of organism(Common/Scientific
Name)
6. Taxon (Class/family order etc.)
7. Stage of organism, host species, if any
8. No. of specimens/units
9. Mode of packing and distinguishing marks, if
any
10. The above

permission is granted subject to the following conditions:

(1) No substitute is
permitted for the kind or organism permitted for import under
this permit.

(2) The consignment
shall be accompanied by an official certificate issued by an
appropriate authority in the country of origin for freedom from:

(a)

.....

(b)

.....

(3) The consignment
of bio-control agents shall be held under Post entry quarantineat

.....

(Name of Institute/Organisation) for a period of
..... before release for field trials.

(4) The permittee shall intimate the Plant

Protection Adviser of any change of address and comply with his instructions.

Date:

?.....

Place: ?.....

Name &

(Signature of issuing authority)

Stamp of Organization

PQ Form 15

Application for Quarantine Inspection and Clearance of Imported Plants/Plant Products and Others (Cargo).

To

.....
For PQ Office's use:

Receipt No.

Registration No.

Date of Receipt

Date of Registration.

In accordance with the provisions of Clause 3

(18) of the Plant Quarantine Regulations of Import into India)

Order, 2003 issued under Destructive Insects and Pests Act, 1914

(2 of 1914), I/We, file herewith an application for Plant

Quarantine inspection/treatment and clearance of the imported

plants/plant products and others as described below:

Description of Consignment:

1. Name & address of importer

2. Name & address of Exporter

☐ Import Permit No:..... dt.....

☐ Phytosanitary

Certificate No:.....dt.....

☐ Fumigation

Certificate, if any

☐ Certificate of

origin, if any

☐ Bill of Entry No:.....dt.....

☐ Shipping/Airway

bill

☐ Invoice/packing

list

N.B.: Tick out the documents

3. Consignment (Common/botanical name)

4. Quantity (Wt./vol.)

5. No. of pieces/packages/ containers

6. Distinguishing marks

7. Nature of packing material

8. Country of origin & port of shipment

9. Means of conveyance & date of arrival

10. Point of entry enclosed.

11. Date and place of inspection

12. Shipping/Airway Bill No. & Date

For PQ Office Use: The above documents submitted

to this office have been scrutinised and found in order/not in order

13. Value of the Commodity

14. Purpose of import Sowing/planting/
consumption

Date: Signature of PQ staff

Declaration

(1) I/we hereby

declare that to the best of the knowledge and belief, the
particular given above are true and correct.

(2) I/We abide by the

provisions of the Plant Quarantine (Regulation of Import into
India) Order, 2002 and the instructions issued by the officer
authorized by Plant Protection Adviser

Date:

Place:

(Signature of Importer/Authorised Agent)

N.B: Application should be submitted by the importer/his authorised agent in duplicate duly filled and completed.;
Duplicate copy to be returned to the importer/his authorised agent after endorsing the quarantine order and receipt of
payment; Payments should be made by bank draft or pay order drawn in favour of the concerned Pay & Accounts
Officer.

PQ Form 15

For P Q Office Use:

Assessment of fees:

Receipt of payment:

Commodity

Wt. (Kg)/No. of pieces

Particulars of fees

(in Rs)

1. PEQ fees:

.....

2. Inspection: Fees

.....

3. Others:

Received from M/s.

.....an

amount of Rs.

..... (Rs.

.....)(in

words) by cash/DD/BC/PO/T.R.No.

..... Dt:

..... drawn

on

(Name of the bank & branch) towards inspection fees.

TOTAL:(Rupees

.....)(In words)

Date:

Date:by

Assessed by.....Sign. of
staff

Checked.....Sign. of S/O

.....Sign. of Cashier

.....Sign. of DDO/Accountant

Quarantine Order

(1) The goods listed

on this Plant Quarantine Entry form are ordered into Quarantine and are to be forwarded to this office under escort by Customs for inspection/treatment and further orders.

(2) The

importer/authorized agent of the importer is hereby directed to present the goods/containers/vessel lying at

.....

for inspection/sampling on and at

..... by the

following designated staff/officers viz.

.....

and arrange necessary facilities for the above purpose.

(3) The

importer/authorized agent of the importer is advised to produce original copy of IP/PSC on or before

to this office for record.

(4) The importer/authorized agent of importer

is advised to contact this office after

.....

day(s) for further orders.

Date:

.....

Place:

.....

(Sign. and Designation of Authority)

PQ Form 16

(Emblem)

Government of India

Ministry of Agriculture Department of Agriculture &

Cooperation Directorate of Plant Protection, Quarantine &

Storage

.....

Release Order

Ref. No.

.....

Date of issue

.....

In accordance with

provisions of Clause 3 (16) of the Plant Quarantine (Regulation of Import into India) Order, 2003, issued under Sub-section (1)

of Section 3 of the Destructive Insects & Pests Act 1914 (2

of 1914), the following consignment of plants/plant products

referred to this station has been inspected/fumigated or treated

and the same has been accorded quarantine clearance/provisional

quarantine clearance* for growing in an approved post entry

quarantine facility, as detailed below:

Description of Consignment

1. Name of the consignment (Common/botanical name)
 2. Quantity (Wt./nos.)
 3. Number of packages/containers and mode of packing
 4. Country of origin/re-export and foreign port of shipment
 5. Distinguishing marks
 6. Means of conveyance & date of arrival
 7. Point of entry
 8. Name and address of importer
 9. Bill of entry no./shipping or airway bill no. and date
 10. Date of sampling/inspection/fumigation or treatment
- Date :

.....
Place :

Name:

Signature:

(PQ authority):

Copy to:

(I) Collector of

Customs:

.....
(ii) Inspection

Authority

.....
*Strike out not applicable

PQ Form 17

(Emblem)

Government of India

Ministry of Agriculture Department of Agriculture &

Cooperation Directorate of Plant Protection, Quarantine &

Storage

.....
Deportation/destruction

Order

No.

.....
Dated

.....
In accordance with

the provisions of Clause 3 (16) of the Plant Quarantine

(Regulation of Import into India) Order, 2003 issued under the

Sub-section (1) of Section 3 of the Destructive Insects &

Pests Act, 1914 (

2 of 1914

), the following consignment of

plants/plant products has been ordered for

deportation/destruction as the same was imported in violation of

the provisions of the above said Order. The details are as under:

Description of Consignment

1. Name of the Commodity (Common/botanical name)

2. Quantity (Wt./nos.)

3. Number of packages/containers

4. Country of origin & foreign port of shipment

5. Distinguishing marks, if any

6. Means of conveyance & date of arrival

7. Point of entry

8. Bill of entry no./shipping or airway bill no. & date

9 Date of sampling/inspection/fumigation or treatment

Nature of

Non-Compliance

() Consignment has

been imported without valid Import Permit or Phytosanitary Certificate (Clause 3 (1)/3 (20) of the PQ Order, 2002 or both.

() Consignment on

inspection found to be infested/infected with a quarantine pest notified under Schedule-V and VI, viz.....

() Consignment on

inspection found to be contaminated with quarantine weed species specified in ScheduleVIII, viz.

.....

.....

() Consignment is prohibited entry as per item no.

..... of Schedule -IV.

() Consignment found

to be substantially contaminated with soil. () Consignment found packed with objectionable package material

() Any other reason

(specify):

Note: Tick-out, which ever applicable.

Action to be

taken by the importer or his authorized Agent

The above stated

consignment/container shall be deported within

days from the date of issue of this order for which the importer

or his authorised agent shall submit the re-shipping bills for

necessary endorsement failing which the same shall be arranged

for destruction at his own cost in manner prescribed by plant quarantine authority.

Date:

.....

Place:

.....

(PQ authority)

(Seal)

Name & Designation

Copy to:

1. Commissioner of

(Address of Commisionerate of Customs)

2. Port Trust Authority/Airport Authority of

PQ Form 18

Application for Certificate of approval of post-entry quarantine facility

To

.....
.....

(Inspection Authority)

I/We hereby make an

application, in accordance with provisions of Clause11(4) of the
Plant Quarantine (Regulations of Import into India) Order, 2003,
issued under Subsection (1) of Section 3 of the Destructive
Insects and Pests Act, 1914 (

2 of 1914

) for certification of

following post-entry quarantine facility established by me for
growing imported propagative plant material as described
hereunder

Description of Consignment

1. Name & Address of the Importer

2. Location of PEQ facility (i.e.

City/Village/Taluka/Distt.)

3. Type & description of facility

(Diagrammatic sketch to be attached)

4. No. of units & size

5. Total capacity of the PEQ facility (No. of
propagating units/potting space)

6. Type of imported planting material to be
grown

7. Particulars of Registration of nursery with
State Deptt. of Horticulture/Agriculture

8. Additional information, if any

Declaration

(i) I/We hereby

declare that the information furnished above is correct to the
best of my/our knowledge and belief.

(ii) I/we shall abide

by the instructions and guidelines issued by the Plant Protection
Adviser of any Inspection Authority duly notified for this
purpose from time to time.

(iii) I/We hereby

undertake to provide necessary facilities during inspection of
the facility or growing plants under Post entry quarantine to any
of the Inspection Authority or any officer duly authorised by
Plant Protection Adviser

Date:

Place:

(Signature of importer)

PQ Form 19

(Emblem)

(Name of

Organisation)

Certificate of

Approval of Post Entry Quarantine Facility.

No.

.....

Date of Issue

.....

Valid up

to.....

In accordance with the provisions of Clause 11

(4) of the Plant Quarantine (Regulation of import into India)

Order, 2003 issued under Sub-section (1) of the Section 3 of the

Destructive Insects & Pests Act, 1914, I hereby certify that

the following Post entry quarantine facility has been inspected

and approved for growing of imported consignment of

plants/planting materials as described below, under post-entry

quarantine, in accordance with guidelines/standards prescribed in

this regard.

1. Name & address of the importer

2. Location (City/Village/Taluk) of PEQ Facility

3. Type of facility, structure & design

4. No. of units & size of each Unit

5. Total capacity (no. of propagating

Units/potting space)

6. Name of plant species intended to be grown

7. Any other facility available

Date:

?.....

Place:

Name

Signature

Seal of Inspecting Authority

PQ Form 20

Undertaking to Grow Imported Plants in an Approved Post-Entry Quarantine Facility Under the Supervision of Inspection Authority

From:

To:

.....

.....

.....

.....

.....

I/We M/s_ furnish the following undertaking in respect of a consignment of to be imported vide IP No. dt. through to grow in an approved post-entry quarantine facility under the supervision of inspection authority/officer duly authorised by the Plant Protection Adviser. I/we also undertake that:

(1)

I/we shall grow the entire consignment of imported plant material (as described above) in an approved post-entry quarantine facility/isolated nursery located at the village of taluk of Dist. of State.

(2)

To intimate the inspection authority/officer of plant quarantine about the date of sowing/planting of seeds/propagating plant material, percentage of germination, seedling mortality and plant protection measures if adopted etc., within one month of sowing/planting and thereafter at regular intervals.

(3)

To provide all the facilities to inspection authority/officers of plant quarantine for undertaking post-entry quarantine inspection of seedlings/plants.

(4)

To maintain the nursery records/registers relating to the receipt of seed/plant material, germination/planting records, plant protection measures undertaken, etc. and produce the same before inspecting team for necessary scrutiny.

(5)

To undertake necessary plant protection measures as advised by the inspecting team from time to time.

(6)

Not to give/donate/distribute any part of consignment without the written clearance from the inspection authority/officer duly authorised by him in this behalf.

(7)

To abide by the decision of inspection authority/officers of plant quarantine to destroy whole or part of consignment or any seedlings/plant material, found infected/infested or contaminated by a quarantine pest/pathogen. In an appropriate manner measures for decontamination of tools and garden equipment, soil, etc., thereof on emergency basis.

(8)

To bear the cost of destruction of affected plant material under the supervision of inspection authority/officers of plant quarantine.

(9)

To maintain basic inspection tools like hand lance field lance or illuminated magnified, surgical spirit, dissection box, absorbent cotton, screw capped glass vials, labels, etc., for the purpose of carrying out inspection.

(10)

To abide the decision of inspection authority/officer of the PQ about destruction etc.

(11)

Not to lie any liability with inspection authority/officers of plant quarantine towards loss/damage caused to any material/destruction of the same in the event of infection/infestation by a quarantine pest/pathogen.

Date:

Place:

Name & Signature of Importer/Agent)

Address:

N.B. The importer/agent is required to submit the above undertaking in duplicate, the duplicate copy which will be forwarded to respective Inspection Authority (IA):

PQ Form 21

Phytosanitary Certificate

(To be typed or printed in block letters)

No.

From

Plant Protection

Organisation

of

.....

To:

Plant Protection

Organisation(s)

of

Description of Consignment

Name and address of exporter

Declared name and address of consignee

Number and description of packages

Distinguishing marks

Place of Origin

Declared means of conveyance

Declared point of entry

Name of produce and quantity declared

Botanical name of plants

This is to certify that the plants or plant products described above have been inspected according to appropriate procedures and are considered to be free from quarantine pests and practically free from the injurious pests and that they are considered to conform to the current phytosanitary regulations at the importing country

Desinfestation and/or Disinfection Treatment

Date

.....

Duration:

.....

Treatment

.....

Additional information:

.....

Temperature:

.....

Chemical (active

ingredient).....

Concentration

.....

Additional declarations:

Place of issue:

Date of issue

Stamp of Organization

Name &

Signature of authorized officer

No financial liability with respect to this certificate shall attach to..... (Name of Plant Protection Organisation) or to any of its officers or representatives*.*Optional clause

PQ Form 22

Model Phytosanitary Certificate For Re-Export

No.

Plant Protection Organisation of

..... (Country of import)

To: Plant Protection Organisation(s) of

.....

(Country(ies) of re-export)

Description of Consignment

Name and address of exporter

Declared name and address of consignee

Number and description of packages

Distinguishing marks

Place of Origin

Declared means of conveyance

Declared point of entry

Name of produce and quantity declared

Botanical name of plants

This is to certify

that the plants or plant products described above were imported
into.....(country of re-export)..... from (country of
origin)...covered by Phytosanitary Certificate no _____

*Original ☐ certified true copy ☐ of which is attached to
this Certificate. That they are* packed { } repacked ☐ in
original ☐ new ☐ container, that based on the original
Phytosanitary Certificate ☐ and additional inspection ☐,
they are considered to conform with the current phytosanitary
regulations of the importing country, and that during storage
in.....(country of re- export).....the consignment has
not been subjected to the risk of infestation or infection.

*Insert tick in appropriate boxes

Desinfestation and/or Disinfection Treatment

Date

.....

Treatment

.....

Chemical active ingredients

.....

Duration and temperature

.....

Concentration

.....

Additional information

.....

Additional declarations:

Place of

issue _____

Date of issue _____

(Stamp of Organisation)

Name & Signature of authorized officer

No financial liability with respect to this certificate shall attach to..... (Name of Plant Protection Organisation) Or
to any of its officers or representatives*.

* Optional clause

PQ Form 23

Application for Pest Risk Analysis for Import of agricultural commodities into India

1. Details of Applicant

1.1

Name/Organisation.....

1.2

Address..... Postcode.....

1.3

PhoneFax E-mail

2. PRA General Parameters

2.1

Scientific& Common name of the product.....

2.2

Country/countries of origin.....

2.3

Quantity/Volume

3. Product Type (circle one or more)

3.1

Processed/Non-processed

3.2

Living/non- living

3.3

Plant/Animal

3.4

Genetically modified/non-genetically modified

3.5

Seed/plant/soil

3.6

Culture/non-culture

3.7

Other.....

4. Product Processing (if applicable)

4.1

If seed: ground/kibbled/whole/preserved

4.2

If plant: fresh/dried/freeze dried/preserved

4.3

Processing refinement: cooked/frozen/pulped/steamed

4.4

Specify treatment details.....

5. Product Origins (please state if question not relevant)

5.1

Source location (by country, origin & locality)

5.2

Production method, Certification scheme and/or accreditation type?

6. End Use (circle one or more)

6.1

Human consumption/Processing/Stock feed/Pet food/Fish food/Seeds for sowing/Nursery stock/Multiplication/Post-entry Quarantine/Therapeutic/Fertilisers/In-vivo/Invitro 6.2 Other

7. End Destination (circle &/or specify)

7.1

Rural/urban

7.2

Multiple locations/single

7.3

Specify Country, State &/or region (PRA defined area)

8. Entry (circle one or more)

Ship/Air/Ground transport/Rail/Other.....

9. General Comments (any further general comment or notes that need to be made, please make here).....

PQ Form 24

Technical Information Requirement for Pest Risk Analysis (PRA)

1. Plant and Plant Product 1.1 Common name;

1.2

Scientific (genus & species/strain/variety/cultivar) name;

1.3

Resistant or non-resistant varieties;

1.4

Countries that have already imported;

1.5

Plant part to be imported (whole plant/seed/cutting/sapling/budwood/bulb/fruit etc.);

2. Production Area

2.1

Place of production on map (country and province);

2.2

Production and Export (tons/year);

3. Cultivation practices

3.1

Harvest method and time;

3.2

Plant protection measures (to control and eradicate the pests);

4. Pest List (separately for all the pests) 4.1 Scientific & Common name;

4.2

Pest biology;

4.3

Plant parts affected;

4.4

Symptoms;

4.5

Distribution and pest free areas;

4.6

Pest status (prevalence);

4.7

Management practices;

4.7.1

Cultural practices;

4.7.2

Biological (use of biological control agents, resistant varieties, crop skipping...);

4.7.3

Chemical (type, method, time and number of pesticide use...)

4.8

Database and reference

5. Packaging

5.1

Method of packaging;

5.2

Inspection procedure;

5.3

Post harvest treatment;

5.4

Conditions and security of storage place.

6. Export program (policy/activity) 6.1 Trading partners;

6.2

Existing procedure for issuing phytosanitary certificates (including additional declaration).

7. Copies of relevant supporting documents.

I

[See clauses 2 (xxi), 3 (13) and 3 (14)

Points of Entry for Import of plants/plant materials and other Articles

Seaports

Airports

Land Frontier Stations

1.

Alleppey (Kerala)

1.

Amritsar (Punjab)

1.

Agartala (Tripura)

2.

Bhavnagar (Gujarat)

2.

Bangalore (Karnataka)

2.

Amritsar Rly. Stn. (Punjab)

3.

Kolkata (West Bengal)

3.

Kolkata (West Bengal)

3.

Attari Rly. Stn.(Punjab)

4.

Calicut (Kerala)

4.

Chennai (Tamil Nadu)

4.

Attari Wagha Border Check post (Punjab)

5.

Chennai (Tamil Nadu)

5.

Hyderabad (Telangana)

5.

Bongaon (West Bengal)

6.

Cochin (Kerala)

6.

Mumbai (Maharashtra)

6.

Gede Road Rly. Stn. (West Bengal)

7.

Cuddalore (Tamil Nadu)

7.
New Delhi (Delhi)
7.
Jogbani (Bihar)
8.
Goa (Goa)
8.
Patna (Bihar)
8.
Moreish (Manipur)
9.
Gopalpur (Orissa)
9.
Tiruchirapalli (Tamil Nadu)
9.
Panitanki (West Bengal)
10.
Haldia (West Bengal)*
10.
Trivandrum (Kerala)
10.
Raxual (Bihar)
11.
Jamnagar (Gujarat)
11.
Varanasi (Uttar Pradesh)
11.
Rupadiha (Uttar Pradesh)
12.
Beypore (Kerala)
12.
Guwahati (Assam)
12.
Sonauli (Uttar Pradesh)
13.
Kakinada (Andhra Pradesh)
13.
Calicut (Kerala)
13.
Banbasa (Uttaranchal)
14.
Kandla (Gujarat)
14.
Coimbatore (Tamil Nadu)
14.
Zokhwathar (Mizoram)
15.
Karwar (Karnataka)
15.
Bagdogra (West Bangal)
- 15.

Changrabandha (West Bengal)

16.

Krishnapatnam (Andhra Pradesh)

16.

Cochin(Kerala)

16.

Ghozadanga (West Bengal)

17.

Machlipatnam (Andhra Pradesh)

17.

Indore (Madhya Pradesh)

17.

Mehadipur (West Bengal)

18.

Mandvi (Gujarat)

18.

Goa (Goa)

18. [

[Added by Notification No. S.O. 3392(E), dated 10.7.2018.]

Gauriphanta (Uttar Pradesh)]

19.

Mangalore (Karnataka)

19.

Tirupati (Andhra Pradesh)

19. [

[Added by Notification No. S.O. 3392(E), dated 10.7.2018.]

Vittamod (Bihar)]

20.

Mumbai (Maharashtra)

20.

Port Blair (Andaman & Nicobar Islands)

21.

Mundra (Gujarat)

21.

Nashik (Maharashtra)

22.

Nagapatnam (Tamil Nadu)

22. [

[Added by Notification No. S.O. 2286(E), dated 4.6.2018.]

Madurai (Tamil Nadu)]

23.

Nova Shiva (Maharashtra)

23. [

[Added by Notification No. S.O. 3392(E), dated 10.7.2018.]

Bhubaneswar (Odisha)]

24.

Navlakhi (Gujarat)

25.

Okha (Gujarat)

26.

Paradeep (Orissa)*

27.
Pondicherry
 28.
Porbander (Gujarat)
 29.
Rameshwram ((Tamil Nadu)
 30.
Tiruvananthapuram (Kerala)
 31.
Tuticorin (Tamil Nadu)
 32.
Veraval (Gujarat)
 33.
Visakhapatnam (Andhra Pradesh)
 34.
Vizhinjam (Kerala)
 35.
Kollam (Quilon) (Kerala)
 36.
Karaikal (Puducherry)
 37.
Pipavav (Gujarat)
 38.
Hazira (Gujarat)
 39.
Jaigarh (Maharashtra)
 40.
Kattupalli (Tamil Nadu)
 41.
Port Blair (Andaman & Nicobar Islands)
 42.
Dahej Port (Gujarat)
 43.
Dhamra Port (Orissa)
 44.
Kamarajar Port, Chennai (Tamil Nadu)
- * For import of food grains by Food Corporation of India only?

II

[See clause 2 (xxi)]

List of Inland Container Depots and Container Freight Stations for Import of Plants and Plant Products

Place

State

Status

Jurisdiction of PQ Station

1. Tughlakabad

Delhi

Inland Container Depot

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

2. Patparganj

Delhi

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

3. Ballabhgarh

Haryana

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

4. Gurgaon

Haryana

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

5. Rewari

Haryana

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

6. Panipat

Haryana

Inland Container Depot

Regional Plant Quarantine Station, Amritsar

7. Jalandhar

Punjab

Container Freight Station

Regional Plant Quarantine Station, Amritsar

8. Amritsar

Punjab

Container Freight Station

Regional Plant Quarantine Station, Amritsar

9. Bhatinda

Punjab

Container Freight Station

Regional Plant Quarantine Station, Amritsar

10. Ludhiana (Dhandari Kalan)

Punjab

Inland Container Depot

Regional Plant Quarantine Station, Amritsar

11. Moradabad

Uttar Pradesh

Inland Container Depot

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

12. Kanpur

Uttar Pradesh

Inland Container Depot

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

13. Rudarpur

Uttar Pradesh

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

14. Agra

Uttar Pradesh

Inland Container Depot

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

15. Dadri (G. Noida)

Uttar Pradesh

Inland Container Depot

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

16. Sharanpur

Uttar Pradesh

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

17. Varanasi

Uttar Pradesh

Container Freight Station

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Gorakhpur

18. Meerut

Uttar Pradesh

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

19. Sabarmati Ahmedabad

Gujarat

Inland Container Depot

Plant Quarantine Station, Kandla

20. Ahmedabad

Gujarat

Container Freight Station

Plant Quarantine Station, Kandla

21. Surat

Gujarat

Inland Container Depot

Regional Plant Quarantine Station, Mumbai

22. Kandla

Gujarat

Inland Container Depot

Plant Quarantine Station, Kandla

23. Jodhpur

Rajasthan

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

24. Jaipur

Rajasthan

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

25. Bhiwadi

Rajasthan

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

26. Kota

Rajasthan

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

27. Sanathnagar (Hyderabad)

Telangana

Inland Container Depot

Plant Quarantine Station, Hyderabad

28. Guntur

Andhra Pradesh

Inland Container Depot

Plant Quarantine Station, Visakhapatnam

29. Chirala

Andhra Pradesh

Inland Container Depot

Plant Quarantine Station, Visakhapatnam

30. Anaparti

Andhra Pradesh

Inland Container Depot

Plant Quarantine Station, Visakhapatnam

31. Kakinada

Andhra Pradesh

Inland Container Depot

Plant Quarantine Station, Visakhapatnam

32. Vishakhapatnam

Andhra Pradesh

Inland Container Depot

Plant Quarantine Station, Visakhapatnam

33. Wadibunder (Mumbai)

Maharashtra

Inland Container Depot

Regional Plant Quarantine Station, Mumbai

34. Chinchwad (Pune)

Maharashtra

Inland Container Depot

Regional Plant Quarantine Station, Mumbai

35. Bhandup (Mumbai)

Maharashtra

Container Freight Station

Regional Plant Quarantine Station, Mumbai

36. J.N. Port (Mumbai)

Maharashtra

Container Freight Station

Regional Plant Quarantine Station, Mumbai
37. Muland (Mumbai)
Maharashtra
Inland Container Depot
Regional Plant Quarantine Station, Mumbai
38. Nava Seva (Mumbai)
Maharashtra
Container Freight Station
Regional Plant Quarantine Station, Mumbai
39. Jalgaon
Maharashtra
Container Freight Station
Regional Plant Quarantine Station, Mumbai
40. Aurangabad
Maharashtra
Container Freight Station
Regional Plant Quarantine Station, Mumbai
41. Nagpur
Maharashtra
Inland Container Depot
Regional Plant Quarantine Station, Mumbai
42. Dronagiri
Maharashtra
Container Freight Station
Regional Plant Quarantine Station, Mumbai
43. Miraj
Maharashtra
Inland Container Depot
Regional Plant Quarantine Station, Mumbai
44. Whitefield (Bangalore)
Karnataka
Inland Container Depot
Plant Quarantine Station, Bengaluru
45. Coimbatore
Tamilnadu
Inland Container Depot
Plant Quarantine Station, Tiruchi
46. Minjur (Chennai)
Tamilnadu
Container Freight Station
Regional Plant Quarantine Station, Chennai
47. Virugambakkam (Chennai)
Tamilnadu
Container Freight Station
Regional Plant Quarantine Station, Chennai
48. Numbal (Chennai)
Tamilnadu
Container Freight Station
Regional Plant Quarantine Station, Chennai
49. Tiruvottiyur (Chennai)
Tamilnadu

Container Freight Station

Regional Plant Quarantine Station, Chennai

50. Manali (Chennai)

Tamilnadu

Container Freight Station

Regional Plant Quarantine Station, Chennai

51. Tirupur

Tamilnadu

Container Freight Station

Plant Quarantine Station, Tiruchi

52. Tuticorin

Tamilnadu

Inland Container Depot

Plant Quarantine Station, Tuticorin

53. Salem

Tamilnadu

Container Freight Station

Plant Quarantine Station, Tiruchi

54. Singanallur

Tamilnadu

Container Freight Station

Plant Quarantine Station, Tiruchi

55. Kolkata

West Bengal

Inland Container Depot

Regional Plant Quarantine Station, Kolkata

56. Siliguri

West Bengal

Container Freight Station

Regional Plant Quarantine Station, Kolkata

57. Malanpur (Gwalior)

Madhya Pradesh

Container Freight Station

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

58. Indore

Madhya Pradesh

Container Freight Station

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Indore

59. Cochin

Kerala

Container Freight Station

Plant Quarantine Station, Cochin

60. Raxaul

Bihar

Container Freight Station

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Patna

61. Surajpur

Uttar Pradesh

Inland Container Depot

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

62. The Thar Dry Port, ICD Sanand, Ahmedabad

Gujarat

Inland Container Depot

Plant Quarantine Station, Kandla.

63. ICD, Loni

New Delhi

Inland Container Depot

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

64. Kattupalli

Tamil Nadu

Container Freight Station

Regional Plant Quarantine Station, Chennai

65. Panchi Gujaran, Sonapat

Haryana

Inland Container Depot

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

66. Dhannad, Indore

Madhya Pradesh

Inland Container Depot

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Indore

67. Kheda, Dhar

Madhya Pradesh

Inland Container Depot

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Indore

68. Pitampur, Dhar

Madhya Pradesh

Inland Container Depot

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Indore

69. Ratlam

Madhya Pradesh

Inland Container Depot

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Indore

70. Mandideep, Raisen

Madhya Pradesh

Inland Container Depot

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Indore

71. Borkhedi, Nagpur

Maharashtra

Inland Container Depot

Plant Quarantine Cell, Central Integrated Pest

Management Centre, Nagpur

72. Tumb (Tal- Umbergaon)

Gujarat

Inland Container Depot

Regional Plant Quarantine Station, Mumbai

73. [Wardha

[Added by Notification No. S.O. 3392(E), dated 7.10.2018.]

Mahrashtra

Inland Container Depot

Regional Plant Quarantine Station, Mumbai]

III

[See clause 2(xxi)]

List of Foreign Post Offices for Import of Plants and Plant Products

S. No.

Place

Status

Jurisdiction PQ Station

1.

New Delhi (Delhi)

Foreign Post Office

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

2.

Mumbai (Maharashtra)

Foreign Post Office

Regional Plant Quarantine Station, Mumbai

3.

Chennai (Tamil Nadu)

Foreign Post Office

Regional Plant Quarantine Station,, Chennai

4.

Kolkata (West Bengal)

Foreign Post Office

Regional Plant Quarantine Station,, Kolkata

5.

Cochin (Kerala)

Foreign Post Office Plant

Quarantine Station, Cochin

6.

Ahmedabad (Gujarat)

Sub Foreign Post Office

Plant Quarantine Station, Kandla

7.

Bangalore (Karnataka)

Sub Foreign Post Office

Regional Plant Quarantine Station, Chennai

8.

Jaipur (Rajasthan)

Sub Foreign Post Office

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

9.

Ludhiana (Punjab)

Sub Foreign Post Office

Regional Plant Quarantine Station, Amritsar

10.

Agra (U.P.)

Sub Foreign Post Office

[Regional Plant Quarantine Station, New Delhi]

[Replaced 'National Plant Quarantine Station, Rangpuri (Delhi)' by Notification No. S.O. 2286(E), dated 4.6.2018.]

11.

Guwahati (Assam)

Sub Foreign Post Office

Regional Plant Quarantine Station, Kolkata

IV

[See clause 3 (2), 10(2) and 11(1)]

List of plants/planting materials and countries from where import is prohibited along with justifications

S. No.

Plant species/variety

Categories of plant material

Prohibited from the countries

Justification for Prohibition

1.

Banana, Plantain and Abaca (*Musa* spp.)

Rhizomes/Suckers

Central & South America, Hawaii, Philippines

and Cameroon

Due to incidence of destructive pests such as

Moko wilt (*Burkholderia solanacearum*) race 2 and Cameroon

marbling (phytoplasmas)

2.

Cassava or tapioca (*Manihot esculenta*)

Seed/Stem cuttings

Africa & South America

Due to incidence of destructive pests such as:

Super elongation (*Sphaceloma manihoticola*), Cassava bacterial

blight (*Xanthomonas campestris* pv. *manihotis*) - American strains,

Cassava witches' broom (phytoplasma) and several cassava viruses.

3.

Cocoa (*Theobroma cacao*) and plants species

belong to Sterculiaceae, Bombacaceae and Tiliaceae.

Fresh beans/Pods/ Bud wood/Grafts Root

stock/Saplings

West Africa, Tropical America and Sri Lanka.

Due to incidence of destructive pests such as:

Swollen shoot virus and related virus strains of cocoa, Witches

broom (*Crinipellis* (*Marasmius*) *perniciosa*) Watery pod rot (*Monilia*

(*Moniliophthora*) *roreri*), Mealy pod (*Trachysphaera fructigena*),

Mirids (*Sahlbergia singularis* & *Distantiella theobroma*),

Cocoa moth (*Acorocercops cramerella*), Cocoa capsid (*Sahlbergiella*

theobroma), Cocoa beetle (*Steirastoma brevis*), Seedling

damping-off (*Phytophthora cactorum*), Chestnut downy mildew

(*Phytophthora katsurae*) and Black pod of cocoa (*Phytophthora*

megakarya).

4.

Cocoyam or Dasheen or Taro (Arvi) (*Colocasia esculenta*) and other edible aeroids

Plants/Corms/Cormlets/ Suckers

Cook Islands, Papua New Guinea, Solomon Islands and South Pacific countries

Due to incidence of destructive pests such as

Alomae land Bobone (Rhabdo viruses), Dasheen mosaic virus (South Pacific strains) and Bacterial blight (*Xanthomonas campestris* pv. *dieffenbachiae*).

5.

Coconut (*Cocos nucifera*) and related species of *Cocoideae*

Seed nuts/Seedlings/ Pollen/Tissue cultures etc.

Africa (Cameroon, Ghana, Nigeria, Togo and

Tanzania), North America (Florida in USA, Mexico); Central

America and Caribbean (Cayman Islands, Bahamas, Cuba, Dominican

Republic, Haiti, Jamaica) Philippines and Gaum Brazil (Atlantic

Coast), Trinidad, Tobago, Grenada, St. Vincent, Barbados, Belize,

Honduras, Costa Rica, El Salvador, Panama, Columbia, Venezuela

and Ecuador, Surinam (Dutch Guyana), Sri Lanka.

Due to incidence of destructive pests such as:

Palm lethal yellowing (phytoplasma) and related strains, Cadang

cadang & Tinangaja (viroid), Lethal boll rot (*Marasmiellus*

cocophilus), Red ring (*Rhadinaphelenchus cocophilus* (palmarum),

South American Palm weevil (*Rhyncophorus palmarum*), Leaf minor

(*Promecotheca cumingi*) and Palm kernel borer (*Pachymerus* spp).

6.

Coffee (*Coffea* spp.) and related species of *Rubiaceae*

Beans (seeds)/Berries (freshly harvested)/

Grafts/Bud wood/Seedlings/Rooted cuttings etc.

Africa and South America

Due to incidence of destructive pests such as

American leaf spot (*Mycena citricolor*, syn. *Omphalia flavida*),

Coffee berry disease (*Colletotrichum coffeanum* var. *virulens*),

Tracheomycosis (*Gibberella xylariodes*, syn *Fusarium xylarioids*),

Powdery rust (*Hemeleia coffeicola*), Phloem necrosis (*Phytomonas*

leptovorum) and Coffee viruses (coffee ring spot, leaf

rugosity, leaf curl, leaf crinkle and mosaic viruses), Coffee

berry borer (*Hypothenemus hampei*, *Sophronica ventralis*) and

Coffee thrips (*Diarthrothrips coffeae*).

7.

Date palm (*Phoenix dactylifera*)

Seeds/Off-shoots (suckers)

Algeria and Morocco USA (Florida)

Due to incidence of destructive pests such as:

Bayood (*Fusarium oysporum* f.sp. *albedinis*) and Palm lethal yellowing (Phytoplasmas)

8.

Forest plant species:(i) Chestnut (*Castanea* spp.)

(i) Seeds/Fruits/ Grafts and other planting material

North America (USA and Canada)

Due to incidence of destructive pests such as:

Chestnut blight or canker (*Cryphonectria* (*Endothia*) *parasitica*)-American strain.

(ii) Elm (*Ulmus* spp.)

(ii) Plants/planting material

North America (USA and Canada) and Europe and Russia

Due to incidence of destructive pests such as:

Dutch elm disease (*Ceratocystis ulmi*) - American and European strains, Elm mottle virus, Elm bark beetles (*Scolytidae*), Elm phloem necrosis (*Phytoplasmas*) and White - banded elm leaf hopper (*Scaphoidous luteolus*) -vector of Elm phloem necrosis.

(iii) Oak (*Quercus* spp.)

(iii) Seeds/Root grafts

United States of America

Due to incidence of destructive Oak wilt

(*Ceratocystis fagacearum*) and Oak bark beetles

(*Pseudopityophthorus* spp.)

(iv) Pine (*Pinus* spp.) and other coniferous species

(iv) (a) Seeds/Saplings

North America (Canada, USA and Mexico)

Due to incidence of destructive pests such as

Pine rusts [*Stalactiform* blister rust (*Cronartium coleosporioides*), *Comandra* blister rust (*C. comandrae*), sweet fern blister rust (*C. comptoniae*), Southern fusiform rust (*C. fusiforme*), Western gall rust (*Endocronartium harknessii*), Brown spot needle blight (*Mycosphaerella dearnesii*, syn. *Scirrhia acicola*), Seedling die-back and pitch canker (*Fusarium moniliforme* f.sp. *subglutinans*) and Needle cast (*Lophodermium* spp.)

(iv) (b) Wood with bark

North America (Canada & USA), Asia (China, Hong Kong, Japan, Korea, Republic of Taiwan)

Due to destructive Pine wood nematode

(*Bursaphelenchus xylophilus*)

9.

Oil palm (*Elaeis guineensis*) and related species

Seeds/Pollen/seed sprouts

Philippines and Guam

Due to incidence of Cadang cadang &

Tinangaja (viroid)

10.

Potato (*Solanum tuberosum*) and other tuber bearing species of *Solanaceae*

Tubers and other planting material

South America

Due to incidence of destructive pests such as
Potato smut [*Thecaphora (Angiosorus) solani*], Potato viruses viz.
Andean potato latent, Andean potato mottle, Arracacha B virus,
Potato deforming mosaic, Potato T (capillo virus), Potato yellow
dwarf, Potato yellow vein, Potato calico strain of Tobacco ring
spot virus and Andean potato weevil (*Premnotrypes* spp.)

11.

Rubber (*Hevea* spp.)

Seeds/plants/budwood and any other plant
material

Tropical America (Area extending 23 1/2 degrees

North land 23 1/2 degrees South of the equator (Tropics of
Capricorn and Cancer) and includes adjacent islands and longitude
30 degree West land 120 degrees East including part of Mexico,
North of the Tropic of Cancer)

Due to incidence of destructive South American
Leaf Blight of Rubber (*Microcyclus ulei*)

12.

Sugarcane (*Saccharum* spp.)

Cuttings or setts of planting

Fiji, Papua New Guinea, Australia, Philippines
and Indonesia

Due to incidence of destructive Fiji virus

13.

Sweet potato (*Ipomoea* spp.)

Stem (Vine) cuttings rooted or un-rooted/tubers

South Africa, East Africa, New Zealand, Nigeria,
USA, Argentina and Israel.

Due to incidence of destructive pests such as:

Scab (*Elsinoe batatas*), Scurf (*Moniliochaetes infuscans*), Foot
rot (*Plenodomus destruens*), Soil rot (*Streptomyces ipomoeae*),
Bacteria wilt (*Pseudomonas batatae*), Sweet potato viruses viz.
Russet crack; feathery mottle; internal cork; chlorotic leaf
spot; vein mosaic; mild mottle and yellow dwarf, vein clearing;
chlorotic stunt; Sheffied?s virus A and B etc., Sweet potato
witches? broom (phytoplasmas) and seed bruchid (*Mimosastes*
mimosae)

14.

Yam (*Dioscorea* spp.)

Tubers for planting or propagation

West Africa and Caribbean Region

Due to incidence of destructive Yam mosaic
virus/green banding virus

15.

Triticum spp. (Wheat)

(i) Seeds/grains

Latin American countries and Bangladesh

Due to incidence of destructive *Magnaporthe*
oryzae sub.sp.*tritici* (Wheat blast).

V

[See clause 3 (3) (6) (7) and 10 and 11 (3)]

List of plants and plant materials restricted import permissible only with the recommendation of authorized institutions with additional declarations and special conditions

S. No.

Plant species/variety

Category of plants & plant material

Additional declarations required to be incorporated into PSC

Special conditions of import

Responsibility of authorized Institutions

1.

Banana, Plantain and Abaca (*Musa* spp.).

(i) Rhizomes/Suckers

Freedom from: (a)

Moko wilt (*Burkholderia solanacearum* Race-2)

(b) Black leaf streak

(*Mycosphaerella fijiensis* var. *difformis*)

(c) Cameroon marbling

(Phytoplasmas)

(d) Rhizome rot

(*Erwinia chrysanthemi* pv. *paradisiaca*)

(e) Banana weevil

(Hawaii) (*Cosmopolites pruinatus*),

(f) Cane weevil (West

Indies) (*Metamasius hemipterus*),

(g) Banana weevil (East African), (*Temnoschoita nigroplagiata*).

(i) Growing of

imported consignment under post- entry quarantine for a period of 9-12 months.

(ii) Import subject to prior approval of

Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture

Subject to the recommendation, supervision,

monitoring and testing by Director, National Research Center on Banana, Tiruchi (Tamil Nadu).

2.

Cassava or tapioca (*Manihot esculenta*)

(i) Stem Cuttings

Freedom from: (a)

Super elongation (*Sphaceloma manihoticola*)

(b) Bacterial leaf

spot (*Xanthomonas campestris* pv. *cassavae*)

(c) Cassava bacterial

blight (*Xanthomonas campestris* pv. *manihotis*) - American strains.

(d) Cassava viruses

(viz. common mosaic, brown streak, leaf vein mosaic, red mottle and yellow vein banding

(e) Cassava witches?

broom (phytoplasma)

(f) Shoot fly

(Carpelonchaea chalybea)

(g) Mite

(Mononychellus spp.)

(h) Thrip (Frankliniella willamsi)

(i) Post-entry

quarantine for a period of one year.

(ii) Hot water dipping of cuttings at 50°C for

30 min. before planting.

Subject to the recommendation, supervision,
monitoring and testing by Director, Central Tuber Crops Research
Institute, Sreekaryam (Kerala).

(ii) Seeds

As stated above at (b) and (c)

The above conditions shall not apply.

Same as above.

(iii) Tissue cultured plants

Certified that the tissue cultured plants tested
and found virus-free.

Same as above.

Same as above.

3.

Citrus spp. (lemon, lime, orange, grape fruit,
mandarins etc.) and other Rutaceous hosts

(i) Grafts/Bud wood/Plants

Freedom from: (a) Mal

secco (Deuterophoma tracheiphila)

(b) Stubborn or

little leaf (Spiroplasma citri)

(c) Cancrosis B

(Xanthomonas campestris pv. aurantifolii)

(d) Citrus tatter

leaf (Capillo virus)

(e) Satsuma dwarf

virus

(f) Sweet orange scab

(Elsinoe australis) and Tryon's scab (Sphaceloma fawcettii var.
scabiosa)

(g) Citrus burrowing

nematode (Radopholus citrophilus)

(h) Florida red scale

(Chrysomphalus aonidium)

(i) Citrus bud mite

(Eriophyes sheldoni)

(j) Citrus rust mite (Phyllocoptruta oleivora)

Post-entry quarantine for a period of one year.

Subject to the recommendation, supervision,
monitoring and testing by Director, National Research Centre on
Citrus, Nagpur, (Maharashtra).

(ii) Seeds for propagation

As stated above at (c)

The above condition shall not apply.

Same as above.

(iii) Tissue cultured plants

Certified that the tissue-cultured plants are obtained from mother-stock indexed or tested and maintained virus-free.

Same as above.

Import subject to prior approval of Department of Agriculture, Cooperation & Farmers Welfare in the Ministry of Agriculture

4.

Theobroma cacao (Cocoa) and related species.

(i) Seeds (beans)/pods/bud wood/rootstock

Freedom from (a)

Swollen shoot virus and related strains

(b) Witches' broom

(*Crinipellis* (*Marasmius*) *perniciosa*)

(c) Watery pod rot

(*Monilia* (*Moniliophthora*) *roreri*)

(d) Mealy pod

(*Trachysphaera* *fructigena*)

(e) Mirids

(*Sahlbergia* *singularis* & *Distantiella* *theobroma*)

(f) Cocoa moth

(*Acorocercops* *cramerella*)

(g) Cocoa capsid

(*Sahlbergiella* *theobroma*)

(h) Cocoa beetle

(*Steirastoma* *brevi*)

(i) Seedling

damping-off (*Phytophthora* *cactorum*)

(j) Chestnut downy

mildew (*Phytophthora* *katsurae*)

(k) Black pod of cocoa (*Phytophthora* *megakarya*)

Post-entry quarantine for a period of one year

Subject to the recommendation, supervision, monitoring and testing by the Director, CPCRI, Kasaragod, Kerala

(ii) Tissue-cultured plants

Certified that the tissue cultured plants produced in vitro are obtained from mother stock tested and maintained free from cocoa viruses by appropriate authority at the country of origin.

The above conditions shall not apply

5.

Coconut (*Cocos nucifera*) & related species of *Cocoidae*

(i) Seed nuts/Seed lings/Pollen

Freedom from: a) Palm

lethal yellowing (phytoplasma) and related strains

b) Cadang cadang &

Tinangaja (viroid)

c) Lethal boll rot

(*Marasmiellus cocophilus*)

d) Red ring

(*Rhadinaphelenchus cocophilus* (palmarum))

e) South American

Palm weevil (*Rhyncophorus palmarum*)

f) Leaf minor

(*Promecotheca cumingi*)

g) Palm kernel borer (*Pachymerus* spp)

(i) The Seed nuts

shall be fumigated with methyl bromide @ 16 g/m³ for 12 hrs at 210 C under NAP at the port of entry or any other fumigant/substance in the manner approved by Plant Protection Adviser.

(ii) Post-entry quarantine in offshore island facility at Andaman & Nicobar Islands for one reproductive cycle or five years period.

Subject to the recommendation, supervision, monitoring and testing by Director, CPCRI, Kasaragod, Kerala

(ii) Embryo-cultures

Certified that the embryo cultures are obtained from seed nuts collected from mother trees tested and found free from viroids.

The above conditions shall not apply.

Same as above.

6.

Coffee (*Coffea* spp.) and related species of Rubiaceae

(i) Seeds (beans) & berries (freshly harvested)/Grafts/ Bud wood/ Seedlings/Rooted cuttings.

Freedom from: (a)

American leaf spot (*Mycena citricolor*, syn. *Omphalia flavida*)

(b) Coffee berry

disease (*Colletotrichum coffeanum* var. *virulens*)

(c) Tracheomycosis

(*Gibberella xylariodes*, syn *Fusarium xylarioids*)

(d) Powdery rust

(*Hemeleia coffeicola*)

(e) Halo blight

(*Pseudomonas syringae* pv. *garcae*)

(f) Leaf spot

(*Pseudomonas cichorii*)

(g) Phloem necrosis

(*Phytomonas leptovorum*)

(h) Coffee viruses

(coffee ringspot, leaf rugosity, leaf curl, leaf crinkle and mosaic viruses)

(i) Coffee berry

borers (*Hypothenemus hampei*, *Sophronica ventralis*)

(j) Coffee thrips (*Diarthrothrips coffeae*)

Post-entry quarantine for One year period.

Subject to the recommendation, supervision,

monitoring and testing by the Director, Central Coffee Research Institute, Balehonnur, Chikmagalur (Karnataka).

(ii) Tissue cultured plants

Certified that the tissue cultured plants tested virus-free

The above condition shall not apply.

Same as above.

7.

Cotton (*Gossypium* spp.)

Seeds for sowing

(i) Freedom from: (a)

Witches broom (*Collectotrichum gossypii* var. *cephalosporioides*)

(b) Bacterial blight

(*Xanthomonas campestris* pv. *malvacearum* (African strain)

(c) (*Anthonomus*

grandis & other *Anthonomus* spp.)

(d) Seed bruchids (*Amblycerus* spp., *Megacerus*

spp., *Spermophagus* spp.)

(i) The seed shall be

given acid delinting treatment at the country of origin prior to shipment

(ii) The seed shall be fumigated with suitable

fumigant at the country of origin and treatment to be endorsed on phytosanitary certificate.

Subject to the recommendation, supervision,

monitoring and testing by Director, Central Cotton Research

Institute, Nagpur, (Maharashtra).

8.

Forest plant species (i) Chestnut (*Castanea* spp.)

(i) Seeds/Fruits/ Grafts and other planting material

Freedom from: Chestnut blight or canker

(*Cryphonectria* (*Endothia*) *parasitica*)-American strain

Post-entry quarantine for a period of one year.

Subject to the recommendation, supervision,

monitoring and testing by Director, Forest Research Institute,

Dehradun or any other research institute under Indian Council of

Forestry Research and Education.

(ii) Elm (*Ulmus* spp.)

(i) Seeds/Plants

Freedom from: (a)

Dutch elm disease (*Ceratocystis ulmi*) - American and European strains

(b) Elm mottle virus,

(c) Elm bark beetles

(*Scolytidae*)

(d) White -banded elm

leaf hopper (*Scaphoidous luteolus*) -Vector of Elm phloem necrosis

(e) Seed Bruchid (*Bruchidius* spp.)

(i) Post-entry

quarantine for a period of one year.

(ii) Fumigation of planting material prior to dispatch at the country of origin and the treatment shall be endorsed on the Phytosanitary certificate.

Subject to the recommendation, supervision, monitoring and testing by Director, Forest Research Institute, Dehradun or any other research institute under Indian Council of Forestry Research and Education

(iii) Oak (*Quercus* spp.)

(i) Seeds/Plants

Freedom from: (a) Oak

wilt (*Ceratocystis fagacearum*)

(b) Oak bark beetles

(*Pseudopityophthorus* spp.)

(c) Seed Bruchids (*Bruchidius* spp.)

(i) Post-entry

quarantine for a period of one year.

(ii) Fumigation of planting material prior to dispatch at the country of origin and the treatment shall be endorsed on the phytosanitary certificate

Subject to the recommendation, supervision, monitoring and testing by Director, Forest Research Institute, Dehradun or any other research institute under Indian Council of Forestry Research and Education

(iv) Pine (*Pinus* spp.) and other coniferous species

(i) Seeds/Plants

(i) Freedom from: (a)

Pine rusts (*Stalactiform* blister rust (*Cronartium coleosporioides*), *Comandra* blister rust (*C. comandrae*), sweet fern blister rust (*C. comptoniae*); Southern fusiform rust (*C. fusiforme*))

(b) Western gall rust

(*Endocronartium harknessii*)

(c) Brown spot needle

blight (*Mycosphaerella dearnesii*, syn. *Scirrhia acicola*)

(d) Seedling die-back

and pitch canker (*Fusarium moniliforme* f.sp. *subglutinans*).

(e) Needle cast

(*Lophodermium* spp.)

(f) Pine wood

nematode (*Bursaphelenchus xylophilus*)

(g) Seed chalcid

(*Eurytoma sciromatis*)

(h) Seed Bruchids (*Bruchidius* spp.)

i) Post-entry

quarantine for a period of one year.

ii) Fumigation of planting material prior to dispatch at the country of origin and the treatment shall be endorsed on the phytosanitary certificate.

Subject to the recommendation, supervision,

monitoring and testing by Director, Forest Research Institute,
Dehradun or any other research institute under Indian Council of
Forestry Research and Education

(v) Poplar *Populus* spp.)

(i) Stem cuttings/Plants

Freedom from: (a)

Hypoxyton canker (*Hypoxyton mammatum*)

(b) Poplar rust

(*Melampsora medusae*)

(c) Septoria canker

of poplar (*Mycosphaerella populorum*, syn. *Septoria musiva*)

(d) Gummosis (*Eutypa*

armeniaceae)

(e) Poplar mosaic virus

Post-entry quarantine for a period of one year.

Subject to the recommendation, supervision,

monitoring and testing by Director, Forest Research Institute,

Dehradun or any other research institute under Indian Council of

Forestry Research and Education

(vi) Walnut (*Juglans* spp.)

(i) Seeds (nuts)/Plants

Freedom from: (a)

Bacterial blight (*Xanthomonas juglandis*)

(b) Bark canker

(*Erwinia nigrifluens*)

(c) Gummosis (*Eutypa*

armeniaceae)

(d) Codling moth (*Carpocapsa pomonella*)

Post-entry quarantine for a period of one year

Subject to recommendation, supervision,

monitoring and testing by Director, Forest Research Institute,

Dehradun or any other research institute under Indian Council of

Forestry Research and Education.

9.

Groundnut (*Arachis* spp.)

Seeds/Stem Cuttings/Plants

Free from (a) Scab

(*Sphaceloma arachidis*)

(b) Bacterial wilt

(*Burkholderia solanacearum*) (African strains)

(c) Peanut stripe

virus

(d) Peanut stunt

virus

(e) Tobacco streak

virus

(f) Seed Bruchid

(*Stator pruininus*)

(g) Testa Nematode (*Aphelenchoides arachidis*)

(i) Post-entry

quarantine for a period of 6 weeks

(ii) Permitted to import only as decorticated seeds.

Subject to the recommendation, supervision, monitoring and testing by Director, National Research Center on Groundnut, Junagadh, Gujarat State and Director General, International Crops Research Institute for Semi-Arid Tropics, Patancheru, Andhra Pradesh State.

10.

Potato (*Solanum tuberosum*) and other tuber bearing species of Solanaceae

(i) Tubers and other planting material

Freedom from: (a)

Potato tuber nematode (*Ditylenchus destructor*)

(b) Stem and bulb

nematode (*Ditylenchus dipsaci*)

(c) Potato cyst

nematodes [*Globodera* (*Heterodera*) *rostochiensis* & *Globodera pallida*]

(d) Gangrene (*Phoma*

exigua var. *foveata*)

(e) Potato wart

(*Synchytrium endobioticum*)

(f) Potato smut

[*Thecaphora* (*Angiosorus*) *solani*]

(g) Bacterial ring

rot (*Clavibacter michiganensis* subsp. *sepedonicus*)

(h) Potato purple-top

wilt & stolbur phytoplasmas

(i) Potato viruses

viz. Andean potato latent, Andean potato mottle, Arracacha B virus, Potato deforming mosaic, Potato T (capillo virus), Potato yellow dwarf, Potato yellow vein, Potato calico strain of Tobacco ring spot virus, Potato strain of Tobacco streak virus

(j) Colorado potato

beetle (*Leptinotarsa decemlineata*)

(k) Andean potato weevil (*Premnotrypes* spp.)

Post-entry quarantine for a period of two growth seasons.

Subject to the recommendation, supervision, monitoring and testing by Director, Central Potato Research Institute, Simla, Himachal Pradesh.

(ii) True seed/ micro tubers (in vitro) of potato/ tissue-cultured plants

The true seed/micro-tubers (in vitro) of potato are obtained from plants tested and certified free from viruses and viroids of potato and other tuber bearing Solanaceous plant species.

The above condition shall not apply.

Import subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture

11.

Rice (*Oryza sativa*)

(i) Seeds for sowing

(i) Freedom from: (a)

Granary weevil (*Sitophilus granarius*)

(b) Sheath brown rot

(*Pseudomonas fuscovaginae*)

(c) Seedling rot

(*Pseudomonas glumae*)

(d) Bacterial halo

blight (*Pseudomonas syringae* pv. *Oryzae*)

(e) Quarantine Weed Seeds

Seed soaking overnight and hot water treatment

at 52°C for 10 minutes.

(a) Approval of

Department of Agriculture, Cooperation and Farmers Welfare,
Ministry of Agriculture as per provisions of New Policy on Seed
Development (NPSD), 1988.

(b) Subject to the recommendation, supervision,
monitoring and testing by Director, NBPGR, New Delhi/Director,
Directorate of Rice Research, Hyderabad.

12.

Rubber (*Hevea* spp.)

Seed/Saplings/Bud wood.

(i) Freedom from: (a)

South American leaf blight (SALB) (*Microcyclus ulei* syn.
Dothidella ulei)

(b) Shot hole borer (*Xyleborus ferrugineus*)

(i) Post-entry

quarantine for a period of one year.

(ii) The consignment of seed and other planting
material shall be treated with suitable systemic fungicide prior
to dispatch of the consignment at the country of origin and the
treatment shall be endorsed on phytosanitary certificate.

Subject to the recommendation, supervision,
monitoring and testing by the Director, Rubber Institute,
Kottayam, (Kerala).

13.

Sugarcane (*Saccharum* spp.)

(i) Cuttings of setts for planting

Freedom from: (a)

Fiji virus of sugarcane

(b) Gummosis

(*Xanthomonas vasculorum*)

(c) Sugarcane white
leaf (phytoplasmas)

(d) Sereh

(e) Sugarcane downy

mildew (*Peronosclerospora sacchari*)

(f) Mottled stripe

(*Pseudomonas rubrisubalbicans*)

(g) Sugarcane viruses

viz. bacilliform, mild mosaic, mosaic & streak

(h) American sugarcane borer (*Diatraea saccharalis*)

(i) Growing of

consignment under Post entry quarantine for a period of one year.

(ii) Hot water

treatment of dormant sets at 52°C for 20 min. followed by dipping in systemic fungicide solutions viz. Benlate at 0.2% just prior to planting.

(iii) All packages and packing material shall be disposed off by burning.

Subject to the recommendation, supervision, monitoring and testing by Director, Sugarcane Breeding Institute, Coimbatore (Tamil Nadu).

(ii) True seed or fuzz

As stated above at (b) and (e)

(iv) Hot water treatment of fuzz at 58°C for 5 min. in water with 50 ppm Tween-20 followed by a short dip in a 10 ppm solution of suitable fungicide just before sowing.

As above

(iii) Tissue cultured plants

Certified that the tissue cultured plants tested and found virus-free

The above conditions (i) to (iv) shall not apply

As above.

14.

Sweet potato (*Ipomoea* spp.)

(i) Stem (vine) cuttings rooted or un-rooted/tubers

Freedom from: (a)

Scab (*Elsinoe batatas*)

(b) Scurf

(*Monilochaetes infusans*)

(c) Foot rot

(*Plenodomus destruens*)

(d) Soil rot

(*Streptomyces ipomoeae*)

(e) Bacteria wilt

(*Pseudomonas batatae*)

(f) Sweet potato

viruses viz. Russet crack; feathery mottle; internal cork; chlorotic leaf spot; vein mosaic; mild mottle and yellow dwarf, vein clearing; chlorotic stunt; Sheffield's virus A and B etc.

(g) Sweet potato

witches' broom (phytoplasmas)

(h) Seed bruchid (*Mimosastes mimosae*)

(i) Post-entry

quarantine for one growth season.

(ii) Free from soil.

Subject to the recommendation, supervision,

monitoring and testing by Director, Central Tuber Crops Research Institute, Sreekaryam (Kerala).

(ii) True seed/ Tissue-cultured plants

Certified that the true seed/tissue-cultured plants are obtained from mother stock indexed or tested and maintained free from viruses and viroids of potato and other tuber bearing Solanaceous plant species.

The above conditions shall not apply.

Same as above.

15.

Tobacco (*Nicotiana* spp.)

(i) Seed for sowing

Freedom from: (a)

Blue mould (*Peronospora tabacina*)

(b) Broomrape

(*Orobanche cumana*)

(c) Tobacco cyst nematode (*Heterodera tabacum*)

Post-entry quarantine for a period of one growth season.

Subject to the recommendation, supervision, monitoring and testing by Central Tobacco Research Institute, Rajahmundry (AP)

16.

Wheat (*Triticum* spp.)

(i) Seeds for sowing

(i) Freedom from: (a)

Dwarf bunt (*Tilletia contraversa*)

(b) Ergot (*Claviceps*

purpurea)

(c) Spike rot

(*Pseudomonas atrofaciens*)

(d) Granary weevil

(*Sitophilus granarius*)

(e) Quarantine Weed Seeds

Post-entry quarantine for one growth season.

(b) Subject to the recommendation, supervision, monitoring and testing by Director, NBPGR, New Delhi/Director, Directorate of Wheat Research, Karnal.

(a) Approval of Department of Agriculture, Cooperation and Farmers Welfare, Ministry of Agriculture as per provisions of New Policy on Seed Development (NPSD), 1988.

17.

Yam (*Dioscorea* spp)

(i) Tubers for planting or propagation

(i) Freedom from: (a)

Yam mosaic virus/green banding virus

(b) Crown gall

(*Agrobacterium tumefaciens*)

(c) Weevil (*Palaeopus* spp.)

(i) Growing of

consignment under Post entry quarantine for one growth season.

(ii) Hot water treatment of tubers at 52°C for 30 minutes followed by chemical dip in fensulphation at 0.125% for 10-15 min. before planting.

Subject to the recommendation, supervision, monitoring and testing by Director, Central Tuber Crops Research Institute, Sreekaryam (Kerala).

(ii) Tissue cultured plants

(ii) Certified that the tissue cultured plants produced from virus-free mother stock.

The above conditions shall not apply.

Same as above.

VI

[See clauses 3(3) & (6), 10(i), (ii) & (iii) and 11(3)]

List of plants/plant materials permitted to be imported with additional declarations and special conditions (Consolidated upto Seventh Amendment 2017, dated 24th August, 2017)

Sl. No.

Plant species

Category of plant Material

Country of Origin

Additional declarations required to be incorporated into Phytosanitary Certificate

Special conditions of import

(1)

(2)

(3)

(4)

(5)

(6)

1.

Abelmoschus esculentus (Okra)

Seeds for sowing

(i) China

(ii) Italy

(iii) Philippines

(iv) Thailand

(v) Japan

(vi) Bangladesh

(vii) Malaysia

Nil

Free from quarantine weed seeds.

(viii) France

(ix) Taiwan

Free from *Phomopsis longicolla* (*phomopsis* seed decay)

Free from quarantine weed seeds.

(x) USA

Free from:

(a) *Phomopsis*

longicolla

(b) *Helicoverpa zea*

(c) *Cercospora abelmoschi*

(i) Free from

quarantine weeds seeds

(ii) Free from soil

contamination

(iii) Seed crop inspection and certification for

free from (a) by a competent authority at the country of origin.

2.

Abies spp. (Firwood)

(i) Wood with/without bark

Europe (except Portugal)

Free from:

(a) *Ips typographus*

(Spruce bark beetle)

(b) *Pityogenes*

chalcographus (Bark beetle, six dentated)

(c) *Tomicus piniperda* (Pine beetle)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or

equivalent thereof or any other treatment approved by Plant

Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin or

re-export.

(ii) Wood without bark

North America

Free from :

(a) *Dendroctonus*

rufipennis (Spruce beetle)

(b) *Dioryctria*

abietivorella (Fir coneworm)

(c) *Dryocoetes*

confusus (Western balsam bark beetle)

(d) *Pityokteines*

sparsus (Balsam fir bark beetle)

(e) *Polygraphus*

rufipennis (Foureyed spruce bark beetle)

(f) *Tomicus piniperda*

(Beetle, pine)

(g) *Bursaphenchus xylophilus* (Pine wood

nematode)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or

equivalent thereof or heat treatment at 56°C (core temperature)

for 30 minutes or any other treatment approved by Plant

Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of

origin/re-export.

3.

Abutilon hybridum

Seeds for sowing

(i) Asia

(ii) Europe

(iii) USA

Nil

Free from quarantine weed seeds.

4.

Acacia spp. (Wattles)

Seeds for sowing

Australia

Free from:

(a) Pantomorus

cervinus (rose beetle)

(b) Atelocauda

digitata

(c) Fusarium oxysporum f. sp. passiflorae

Free from quarantine weed seeds.

5.

Acacia auriculiformis

Seeds for sowing

Australia

Nil

Free from quarantine weed seeds.

6.

Acacia mangium

Seeds for sowing

Australia

Nil

Free from quarantine weed seeds.

7.

Acer spp.

Tissue cultured plants

Canada

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Xylella

fastidiosa (Pierce's disease of grapevines)

(b) Sowbane mosaic virus

Nil

8.

Achillea spp.

Seeds for sowing

Europe

Nil

Free from quarantine weed seeds.

9.

Achillea millefolium

Dry flowers for decoration

Thailand

Nil

Free from quarantine weed seeds.

10.

Aconitum heterophyllum (Atees)

Dried roots for consumption

Pakistan

Nil

Free from soil and other plant debris

11.

Aconitum napellus

Dry plant material (All plant parts) for medicinal purpose

China

Nil

Free from quarantine weed seeds.

12.

Actea spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

13.

Actinidia spp. (Kiwi fruit)

Budwoods/plants for propagation

USA

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Epiphyas*

postvittana (apple moth)

(c) *Platynota*

stultana (leaf roller)

(d) *Armillaria mellea*

(armillaria root rot)

(e) *Calonectria*

crotalaria

(f) *Phaeoacremonium*

aleophilum

(g) *Phytophthora*

cryptogea (foot rot)

(h) *Pseudomonas*

viridiflava

(i) *Rhizobium rhizogenes* (bacterial gall)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month

14.

Actinidia arguta (Kiwi berry)

Fresh Fruits for consumption

New Zealand

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Paracoccus*

caraticus (mealy bug)

(c) *Pseudococcus*

calseolariae (*Citrophilus* mealybug)

(d) *Botryosphaeria*

dothidea (*Dothierella* rot)

(e) *Diaporthe*

actinidae (*Phomopsis* rot)

(f) *Diaporthe*

perniciosa (*phomopsis* canker)

(g) *Phytophthora cryptogea* (Tomato foot rot).

Nil

15.

Actinidia chinensis and *A. deliciosa* (Kiwi)

(i) Fruits for consumption

(i) Italy

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Pseudomonas*

syringae pv. *Actinidiae* (bacterial canker of kiwifruit)

(d) *Pseudomonas viridiflava* (bacterial leaf

blight of tomato)

(i) Pest-free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(ii) Methyl bromide

fumigation @ 32 g/m³ for 3 ½ hrs at 21°C or above or equivalent thereof or

(iii) Pre-shipment/In-transit cold treatment at

0°C or below for 13 days; 0.55°C or below for 14 days; 1.10°C or below for 18 days plus in-transit refrigeration against

Mediterranean fruit fly.

(ii) Iran

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Pseudomonas viridiflava* (bacterial leaf

blight of tomato)

Nil

(iii) New Zealand

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Paracoccus*
cavaticus (mealy bug)
(c) *Pseudococcus*
calceolariae (citrophilus mealy bug)
(d) *Botryosphaeria*
dothidea (*Dothierella* rot)
(e) *Diaporthe*
actinidae (*Phomopsis* rot)
(f) *Diaporthe*
perniciosa (*Phomopsis* canker)
(g) *Phytophthora cryptogea* (tomato foot rot)
Nil

(iv) Chile

Free from:

(a) *Aspidiotus nerii*
(*aucuba* scale)
(b) *Trialeurodes*
vaporariorum (glasshouse whitefly)
(c) *Brevipalpus*
chilensis
(d) *Pseudomonas syringae* pv. *actinidiae*
(bacterial canker of Kiwi fruit)
Nil

(v) France

Free from:

(a) *Aspidiotus nerii*
(*aucuba* scale)
(b) *Ceroplastes rusci*
(fig wax scale)
(c) *Lobesia botrana*
(grape berry moth)
(d) *Pseudomonas*
viridiflava (bacterial leaf blight of tomato)
(e) *Phytophthora cryptogea* (tomato foot rot)
Methyl bromide fumigation @ 32 g/m³ for 3½
hrs at 21°C or above or equivalent thereof or pre-shipment cold
treatment at 1.11°C to 4.44°C for 4 days or 5.00°C to 8.33°C for 6
days against grape berry moth.

(vi) Australia

Free from:

(a) *Aspidiotus nerii*
(*aucuba* scale)
(b) *Helix aspersa*
(common snail)
(c) *Phaeoacremonium*
aleophilum (Petri disease)
(d) *Phytophthora*
cryptogea (tomato foot rot)
(e) *Pseudomonas viridiflava* (bacterial leaf
blight of tomato)
Nil

(vii)Greece

Free from:

a) Aspidiotus nerii

(aucuba scale)

b) Botryosphaeria

dothidea (canker of almond)

c) Ceratitis capitata

(Mediterranean fruit fly)

d) Lobesia botrana

(grape berry moth)

e) Phytophthora

cryptogea (tomato foot rot)

f) Pseudomonas viridiflava (bacterial leaf

blight of tomato (USA))

Pre-shipment cold treatment at 00C or below for

13 days or above; 0.550C or below for 14 days or above; 1.10C or

below for 18 days or above plus in-transit refrigeration or

Methyl bromide fumigation @ 32 g/m³for 3 ½ hrs at 210C or

above or equivalent thereof. The treatment should be endorsed on

Phytosanitary Certificate issued at the countryof

origin/re-export.

(ii) Plant for propagation

Thailand

Nil

(i) Post-entry

quarantine growing for a period of 10-12 months

(ii) Free from soil.

(iii)Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers

Welfare

(iii) Budwoods/plants for propagation

USA

Free from:

(a) Aspidiotus nerii

(aucuba scale)

(b) Epiphyas

postvittana (apple moth)

(c) Platynota

stultana (leaf roller)

(d) Armillaria mellea

(armillaria root rot)

(e) Calonectria

crotalaria

(f) Phaeoacremonium

aleophilum

(g) Phytophthora

cryptogea (foot rot)

(h) Pseudomonas

viridiflava

(i) Rhizobium rhizogenes (bacterial gall)

(ii) Free from soil

(iii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iv) Post-entry quarantine growing for a period
of 6-9 month.

16.

Adiantum spp. (*Adiantum*)

Plants for propagation

Asia

Nil

Post-entry quarantine growing for 45 days
period.

17.

Adonis vernalis

(i) Seeds for sowing

Germany

Nil

Free from quarantine weeds seeds

18.

Aeschynomene falcata/ *Aeschynomene americana*

(Joint vetch)

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

19.

Agapanthus spp.

(i) Plants for propagation

Netherlands

Nil

Post-entry quarantine growing for 45 days
period.

(ii) Tissue cultured plants

(i) Italy

(ii) New Zealand

(iii) UK

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from nematode
X potyvirus

Nil

(iv) France

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from:

(a) Tomato spotted
wilt virus

(b) *Odontoglossum*
ring spot virus

(c) *Impatiens*
necrotic spot virus

(d) Cacao yellow

mosaic virus

(f) Arabis mosaic virus

Nil

(v) Australia

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from tomato
spotted wilt virus

Nil

(vi) Any country except Italy, New Zealand, UK,
France, Australia

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

20.

Agastache spp.

(i) Tissue culture plants

(i) Australia

Certified that the tissue culture plants were
obtained from mother stock tested and maintained free from Nerine
latent virus.

Nil

(ii) Costa Rica

(iii) USA

Certified that the tissue culture plants were
obtained from mother stock tested and maintained free from any
virus.

Nil

21.

Agave spp.

Tissue cultured plants

(i) Finland

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from cactus
X virus.

Nil

(ii) Any country except Finland

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

22.

Agave sisalana (Sisal)

(i) Suckers/Plants for propagation

USA

Free from

(a) Siphophorus

acupunctatus

(b) Cactus virus X

(i) Free from soil.

(ii) Post-entry quarantine growing for 6-9 month

(ii) Seeds for sowing

(i) Brazil

(ii) Mexico

Nil

Free from quarantine weed seeds.

23.

Ageratum spp.

Seeds for sowing

(i) Australia

(ii) Europe

Nil

Free from quarantine weed seeds.

24.

Agropyron cristatum (Crested wheat grass)

Seeds for sowing

USA

Free from *Pseudomonas syringae* pv. *atropurpurea*

Free from quarantine weed seeds.

25.

Agrostis stolonifera (Creeping bentgrass)

Seeds for sowing

USA

Free from:

(a) *Anguina agrostis*

(bentgrass nematode)

(b) *Monographella*

nivalis (foot rot: cereals)

(c) *Sclerotinia homoeocarpa* (dollar spot: grasses)

Free from quarantine weed seeds.

26.

Ajuga spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

27.

Albizia lebbbeck (Acacia)

Plants for propagation

(i) Asia

Nil

Post-entry quarantine growing for 45 days period.

(ii) USA

Free from *Pleiochaeta setosa* (lupin leaf spot)

Post-entry quarantine for a period of 45 days.

28.

Alcea spp. (Hollyhock)

Seeds for sowing

(i) USA

(ii) Europe

(iii) Asia

Nil

Free from quarantine weed seeds.

29.

Alchemilla spp. (Lady's mantle)

Seeds for sowing

Europe

Nil

Free from quarantine weeds seeds.

30.

Allamanda spp. (*Allamanda*)

Plants for propagation

Any Country

Nil

Post-entry quarantine growing for 45 days period.

31.

Allium species (Onion, garlic, leek, shallot, etc.)

(i) Seeds/bulbs for sowing or planting

Any Country

Free from:

(a) Smut (*Urocystis cepulae*)

(b) Slippery skin

(*Pseudomonas cepacia*)

(c) Dry rot

(*Embellisia allii*)

(d) Marginal necrosis

(*Pseudomonas arginalis* pv. *marginalis*)

(e) Pod and stem

blight (*Phomopsis longicolla*)

(f) Stem and bulbs

nematode (*Ditylenchus dipsaci*)

(g) Onion maggot (*Hylemia antiqua*)

Free from soil.

(ii) Bulbs for consumption

Any Country

Free from:

(a) Smut (*Urocystis cepulae*)

(b) Dry rot

(*Embellisia allii*)

(c) Stem and bulbs

nematode (*Ditylenchus dipsaci*)

(d) Onion maggot (*Hylemia antiqua*)

Fumigation with Methyl bromide at 16 g/m³ for 12

hrs. at 21°C and above or equivalent or any other treatment

approved by the Plant Protection Adviser to the Government of

India and the treatment should be endorsed on Phytosanitary

Certificate issued at the Country of Origin/re-export.

(iii) Tissue cultured plants

(i) Israel

(ii) USA

(iii) Netherlands

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from Iris yellow spot virus

Nil

(iv) Italy

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from leek white stripe virus

Nil

(v) Argentina

(vi) Australia

(vii) New Zealand

(viii) Germany

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from leek yellow stripe virus

Nil

(ix) Any country except Israel, USA, Netherlands, Italy, Argentina, Australia, New Zealand, Germany

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

32.

Allium schoenoprasum (Chive)

Seeds for sowing

France

Nil

Free from soil and quarantine weed seeds.

33.

Alnus spp. (Alder)

Wood with/without bark

(i) USA

Free from Rosalia funebris (Alder banded borer)
Fumigation with Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or any other treatment duly approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Europe

Nil

Fumigation with Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

34.

Alocasia spp.

Tissue cultured plants

(i) Cook Island,
(ii) Fiji,
(iii) Solomon
Islands,

(iv) Vanuatu

(v) Western Samoa

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from taro
bacilliform virus

Nil

(vi) Any country except Cook Island, Fiji,
Solomon Islands, Vanuatu and Western Samoa

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

35.

Aloe vera

(i) Plants for propagation

(i) USA

(ii) Europe

Nil

Post-entry quarantine growing for a period of 45
days.

(ii) Tissue cultured plants

Any Country

Certified that the tissue cultured plants
obtained from mother stock tested and maintained free from
viruses.

Nil

36.

Alpinia spp.

Tissue cultured plants

(i) Taiwan

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from
alpinia mosaic virus.

Nil

(ii) Any country except Taiwan

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

37.

Alpinia galangal (Galanga)

Vegetable for consumption

Thailand

Free from *Pseudococcus jackbeardsleyi* (Jack
beardsley mealybug)

Nil

38.

Alpinia katsumadai

Dried fruits for consumption

(i) China

(ii) South-Korea

Nil

Free from soil and other plant debris.

39.

Alstromeria spp.

(i) Plants for propagation

The Netherlands

Free from:

(a) Arabis mosaic

virus (hop bare-bine)

(b) Freesia mosaic

virus

(c) Tobacco rattle virus (spraying of potato)

Post-entry quarantine growing for a period of 45 days.

(ii) Tissue cultured plants

(i) Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from tomato spotted wilt virus.

Nil

(ii) UK

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Arabis mosaic

virus

(b) Tobacco rattle virus

Nil

(iii) Any country except UK, Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

(iv) The Netherlands

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Arabis mosaic

virus (hop bare-bine)

(b) Freesia mosaic

virus

(c) Tobacco rattle virus (spraying of potato)

Nil

40.

Alternanthera ocipus

(i) Plants for propagation

Japan

Nil

(i) Free from soil and other plant debris.

(ii) Post-entry quarantine for a period of 60 days.

(ii) Tissue culture plants

Japan

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

41.

Althaea spp.

Seeds for sowing

Australia

Nil

Free from quarantine weeds seeds.

42.

Alyssum spp. (Alyssum)

Seeds for sowing

(i) Asia

(ii) Europe

(iii) USA

Nil

Free from quarantine weed seeds.

43.

Amaranthus spp.

Seeds for sowing

Japan

Free from tobacco rattle virus (spraying of potato)

(i) Free from soil and quarantine weed seeds.

(ii) Crop inspection and certification for free from tobacco rattle virus.

44.

Amaranthus caudatus (Amaranthus)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Australia

Free from Strawberry latent ring spot-Naphovirus

(i) Free from quarantine weed seeds.

(ii) Crop inspection and certification for Free from strawberry latent ring spot virus

(iv) Asia

Nil

Free from quarantine weed seeds.

45.

Amaryllis spp.

Tissue cultured plants

(i) Netherlands

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from:

- (a) Tomato spotted wilt virus
- (b) Narcissus mosaic virus
- (c) Hippeastrum mosaic virus

Nil

(ii) Thailand

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from hippeastrum mosaic virus

Nil

(iii) Any country except Netherlands, Thailand

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

(ii) Bulbs for propagation purpose

Netherlands

Free from:

- (a) *Opogona sacchari* (Banana moth)
- (b) *Pectobacterium rhamptonii* (rhamptonii crown rot)

(i) Post-entry

quarantine for one growth season

(ii) Free from soil

46.

Anacardium spp. (Cashew)

Grafts/budwoods/plants for propagation

Brazil

Free from:

- (a) *Aleurodicus* cocoas (whitefly)
 - (b) *Bemisia tabaci* (whitefly)
 - (c) *Selenaspidus articulatus* (red scale)
- (i) Free from soil.
- (ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month except for research

47.

Ananas comosus (Pine apple)

(i) Plants (suckers) for propagation

(i) USA

Free from:

- (a) *Aspidiotus nerii* (aucuba scale)
- (b) *Hercinothrips*

femoralis (banded greenhouse thrips)

(c) *Opogona sacchari*

(banana moth)

(d) *Protaetia fusca*

(mango flower beetle)

(e) *Pseudococcus*

jackbeardsleyi (Jack Beardsley mealybug)

(f) *Pyroderces rileyi*

(corn, worm, pink)

(g) *Thecla basilides*

(fruit-borer caterpillar)

(h) *Unaspis citri* (citrus snow scale)

(i) Commercial

imports permitted subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Post-entry quarantine growing for a period of 45 days.

(ii) Europe

Free from: *Opogona sacchari* (banana moth)

(iii) Mexico

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Diaspis*

boisduvalii (scale)

(c) *Euetheola*

bidentata

(d) *Metamasius*

hemipterus (cane weevil)

(e) *Paracoccus*

marginatus (mealybug)

(f) *Phenacoccus*

madeirensis

(g) *Pseudococcus*

jackbeardsleyi

(h) *Rhizoecus*

americanus

(i) *Rhynchophorus*

palmarum

(j) *Thecla basilides*

(fruit-borer)

(k) *Tmolus echion*

(l) *Unaspis citri* (citrus snow scale)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 3-4 month except for research

(iv) Philippines

Free from:

- (a) *Exomala orientalis* (oriental beetle)
- (b) *Metamasius hemipterus* (cane weevil)
- (c) *Acetobacter aceti*
- (d) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)
- (e) *Pseudomonas ananas* (leaf spot)
- (i) Free from soil.
- (ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare
- (iii) Post-entry quarantine growing for 3-4 month except for research
- (v) Thailand
- Free from:
- (a) *Dysmicoccus neobrevipes* (pineapple mealybug)
- (b) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)
- (c) *Pyroderus rileyi* (pink worm)
- (i) Free from soil.
- (ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare
- (iii) Post-entry quarantine growing for 3-4 month except for research.
- (vi) Sri Lanka
- Free from:
- (a) *Hoplolaimus pararobustus* (lance nematode)
- (b) *Xiphinema ifacolum* (dagger nematode)
- (i) Free from soil.
- (ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.
- (iii) Post-entry quarantine growing for 3-4 month except for research
- (ii) Tissue cultured plants
- Any Country
- Certified that the tissue cultured plants obtained from mother stock tested and maintained free from viruses.
- Commercial imports permitted subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.
- 48.
- Anarthria* spp.
- Tissue cultured plants
- Australia
- Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from any virus

Nil

49.

Anchusa spp.

Seeds for sowing

Europe

Nil

Free from quarantine weeds seeds.

50.

Anemone spp.

(i) Seeds for sowing

Europe

Free from tobacco rattle virus (spraying of potato)

(i) Free from soil

and quarantine weed seeds.

(ii) Crop inspection and certification for free from tobacco rattle virus.

(ii) Tissue cultured plants

(i) Israel

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus

Nil

51.

Anigozanthos sp.

(i) Plants for propagation

(i) Australia,

(ii) Germany

(iii) The Netherlands

Nil

Free from soil.

(ii) Tissue cultured plants

(i) Australia,

(ii) Germany

(iii) The Netherlands

(iv) Italy

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

(iii) Plants/cutting for propagation

Italy

Nil

(i) Post-entry

quarantine growing for a period of 10 months.

(ii) Free from soil.

52.

Annona sp. (Sugarapple)

Grafts/budwoods/plants for propagation

(i) Sri Lanka

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6 month

except for research

(ii) Mexico

Free from:

(a) *Pseudococcus*

jackbeardsleyi (Jack Beardsley mealybug)

(b) *Paracoccus marginatus* (papaya mealybug)

53.

Annona cherimola (Cherimoyer)

Grafts/budwoods/plants for propagation

Australia

Free from *Aleurodicus destructor* (coconut
whitefly)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6 month

except for research

54.

Anogeissus leiocarpus

Dry plant material for medicinal/processing
purpose

Costa Rica, Senegal, Burkano Faso

Nil

Free from quarantine weeds seeds and soil

55.

Anthium graveolens (Dill)

(i) Seeds for sowing

(i) Denmark

Nil

Nil

(ii) France

Free from *Pseudomonas viridiflava* (bacterial
leaf blight of tomato)

Free from quarantine weed seeds.

(ii) Seeds for consumption

Egypt

Nil

Free from quarantine weed seeds.

(iii) Stalk (dried) for consumption

Any country

Nil

Free from quarantine weed seeds.

56.

Anthriscus spp.

Seeds for sowing

(i) Denmark

Nil

Free from quarantine weed seeds.

(ii) France

Nil

Free from quarantine weed seeds and soil contamination.

57.

Anthurium spp. and other aroids (Anthurium, Dieffenbachia, Caladium, Syngonium, Aglaonema, Spathiphyllum, Monstera Philodendron)

(i) Cuttings/saplings for planting

Any Country

Free from Bacterial blight (Xanthomonas axonopodis pv. dieffenbachiae) Post-entry quarantine for a period of 45-60 days.

(ii) Cut flowers

Any Country

Free from Bacterial blight (Xanthomonas axonopodis pv. dieffenbachiae)

Nil

(iii) Tissue cultured plants

Any Country

Certified that the tissue cultured plants produced from stock tested and maintained virus-free.

Nil

(i) Philodendron spp.

Tissue cultured plants

(i) Egypt

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

(ii) Japan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from konjak mosaic virus

Nil

(iii) Denmark

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from tobacco necrosis virus

Nil

(iv) Czech Republic

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from impatiens necrotic spot tospovirus

Nil

(v) Any country except Czech Republic, Denmark, Japan, Egypt

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

(ii) *Spathiphyllum* spp.

Tissue cultured plants

(i) Slovenia

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Tomato spotted

wilt virus

(b) *Impatiens* necrotic spot virus

Nil

(ii) Italy

(iii) Czech Republic

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

impatiens necrotic spot virus

Nil

(iv) Any country except Italy, Czech Republic,

Slovenia

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

(iii) *Syngonium* spp.

Tissue cultured plants

(i) USA

(ii) Europe

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) *Impatiens*

necrotic spot virus

(b) Tomato spotted wilt virus

Nil

(iii) Any country except USA, Europe

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

58.

Antidesma bunioides (Bignay)

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period

of 6-9 months.

59.

Antirrhinum spp.

Seeds for sowing

Japan

Nil

Free from quarantine weed seeds and soil.

Antirrhinum majus (*Antirrhinum*)

Seeds for sowing

(i) Australia

Free from:

(a) *Colletotrichum*

antirrhini (*Anthrachnose*)

(b) *Puccinia antirrhini* (*Rust*)

Free from quarantine weed seeds.

(ii) Europe (except UK)

Free from *Colletotrichum antirrhini*

(*Anthrachnose*)

Free from quarantine weed seeds.

(iii) Guatemala

Nil

Free from quarantine weed seeds.

(iv) U.K.

Free from:

(a) *Heteropatella*

antirrhini (*Leaf spot*)

(b) *Phyllosticta*

antirrhini (*Stem root*)

(c) *Pseudomonas ananas* (*Bacterial leaf spot*).

Free from quarantine weed seeds.

(v) USA

Free from :

(a) *Colletotrichum*

antirrhini (*Anthrachnose*)

(b) *Heteropatella*

antirrhini (*Leaf spot*)

(c) *Phyllosticta*

antirrhini (*Stem root*)

(d) *Puccinia antirrhini* (*Rust*)

Free from quarantine weed seeds.

60.

Anubias barteri

(i) Plants for propagation

Thailand

Nil

(i) Free from soil

and other plant debris.

(ii) Post entry quarantine for a period of 60 days.

(ii) Tissue culture plants

Thailand

Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from any virus.

Nil

61.

Aphelandra squarrosa

Plants for propagation

USA

Free From *Phytonemus pallidus* (strawberry mite)

Post-entry quarantine growing for a period of 45 days.

62.

Apium graveolens (Celery)

(i) Seeds for consumption

Any country

Nil

Free from soil and quarantine weed seeds

(ii) Seeds for sowing

(i) Denmark

Free from *Ditylenchus dipsaci* (stem and bulb nematode)

(i) Free from soil contamination

(ii) Seed crop inspection and certification for free from *Ditylenchus dipsaci* (stem and bulb nematode) by a competent authority at the country of origin

(ii) France

Free from:

(a) *Ditylenchus dipsaci* (stem and bulb nematode)

(b) *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

(c) Arabis mosaic virus

(d) Peanut stunt virus

(e) Strawberry latent ringspot virus

(i) Free from quarantine weed seeds.

(ii) Crop inspection and certification for free from Arabis mosaic virus, Peanut stunt virus and Strawberry latent ringspot virus

(iii) Italy

Free from:

(a) *Ditylenchus dipsaci* (stem and bulb nematode)

(b) *Sclerotinia minor* (*Sclerotinia* disease of lettuce)

(c) *Pseudomonas viridiflava*

(d) Arabis mosaic virus

(e) Celery latent virus

- (f) Celery mosaic virus
- (g) Chicory yellow mottle virus
- (h) Peanut stunt virus
- (i) Strawberry latent ringspot virus
- (i) Free from soil contamination
- (ii) Seed crop inspection and certification for free from (d) to (i) by a competent authority at the country of origin
- (iv) Japan
Free from:
 - (a) *Ditylenchus dipsaci* (stem and bulb nematode)
 - (b) *Pseudomonas viridiflava*
 - (c) Arabis mosaic virus
 - (d) Celery mosaic virus
 - (e) Peanut stunt virus
- (i) Free from soil contamination
- (ii) Seed crop inspection and certification for free from (c) to (e) by a competent authority at the country of origin
- (v) Korea DPR
Free from Peanut stunt virus
Seed crop inspection and certification for free from Peanut stunt virus by a competent authority at the country of origin
- (vi) Korea ROK
Free from:
 - (a) *Pseudomonas viridiflava* (bacterial leaf blight of tomato)
 - (b) Peanut stunt virusSeed crop inspection and certification for (b).
- (vii) Netherlands
Free from:
 - (a) *Ditylenchus dipsaci* (stem and bulb nematode)
 - (b) *Pseudomonas viridiflava*
 - (c) Arabis mosaic virus
 - (e) Celery latent virus
 - (e) Strawberry latent ringspot virus
 - (i) Free from soil

contamination

(ii) Seed crop inspection and certification for
free from (c) to (e) by a competent authority at the country of
origin

(viii) Thailand

Nil

Free from quarantine weed seeds.

(ix) USA

Free from :

(a) *Ditylenchus*

dipsaci (stem and bulb nematode)

(b) *Cercospora apii*

(*Cercospora* blight)

(c) *Fusarium*

oxysporum f.sp. *apii* (basal rot)

(d) *Sclerotinia minor*

(*Sclerotinia* disease of lettuce)

(e) *Pseudomonas*

viridiflava

(f) *Arabis* mosaic

virus

(g) Peanut stunt

virus

(h) Strawberry latent ringspot virus

(i) Free from soil

contamination

(ii) Seed crop inspection and certification for
free from (f) to (h) by a competent authority at the country of
origin

63.

Aralia spp. (*Aralia*)

Plants for propagation

Asia

Nil

Post-entry quarantine growing for 45 days
period.

64.

Arabidopsis thaliana

(i) Seeds for sowing/Seedlings for propagation

USA

Nil

Free from soil. and quarantine weed seeds

65.

Araucaria spp. (Christmas Tree)

Seeds for sowing

(i) USA

(ii) South Africa

Nil

Free from quarantine weed seeds.

66.

Archonophoenix spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any country

Nil

(i) Free from soil

(ii) Post-entry quarantine growing for a period

of 10-12 months

67.

Chimaphilla umbellata (Arctostaphylos)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Canada

Nil

Free from quarantine weed seeds and soil

contamination.

68.

Areca spp.

(i) Seeds for sowing

Any country (Except Philippines and Soloman

Island)

Free from cadang - cadang viroid

Free from quarantine weeds seeds.

(ii) Plants for propagation

Any country (Except from Africa, America,

Philippines, Caribbean, and Soloman Island countries)

Free from:-

(a) Coconut cadang

-cadang viroid

(b) Palm lethal

yellowing phytoplasma

(c) *Rhabdoscelus obscurus* (Sugarcane weevil

borer)

(i) Free from soil.

(ii) Post-entry quarantine growing for a period

of 10-12 months.

69.

Arenga spp.

(i) Seeds for sowing

Any country (Except Philippines and Soloman

Island)

Free from cadang - cadang viroid

Free from quarantine weeds seeds.

(ii) Plants for propagation

Any country (Except Philippines and Soloman

Island)

Free from:-

(a) *Artocarpus catappa*

(coconut leaf moth)
(b) Coconut
cadang-cadang viroid
(c) Rhynchophorus
vulneratus (Asiatic palm weevil)
(d) Darna diducta (nettle caterpillar)
(i) Free from soil.
(ii) Post-entry quarantine growing for a period
of 10-12 months.

70.
Armoracia rusticana (Nasturtium)
Seeds for sowing
USA
Nil
Free from quarantine weed seeds.

71.
Artemisia spp.
Plants for propagation
Israel
Nil
Post-entry quarantine for a period of 45 days.

72.
Artemisia annua
Seeds for sowing
(i) USA
(ii) Europe
(iii) Africa
Free from:
(a) Sclerotinia minor
(Sclerotinia disease)
(b) Tobacco rattle virus (Spraying of potato)
(i) Freedom from
quarantine weeds seeds.
(ii) Crop inspection and certification for
freedom from tobacco rattle virus.

73.
Artemisia dracunculus
Tissue culture plants
Canada
Certified that the tissue culture plants were
obtained from mother stock tested and maintained free from any
virus.

Nil
74.
Artocarpus spp.
(i) Plants for propagation
Thailand
Free from Coptotermes curvignathus (rubber
termite)
(i) Post-entry
quarantine growing for a period of 10-12 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

75.

Arundo donax

Tissue culture plants

(i) Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

(ii) Honduras

a. Certified that the tissue-cultured plants are obtained from motherstock indexed or tested and maintained free from any virus.

b. Plant tissue or plantlet shall be kept under aseptic or sterile condition in flasks or other suitable container on synthetic media.

Nil

76.

Asimina triloba (Paw paw)

(i) Rooted plants for propagation

USA

Free from *Orgyia leucostigma* (tussock moth)

(i) Free from soil.

(ii) Post-entry quarantine growing for a period of 2-3 months except for research.

(ii) Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period of 6-9 months.

77.

Asparagus officinalis (Asparagus)

(i) Seeds for sowing

(i) Denmark

Free from:

(a) *Arabis mosaic virus*

(b) *Asparagus virus-2*

(i) Free from soil contamination

(ii) Seed crop inspection and certification for free from (a) and (b) by a competent authority at the country of origin

(ii) Japan

Free from:

- (a) Phytophthora
cryptogea (foot rot)
- (b) Arabis mosaic
virus

(c) Asparagus virus-1

- (i) Free from soil
contamination

(ii) Seed crop inspection and certification for

Free from (b) and (c) by a competent authority at the country of
origin

(iii) USA

(iv) Russia

Nil

Free from quarantine weed seeds.

(v) The Netherlands

(vi) France

Free from:

- (a) Arabis mosaic
virus

(b) Strawberry latent ring spot virus

(i) Free from

quarantine weed seeds

- (ii) Free from soil
contamination

(iii) Seed crop inspection and certification for

free from (a) and (b) by a competent authority at the country of
origin

(vii) UK

(viii) Italy

(ix) Germany

Free from:

- (a) Arabis mosaic
virus

(b) Strawberry latent
ringspot virus

(c) Asparagus virus 1

(d) Asparagus virus 2

(i) Free from

quarantine weeds seeds

- (ii) Free from soil
contamination

(iii) Seed crop inspection and certification for

free from (a), (b), (c) and (d) by a competent authority at the
country of origin

(x) Spain

Free from:

- (a) Strawberry latent
ringspot virus

(b) Acremonium strictum

(i) Free from

quarantine weeds seeds

(ii) Free from soil

contamination

(iii) Seed crop inspection and certification

free from (a) by a competent authority at the country of origin.

(ii) Plants for propagation

(i) Asia (except Japan)

Nil

Post-entry quarantine for a period of 45 days.

(ii) Japan

Free from :

(a) Phytophthora

cryptogea (tomato foot rot)

(b) Rhizobium

rhizogenes (bacterial gall)

(c) Arabis mosaic

virus (hop bare-bone)

(d) Asparagus virus 1

Post-entry quarantine for a period of 45 days.

(iii) USA

Free from :

(a) Chrysodeixis

includens (Soybean looper)

(b) Frankliniella

tritici (Eastern flower thrips)

(c) Lygus lineolaris

(Tarnished plant bug)

(d) Peridroma saucia

(Pearly underwing moth)

(e) Spodoptera

frugiperda (Fall armyworm)

(f) Acremonium

strictum (Black bundle disease: maize)

(g) Cercospora

asparagi (leaf spot: Asparagus spp.)

(h) Fusarium

oxysporum f.sp. asparagi (Foot rot: Asparagus spp.)

(i) Fusarium

proliferatum

(j) Phytophthora

cryptogea (tomato foot rot)

(k) Pleospora

herbarum (leaf blight of onion)

(l) Pyrenochaeta

terrestris (Pink root of onion)

(m) Rhizobium

rhizogenes (Bacterial gall)

(n) Asparagus virus 1

(o) Asparagus virus 2

(p) Strawberry latent ringspot virus

Post-entry quarantine for a period of 45 days.

(iii) Vegetables for consumption

(i) Thailand

Nil

Nil

(ii) Peru

Free from :

(a) *Chrysodeixis*

includens (Soybean looper)

(b) *Peridroma saucia*

(Pearly underwing moth)

(c) *Spodoptera frugiperda* (Fall armyworm)

(a) Free from soil

and other plant debris.

(b) Fumigation with Methyl bromide @ 32 g/m³ for

2 hrs at 21°C and above under NAP and the treatment to be

endorsed on Phytosanitary Certificate.

(iii) Sri Lanka

Free from :

(a) *Peridroma saucia* (Pearly underwing moth)

(iv) Bhutan

Free from :

Quarantine weed seeds, soil and plant debris

The commodity shall

be washed with clean water before packing.

The above condition shall be endorsed on

Phytosanitary Certificate issued at the country of

origin/re-export.

78.

Asparagus racemosus (Satavari pili)

Roots for medicinal purpose

China

Nil

Free from quarantine weeds seeds and soil.

79.

Astelia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

80.

Astilbe spp.

(i) Tissue cultured plants

(i) Finland

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

strawberry ring spot virus

Nil

(ii) Any country except Finland

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

(ii) Seeds for sowing

Europe

Nil

Free from quarantine weeds seeds.

81.

Avena sativa (Oat)

(i) Grain (seed) for consumption

(i) Australia

Free from:

(a) *Cryptolestes*

ferrugineus (rusty grain beetle)

(b) *Trogoderma*

variable (grain dermestid)

(c) *Ditylenchus*

dipsaci (brown ring disease of hyacinth)

(d) *Ceratobasidium*

cereale (sharp eye spot of cereals)

(e) *Fusarium culmorum*

(culm rot: cereals)

(f) *Monographella nivalis* (foot rot: cereals)

(i) Fumigation with

Methyl bromide at 80 g/m³ for 48 hrs at 21°C and above or equivalent or any other treatment duly approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from soil and quarantine weed seeds.

(ii) Ukraine

Free from:

(a) *Cephus pygmeus*

(European wheat stem sawfly)

(b) *Diuraphis noxia*

(Russian wheat aphid)

(c)

Eurygaster integriceps (sunn pest)

(d)

Haplothrips tritici (wheat thrips)

(e) *Ostrinia*

nubilalis (European maize borer)

(f) *Ditylenchus*

dipsaci (stem and bulb nematode)

(g) *Monographella*

nivalis (foot rot of cereals)

(h)

Pseudomonas syringae pv. *atrofaciens* (basal: wheat glume rot)

(i) Barley stripe

mosaic virus (stripe mosaic of barley)

(j) Wheat streak mosaic virus (wheat viruses 6 and 7)

(iii) Canada

Free from:

(a) *Ahasverus*

advena (foreign grain beetle)

(b)

Cryptolestes ferrugineus (rusty grain beetle)

(c) *Diuraphis noxia*

(Russian wheat aphid)

(d)

Limothrips cerealium (corn, thrips)

(e) *Limothrips*

denticornis (barley thrips)

(f) *Ostrinia*

nubilalis (European maize borer)

(g) *Peridroma saucia*

(pearly underwing moth)

(h) *Trogoderma*

variabile (grain dermestid)

(i) *Tarsonemus*

granarius (glossy grain mite)

(j) *Ditylenchus*

dipsaci (stem and bulb nematode)

(k) *Ceratobasidium*

cereale (sharp eyespot of cereals)

(l) *Claviceps*

purpurea (ergot)

(m) *Monographella*

nivalis (foot rot of cereals)

(n)

Pseudomonas syringae pv. *atrofaciens* (basal: wheat glume rot)

(o)

Pseudomonas syringae pv. *atropurpurea*

(p)

Pseudomonas syringae pv. *coronafaciens*

(q)

Pseudomonas syringae pv. *striaefaciens*

(r) Barley stripe

mosaic virus (stripe mosaic of barley)

(s) Oat blue dwarf

maize virus

(t) Wheat streak

mosaic virus (wheat viruses 6 and 7)

(u) *Ambrosia psilostachya* (perennial ragweed)

(i) Fumigation with

Methyl bromide at 80 g/m³ for 48 hrs at 21°C and above or equivalent or any other treatment duly approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from soil and quarantine weed seeds.

(iv) UK

Free from:

- (a) *Ahasverus advena*
(foreign grain beetle)
- (b) *Cryptolestes ferrugineus* (rusty grain beetle)
- (c) *Diuraphis noxia*
(Russian wheat aphid)
- (d) *Limothrips denticornis* (barley thrips)
- (e) *Ostrinia nubilalis* (European maize borer)
- (f) *Peridroma saucia*
(pearly underwing moth)
- (g) *Trogoderma variable* (grain dermestid)
- (h) *Ditylenchus dipsaci* (stem and bulb nematode)
- (i) *Ceratobasidium cereale* (sharp eyespot of cereals)
- (l) *Claviceps purpurea*
(ergot)
- (m) *Monographella nivalis* (foot rot of cereals)
- (n) *Pseudomonas syringae* pv. *atrofaciens* (basal: wheat glume rot)
- (o) *Pseudomonas syringae* pv. *coronafaciens* (halo blight)
- (i) Fumigation with Methyl bromide at 80 g/m³ for 48 hrs at 21°C and above or equivalent or any other treatment duly approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.
- (ii) Free from soil and quarantine weed seeds.
- (v) Chile
Free from:
 - (a) *Limothrips cerealium* (corn, thrips)
 - (b) *Listronotus bonariensis* (Argentine stem weevil)
 - (c) *Peridroma saucia*
(pearly underwing moth)
 - (d) *Ditylenchus dipsaci* (stem and bulb nematode)
 - (e) *Ceratobasidium cereale* (sharp eyespot of cereals)
 - (f) *Claviceps purpurea* (ergot)
 - (g) *Pseudomonas fuscovaginae* (sheath brown rot)
 - (h) *Pseudomonas syringae* pv. *coronafaciens* (halo blight)

(i) Barley stripe mosaic virus (stripe mosaic of barley)

(i) Fumigation with

Methyl bromide at 80 g/m³ for 48 hrs at 21°C and above or equivalent or any other treatment duly approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from soil and quarantine weed seeds.

(ii) Seeds for sowing

(i) USA

Free from:

(a) *Acarus siro*

(flour mite)

(b) *Ahasverus advena*

(grain beetle)

(c) *Cryptolestes*

ferrugineus

(d) *Trogoderma*

variabile

(e) *Ditylenchus*

dipsaci

(f) *Ceratobasidium*

cereale

(g) *Monographella*

nivalis

(h) *Phaeosphaeria*

avenaria f.sp. *avenaria* (leaf spot of oats)

(i) *Pseudomonas*

syringae pv. *atrofaciens* (wheat glume rot)

(j) *Pseudomonas*

syringae pv. *atropurpurea*

(k) *Pseudomonas*

syringae pv. *coronafaciens*

(l) *Pseudomonas*

syringae pv. *striaefaciens*

(m) Barley stripe

mosaic virus

(n) High plains virus

(o) Wheat streak mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry

quarantine growing for 2-3 months

(iv) Crop inspection and certification for

freedom from viruses

(ii) Italy

Free from

- (a) *Aploneura*
lentisci
- (b) *Cryptolestes*
ferrugineus
- (c) *Penthaleus major*
(blue oat mite)
- (d) *Ditylenchus*
dipsaci
- (e) *Ceratobasidium*
cereale
- (f) *Monographella*
nivalis
- (g) *Pseudomonas*
syringae pv. *atrofaciens* (basal:wheat)
- (h) Wheat streak mosaic virus
- (i) Free from
quarantine weed seeds.
- (ii) Commercial
imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare
- (iii) Post-entry
quarantine growing for 2-3 month
- (iv) Crop inspection and certification for freedom
from viruses
- (iii) Pakistan
Free from:
 - (a) *Eurygaster*
integriceps (sunn pest)
 - (b) *Ditylenchus*
dipsaci (stem and bulb nematode)
 - (c) *Acremonium*
strictum (*acremonium* wilt)
 - (d) *Monographella*
nivalis (foot rot of cereals)
 - (e) *Xanthomonas*
translucens pv. *translucens* (bacterial leaf streak)
 - (f) Barley stripe mosaic virus (stripe mosaic of
barley)
- (i) Free from
quarantine weed seeds and soil.
- (ii) Commercial
imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare
- (iii) Post-entry
quarantine for a growing period of 2-3 month
- (iv) Crop inspection and certification for
freedom from (*Ditylenchus dipsaci* (stem and bulb nematode),
Xanthomonas translucens pv. *translucens* (bacterial leaf streak)
and Barley stripe mosaic virus (stripe mosaic of barley)
- (iv) Brazil
Free from:

- (a) *Ahasverus advena*
(grain beetle)
- (b)
Listronotus bonariensis (Argentine stem weevil)
- (c) *Ditylenchus dipsaci*
- (d) *Claviceps purpurea*
(ergot)
- (e)
Pseudomonas fuscovaginae (sheath brown rot)
- (f) High plains virus
- (g) Barley stripe mosaic virus
- (h) *Anthemis cotula*
(dog fennel)
- (i) *Galium aparine*
(Cleavers)
- (j) *Lolium multiflorum* (Italian ryegrass)
- (k) *Polygonum lapathifolium* (pale persicaria)
- (l) *Raphanus raphanistrum* (wild radish)
- (m) *Veronica persica* (creeping soeedwell)
- i) Free from quarantine weed seeds and soil.
- (ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare
- (iii) Post-entry quarantine for a growing period of 2-3 months
- (iv) Crop inspection and certification for freedom from *Ditylenchus dipsaci* (stem and bulb nematode) and Barley stripe mosaic virus (stripe mosaic of barley).

82.

Bambusa spp. (Bamboo)

- (i) Seeds for sowing

- (i) China

Nil

Free from quarantine weed seeds.

- (ii) Thailand

Free from:

- (a) *Beltrania* sp.

- (b) *Cladosporium*

geniculata

- (c) *Graphium* sp.

- (d) *Nodulisporium* sp.

- (e) *Rhizopus* sp.

Free from quarantine weed seeds.

- (ii) Stem-cuttings for propagation

- (i) Philippines

Free from :

(a) Bostrychopsis

parallela

(b) Chlorophorus

annularis

(c) Bamboo mosaic virus

Post-entry quarantine for a period of 6 months.

(ii) USA

Free from:

(a) Opogona sacchari

(banana moth)

(b) Hoplolaimus

galeatus

(c) Bamboo mosaic virus

Post-entry quarantine for a period of 6 months.

(iii) Europe

Free from:

Opogona sacchari (banana moth)

Post-entry quarantine for a period of 6 months.

(iii) Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from viruses.

Nil

83.

Bambusa bambos

Wood without bark

Indonesia

Nil

Fumigation with

Methyl bromide at 48g/m³ for 24 hrs. at 21°C and above or equivalent thereof under NAP or any other treatment approved by Plant Protection Adviser to the Government of India.

The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

84.

Basella spp. (Malabar spinach)

Seeds for sowing

Japan

Nil

Free from quarantine weed seeds.

85.

Baumea spp.

Tissue culture plants

Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus

Nil

86.

Begonia spp. (Begonia)

(i) Seeds for sowing

(i) Europe

(ii) Japan

(iii) North America

Free from *Ditylenchus dipsaci* (Brown ring disease of hyacinth)

Free from quarantine weed seeds.

(iv) Guatemala

Free from *Pseudococcus jackbeardsleyi* (Jack beardsley mealy bug)

Free from quarantine weed seeds and soil.

(v) UK

(vi) Italy

(vii) Germany

Free from:-

(a) Arabic mosaic

virus

(b) Strawberry latent

ringspot virus

(c) Asparagus virus 1

(d) Asparagus virus 2

(i) Free from

quarantine weed seeds.

(ii) Free from soil

contamination.

(iii) Seed crop inspection and certification for free from (a), (b), (c) and (d) by a competent authority at the country of origin.

(viii) Spain

Free from:-

(a) Strawberry latent

ringspot virus

(b) *Acremonium strictum*

(i) Free from

quarantine weed seeds.

(ii) Free from soil

contamination.

(iii) Seed crop inspection and certification for free from (a) by a competent authority at the country of origin.

(ix) Australia

Free from *Ditylenchus dipsaci* (brown ring disease of hyacinth)

Freedom from quarantine weeds seeds.

(ii) Tissue culture Plants

(i) Australia

(ii) Costa Rica

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

87.

Bellis spp. (Bellis)

Seeds for sowing

(i) Europe

(ii) Canada

(iii) Japan

(iv) South Africa

(v) Australia

(vi) New Zealand

Free from Arabis mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free from arabis mosaic virus.

(vii) Asia

(viii) USA

Nil

Free from quarantine weed seeds.

88.

Benincasa hispida (Wax Gourd)

Seeds for sowing

(i) Vietnam

(ii) Japan

(iii) Thailand

(iv) Philippines

(v) Hongkong

Nil

Free from quarantine weed seeds.

89.

Berberis vulgaris (Zarishak)

Dried berries for consumption

Greece

Free from:

(a) Lobesia botrana

(grape berry moth)

(b) Gnomonia comari (leaf blotch)

Fumigation with Methyl bromide at 32 g/m³ for 24

hrs. at 21°C and above or equivalent or any other treatment

approved by the Plant Protection Adviser to the Government of

India and the treatment should be endorsed on Phytosanitary

Certificate issued at the Country of Origin/re-export.

90.

Bertholletia excels (Brazil nut)

Grafts/budwoods/plants for propagation

Brazil

Free from Hypothenemus obscurus (tropical nut borer)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month except for research

91.

Beta vulgaris (Beet Root)

Seeds for sowing

Any Country

Free from:

(a) Downy mildew

(Peronospora farinosa)

(b) Silvering disease

(Curtobacterium flaccumfaciens pv. betae)

(c) Bacterial blight

(Pseudomonas syringae pv. aptata)

(d) Beetroot cyst

nematode (Heterodera schachtii)

(e) Beetroot rust

(Uromyces spp.)

(f) Beetroot yellows necrotic virus

(rhizomania).

Free from soil.

92.

Betula spp. (Birch)

Wood with/without bark

(i) Europe

(ii) North America

Free from Agrilus anxius (Bronze-birch borer)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof or any other

treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

Betula platyphylla (Birch wood dowels)

Wood without bark

(iii) China

Free from:-

(a) Anoplophora

chinensis (Black and white citrus longhorn)

(b) Monochamus sutor (Brown crumbly rot)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or any other

treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

93.

Betula alba/ Betula pubescens (Common white birch)

Leaves (dried) for processing

Poland

Free from:

(a) Coleophora

serratella (birch casebearer)

(b) *Orgyia antiqua*

(European tussock moth)

(c) *Saturnia pavonia*

(small emperor moth)

(d) *Scolytus intricatus* (European oak bark

beetle)

Fumigation with Methyl bromide at 32 g/m³ at

210C and above or equivalent thereof under NAP and the treatment

to be endorsed on Phytosanitary Certificate or by any other

fumigant/substance approved by the Plant Protection Adviser.

94.

Blighia sapida (Akee)

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period

of 6-9 months.

95.

Bidens spp. (*Coreopsis*)

Seeds for sowing

(i) Australia

(ii) Europe

(iii) USA

Nil

Free from quarantine weeds seeds.

96.

Bixa orellana (Annatto)

Seeds for consumption/processing

(i) Peru

(ii) Spain

Free from *Moniliophthora perniciosa*

(witches' broom disease of cacao)

Free from quarantine weed seeds, soil and other

plant debris.

(iii) Ghana

(iv) Ivory Coast

Nil

Free from quarantine weed seeds, soil and other

plant debris.

97.

Boehmeria nivea (Ramie)

Seeds for sowing

(i) Indonesia

(ii) Japan

(iii) Malaysia

(iv) Taiwan

(v) USA

(vi) China

Nil

Free from quarantine weed seeds.

98.

Borago officinalis (Borago)

Seeds for sowing

Denmark

Nil

Free from quarantine weed seeds and soil contamination.

99.

Boronia spp.

Plants/cuttings for propagation

USA

Free from *Rhizobium rhizogenes* (gall)

(i) Post-entry

quarantine for a period of 6 months

(ii) Free from soil.

100.

Boronia crenulata

Tissue culture plants

Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

101.

Bougainvillea spp. (*Bougainvillea*)

Plants for propagation

Any Country

Nil

Post-entry quarantine for a period of 45 days.

102.

Bouvardia spp.

Plants for propagation

Europe

Nil

Post-entry quarantine for a period of 45 days.

103.

Brachiaria spp. (Signalgrass)

Germplasm material for research only

(i) Australia

(ii) Brazil

(iii) Zimbabwe

Nil

Free from quarantine weed seeds.

104.

Brassica spp. (Mustard, Rape/canola, Cabbage, Cauliflower, Kohlrabi, Brussels sprouts, Broccoli, Knol Khol, Chinese Cabbage and other Cole crops)

(i) Seeds for sowing

(i) Any country except Denmark, Chile and Italy

Free from:

(a) *Leptosphaeria*

maculans (black leg)

(b) *Pseudomonas*

viridiflava (bacterial leaf blight of tomato)

(c) *Pseudomonas*

syringae pv. *maculicola* (bacterial leaf spot)

(d) *Xanthomonas campestris* pv. *campestris* (black rot)

(i) Free from

quarantine weed seeds.

(ii) Import except the trial material of the

same crop species or variety as specified in Schedule XII of this Order subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture.

(ii) Denmark

(iii) Chile

Nil

(iv) Italy

Free from:

(a) *Leptosphaeria*

maculans (black leg)

(b) *Pseudomonas*

viridiflava (bacterial leaf blight of tomato)

(c) *Xanthomonas campestris* pv. *campestris* (black rot)

(ii) Seeds for consumption

Any Country

Nil

(i) (a) Weed free

crop/area certification or

(b) Zero dockage

certification in respect of quarantine weed seeds in the Phytosanitary Certificate or

(c) Devitalization of

seed by heat treatment at 120°C for 15 minutes or any other equivalent treatment approved by the Plant Protection Adviser to the Government of India

(ii) Management of handling, transportation, milling, and processing of import consignment and manner of disposal of refuse as per the guidelines prescribed by the Plant Protection Advisor to the Government of India

(iii) Fresh vegetable for consumption

Nepal

Free from:

Pseudomonas viridiflava (bacterial leaf blight of tomato (USA))

Free from soil and other plant debris.

105.

Brassica carinata (African cabbage)/Brassica
rapa var. amplexicaulis/B. pekinensis

Seeds for sowing

USA

Free from:

(a) Colletotrichum

higginsianum

(b) Pseudomonas

syringae pv. maculicola (cabbage leaf spot)

(c) Pseudomonas

viridiflava

(d) Xanthomonas campestris pv. raphani

(leafspot)

Free from quarantine weed seeds.

106.

Brassica rapa sub sp. rapa (Turnip)

Seeds for sowing

(i) Denmark

(ii) Italy

(iii) Japan

(iv) Netherlands

(v) USA

Free from Ditylenchus dipsaci (stem and bulb
nematode)

Free from quarantine weed seeds.

(vi) France

Free from:

(a) Ditylenchus

dipsaci (stem and bulb nematode)

(b) Leptosphaeria

maculans (black leg)

(c) Xanthomonas campestris pv. campestris (black
rot)

Free from quarantine weed seeds.

107.

Bromeliad spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

108.

Butia spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any country

Nil

(i) Free from soil

(ii) Post-entry quarantine growing for a period of 10-12 months.

109.

Butia capitata

(i) Plants for propagation

Australia, USA, Thailand

Nil

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare

110.

Butyrospermum paradoxum (Sheanut)

Nuts for processing or industrial use

Any Country

Free from:

(a) *Ephestia elutella*

(Chocolate moth)

(b) *Ephestia*

kuehniella (Mediterranean flour moth)

(c) *Hypothenemus*

obscurus (Tropical nut borer)

(d) *Phytophthora*

megakarya (Black pod of cocoa)

(e) *Phytophthora katsurae* (Chestnut downy mildew)

Fumigation by Methyl bromide at 32 g/m³ for 24

hrs at 21°C or equivalent or any other treatment approved by the Plant Protection Adviser to the Government of India and the treatment should be endorsed on Phytosanitary Certificate issued at the country of origin or re-export.

111.

Buxus sempervirens (Boxwood)

Wood with and without bark

(i) Turkey

(ii) Spain

(iii) France

(iv) Germany

Nil

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP or any other treatment approved by Plant Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export.

112.

Cacti

Plants for propagation

Any Country

Free from:

(a) Cactus cyst

nematode (*Cactodera cactii*)

(b) Cactus virus X and 2 (*Carlavirus*)

(i) The plants shall

be grown in post-entry quarantine facility for a period of 45-60 days.

(ii) Free from soil.

113.

Caesalpinia gilliesii (Birds of paradise)

Seeds for sowing

USA

Nil

Free from quarantine weed seeds.

114.

Cajanus cajan (Pigeon pea)

Grain (seed) for consumption

(i) Australia

Free from *Richardia brasiliensis*

(ii) Mozambique

Free from:

(a) *Clavigralla*

elongate (African Pod bug)

(b) *Ditylenchus*

africanus (Pea nut pod nematode)

(c) *Hoploaimus*

pararobustus (Lance nematode)

(d) *Meloidogyne*

ethiopica

(e) *Meloidogyne*

decalineata (African Coffee root-knot nematode)

(f) *Alectra vogelii*

(Yellow witch weed)

(g) *Chrysanthemoides*

monilifera (Boneseed)

(h) *Digitaria*

velutina (Velvet finger grass)

(i) *Orobanche minor*

(Common broomrape)

(j) *Oryza*

longistaminata (Perennial wild rice)

(k) *Raphanus*

raphanistrum (Wild raddish)

(l) *Richardia*

brasiliensis (White eye Australia)

(m) *Senecio*

inaequidens (African ragwort)

(n) *Senecio madagascariensis* (firewood)

(i) Free from soil

contamination.

(ii) Fumigation by Methyl bromide at 32 g/m³ for 24 hrs at 21°C or equivalent or any other treatment approved by the Plant Protection Adviser to the Government of India and the treatment should be endorsed on Phytosanitary Certificate issued at the country of origin or re-export.

(iii) Myanmar

Free from:

- (a) *Cardiospermum halicacabum* (Bala on vine)
- (b) *Physalis angulata* (Cutleaf groundcherry)
- (c) *Pueraria Montana* var. *Montana* (Rhodesian kudzu-vine)
- (d) *Richardia brasiliensis* (White eye Australia)

(iv) Nepal

Free from:

- (a) *Lolium multiflorum* (Italian rye grass).
- (b) *Polygonum persicaria* (red shank)
- (c) *Veronica persica* (Creeping speedwell)

(v) China

Free from *Heterodera glycines* (Cyst nematode)

(vi) Iran

Free from *Apomyelois ceratoniae* (carob moth)

(vii) Kenya

Free from:

- (a) *Clavigralla elongata* (African Pod bug)
- (b) *Melanagromyza chalcosoma* (pod fly)
- (c) *Ditylenchus dipsaci* (stem and bulb nematode)
- (d) *Hoploaimus pararobustus* (Lance nematode)
- (e) *Pratylenchus goodeyi* (Banana Lesion nematode)
- (f) *Alectra vogelii* (Yellow witch weed)
- (g) *Digitaria velutina* (velvet finger grass)
- (h) *Cirsium vulgare* (Spear thistle)
- (i) *Conyza sumatrensis* (Tall fleabane)
- (j) *Lolium multiflorum* (Italian rye grass).
- (k) *Lonicera japonica* (Japanese honeysuckle)
- (l) *Orobancha minor* (Common broomrape)

- (m) *Oryza*
longistaminata (perennial wild rice)
- (n) *Pennisetum*
macrourum (African feather grass)
- (o) *Polygonum*
persicaria (red shank)
- (p) *Raphanus*
raphanistrum (Wild raddish)
- (q) *Richardia*
brasiliensis (White-eye Australia)
- (r) *Senecio madagascariensis* (firewood).
- (viii) Pakistan
Nil
- (ix) Tanzania
Free from
- (a) *Clavigralla*
elongate (African Pod bug)
- (b) *Hoploaimus*
pararobustus (Lance nematode)
- (c) *Meloidogyne*
decalineata (African Coffee root-knot nematode)
- (d) *Meloidogyne*
Ethiopia
- (e) *Pratylenchus*
goodeyi (Banana Lesion nematode)
- (f) *Alectra vogelii*
(Yellow witch weed)
- (g) *Digitaria*
velutina (velvet finger grass)
- (h) *Orobanche minor*
(Common broomrape)
- (i) *Oryza*
longistaminata (perennial wild rice)
- (j) *Pennisetum*
macrourum (African feather grass)
- (k) *Striga aspera* (Witch weed)
- (x) Malawi
Free from
- (a) *Clavigralla*
elongate (African Pod bug)
- (b) *Ditylenchus*
destructor (Peanut pod nematode)
- (c) *Hoploaimus*
pararobustus (Lance nematode)
- (d) *Meloidogyne*
acronea (African cotton root nematode)
- (e) *Alectra vogelii*
(Yellow witch weed)
- (f) *Digitaria*
velutina (velvet finger grass)
- (g) *Orobanche minor*

(Common broomrape)

(h) *Oryza*

longistaminata (perennial wild rice)

(i) *Pennisetum*

macrourum (African feather grass)

(j) *Richardia*

brasiliensis (White-eye Australia)

(k) *Striga aspera* (Witch weed)

(xi) Uganda

Free from

(a) *Clavigralla*

elongate (African Pod bug)

(b) *Hoploaimus*

pararobustus (Lance nematode)

(c) *Pratylenchus*

goodeyi (Banana Lesion nematode)

(d) *Alectra vogelii*

(Yellow witch weed)

(e) *Centrodema*

pubescens (Centro)

(f) *Conyza*

sumatrensis (tall fleabane)

(g) *Digitaria*

velutina (velvet finger grass)

(h) *Orobancha minor*

(Common broomrape)

(i) *Pennisetum*

macrourum (African feather grass)

(j) *Polygonum*

persicana (red shank)

(k) *Melanagromyza chalcosoma* (bean pod fly)

(xii) Sudan

Free from:

Clavigralla tomentosicollis (African pod bug)

(i) Free from

quarantine weed seeds and soil contamination.

(ii) Fumigation with Methyl bromide at 32 g/m³ for 24 hrs at 21°C or equivalent or any other treatment approved by the Plant Protection Adviser to the Government of India and the treatment should be endorsed on Phytosanitary certificate issued at the Country of origin/re-export

(xiii) Benin

Free from:

(a) *Bruchidius*

atrolineatus

(b) *Clavigralla*

tomentosicollis (African pod bug)

(c) Quarantine weed

seeds

(d) Soil contamination

Fumigation with Methyl bromide at 32 g/m³ for 24

hrs at 21°C and above under NAP or equivalent. The treatment

should be endorsed on Phytosanitary Certificate issued at the
Country of origin/re-export

(xiv) Nigeria

Free from:

(a) *Bruchidius*

atrolineatus

(b) *Clavigralla*

shadabi (Pod bug)

(c) *Clavigralla*

tomentosicollis (African pod bug)

(d) *Diaporthe*

phaseolorum var. *Meridionalis* (Soyabean stem canker)

(e) Quarantine weed

seeds

(f) Soil contamination

Seeds for sowing

Kenya

Free from:

(a) *Clavigralla*

elongata

(b) *Clavigralla*

tomentosicollis

(c) *Specularius*

erythraeus

(d) *Specularis*

sulcaticollis

(e) *Mycovellosiella*

cajani and its var. *Trichophila*

(f) Sunn-hemp mosaic

virus

(g) *Richardia brasiliensis* (white-eye disease)

(i) Seed crop

inspection and certification for free from (g) by a competent
authority at the country of origin post-entry quarantine growing
for a period of 2-3 months.

(ii) Commercial imports subject to prior

approval of Department of Agriculture and Cooperation

115.

Calamus spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any country

Nil

(i) Free from soil

(ii) Post-entry quarantine growing for a period
of 10-12 months

116.

Calathea spp.

(i) Tissue cultured plants

(i) USA

(ii) Any country except USA

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

(iii) The Netherlands

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

(ii) Plants for propagation

(i) Asia

Nil

Post-entry quarantine growing for 45 days
period.

(ii) USA

Free from *Phytophthora cryptogea* (Tomato foot
rot)

Post-entry quarantine growing for 45 days.

(iii) The Netherlands

Free from *Phytophthora cryptogea* (tomato foot
rot)

Free from soil.

117.

Calceolaria spp. (*Calceolaria*)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Japan

(iv) Australia

Nil

Free from quarantine weed seeds.

118.

Calendula spp. (*Calendula*)

Seeds for sowing

(i) USA

(ii) UK

(iii) Japan

(iv) Australia

Free from *Pseudomonas viridiflava* (Bacterial
leaf blight of tomato)

Free from quarantine weed seeds.

(v) France

(vi) Germany

(vii) Netherlands

(viii) Denmark

Nil

Free from quarantine weed seeds.

119.

Callibrochoa spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

120.

Callistemon spp. (Bottle brush)

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants/cuttings for propagation

Any Country

Nil

Post-entry quarantine growing for 45 days period.

121.

Callistephus chinensis (Aster)

Seeds for sowing

(i) China

Free from Chrysanthemum mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free from chrysanthemum mosaic virus.

(ii) France UK Netherlands Japan Thailand

Nil

Free from quarantine weed seeds.

(iii) Afghanistan

Nil

Free from soil and other plant debris.

(iv) Germany

Free from:

(a) Aphelenchoides

ritzemabosi (Leaf bud nematode)

(b) Aphelenchoides

blastophorus (Leaf bud nematode)

(c) Spaceloma violae

(Scab)

(d) Urocystis violae (Smut)

Free from quarantine weed seeds.

(v) USA

Free from:

(a) Fusarium

oxysporum f.sp. callistephi (Wilt)

(b) Septoria

callistephi (Leaf spot)

(c) Stemphylium callistephi (Leaf spot)

Free from quarantine weed seeds.

122.

Calopogonium mucunoides (Calopo)

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

123.

Campanula spp

Tissue cultured plants

USA

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

124.

Canna spp.

Tissue cultured plants

(i) Iran

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from tomato
spotted wilt virus.

Nil

(ii) Columbia

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from banana
streak badna virus.

Nil

(iii) Any country except Iran and Columbia

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

125.

Capparis spinosa (Caper)

Plants/saplings for propagation

Argentina

Nil

Nil

126.

Capsicum spp. (Pepper/Chillies)

Seeds for sowing

Any Country

Free from:

(a) Bacterial scab

(Xanthomonas vesicatoria)

(b) Pepper viruses

viz. mild mosaic and mild mottle

(c) Peronospora

hyoscyami sp. tabacina

(d) Tomato ringspot

virus

(e) Tomato black ring virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free from Pepper viruses viz. mild mosaic and mild mottle, Tomato ringspot virus and Tomato black ring virus

127.

Carduus spp. (Musk Root)

Dried root for medicinal use

Any country

Nil

Free from quarantine weeds seeds

128.

Carex spp.

Tissue cultured plants

(i) Germany

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from plumula virus.

Nil

(ii) Any country except Germany

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

129.

Carica papaya

Seeds for sowing

(i) Taiwan

(ii) Thailand

Nil

(i) Free from quarantine weed seeds.

(ii) Imports permitted subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(iii) USA

Nil

Imports permitted subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

130.

Carissa carandas (Karonda)

(i) Seeds for sowing

(ii) Grafts/budwoods/plants for propagation
Indonesia, Malaysia, Mauritius, New Zealand, Philippines, Sri Lanka, Thailand, USA

Nil

(i) Free from soil

(ii) Post-entry quarantine growing for 6-9 month except for research.

131.

Carthamus tinctorius/Carthamus spp. (Safflower and its wild species)

Seeds for sowing

(i) Morocco

(ii) Turkey

(iii) Italy

Free from *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

(i) Free from

quarantine weed seeds.

(ii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare

(iv) USA

Free from:

(a) *Pseudomonas*

syringae pv. *tagetis*

(b) *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

(v) Nepal

(vi) Yugoslavia

(vii) Serbia (Montenegro)

Free from:

(a) *Phytophthora*

cryptogea (tomato foot rot)

(b) *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

132.

Carthamus tinctorius (Safflower)

(i) Seeds for sowing

(i) Germany

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato (USA))

(i) Imports permitted

subject to prior approval of Department of Agriculture and Cooperation.

(ii) Free from soil and quarantine weed seeds.

(ii) Czech Republic,

(iii) Iran,

(iv) Slovakia

Free from *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

(i) Freedom from

quarantine weed seeds

(ii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Grains (seeds) for consumption

(i) Australia

(ii) Mexico

(iii) Argentina

Nil

(i) (a) Weed free

crop/area certification or

(b) Zero dockage

certification in respect of quarantine weed seeds in the

Phytosanitary Certificate or

(c) Devitalisation of

seed by heat treatment at 120°C for 15 minutes or any other equivalent treatment approved by the Plant Protection Adviser to the Government of India and

(ii) Management of handling, transportation, milling and processing of import consignment and manner of disposal of refuse as per the guidelines prescribed by the Plant Protection Adviser to the Government of India

Grain (seeds) for consumption/processing

Russia

Free from *Thlaspi arvense*

(iii) Dried flowers for consumption

Iran

Free from:

(a) *Phytophthora*

cryptogea (tomato foot rot)

(b) *Pseudomonas*

viridiflava (bacterial leaf blight of tomato (USA))

(c) *Thlaspi arvense* (field pennycress)

(i) Free from

quarantine weed seeds.

(ii) Free from soil

and other plant debris.

(iii) Fumigation with Methyl bromide at 32

g/m³ meter for 24 hrs at 21°C and above or equivalent thereof

under NAP or any other treatment duly approved by the Plant

Protection Adviser to the Government of India. The treatment

should be endorsed on Phytosanitary Certificate issued at the

Country of Origin/re-export

133.

Carum carvi (Caraway)

Seeds for sowing

Netherlands

Nil

Free from quarantine weed seeds.

134.

Carya illinoensis (Pecan nut)

(i) Nuts/Seeds for sowing

USA

Free from:

(a) *Acrobasis*

nuxvorella

(b) *Curculio caryae*

(pecan weevil)

(c) *Cydia caryana*

(hickory worm)

(d) *Cladosporium*

caryigenum

(e) *Cristulariella*

moricola

(f) *Rhizobium rhizogenes* (gall)

(i) Free from soil.

and quarantine weed seeds

(ii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers

Welfare

(ii) Cuttings for propagation

USA

Free from:

(a) *Acrobasis*

nuxvorella (pecan nut borer)

(b) *Anoplophora*

chinensis

(c) *Chromaphis*

juglandicola (walnut aphid)

(d) *Hyphantria cunea*

(mulberry moth)

(e) *Malacosoma*

americanum

(f) *Melanaspis*

obscura

(g) *Melanocallis*

caryaefoliae (hickory leaf aphid)

(h) *Monellia caryella*

(hickory aphid)

(i) *Monelliopsis*

nigropunctata

(j) *Monelliopsis*

pecanis

(k) *Orgyia*

leucostigma (tussock moth)

(l) *Phylloxera*

devastatrix (pecan phylloxera)

(m) *Solenopsis*

interrupta (red fire ant)

(n) *Spodoptera*

frugiperda

(o) *Eotetranychus*

hicoriae (pecan mite)

(p) *Cladosporium*

caryigenum

(q) *Cristulariella*

moricola

(r) *Phymatotrichopsis*

omnivore

(s) *Rhizobium rhizogenes* (gall)

(i) Free from soil.

and quarantine weed seeds

(ii) Post-entry

quarantine growing for a period of 6-9 months.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Shelled nuts (seeds) for consumption
USA

Free from *Curculio caryae* (pecan weevil)

(i) Fumigation with
Methyl bromide at 32 g/m³ for 24 hrs. at 21°C and above or equivalent or any other treatment duly approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from soil and quarantine weed seeds.

135.

Cassia spp. (Senna)

Seeds for sowing

(i) Egypt

Free from:

(a) *Acanthoscelides*

centromaculatus

(b) *Caryedon pallidus*

(c) *Mimosestis*

mimosae

(d) *Pseudopachymerina spinipes*

Free from quarantine weed seeds.

(ii) Sudan

Free from:

(a) *Caryedon pallidus*

(b) *Caryedon sudanensis*

Free from quarantine weed seeds.

136.

Casuarina spp.

Seeds for sowing

Australia

Nil

Free from quarantine weed seeds.

137.

Catharanthus roseus (Vinca)

Seeds for sowing

(i) Australia

Nil

Free from quarantine weed seeds.

(ii) Guatemala

Nil

Free from quarantine weed seeds and soil.

138.

Ceanothus americana

Seeds for sowing

(i) Europe

(ii) USA

(iii) Canada

Nil

Free from quarantine weed seeds and soil contamination.

139.

Celosia spp. (Cock's comb)

Seeds for sowing

(i) Taiwan

(ii) Netherlands

(iii) France

(iv) USA

(v) Australia

Nil

Free from quarantine weed seeds.

(vi) Japan

(vii) UK

(viii) Denmark

(ix) Germany

Free from Phytophthora cryptogea (tomato foot rot)

Free from quarantine weed seeds.

140.

Cenchrus ciliaris (Buffelgrass)

Germplasm material for research only

(i) Australia

Free from Systasis cenchrivora (seed chalcid)

Free from quarantine weed seeds.

(ii) USA

(iii) Kenya

Nil

Free from quarantine weed seeds.

141.

Centrosema spp./Chloris gayana (Rhodes grass)

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

142.

Centurea cyanus (Corn flower)

Seeds for sowing

(i) Europe

(ii) China

(iii) USA

(iv) South Africa

(v) Canada

(vi) Argentina

(vii) Australia

Free from Sclerotinia minor (Sclerotinia rot)

Free from quarantine weed seeds.

143.

Ceratozamia spp./Macrozamia spp. (Cycad)

Seeds for sowing

Any country

Nil

Free from quarantine weeds seeds

144.

Cereus peruvianus (Apple cactus)

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Post-entry quarantine for a growing period
of 3-4 months.

145.

Chaetanthus spp.

Tissue culture plants

Australia

Certified that the tissue culture plants were
obtained from mother stock tested and maintained free from any
virus

Nil

146.

Chamaecyparis nootkatensis

(i) Timber logs with/without bark for
consumption

(i) Canada

Free from:

(a)

Bursaphelenchus xylophilus (pine wilt nematode)

(b) Seiridium cardinale (cypress canker)

Fumigation with

Methyl bromide @ 48 g/m³ for 24 hrs. at 21°C and above or
equivalent Thereof or heat treatment at 56°C (core temperature)
for 30 minutes or any other treatment approved by the Plant
Protection Adviser to the Government of India
The treatment should be endorsed on
Phytosanitary Certificate issued at the Country of
Origin/re-export.

147.

Chamaerops spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any country

Nil

(i) Free from soil

(ii) Post-entry quarantine growing for a period
of 10-12 months

148.

Chata edulis (Mira leaves)

Leaves for consumption

Ethiopia

Nil

Free from soil.

149.

Chelidonium majus

(i) Seeds for sowing

Germany

Nil

Free from quarantine weed seeds

150.

Chelone glabra

Seeds for sowing

(i) Europe

(ii) USA

(iii) Canada

Nil

Free from quarantine weed seeds and soil contamination.

151.

Chenopodium quinoa (Quinoa)

Grain/Seeds for consumption/ processing

(i) Peru

Nil

Free from quarantine weed seeds, soil and other plant debris.

(ii) Colombia

Nil

Free from quarantine weed seeds, soil and other plant debris.

(iii) Ecuador

Free from:

(a) Quarantine weed

seeds as listed under Schedule-VIII of PQ Order, 2003

(b) Soil and other plant debris

Nil

152.

Chloris gayana Kunth (Rhodes grass)

Germplasm material for research only

(i) Australia

(ii) Kenya

Nil

Free from quarantine weed seeds.

153.

Chlorophytum spp. (Chlorophytum)

Plants for propagation

(i) Asia

(ii) USA

Nil

Post-entry quarantine for a period of 45 days.

154.

Chlorophytum comosum (Safed musli)

Dried plant material for medicinal use

Any country

Nil

Free from quarantine weeds seeds

155.

Chrysanthemum spp. (Chrysanthemum)

(i) Seeds for sowing

(i) Taiwan

(ii) Denmark

Nil

Free from quarantine weed seeds.

(iii) USA

Free from:

(a) Didymella

chrysanthemi (Ray blight)

(b) Chrysanthemum aspermy virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free from Chrysanthemum aspermy virus.

(iv) France

(v) UK

(vi) Germany

(vii) Netherlands

(viii) Australia

Free from Pseudomonas viridiflava (bacterial leaf blight of tomato)

Free from quarantine weed seeds.

(ii) Cuttings (rooted/un-rooted) for planting.

Any Country

Free from:

(a) Fasciation

(Rhodococcus fascians)

(b) Foliar nematodes

(Aphelenchoides fragariae, A. ritzemabosi)

(c) Stem and bulb

nematode (Ditylenchus dipsaci)

(d) South American

leaf miner (Liriomyza huidobrensis)

(e) Burdock leaf

miner (Amauromyza maculosa)

(f) White rust

(Puccinia horiana)

(g) Ray blight and

stem canker (Didymella ligulicola, syn. Ascochyta chrysanthemi)

(h) Bacterial leaf

blight (Pseudomonas viridiflava)

(i) Chrysanthemum viruses viz. chlorotic mottle, stunt, vein chlorosis, virus B.

(i) Post-entry

quarantine for a period of 45-60 days.

(ii) Free from soil contamination.

(iii) Plants for propagation

Asia

Free from:

(a) Bacterial blight

(*Pseudomonas cichorii*)

(b) White rust

(*Puccinia horiana*)

(c) Tomato foot rot (*Phytophthora cryptogea*)

Post-entry quarantine for a period of 45 days.

(iv) Tissue cultured plants

(i) Argentina

(ii) Australia

(iii) Canada

(iv) Czech Republic

(v) Greece

(vi) Iran

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from tomato spotted wilt virus

Nil

(vii) Belgium

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Tomato spotted

wilt virus

(b) Tobacco mosaic

tobamo virus

(c) Chrysanthemum

vein mottle virus

(d) Chrysanthemum latent virus

Nil

(viii) Brazil

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Tomato chlorotic

spot virus

(b) Groundnut ring

spot virus

(c) Chrysanthemum stem necrosis virus

Nil

(ix) China

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Tobacco mosaic

tobamo virus

(b) Potato Y

potyvirus

(c) Potato X potexvirus

Nil

(x) Columbia

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Impatiens

necrotic spot virus

(b) Tomato spotted

wilt virus

(c) Chrysanthemum stunt viroid

Nil

(xi) Denmark

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Chrysanthemum

stunt viroid

(b) Tomato spotted wilt virus

Nil

(xii) France

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Chrysanthemum

stunt viroid

(b) Tomato spotted

wilt virus

(c) Tomato mosaic virus

Nil

(xiii) Finland

(xiv) Germany

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

chrysanthemum stunt viroid.

Nil

(xv) Italy

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Tomato spotted

wilt virus

(b) Chrysanthemum spot virus

Nil

(xvi) Japan

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Chrysanthemum

stunt viroid

(b) Tomato spotted

wilt virus

(c) Chrysanthemum vein mottle virus

Nil

(xvii) Mexico

(xviii) Slovenia

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Tomato spotted

wilt virus

(b) Impatiens necrotic spot virus

Nil

(xix) Netherlands

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Chrysanthemum

vein mottle virus

(b) Tomato spotted

wilt virus

(c) Tospovirus

Nil

(xx) Poland

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Tomato mosaic

virus

(b) Tobacco mosaic

tobamovirus

(c) Tomato spotted wilt virus

Nil

(xxi) Russia

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Potato Y poty

virus

(b) Tomato spotted wilt virus

Nil

(xxii) Taiwan

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from turnip mosaic virus

Nil

(xxiii) Turkey

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

chrysanthemum mosaic virus

Nil

(xxiv) UK

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from

(a) Beet mild

yellowing virus

(b) Beet western

yellow luteovirus

(c) Chrysanthemum

stunt viroid

(d) Chrysanthemum leaf mottling virus

Nil

(xxv) USA

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from

(a) Tomato spotted

wilt virus

(b) Chrysanthemum

stunt viroid

(c) Symptomless ChCMV str. (ChCMV-ns)

Nil

(xix) Any country except Iran, Greece, Czech

Republic, Australia, Argentina, Canada, Germany, Finland,

Denmark, Slovenia, Mexico, Japan, USA, Belgium, Italy, UK,

Netherlands, Russia, China, Poland, Turkey, Brazil, Columbia,

Taiwan, France

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus.

Nil

156.

Cicer arietinum (Chick Pea)

(i) Seeds for sowing

Any Country

Free from Pod and stem blight (Phomopsis

longicolla)

Import except the trial material of the same
crop species or variety as specified in Schedule XII of this
Order subject to prior Approval of Department of Agriculture,
Cooperation and Farmers Welfare in the Ministry of Agriculture.

(ii) Seeds for consumption

Any Country

Nil

Fumigation with Methyl bromide @ 32 g/m³ at @
210C and above under NAP and the treatment to be endorsed on
Phytosanitary Certificate or by any other fumigant/substance in
the manner approved by the Plant Protection Adviser.

157.

Cichorium spp. (Chicory and Endive)

Seeds for sowing

Any Country

Free from:

- (a) Bacterial blight
(*Pseudomonas cichorii*)
 - (b) Bidens mottle virus,
 - (c) Chicory yellow mottle virus
 - (d) Anthracnose (*Marssonina panottoniana*)
Free from quarantine weed seeds.
- 158.
- Cistus spp.
- (i) Branches for consumption purpose
Spain
Free from *Saturnia pavonia* (Small emperor moth)
Free from soil and other plant debris.
- 159.
- Citrullus lanatus* (Watermelon)
- (i) Seeds for sowing
 - (i) Thailand
Nil
Free from quarantine weed seeds.
 - (ii) Any country except Thailand
Free from:
 - (a) Bacterial fruit blotch (*Acidovorax avenae* subsp. *citrulli*)
 - (b) Angular leaf spot (*Pseudomonas syringae* pv. *lachrymans*)
 - (c) Soft rot (*Xanthomonas melonis*)
 - (d) Watermelon viruses viz. chlorotic stunt, curly mottle, mosaic virus 2.
 - (e) *Verticillium albo-atrum*
 - (f) Squash mosaic virus
 - (i) Free from quarantine weed seeds.
 - (ii) Crop inspection and certification for free from watermelon viruses viz. chlorotic stunt, curly mottle, mosaic virus 2, *Verticillium albo-atrum*, Squash mosaic virus
 - (ii) Seeds for consumption
Any Country
Nil
 - (i) (a) Weed free crop/area certification or (b) Zero dockage certification in respect of quarantine weed seeds in the Phytosanitary Certificate or (c) Devitalization of seed by heat treatment at 120°C for 15 minutes or any other equivalent treatment approved by the Plant Protection Adviser to the Government of India.
 - (ii) Management of handling, transportation, milling, and processing of import consignment and manner of disposal of refuse as per the guidelines prescribed by the Plant Protection Advisor to the Government of India

(iii) Fruits for consumption

(i) Thailand(ii) Afghanistan

Nil

Nil

160.

Citrus hystrix (Kafir leaves)

Vegetable for consumption

Thailand

Nil

Nil

161.

Citrus spp. (Lemon, lime, orange, grapefruit, mandarins, etc. and other rutaceous)

(i) Fresh fruits for consumption

(i) Australia

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Bactrocera*

aquilonis

(c) *Bactrocera*

jarvisi

(d) *Bactrocera*

neohumeralis

(e) *Bactrocera tryoni*

(Queensland fruit fly)

(f) *Ceratitis*

capitata (Mediterranean fruit fly)

(g) *Epiphyas*

postvittana (light brown apple moth)

(h) *Guignardia*

citricarpa (citrus black spot)

(i) *Pseudococcus*

calceolariae (scarlet mealybug)

(j) *Unaspis citri* (citrus snow scale)

(Pest-free area status for *Bactrocera aquilonis*,

B. neohumeralis, *B. tryoni* (Queensland fruit fly) and *Ceratitis*

capitata (Mediterranean fruit fly) as per international standards

Or Methyl bromide fumigation @ 32 g/m³ for 2 hrs at 21°C or above

at NAP or equivalent thereof against Queensland fruit fly and

Mediterranean fruit fly Or In transit cold treatment at 30°C or

below for 20 days against Mediterranean fruit fly and for 16 days

against Queensland fruit fly.

(ii) Canada

Free from:

(a) *Metcalfa pruinosa*

(frosted moth bug)

(b) *Pseudococcus*

comstocki (Comstock mealybug)

(c) *Pseudococcus jackbeardsleyi* (Jack Beardsley

mealybug)

Nil

(iii) Chile

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Pseudococcus*

calceolariae (scarlet mealybug)

(d) *Selenaspidus*

articulatus (West Indian red scale)

(e) *Unaspis citri* (citrus snow scale)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or

(c) Pre-shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly.

(iv) China

Free from:

(a) *Aspidiotus nerii* (aucuba scale)

(b) *Bactrocera tsuneonis* (Japanese orange fly)

(c) *Ceroplastes japonicus* (tortoise wax scale)

(d) *Guignardia citricarpa* (citrus black spot)

(e) *Oraesia excavata* (fruit piercing moth)

(f) *Pseudococcus calceolariae* (scarlet mealybug)

(g) *Pseudococcus comstocki* (Comstock mealybug)

(h) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)

(i) *Unaspis citri* (Citrus snow scale)

(j) *Unaspis yanonensis* (arrowhead scale)

(a) Pest free area status for *Bactrocera tsuneonis* (Japanese orange fly) as per international standards or

(b) Methyl bromide fumigation @ 32 g/m³ for 2 hrs. at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or

(c) Pre-shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly.

(v) France

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Ceroplastes*

japonicus (tortoise wax scale)

(d) *Metcalfa pruinosa*

(frosted moth)

(e) *Pseudococcus*

calceolariae (scarlet mealybug)

(f) *Unaspis yanonensis* (arrowhead scale)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per

international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs. at 21°C or above at NAP or

equivalent thereof against Mediterranean fruit fly or

(c) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12

days plus in-transit refrigeration against Mediterranean fruit

fly.

(vi) Iran

Free from *Aspidiotus nerii* (aucuba scale)

Nil

(vii) Italy

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Ceroplastes*

japonicus (tortoise wax scale)

(d) *Metcalfa pruinosa*

(frosted moth bug)

(e) *Pseudococcus calceolariae* (scarlet mealybug)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per

international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs. at 21°C or above at NAP or

equivalent thereof against Mediterranean fruit fly or

(c) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12

days plus in-transit refrigeration against Mediterranean fruit

fly.

(ix) South Africa

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Ceratitis rosa*

(Natal fruitfly)

(d) *Cryptophlebia*

leucotreta (false codling moth)

(e) *Guignardia*

citricarpa (citrus black spot)

(f) *Pseudococcus calceolariae* (scarlet mealybug)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) and

Ceratitis rosa (Natal fruit fly) as per international standards

or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or

equivalent thereof against Mediterranean fruit fly and Natal

fruit fly or

(c) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12

days plus in-transit refrigeration against Mediterranean fruit

fly and Natal fruit fly

(x) USA

Free from:

(a) *Anastrepha*

fraterculus (South American fruitfly)

(b) *Anastrepha ludens*

(Mexican fruit fly)

(c) *Anastrepha*

serpentina (sapodilla fruit fly)

(d) *Anastrepha*

striata (guava fruit fly)

(e) *Anastrepha*

suspensa (caribbean fruit fly)

(f) *Aspidiotus nerii*

(*aucuba* scale)

(g) *Ceratitis*

capitata (Mediterranean fruit fly)

(h) *Epiphyas*

postvittana (light brown apple moth)

(i) *Metcalfa pruinosa*

(frosted moth bug)

(j) *Panonychus citri*

(citrus red mite)

(k) *Pseudococcus*

calceolariae (scarlet mealybug)

(l) *Pseudococcus*

comstocki (Comstock mealybug)

(m) *Pseudococcus*

jackbeardsleyi (Jack Beardsley mealybug)

(n) *Selenaspidus*

articulatus (West Indian red scale)

(o) *Unaspis citri* (citrus snow scale)

(a) Pest free area

status for *Anastrepha fraterculus* (South American fruit fly), *A. ludens* (Mexican fruit fly), *A. serpentine* (Sapodilla fruit fly), *A. striata* (Guava fruit fly), *A. suspensa* (Caribbean fruit fly) and *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or Methyl bromide fumigation @ 40 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against *Anastrepha* spp. or

c) Pre-shipment cold treatment at 0°C or below

for 10 days; at 0.55°C or below for 11 days; at 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and 0.55°C or below for 18 days; at 1.10°C or below for 20 days; plus in-transit refrigeration against *Anastrepha* spp.

(xi) Egypt

Free from:-

(a) *Ceratitis*

capitata (Mediterranean fruit fly)

(b) *Brevipalpus*

lewisi (citrus flat mite)

(c) *Spiroplasma citri* (stubborn disease of citrus)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or

(c) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and 0°C or below for 13 days; 0.55°C or below for 14 days; 1.10°C or below for 18 days. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export

(xii) Morocco

Free from:-

(a) *Ceratitis*

capitata (Mediterranean fruit fly)

(b) *Pantomorus*

cervinus (Fuller's rose beetle)

(c) *Peridroma saucia*

(pearly underwing moth)

(d) *Spiroplasma citri* (stubborn disease of citrus)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standard or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or
(c) Pre-shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and 0°C or below for 13 days; 0.55°C or below for 14 days; 1.10°C or below for 18 days. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(xiii) Turkey

Free from:-

(a) *Ceratitis capitata* (Mediterranean fruit fly)

Pest free area status for *Ceratitis capitata*

(Mediterranean fruit fly) as per international standards Or Methyl bromide fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly Or

Pre-shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly.

(xiv) Spain

Free from:-

(a) *Ceratitis capitata* (Mediterranean fruit fly)

Pest free area status

for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards

or

Pre-shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly. Or Methyl bromide fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly
162.

Citrus maxima (Pomelo), *Citrus sinensis*, *Citrus reticulata*, *Citrus paradisi*, *Citrus nobilis*, *Citrus deliciosa* spp.,

(ii) Plants for propagation

Thailand

Nil

(i) Post entry

quarantine growing for a period of 10-12 months

(ii) Free from soil

(iii) Commercial import subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare
163.

Citrus reticulata (Tangerine)/*Citrus maxima* (Pummelo)

Fresh fruit for consumption

Thailand

Free from:

(a) *Bactrocera papaya*

(papaya fruit fly)

(b) Citripestis

sagittiferella (citrus fruit borer)

(c) Rhynchocoris poseidon (spined fruit bug)

(i) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above or equivalent thereof; or

(ii) Pre-shipment cold treatment at 0°C or below

for 13 days; 0.55°C or below for 14 days; 1.10°C or below for 18 days plus in-transit refrigeration against papaya fruit fly.

164.

Clarkia spp. (Godetia)

Seeds for sowing

(i) USA

(ii) Germany

(iii) Japan

(iv) France

(v) UK

(vi) Netherlands

(vii) Denmark

(viii) Australia

Nil

Free from quarantine weed seeds.

165.

Clematis spp. (Clematis)

Plants for propagation

UK

Nil

Post-entry quarantine for a period of 45 days.

Tissue cultured plants

Canada

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

166.

Cleome spp. (Cleome)

Seeds for sowing

(i) Taiwan,

(ii) Netherlands

(iii) France

(iv) USA

(v) Germany

Nil

Free from quarantine weed seeds.

167.

Clerodendrum inerme (Clerodendron)

Plants/cuttings for propagation

(i) Asia

(ii) USA

Nil

Post-entry quarantine for a period of 45 days.

168.

Clivia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

169.

Coccothrinax

Seeds for sowing

Any country

Nil

Free from quarantine weeds seeds and soil contamination.

170.

Cocos nucifera (Coconut wood)

Wood without bark

Indonesia

Free from:

(a) Aleurodicus

destructor (coconut whitefly)

(b) Chondracris rosea

(citrus locust)

(c) Coptotermes

(termites)

(d) Coptotermes

curvignathus (rubber termite)

(e) Metamasius

hemipterus (West Indian cane weevil)

(f) Nipaecoccus nipae

(spiked mealybug)

(g) Rhynchophorus

vulneratus (Asiaticpalm weevil)

(h) Unaspis citri

(citrus snow scale)

(i) Ganoderma boninense (basal stem rot of oil palm)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP or any other treatment approved by Plant Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export

171.

Codiaeum variegatum (Croton)

Plants for propagation

Asia

Nil

Post-entry quarantine for a period of 45 days.

172.

Coffea spp. (Coffee and related species of

Rubiaceae)

Coffee beans for consumption or processing

Any Country

Free from Coffee Berry Borers (*Hypothenemus*

hampei, *Sophranica ventralis*)

Fumigation with Methyl bromide @ 32 g/m³ at 210C

and above under NAP and the treatment to be endorsed on

Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser.

173.

Coix lacryma-jobi (Job's tear)

Seeds for sowing

Nepal

Nil

Free from quarantine weed seeds.

174.

Colchicum autumnale (Meadow saffron)

Seeds for medicinal purpose

Germany

Nil

Free from soil and quarantine weed seeds.

175.

Colchicum luteum

Dried root for consumption

Pakistan

Nil

Free from soil and other plant debris

Iran

Free from *Pectobacterium rhapontici* (rhubarb crown rot)

Free from soil and other plant debris

176.

Coleus spp. (*Coleus*)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Taiwan

(iv) Russia

(v) Japan

Nil

Free from quarantine weed seeds.

177.

Consolida spp.

Seeds for sowing

Australia

Free from *Pseudomonas syringae* pv. *delphinii* (leaf spot)

Free from quarantine weeds seeds.

178.

Consolida ambigua (*Consolida*)

Seeds for sowing

(i) USA

(ii) UK

(iii) France

(iv) Germany

(v) Netherlands

(vi) Denmark

Nil

Free from quarantine weed seeds.

179.

Consolida ambigua (Delphinium)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Canada

Free from

Pseudomonas syringae pv. *delphinii* (leaf spot)

Free from quarantine weed seeds and soil contamination.

180.

Convolvulus spp. (Morning glory)

Seeds for sowing

USA

Free from *Ditylenchus dipsaci* (Brown ring disease of hyacinth)

Free from quarantine weed seeds.

181.

Corchorus capsularis/*Corchorus* spp.(Jute and its wild species)

Seeds for sowing

(i) Angola

(ii) Australia

(iii) Botswana

(iv) Caribbean Islands

(v) Central America

(vi) Ghana

(vii) Malawi

(viii) Mozambique

(ix) Namibia

(x) Nigeria

(xi) S. Africa

(xii) S. America

(xiii) Senegal

(xiv) Somalia

(xv) Sudan

(xvi) Tanzania

(xvii) USA

(xviii) Zaire

(xix) Zambia

(xx) Zimbabwe

Nil

Free from quarantine weed seeds.

182.

Cordyline spp.

(i) Tissue cultured plants

(i) Netherlands

(ii) USA

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Impatiens

necrotic spot virus

(b) Tomato spotted wilt virus

Nil

(iii) Brazil

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from tomato spotted wilt virus

Nil

(iv) Any country except Netherlands USA and

Brazil

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

(ii) Plants for propagation

(i) Asia

(ii) USA

Nil

Post-entry quarantine growing for 45 days.

183.

Coreopsis lanceolata

Seeds for sowing

(i) Netherlands

(ii) USA

(iii) France

(iv) Germany

Nil

Free from quarantine weed seeds.

184.

Coriandrum sativum (Coriander)

(i) Seeds for sowing

(i) Australia

(ii) Italy

(iii) Japan

(iv) USA

Free from :

(a) Pseudomonas

viridiflava

(b) Xanthomonas

hortorum pv. carotae (bacterial blight of carrot)

(c) Celery mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Seed crop inspection and certification for

Free from (b) and (c) by a competent authority at the country of origin.

(v) China

Free from *Pseudomonas viridiflava*

Free from quarantine weed seeds.

(vi) New Zealand

Free from :

(a) *Pseudomonas*

viridiflava

(b) Celery mosaic virus

(i) Seed crop

inspection and certification for Free from (b) by a competent authority at the country of origin.

(ii) Free from quarantine weed seeds.

(vii) France

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato)

Free from quarantine weed seeds.

(viii) Thailand

Nil

Nil

(ix) Bulgaria

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato)

Free from quarantine weed seeds and soil contamination.

(x) Moldova

Nil

Free from quarantine weed seeds and soil contamination.

185.

Cortaderia spp. (Pampas grass, etc)

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from viruses.

Nil

186.

Corylus spp. (Hazelnut)

Nut (seed) for consumption

(i) Europe

(ii) Australia

(iii) USA

(iv) Turkey

Free from *Ephestia*

elutella (Chocolate moth)

Free from *Xanthomonas arboricola* pv. *corylina* (hazelnut blight)

(i) Fumigation with

Methyl bromide at 32 g/m³ for 24 hrs at 21°C and above or

equivalent or any other treatment duly approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from soil

and quarantine weed seeds.

(i) Fumigation with

Methyl bromide at 32 g/m³ for 24 hrs at 21°C and above or equivalent or any other treatment duly approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from soil and quarantine weed seeds.

187.

Corylus avellana (Hazelnut)

(i) Grafts/budwoods/plants for propagation

USA

Free from:

(a) *Acrosternum*

hilare (stink bug)

(b) *Euproctis*

chrysorrhoea (tail moth)

(c) *Orgyia antiqua* (

tussock moth)

(d) *Xyleborus dispar*

(ambrosia beetle)

(e) *Anisogramma*

anomala

(f) *Eutypa lata*

(*Eutypa dieback*)

(g) *Heterobasidium*

annosum

(h) *Rhizobium*

rhizogenes

(i) *Xanthomonas arboricola* pv. *corylina*

(hazelnut blight)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9

month

(ii) Seeds (Nuts) for sowing

USA

Free from:

(a) *Xanthomonas arboricola* pv. *corylina*

(hazelnut blight)

(i) Free from

quarantine weed seeds.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 2-3 months except for research.

188.

Cosmos spp. (Cosmos)

Seeds for sowing

(i) USA

(ii) France

(iii) Netherlands

(iv) Taiwan

(v) Japan

(vi) Germany

(vii) Australia

Nil

Free from quarantine weed seeds.

189.

Crambe abyssinica

Seeds for sowing

UK

Nil

Free from quarantine weed seeds.

190.

Crataegus spp. (Indian Hawthorn)

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

191.

Crocus sativus (Saffron)

Corms for propagation

(i) Algeria

(ii) China

Free from:

(a) *Ditylenchus*

dipsaci

(b) *Burkholderia gladioli*

(i) Free from soil.

(ii) Post-entry quarantine growing for 2-3 months except for research.

(iii) Germany

(iv) Iran

(v) Spain

Free from; *Ditylenchus dipsaci*

192.

Crossandra spp.

Seeds for sowing

Taiwan

Nil

Free from quarantine weed seeds.

193.

Crotalaria spp. (Crotalaria)

Seeds for sowing

Japan

Nil

Free from quarantine weed seeds.

194.

Crotalaria juncea (Sunnhemp)

Seeds for sowing

USA

Nil

Free from quarantine weed seeds

195.

Cryptocoryne wendtii

(i) Plants for propagation

(i) Japan

(ii) Thailand

Nil

(i) Free from soil

and other plant debris.

(ii) Post-entry quarantine for a period of 60 days.

(ii) Tissue culture plants

(i) Japan

(ii) Thailand

Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from any virus.

Nil

196.

Cucumis melo (Muskmelon)

Seeds for sowing

(i) China

(ii) Netherlands

Free from :

(a) Pseudomonas

viridiflava

(b) Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Seed crop inspection and certification for

Free from (b) by a competent authority at the country of origin

(iii) France

Free from :

(a) Pseudomonas

viridiflava

(b) Zucchini yellow

fleck virus

(c) Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Seed crop inspection and certification for

Free from (b) and (c) by a competent authority at the country of origin.

(iv) Hong Kong,

(v) Korea DPR,

(vi) Thailand

(vii) Russia

Nil

Nil

(viii) Japan

Free from :

(a) *Pseudomonas*

viridiflava

(b) Melon necrotic

spot virus

(c) Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Seed crop inspection and certification for

Free from (b) and (c) by a competent authority at the country of origin.

(ix) USA

Free from :

(a) *Acidovorax avenae*

subsp. *citrulli* (bacterial fruit blotch of watermelon)

(b) *Pseudomonas*

viridiflava

(c) Lettuce

infectious yellow virus

(d) Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Seed crop inspection and certification for

Free from (a) to (d) by a competent authority at the country of origin

(x) Spain,

(xi) Israel

(xii) Taiwan

(xiii) Jordan

(xiv) Italy

Free from Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free

from Zucchini yellow mosaic virus.

(xv) Chile

Nil

Free from quarantine weed seeds

(ii) Dried grains (seeds) for consumption

Any Country

Nil

Nil

(iii) Fruits for consumption

(i) Thailand

Free from *Pseudococcus jackbeardsleyi* (Jack Beardsley mealy bug)

Nil

(ii) Afghanistan

Nil

Nil

197.

Cucumis sativus (Cucumber and related species)

Seeds for sowing

(i) Russia

Free from:

(a) *Pseudomonas*

putida

(b) *Fusarium*

oxysporum f. sp. *cucumerinum* (fusarial wilt)

(c) Arabis mosaic

virus (hop bare-bine)

(d) Tomato ringspot virus

(i) Free from

quarantine weeds seeds.

(ii) Crop inspection and certification for Free

from arabis mosaic virus and tomato ringspot virus.

(ii) Any country except Russia

Free from:

(a) Fusarial wilts

(*Fusarium oxysporum* f.sp. *cucumerinum*)

(b) Black spot

(*Phomopsis sclerotoides*)

(c) Septoria leaf

spot (*Septoria cucurbitarum*)

(d) Cucumber

seed-borne virus viz. leaf spot

(e) *Verticillium*

alboatrum

(f) Squash mosaic virus

(i) Free from

quarantine weeds seeds.

(ii) Crop inspection and certification for Free

from cucumber seed-borne virus and squash mosaic virus.

198.

Cucurbita spp.

Seeds for sowing

New Zealand

Free from:

(a) *Pseudomonas*

viridiflava (bacterial leaf blight of tomato (USA))

(b) Arabis mosaic

virus (hop barebine)

(c) Squash mosaic

virus (squash mosaic)

(d) Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds and soil.

(ii) Crop inspection and certification for free

from Arabis mosaic virus (hop bare-bine), Squash mosaic virus

(squash mosaic) and Zucchini yellow mosaic virus

199.

Cucurbita maxima (Banana Squash)

Seeds for sowing

(i) Japan

(ii) Argentina

(iii) South Africa

(iv) Taiwan

(v) Italy

(vi) France

Free from Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free

from Zucchini yellow mosaic virus.

(vii) Korea ROK

Free from Pseudomonas viridiflava (bacterial

leaf blight of tomato)

Free from quarantine weed seeds.

(viii) USA

Free from:

(a) Lettuce

infectious yellow virus

(b) Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free

from lettuce infectious yellow virus and zucchini yellow mosaic

virus.

(ix) China

(x) Netherlands

(xi) Germany

Free from:

(a) Pseudomonas

viridiflava (bacterial leaf blight of tomato)

(b) Zucchini yellow mosaic virus

(i) Free from

quarantine weeds seeds.

(ii) Crop inspection and certification for free

from zucchini yellow mosaic virus.

(xii) Korea DPR

(xiii) Thailand

(xiv) Vietnam

(xv) Russia

(xvi) Philippines

Nil

Free from quarantine weed seeds.

(i) Israel

Nil

Freedom from quarantine weed seeds

(ii) Czech Republic

Free from:

(a) Arabis mosaic

virus

(b) *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

(i) Seed crop

inspection and certification for free from (a) & (b) by a competent authority at the country of origin

(ii) Post-entry quarantine growing for 2-3 months

200.

Cucurbita moschata (Pumpkin)

Seeds for sowing

(i) Japan

(ii) Argentina

Free from Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free from Zucchini yellow mosaic virus.

(iii) Korea DPR

(iv) Korea ROK

(v) Thailand

Nil

Free from quarantine weed seeds.

(vi) UK

(vii) Germany

(viii) Denmark

(ix) France

(x) Italy

(xi) Spain

(xii) The Netherlands

Free from

Peridroma saucia (Pearly underwing moth)

Free from quarantine weed seeds.

(xiii) Philippines

Nil

Free from quarantine weed seeds and soil contamination.

201.

Cucurbita pepo (Summer Squash)

Seeds for sowing

(i) Australia

Free from:

(a) Arabis mosaic

virus (hop bare-bine)

(b) Zucchini yellow

mosaic virus I

(c) *Acidovorax avenae* subsp. *citrulli* (bacterial
fruit blotch)

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free
from (a) and (b)

(ii) China

(iii) France

(iv) Germany

(v) Italy

(vi) Japan

(vii) South Africa

(viii) Netherlands

Free from:

(a) Arabis mosaic virus (hop
barebine)

(b) Zucchini yellow mosaic virus

(i) Free from quarantine weed seeds

(ii) Crop inspection and certification for Free from viruses
indicated in column 5

(ix) Korea DPR

(x) Korea ROK

(xi) Thailand

Nil

Free from quarantine weed seeds.

(xii) USA

Free from:

(a) *Acidovorax avenae*
subsp. *citrulli* (bacterial fruit blotch)

(b) Lettuce

infectious yellow virus

(c) Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Seed crop inspection and certification for

Free from (a) to (c) by a competent authority at the country of
origin

(xiii) Jordan

(xiv) Argentina

(xv) Israel

(xvi) Taiwan

(xvii) Spain

Free from Zucchini yellow mosaic virus

(i) Free from

quarantine weeds seeds.

(ii) Crop inspection and certification for Free
from zucchini yellow mosaic virus.

(xviii) Russia

Free from Arabis mosaic virus (hop bare-bine)

(i) Free from

quarantine weeds seeds.

(ii) Crop inspection and certification for Free from arabis mosaic virus.

(xix) Chile

Free from zucchini yellow mosaic virus

(i) Free from

quarantine weeds seeds.

(ii) Crop inspection and certification for freedom from zucchini yellow mosaic virus.

(xx) U.K.

Free from:

(a) Arabis mosaic virus

(b) Trialeurodes vaporariorum

(c) Diabrotica virgifera virgifera

Free from quarantine weeds seeds

202.

Cuminum cyminum (Cumin)

Seeds for sowing

Iran

Nil

Nil

203.

Curcuma spp.

Tissue cultured plants

(i) Taiwan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from alpinia mosaic virus

Nil

(ii) Any country except Taiwan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

204.

Cyathochaeta spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from any virus

Nil

205.

Cycas spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any Country

Nil

Post-entry quarantine growing for a period of 45 days.

206.

Cyclamen spp. (Cyclamen)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Japan

Free from:

(a) Tobacco rattle

virus (spraying of potato)

(b) *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free from tobacco rattle virus.

(iv) Australia

Free from *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

Free from quarantine weeds seeds.

(ii) Tissue culture plants

Japan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

207.

Cymbopogon citratus (Lemongrass)

Vegetable for consumption

Thailand

Nil

Nil

208.

Cynodon dactylon (lawn grass)

(i) Seed for sowing

(i) UK

(ii) Australia

Nil

Free from quarantine weed seeds

(iii) USA

Free from *Gaeumannomyces graminis* var. *graminis* (crown sheath rot)

Free from quarantine weed seeds and soil contamination.

Spain

Nil

Free from quarantine weed seeds and soil contamination.

(ii) Grass for propagation

USA

Free from:-

(a) Chaetocnema

pulicaria (corn flea beetle)

(b) Belonolaimus

longicaudatus (sting nematode)

(c) Tylenchorhynchus

acutus (stylet-stunt nematode)

(d) Clavibacter xyli sub sp. cynodontis (Bermuda
grass stunting disease)

(i) Free from

quarantine weed seeds/plants and soil.

(ii) Post-entry quarantine for a period of 9
months

Indonesia

Nil

(i) Free from

quarantine weed seeds/plants and soil.

(ii) Post-entry quarantine for a period of 9
months

209.

Cynodon dactylon/C. dactylon hybrids

Germplasm material for research only

Kenya

Nil

Free from quarantine weed seeds

210.

Cyphomandra betacea (Tamarillo)

(i) Seeds for sowing

(i) Italy

(ii) USA

Free from Arabis mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection

and certification for freedom from Arabis mosaic virus

(iii) Post-entry quarantine growing for 6-9
month

(iii) Spain

Nil

(ii) Cuttings for propagation

(i) Italy

Free from:

(a) Trialeurodes

vaporariorum

(b) Phytophthora

cryptogea (foot rot)

(c) Arabis mosaic virus

(i) Free from soil.

(ii) Post-entry quarantine growing for 6-9 month

except for research.

(ii) Spain

Free from:

(a) *Trialeurodes*

vaporariorum (glasshouse whitefly)

(b) *Phytophthora cryptogea*

(iii) USA

Free from:

(a) *Chrysodeixis*

includens

(b) *Trialeurodes*

vaporariorum

(c) *Phytophthora*

cryptogea (foot rot)

(h) Arabis mosaic virus

211.

Daemonorops verticillaris

Seeds for sowing

Any Country

Nil

Free from quarantine weeds seeds and soil contamination.

212.

Dahlia spp.

Seeds for sowing

Australia

Nil

Free from quarantine weeds seeds.

213.

Dampiera wellsi

Tissue culture plants

Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

214.

Dasypogon romeliifolius

Tissue culture plants

Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

215.

Datura alba

Dry plant material (All plant parts) for medicinal purpose

China

Nil

Free from quarantine weeds seeds and soil

216.

Daucus carota (Carrot)

Seeds for sowing

Any Country

Free from:

(a) Bacterial blight

(Xanthomonas hortorum pv. carotae)

(b) Carrot viruses (mottle dwarf, red leaf and yellow leaf)

(a) Free from

quarantine weed seeds.

(b) Crop inspection and certification for Free from carrot viruses.

217.

Davallia spp. (Davallia)

Plants for propagation

Asia

Nil

Post-entry quarantine for a period of 45 days.

218.

Delonix elata

Seeds for sowing

Africa

Nil

Free from quarantine weed seeds.

219.

Delosperma cooperi (Ice Plant)

Plants for propagation

USA

Nil

Post-entry quarantine for a period of 45 days.

220.

Delphinium hybrids (Delphinium)

(i) Seeds for sowing

(i) Europe

(ii) USA

(iii) Japan

Nil

Free from quarantine weed seeds.

(ii) Tissue cultured plants

(i) Japan

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from aster yellows (phytoplasmas)

Nil

(ii) UK

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from potato virus X

Nil

(iii) Lithuania

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

- (a) Cucumis virus 1
- (b) Tomato ring spot nepo virus

(c) Tobacco rattle virus

- (d) Peony virus 1

Nil

- (iv) Any country except UK, Lithuania and Japan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

221.

Dendrocalamus spp. (Bamboo)

Seeds for sowing

- (i) China
- (ii) Thailand

Nil

Free from quarantine weed seeds

222.

Desmodium spp.

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

223.

Dianella spp. (Native flax)

Tissue culture plants

Australia

Certified that the tissue cultured plants obtained from mother stock tested and maintained free from viruses

Nil

224.

Dianthus spp. (Carnation)

- (i) Seeds for sowing
- (i) Guatemala

Nil

Free from quarantine weed seeds.

- (ii) Japan

Free from:

- (a) Ditylenchus dipsaci (stem and bulb nematode)
- (b) Arabis mosaic virus (hop barebine)
- (i) Free from quarantine weed seeds.

- (ii) Crop inspection and certification for Free from arabis mosaic virus.

- (ii) Seeds/Cut flowers

Any Country (for seeds except Guatemala and Japan)

- (a) Free from: Rust
(Uromyces dianthi)
- (b) Smut (Sorosporium
spaonariae)
- (c) Downy mildew
(Peronospora dianthi, P.dianthicola)
- (d) Ditylenchus
dipsaci (stem and bulb nematode)
- (e) Arabis mosaic virus (hop barebine)
- (i) Free from
quarantine weed seeds.
- (ii) Crop inspection and certification for Free
from arabis mosaic virus.
- (iii) Cuttings/saplings for sowing/planting

Any Country

Free from:

- (a) Bacterial wilt
and stem cracking (Burkholderia caryophylli)
 - (b) Slow wilt
(Erwinia chrysanthemi pv. dianthicola)
 - (c) Rust (Uromyces
dianthi)
 - (d) Smut (Sorosporium
spaonariae)
 - (e) Downy mildew
(Peronospora dianthi, P. dianthicola)
 - (f) Carnation viruses viz. latent, mottle virus
- Post-entry quarantine facility for a period of
45-60 days.

(iv) Tissue cultured plants

(i) Italy

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from :

- (a) Carnation 1 alpha
crypto virus
- (b) Carnation 2 alpha
crypto virus
- (c) Carnation Italian
ring spot virus
- (d) Carnation yellow
stripe virus
- (e) Carnation vein
mottle virus
- (f) Carnation ring spot virus

Nil

(ii) New Zealand

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from
carnation rhabdo virus

Nil

(iii) UK

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Carnation Italian ring spot virus

(b) Carnation ring spot virus

(c) Carnation vein mottle virus

Nil

(iv) USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from carnation Italian ring spot virus.

Nil

(v) Germany

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Carnation Italian ring spot virus

(b) Carnation ring spot virus

Nil

(vi) Israel

(vii) Spain

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Carnation vein mottle virus

(b) Carnation ring spot virus

Nil

(viii) Argentina,

(ix) Lithuania,

(x) France,

(xi) China,

(xii) Australia,

(xiii) Romania,

(xiv) Yugoslavia,

(xv) Denmark,

(xvi) Japan,

(xvii) Netherlands

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from carnation ring spot virus.

Nil

(xviii) Any country except Italy, New Zealand, UK, USA, Germany, Israel, Spain, Argentina, Lithuania, France, China, Australia, Romania, Yugoslavia, Denmark, Japan and Netherlands
Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

225.

Dianthus chinensis

Seeds for sowing

Netherlands

Nil

Free from quarantine weed seeds.

226.

Dicentra spp.

Tissue cultured plants

(i) USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from tobacco rattle virus (Tobravirus).

Nil

(ii) Any country except USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

227.

Dichanthium sericeum/D. aristatum (blue grass)

Germplasm material for research only

Australia

Nil

Free from quarantine weed seeds

228.

Dichrostachys cinerea

(i) Dried pods for consumption/processing

(i) Tanzania

Nil

Free from soil and other plant debris

229.

Dielsia spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from any virus

Nil

230.

Digitalis spp.

Seeds for sowing

Guatemala

Nil

Free from quarantine weeds seeds and soil

231.

Digitaria ciliaris

Germplasm material for research only

Kenya

Nil

Free from quarantine weed seeds.

232.

Digitaria exilis

D. longiflora (Crabgrass)

Germplasm material for research only

(i) Australia

Nil

(ii) USA

Free from *Aceria toschicella* (Wheat mosaic mite)

233.

Dimocarpus longan (Longan)

(i) Fruits for consumption

(i) Thailand

Nil

Nil

(ii) Grafted plants/ seedlings for propagation

(i) Australia

(ii) China,

(iii) Taiwan

Nil

(i) Free from soil.

(ii) Post-entry

quarantine growing for a period of 2-3 months except for research.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Seeds for sowing

(i) Australia

(ii) China,

(iii) Taiwan

Nil

(i) Free from

quarantine weed seeds.

(ii) Commercial imports subject to prior approval of Department of Agriculture and Cooperation

234.

Dimorphotheca spp.

Seeds for sowing

Europe

Nil

Freedom from quarantine weeds seeds.

235.

Dionea (Venus fly trap)

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

236.

Dioon sp.

Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

237.

Diospyros digyna (Black sapota)

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period
of 6-9 months.

238.

Diospyros kaki (Persimmon)

(i) Seeds for sowing

(i) Japan

(ii) China

(iii) Italy

(iv) Russia

Nil

Free from quarantine weed seeds.

(ii) Grafts/budwoods/plants for propagation

(i) Japan

Free from:

(a) Ceroplastes

japonicus

(b) Halyomorpha halys

(c) Homona magnanima

(tea tortrix)

(d) Pantomorus

cervinus (rose beetle)

(e) Parabemisia

myricae (whitefly)

(f) Rhizobium rhizogenes

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 2-3
month.

(ii) Russia

Free from:

(a) Ceroplastes

japonicus (wax scale)

(b) Pantomorus

cervinus

(c) Colomerus vitis

(grape mite)

(d) Rhizobium rhizogenes

(iii) Italy

Free from:

- (a) Ceroplastes japonicus (wax scale)
 - (b) Pantomorus cervinus (rose beetle)
 - (c) Parabemisia myricae (whitefly)
 - (d) Sesamia nonagrioides
 - (e) Colomerus vitis (grape mite)
 - (f) Eutypa lata (Eutypa dieback)
 - (g) Rhizobium rhizogenes
- (iii) Fresh fruits for consumption

(i) Spain

Free from:

- a) Ceratitis capitata (Mediterranean fruit fly)
 - b) Lobesia botrana (Grape berry moth)
 - c) Pseudococcus calceolariae (Scarlet mealybug)
 - d) Pseudococcus viburni (Mealybug)
 - e) Sesamia nonagrioides (Mediterranean corn stalk borer)
- (i) Pest free area status for Ceratitis capitata as per international standards Or Pre-shipment cold treatment at 00C or below for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against fruit fly and
- (ii) Methyl Bromide fumigation @ 32 g/m³ for 2 hrs at 210C and above at NAP or equivalent thereof.

The treatment should be endorsed on Phytosanitary certificate issued at the country of origin/re-export.

(ii) South Africa

Free from:

- (a) Ceratitis capitata (Mediterranean fruit fly)
- (b) Ceratitis rosa (Natal fruit fly)
- (c) Pantomorus cervinus (Fuller's rose beetle)
- (d) Thaumatotibia leucotreta (False codling moth)
- (e) Delottococcus elisabethae (Mealy bug)
- (f) Heliophris sylvanus (Thrips)
- (g) Planococcus ficus (Vine mealy bug)
- (h) Prietocella ventricosa (Snail)
- (i) Pseudococcus calceolariae (Citrophilus mealy bug)

(j) *Pseudnococcus viburni* (Pear and Apple mealy bug)

a) Pest free area

status for *Ceratitis* spp. as per international standards or Pre shipment cold treatment at 00C or below for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against fruit flies and

b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 210C or above at NAP or equivalent thereof.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export.

239.

Dipteryx odorata (Cumaru)

Wood with or without bark

Brazil

Nil

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs. at 210C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export.

240.

Dolichos lablab (Lablab)

Grain (seed) for consumption

Myanmar

Nil

(i) Fumigation with

Methyl bromide at 32 g/m³ for 24 hrs. at 210C and above or equivalent or any other treatment approved by the Plant Protection Adviser to the Government of India and the treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from quarantine weed seeds.

241.

Dovyalis caffra

(i) Plants for propagation

Thailand, Australia, USA

Nil

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

242.

Dovyalis hebecarpa (Ceylon gooseberry)

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii)

Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period of 6-9 months.

243.

Dracaena spp. (Bamboo Lucky)

Plants for propagation

Asia

Nil

Post-entry quarantine for a period of 45 days.

244.

Duranta spp. (*Duranta*)

Plants/cuttings for propagation

(i) Asia

(ii) USA

Nil

Post-entry quarantine for a period of 45 days.

245.

Durio zibethinus (Durian)

Fruits for consumption

(i) Thailand

(ii) Sri Lanka

Nil

Nil

Grafts/budwoods/ plants for propagation

(i) Thailand

Free from:

(a) *Allocarsidara malayensis*

(b) *Mudaria magniplaga*

(c) *Orgyia turbata* (tussock moth)

(d) *Oxyodes scrobiculata*

(e) *Eutetranychus africanus* (citrus brown mite)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month except for research.

(ii) Indonesia

Free from:

(a) *Allocarsidara malayensis*

(b) *Graphium agamemnon*

(c) *Icerya pulchra*

(d) *Nisotra javanica*

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month except for research.

(iii) Malaysia

Free from

(a) *Allocarsidara*
malayensis

(b) *Asterolecanium*
ungulatum

(c) *Icerya pulchra*

(d) *Mudaria*
magniplaga

(e) *Orgyia turbata*
(tussock moth)

(f) *Oxyodes scrobiculata*

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month except for research.

(iv) Mauritius

(v) New Zealand

(vi) Philippines

(vii) Sri Lanka

(viii) USA

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month except for research.

Cuttings/Plants for propagation

(i) Australia,

(ii) Papua New Guinea

(iii) Vietnam

Nil

(i) Free from soil.

(ii) Post-entry

quarantine growing for a period of 2-3 months except for
research.

(iii) Commercial imports subject to prior
approval of Department of Agriculture and Cooperation
246.

Echeveria spp.

(i) Tissue cultured plants

Australia

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus.

Nil

247.

Echinacea spp/Echinacea purpurea

(i) Tissue cultured plants

USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from aster yellowsphytoplasma group (yellow disease phytoplasmas)

Nil

(ii) Seeds for sowing

USA

Nil

Free from quarantine weeds seeds.

248.

Echinochloa spp. (Barnyard grass/millet)

Germplasm material for research only

(i) Australia

(ii) Nepal

Nil

Free from quarantine weed seeds

249.

Echinodorus ozelot

(i) Plants for propagation

Japan

Nil

(i) Free from soil

and other plant debris.

(ii) Post-entry quarantine for a period of 60 days.

(ii) Tissue culture plants

Japan

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

250.

Echium plantagineum

Seeds for sowing

UK

Nil

Free from quarantine weed seeds.

251.

Elaeis guineensis (Oil palm) and related species

(i) Seeds/Pollen/Seed sprouts

Any Country

Free from

(a) Vascular wilt

(Fusarium oxysporum f.sp. elaeidis)

(b) Freckle

(Cercospora elaedis)

(c) Red ring

(Rhadinaphelenchus cocophilus) and its vector Rhyncophorus palmarum

- (d) Lethal bud rot or sudden wilt [*Marchites sorpresiva* (phytoplasmas)]
- (e) Fatal wilt or heart rot (*Phytophthora staheli*)
- (f) Leaf mottle virus
- (g) Cadang cadang and related viroids
- (h) Palm kernel borer (*Caryobruchus* spp. and *Pachymerus* spp.)
- (i) Import subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture.
- (ii) Consignment will be grown under post-entry quarantine for a period of 10-12 months.
- Elaeis guineensis*
- (ii) Palm kernel shell for consumption
- (i) Cambodia
Nil
Free from soil and any plant debris
- (ii) Malaysia
Nil
Free from soil and any plant debris
- 252.
- Eleocharis tuberosa* (Chinese Water Chestnut)
- Vegetable for consumption
- Thailand
Nil
Nil
- 253.
- Eleusine coracana* (Finger millet/ragi)
- Seeds for propagation/consumption
- (i) Bangladesh
- (ii) Bhutan
- (iii) Nepal
- (iv) Sri Lanka
Nil
Free from soil and weed seeds.
- 254.
- Elymus* spp., *Elymus Elymoides* (Squirrel tail)
- Germplasm material for research only
- USA
Free from:
- (a) *Tilletia controversa* (dwarf bunt of wheat)
- (b) *Pseudomonas syringae* pv. *atropurpurea*
- Free from quarantine weed seeds.
- 255.
- Encephalartos* spp.
- (i) Seeds for sowing
- Any Country
Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any Country

Nil

Post-entry quarantine for a period of 45 days.

256.

Entandrophragma spp. (Sapeli)

Wood with/without bark

Any Country

Free from Hypsipyla robusta

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or any other

treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

257.

Eragrostis spp. (Weeping lovegrass/Teff)

Germplasm material for research only

(i) Brazil

Free from Anthonomus grandis (cotton boll weevil)

Free from soil and quarantine weed seeds

(ii) Australia

(iii) Czech Republic

(iv) Kenya

(v) Romania

(vi) Syria

(vii) Ethiopia

(viii) South Africa

Nil

Free from quarantine weed seeds.

(iii) Grass for propagation

USA

Free from:-

(i) Anthonomus

grandis (Mexican cotton boll weevil)

(ii) Barley yellow dwarf viruses (barley yellow dwarf)

Free from soil and other plant debris.

UK, China, Australia

Free from Barley yellow dwarf viruses (Barley yellow dwarf)

Seeds for sowing

USA

Free from Anthonomus grandis (Mexican cotton boll weevil)

Free from quarantine weeds seeds

UK, China, Australia

Nil

258.

Eragrostis curvula/Eragrostis tef

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds

259.

Eremochloa ophiuroides

Seeds for sowing

USA

Free from *Gaeumannomyces graminis* var. *graminis*

(crown sheath rot)

Free from quarantine weed seeds and soil contamination.

260.

Ermophila mitchelli

Wood with and without bark

Australia

Free from *Bemisia tabaci* (B biotype) (Silver leaf Whitefly)

Fumigation with

Methyl bromide 48 g/m³ for 2 hrs for 21°C or above @ NAP or equivalent thereof or any other treatment duly approved by the Plant Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary certificate issued at the country of origin/re-export.

261.

Eruca vesicaria (Rocolla)

Seeds for sowing

(i) Netherlands

Nil

Free from quarantine weed seeds.

(ii) Italy

Free from Radish mosaic virus

Free from quarantine weed seeds and soil contamination

(iii) France

Nil

Free from quarantine weed seeds and soil contamination

262.

Eryngium spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

263.

Erysimum spp. (Wall flower)

Seeds for sowing

(i) Asia

(ii) Europe

(iii) USA

Nil

Free from quarantine weed seeds.

264.

Eschscholzia californica

Seeds for sowing

UK

Nil

Free from quarantine weed seeds.

265.

Eucalyptus spp. (*Eucalyptus*)

Seeds for sowing

(i) Australia

Free from:

(a) *Cryphonectria*

gyrosa

(b) *Cytospora eucalypticola*

Free from quarantine weed seeds and plant debris.

(ii) Honduras

Nil

Free from quarantine weed seeds

266.

Eucalyptus alba

(i) Fruit buds for consumption

(i) Indonesia

Nil

Free from soil and other plant debris.

267.

Eucalyptus calophylla (*Corymbia calophylla*)

i) Timber logs with/without bark for consumption

(i) Australia

Nil

Fumigation with

Methyl bromide @ 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature)

for 30 minutes or any other treatment approved by the Plant

Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the Country of

Origin/re-export.

268.

Eucalyptus camaldulensis

(i) Timber logs with/without bark for consumption

(i) Thailand

Nil

Fumigation with Methyl bromide @ 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or heat treatment at

56°C (core temperature) for 30 minutes or any other treatment

approved by the Plant Protection Adviser to the Government of

India. The treatment should be endorsed on Phytosanitary

Certificate issued at the Country of Origin/re-export.

269.

Eucalyptus globulus

(i) Tissue cultured hardened plants

Portugal

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Post-entry quarantine growing for a period of 90 days.

(ii) Logs with and without bark

(i) Sri Lanka

Free from *Ctenarytaina eucalypti* (blue gum psyllid)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser to the Government of India.

The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Cameroon

Nil

Fumigation with Methyl bromide @ 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/reexport.

270.

Eucalyptus grandis/*Eucalyptus* spp.

(i) Timber logs/Sawn timber for processing

(i) Uruguay

Free from:

(a) *Phoracantha*

recurva (*eucalyptus* longhorned borer)

(b) *Phoracantha*

semipunctata (*eucalyptus* longhorned borer)

(c) *Aureobasidium pullulans* (blue stain wood)

Fumigation with Methyl bromide @ 48 g/m³ at 21°C and above or equivalent thereof under NAP and the treatment to be endorsed on Phytosanitary certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser

(ii) South America

Nil

Fumigation with Methyl bromide @ 48 g/m³ at 21°C and above or equivalent thereof under NAP and the treatment to be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser

(iii) South Africa

Free from:

(a) *Gonipterus*
scutellatus (eucalyptus snout beetle)
(b) *Heteronychus*
arator (African black beetle)
(c) *Macrotermes*
natalensis
(d) *Phoracantha*
recurva (eucalyptus longhorned borer)
(e) *Phoracantha semipunctata* (eucalyptus
longhorned borer)
Fumigation with Methyl bromide @ 48 g/m³ at @
210C and above or equivalent thereof under NAP and the treatment
to be endorsed on Phytosanitary Certificate or by any other
fumigant/substance in the manner approved by the Plant Protection
Adviser.

(ii) Wood without bark
Australia
Free from : -
(a) *Ctenarytaina*
spatulata
(b) *Phoracantha*
recurva (eucalyptus longhorned borer)
(c) *Phoracantha semipunctata* (eucalyptus
longhorned borer)
Fumigation with
Methyl bromide at 48 g/m³ for 24 hrs at 210C and above or
equivalent thereof under NAP or any other treatment duly
approved by the Plant Protection Adviser to the Government of
India.

The treatment should be endorsed on
Phytosanitary Certificate issued at the Country of
Origin/re-export.

(iii) Timber logs for consumption

(i) New Zealand
Free from : -
(a) *Ctenarytaina*
spatulata
(b) *Gonipterus*
scutellatus (eucalyptus snout beetle)
(c) *Paropsis*
charybdis (eucalyptus tortoise beetle)
(d) *Phoracantha*
recurva (eucalyptus longhorned borer)
(e) *Phoracantha*
semipunctata (eucalyptus longhorned borer)
(f) *Phytophthora cryptogea* (tomato foot rot)
Fumigation with
Methyl bromide at 48 g/m³ for 24 hrs at 210C and above or
equivalent thereof under NAP or any other treatment duly
approved by the Plant Protection Adviser to the Government of
India.

The treatment should be endorsed on
Phytosanitary certificate issued at the Country of
Origin/re-export.

(ii) Fiji

Nil

(iii) Papua New Guinea

Free from : -

(a) *Phoracantha*

recurva (eucalyptus longhorned borer)

(b) *Phoracantha semipunctata* (eucalyptus
longhorned borer)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or
equivalent thereof under NAP or any other treatment duly
approved by the Plant Protection Adviser to the Government of
India.

The treatment should be endorsed on
Phytosanitary certificate issued at the Country of
Origin/re-export.

(iv) South Africa

Free from:

(a) *Macrotermes*

natalensis

(b) *Phoracantha*

recurva (eucalyptus longhorned borer)

(c) *Phoracantha*

semipunctata (eucalyptus longhorned borer)

(d) *Botryosphaeria dothidea* (canker of almond)

(iv) Timber logs with/without bark for
consumption

(i) Cameroon

Nil

Fumigation with Methyl bromide @ 48 g/m³ for 24
hrs. at 21°C and above or equivalent thereof or heat treatment
at 56°C (core temperature) for 30 minutes or any other treatment
approved by the Plant Protection Adviser to the Government of
India. The treatment should be endorsed on Phytosanitary
Certificate issued at the Country of Origin/re-export.

271.

Eucalyptus grandis (*Eucalyptus*)

(i) Seeds for sowing

(i) Brazil

Free from:

(a) *Hypothenemus*

obscurus (nut borer)

(b) *Thyreoxena*

arnobia

(c) *Botryosphaeria dothidea*

(i) Free from

quarantine weed seeds.

(ii) Fumigation with phosphine @ 3 g/m³ at NAP

(ii) Plants for propagation

(i) Brazil

Free from:

(a) *Atta sexdens*

(leaf cutting ant)

(b) *Atta sexdens*

rubropilosa

(c) *Eupseudosoma*

involuta

(d) *Hygrochroa*

sericea

(e) *Phoracantha*

recurva

(f) *Thyreoxena*

arnobia

(g) *Botryosphaeria dothidea*

(i) Free from soil.

(ii) Post-entry quarantine growing for 2-3 months except for research.

(iii) Seeds for sowing/rooted plants

(i) Honduras

Nil

(i) Free from

quarantine weed seeds.

(ii) Post-entry quarantine growing for 2-3 months except for research.

(iv) Plants/cuttings for propagation

(i) Uruguay

Free from:

(a) *Ctenarytaina*

spatulata

(b) *Phoracantha*

recurva (eucalyptus longhorned borer)

(c) *Phoracantha*

semipunctata (eucalyptus longhorned borer)

(d) *Puccinia psidii* (guava rust)

(i) Free from soil.

(ii) Post-entry quarantine for a growing period of 3 months

272.

Eugenia spp.

(i) Plants for propagation

Thailand

Free from :-

(a) *Darna diducta*

(nettle caterpillar)

(b) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)

(i) Post-entry

quarantine growing for a period of 10-12 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period of 6-9 months.

273.

Eugenia dombeyi

Plants for propagation

Thailand, Australia

Nil

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

USA

Free from Puccinia psidii (Guava rust)

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period of 6-9 months.

274.

Eugenia oleosum

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period of 6-9 months.

275.

Euphorbia spp.

(i) Seeds for Medicinal/consumption purpose

Europe, South Korea

Nil

Free from quarantine weeds seeds and soil

China

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato) (USA)

Free from quarantine weeds seeds and soil

276.

Euphorbia longan (Longan)

Grafts/budwoods/plants for propagation

(i) Mauritius

(ii) New Zealand

(iii) Sri Lanka

(iv) USA

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month except for research.

(v) Indonesia

(vi) Philippines

Free from *Tessaratoma javanica*

(vii) Malaysia

Free from *Cossus* sp. (carpenter moth)

(viii) Thailand

Free from:

(a) *Conopomorpha*

sinensis

(b) *Cossus* sp

(carpenter moth)

(c) *Tessaratoma javanica*

277.

Euphorbia milii (Flamingo)

Plants for propagation

(i) Asia

(ii) USA

Nil

Post-entry quarantine for a period of 45 days.

278.

Euphorbia pulcherrima (Poinsettia)

(i) Plants for propagation

(i) Asia

(ii) USA

Nil

Post-entry quarantine for a period of 45 days.

(iii) Spain

Free from:

- (a) *Bemisia tabaci* (B biotype) (silverleaf whitefly)
- (b) *Frankliniella occidentalis* (western flower thrips)
- (c) *Hercinothrips femoralis* (banded greenhouse thrips)
- (d) *Trialeurodes vaporariorum* (greenhouse whitefly)
- (e) *Phytophthora cryptogea* (tomato foot rot)
- (i) Free from soil.
- (ii) Post-entry quarantine for a period of 45 days.
- (iv) Europe (except Spain)

Free from:

- (a) *Bemisia tabaci* (B biotype) (silverleaf whitefly)
- (b) *Frankliniella occidentalis* (western flower thrips)
- (c) *Trialeurodes vaporariorum* (greenhouse whitefly)
- (d) *Armillaria tabescens* (armillaria root rot)
- (e) *Phytophthora cryptogea* (tomato foot rot)
- (f) *Pseudomonas viridiflava* (bacterial leaf blight of tomato)
- (g) *Burkholderia cepacia* (sour skin of onion)
- (h) *Rhizobium rhizogenes*
- (ii) Tissue cultured plants

Europe

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus
Nil

279.

Euphorbia Leucodendron (Flame tip)

Plants/cuttings for propagation

South Africa

Free from:

- (a) *Bemisia tabaci* (B biotype) (silverleaf whitefly)
- (b) *Frankliniella occidentalis* (western flower thrips)
- (c) *Opogona sacchari* (banana moth)
- (d) *Phenacoccus manihoti* (cassava mealybug)
- (e) *Phytophthora cryptogea* (tomato foot rot)
- (f) *Rhizobium rhizogenes* (gall)

(i) Free from soil.

(ii) Post-entry quarantine for a growing period of 6 months.

280.

Eustoma spp.

Seeds for sowing

(i) Europe

(ii) Japan

(iii) Taiwan

(iv) USA

(v) Guatemala

Nil

Free from quarantine weed seeds and soil.

281.

Eustoma grandiflorum

Plants/cuttings for propagation

Netherlands

Free from

Duponchelia fovealis (Southern European marshland pyralid)

(i) Free from soil

(ii) Post-entry quarantine for a growing period of 3 months.

282.

Euterpe spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plant for propagation

Any country

Nil

(i) Free from soil

(ii) Post-entry quarantine growing for a period of 10-12 months

283.

Eutrema wasabi (*Wasabia japonica*)

Tissue cultured plants

Japan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from viruses.

Nil

284.

Evandra spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from any virus

Nil

285.

Fagopyron esculentum (Buckwheat)

Grain (seed) for consumption

Nepal

Nil

Free from quarantine weed seeds.

286.

Fagus sylvatica (European Beech)

Timber with/without bark

(i) Europe

Free from:

Insects:

a. *Agrilus*

sulcicollis (European oak borer)

b. *Agrilus viridis*

(beech buprestid)

c. *Callidium*

violaceum

d. *Cerambyx scopolii*

(scorpion beetle)

e. *Cydia leguminana*

f. *Dicerca aenea*

g. *Dicerca*

berolinensis

h. *Dryocoetes*

villosus

i. *Ectoedemia*

liebwerdella

j. *Ernoporus fagi*

k. *Hylecoetus*

dermestoides (large timber worm)

l. *Phymatodes*

testaceus (tanbark borer)

m. *Ptilinus*

pectinicornis (kaefer)

n. *Plagionotus*

arcuatus

o. *Platypus cylindrus*

(oak pinhole, borer)

p. *Prionus coriarius*

(tanner beetle)

q. *Scolytus*

intricatus (European oak bark beetle)

r. *Scolytus laevis*

s. *Taphroruchus*

bicolor (beech bark beetle)

t. *Tremex fuscicornis*

(tremex wasp)

u. *Trypodendron*

demesticum

v. *Xyleborus dispar*

(pear blight beetle)

w. Xyleborus

dryographus

x. Xyleborus

monographus

y. Xylosandrus

germanus (black timber bark beetle)

z. Xyloterus

domsticus aa. Xyloterus signatus bb. Zeuzera pyrina (wood

leopard)

Fungi:

a. Armillaria

cepistipes

b. Ascodichaena

rugosa

c. Bjerkandera adusta

(scored conk)

d. Bjerkandera fumosa

(roger mushroom)

e. Cyllindrobasidium

evolvens

f. Eutypa lata

(eutypa dieback)

g. Fomes fomentarius

(hoof fungus)

h. Fomitopsis

pinicola(brown crumbly rot)

i. Fusicoccum

galericulatum

j. Heterobasidion

abietinum

k. Heterobasidion

annosum

l. Hypoxylon

fragiforme

m. Hypoxylon

nummularium

n. Phellinus

igniarius

o. Phytophthora

citricola

p. Phytophthora

pseudosyringae

q. Phytophthora

ramorum (sudden oak death(SOD))

r. Stereum hirsutum

s. Stereum purpureum

t. Stereum rugosum

u. Trametes gibbosa

v. Trametes hirsuta

w. Trametes

versicolor

x. *Xylaria hypoxylon* (candlesnuff fungus).

(i) Free from

quarantine weed seeds and soil contamination.

(ii) Methyl bromide fumigation @ 48 g/m³ for 24

hrs at 210C and above or equivalent thereof or Heat treatment at

560C (core temperature) for 30 minutes or Any other treatment

approved by the Plant Protection Adviser to the Government of

India. The treatment should be endorsed on Phytosanitary

Certificate issued at the country of origin/re-export.

287.

Fatsia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus.

Nil

288.

Festuca arundinacea (Meadow fescue)

(i) Germplasm material for research only

USA

Free from:

(a) *Aceria tosichella*

(wheat curl mite)

(b) *Anguina agrostis*

(grass nematode)

(c) *Gloeotinia*

granigena

(d) *Neotyphodium*

coenophialum

(e) *Pyrenophora dictyoides*

(i) Free from quarantine weed seeds.

(ii) Grafts/budwood/plants for propagation

USA

Free from:

(a) *Chaetocnema*

pulicaria (corn beetle)

(b) *Exomala*

orientalis (oriental beetle)

(c) *Oulema melanopus*

(oat leaf beetle)

(d) *Pogonomyrmex*

occidentalis

(e) *Pogonomyrmex*

rugosus

(f) *Belonolaimus*

longicaudatus

(g) *Gloeotinia*

granigena

(h) *Neotyphodium*

coenophialum

(i) *Pyrenophora dictyoides*

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9
month except for research.

(iii) Seeds for sowing

USA

Free from:

(a) *Gloeotinia*

granigena (blind seed disease: grasses)

(b) *Neotyphodium*

coenophialum (tall fescue endophyte)

(c) *Pyrenophora dictyoides* (netblotch of Fescues

(*Festuca* spp.))

Free from quarantine weed seeds and soil
contamination.

289.

Festuca rubra

Seeds for sowing

USA

Free from:

(a) *Monographella*

nivalis (foot rot of cereals)

(b) *Pseudomonas syringae* pv. *atropurpurea*

Free from quarantine weed seeds and soil
contamination.

290.

Ficus spp.

(i) Tissue cultured plants

(i) Japan

Certified that the

tissue cultured plants were obtained from mother stock tested and
maintained free from

(a) *Ficus conica*

virus

(b) Fig virus S

Nil

(ii) Any country except Japan

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus,
Nil

(ii) Plants/cuttings for propagation

Any Country

Nil

Post-entry quarantine for a period of 45 days.

291.

Flacourtia indica

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period
of 6-9 months.

292.

Flemingia macrophylla

Plants for propagation

USA

Nil

Post-entry quarantine growing for a period of 45 days.

293.

Flower bulbs:

(a) *Dahlia* spp.

(i) Tubers for planting or propagation

Any Country

Free from viruss affecting dahlia except dahlia
mosaic virus

(i) Post-entry
quarantine for one growth season.

(ii) Free from soil

(ii) Seeds for sowing

(i) Europe

(ii) USA

(iii) Japan

Nil

Free from quarantine weed seeds.

(b) *Gladiolus* spp.

Corms/Corm lets for planting or propagation

Any Country

Free from:

(a) Smut (*Urocystis*
gladiolicola)

(b) Rusts (*Uromyces*
gladioli and *U. transversalis*)

(c) Corm rot (*F.*
oxysporum f.sp. *gladioli*)

(d) Hard rot

(*Septoria gladioli*)

(e) Scab and neck rot

(*Burkholderia marginalis*)

(f) Base rot (*Burkholderia gladioli* pv.
gladioli)

(i) Post-entry
quarantine for one growth season.

(ii) Free from soil

(c) *Heliconia* spp.

Rhizomes for propagation

Any Country

Free from Moko wilt (*Burkholderia solanacearum*

Race 2)

Post-entry quarantine period for one growth season

(d) *Hyacinthus* spp.

Bulbs for propagation

Any Country

Free from:

(a) Bacterial blight

or yellow slime (*Xanthomonas hyacinthi*)

(b) Hyacinth mosaic

virus (Poty virus)

(c) Stem and bulb nematode (*Ditylenchus dipsaci*)

(i) Post-entry

quarantine for one growth season

(ii) Free from soil

(iii) Hot-water treatment of bulbs at 45°C for 4

hrs followed by suitable fungicidal treatment and the treatment shall be endorsed on the Phytosanitary Certificate. Or Treatment with Methyl bromide @ 32 g/m³ for 2½ hrs at 21°C or above under NAP or equivalent or any other treatment specified by the Plant Protection Adviser.

(e) *Iris* spp. (bulbous and rhizomatous varieties)

Bulbs/rhizomes for planting or propagation

Any Country

Free from:

(a) Fusarial rot

(*Fusarium oxysporum* f.sp. *gladioli*)

(b) Stem and bulb

nematode (*Ditylenchus dipsaci*)

(c) Sclerotinia rot

(*Sclerotinia bulborum*)

(d) *Iris* virus (Potyvirus)

(i) Post-entry

quarantine for one growth season

(ii) Free from soil

(iii) Hot-water treatment of bulbs at 45°C for 4

hrs followed by suitable fungicidal treatment and the treatment shall be endorsed on the Phytosanitary Certificate. Or Treatment with Methyl Bromide @ 32 g/m³ for 2½ hrs at 21°C or above under NAP or equivalent or any other treatment specified by the Plant Protection Adviser.

(f) *Lilium* spp. (Lilly)

(i) Bulbs for planting

Any Country

Free from:

(a) Fusarium wilt

(*Fusarium oxysporum* f.sp. *lilii*)

(b) Anthracnose

(*Colletotrichum lilii*)

- (c) Bacterial leaf spot (*Burkholderia gladioli* pv. *gladioli*)
- (d) Lilly viruses (lilly rosette, lilly symptomless, tulip breaking and lilly curl stripe)

(i) Post-entry quarantine for one growth season.

- (ii) Free from soil
- (ii) Tissue cultured plants
- (i) Korea ROK, Korea DPR

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

- (a) Tulip breaking virus
- (b) Lily mottle virus
- (c) Lily virus X
- (d) Tobacco mosaic virus
- (e) Tobacco rattle virus
- (f) Broad bean wilt fabavirus
- (g) Tomato ringspot nepovirus
- (h) Lily mild mosaic virus
- Nil

(ii) Japan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

- (a) Lily mottle virus
- (b) Tulip breaking virus
- (c) Lily virus X
- (d) Citrus tatter leaf virus
- Nil

(iii) Netherlands

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

- (a) Arabis mosaic virus
- (b) Lily mottle virus
- (c) Lily virus X
- (d) Tobacco rattle virus
- (e) Tulip breaking virus
- (f) Tulip mosaic virus
- (g) Necrotic fleck virus complex

Nil

(iv) USA

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from

(a) Tulip breaking

virus

(b) Necrotic fleck virus complex

Nil

(v) Italy

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from

(a) Tobacco rattle

virus

(b) Tulip breaking

virus

(c) Turnip mosaic

virus

(d) Narcissus mosaic

virus

(e) Arabis mosaic virus

Nil

(vi) Israel

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from

(a) Tulip breaking

virus

(b) Strawberry latent

ring spot virus

(c) Lily mottle virus

Nil

(vii) Taiwan

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from

(a) Tulip breaking

virus

(b) Lily mottle virus

(c) Strawberry latent

ring spot virus

(d) Lily virus X

Nil

(viii) UK

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from tulip
breaking virus

Nil

(ix) China

(x) Poland

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from lily
mottle virus

Nil

(xi) Any country except Korea ROK, Korea DPR,
Japan, Italy, UK, Israel, Taiwan, Netherland, USA, China, Poland

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

(iii) Plants/cuttings for propagation

The Netherlands

Free from:

(a) *Lilioceris lili*

(lily leaf beetle)

(b) *Botrytis tulipae*

(tulip fire)

(c) *Aphelenchoides*

fragariae (Strawberry crimp nematode)

(d) *Pratylenchus*

vulnus (walnut root lesion nematode)

(e) Lily mottle virus

(f) Lily symptomless

virus

(g) Lily virus X

(h) *Narcissus* mosaic

virus

(i) Strawberry latent

ringspot virus (latent ring spot of strawberry)

(j) Tulip breaking virus

(i) Free from soil

and other plant debris

(ii) Post-entry quarantine for a period of 60

days

(g) *Narcissus* spp. (*Narcissus*)

Bulbs for planting

Any Country

Free from:

(a) Basal rot

(*Fusarium oxysporum* f. sp. *narcissi*)

(b) Stem and bulb

nematode (*Ditylenchus dipsaci*)

(c) *Narcissus* fire

(*Botryotinia polyblastis*)

(d) Leaf scorch

(*Stagnospora curtissi*)

(e) *Narcissus* bulb

flies (*Merodona equestris*, *Eumerus strigatus* and *E. tuberculatus*)

(f) *Narcissus* viruses

(i) Post-entry

quarantine for one growth season

(ii) Free from soil

(iii) Hot-water treatment of bulbs at 45°C for 4 hrs followed by suitable fungicidal treatment and the treatment shall be endorsed on the phytosanitary certificate. Or Treatment with Methyl bromide @ 32 g/m³ for 2½ hrs at 21°C or above under NAP or equivalent or any other treatment specified by the Plant Protection Adviser.

(h) Tulipa spp.

Bulbs for planting or propagation

Any Country

Free from:

(a) Bulb and stem

nematode (*Ditylenchus dipsaci*)

(b) Yellow pustule

and hellfire (*Curtobacterium flaccumfaciens* pv. *oortii*)

(c) Tulipa viruses viz. band breaking, chlorotic

blotch, virus x and other seed borne viruses.

(i) Post-entry

quarantine for one growth season

(ii) Free from soil

(iii) Hot-water treatment of bulbs at 45°C for 4

hrs followed by suitable fungicidal treatment and the treatment

shall be endorsed on the Phytosanitary Certificate Or Treatment

with Methyl bromide @ 32 g/m³ for 2½ hrs at 21°C or above

under NAP or equivalent or any other treatment specified by the

Plant Protection Adviser.

(i) Zantedeschia spp. (Calla lily)

(i) Corms for propagation or planting

Any Country

Free from:

(a) Bacterial leaf

spot (*Xanthomonas campestris* pv. *zantedeschiae*)

(b) Zantedeschia mosaic virus

(i) Post-entry

quarantine for one growth season.

(ii) Free from soil.

(ii) Tissue cultured plants

(i) Korea ROK

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

zantedeschia mosaic virus

Nil

(ii) Czech Republic

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from tomato

spotted wilt virus

Nil

(iii) Slovenia

Certified that the

tissue cultured plants were obtained from mother stock tested and

maintained free from

(a) Tomato spotted

wilt virus

(b) Impatiens necrotic spot virus

Nil

(iv) Bulgaria

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Tomato spotted

wilt virus

(b) Potyvirus

Nil

(v) New Zealand

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

(vi) Taiwan

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Turnip mosaic

virus

(b) Zantedeschia mosaic virus

Nil

(vii) USA

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from konjac mosaic virus

Nil

(viii) Any country except Korea ROK, Taiwan,

Czech Republic, Slovenia, Bulgaria, New Zealand, USA

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

(i) Zingiber mioga (Ornamental Zinger)

Rhizomes for propagation

Any Country

Free from Leaf blight ((Xanthomonas campestris pv. zingibericola)

(i) Post-entry quarantine for one growth season.

(ii) Free from soil.

294.

Foeniculum vulgare(Fennel)

Seeds for sowing

France, Chile

Free from Rhizobium rhizogenes (gall)

Free from quarantine weeds seeds and soil contamination

Denmark

Nil

Free from quarantine weeds seeds and soil contamination

295.

Fragaria ananassa (strawberry)

Fruits for consumption

Sri Lanka

Free from:

(a) *Frankliniella*

occidentalis (western flower thrips)

(b) *Peridroma saucia*

(pearly underwing moth)

(c) *Aphis forbesi* (aphids)

Nil

Thailand

Nil

Free from soil.

296.

Fragaria vesca

Frozen fruits for consumption

Poland

Free from:

(a) *Otiorhynchus*

sulcatus (vine weevil)

(b) *Arion hortensis*

(garden slug)

(c) *Deroceras reticulatum* (grey field slug)

(i) Free from any

plant debris.

(ii) Fumigation with Methyl bromide @ 32 g/m³ for 2 hrs at 21°C and above under NAP before processing/freezing of fruits and the treatment be endorsed on Phytosanitary

Certificate.

297.

Fraxinus spp. (Ash)

Logs with/without bark

Canada

Free from:

(a) *Agrilus*

planipennis (Emerald ash borer)

(b) *Anoplophora*

glabripennis (Asian long horned beetle)

(c) *Heterobasidion*

annosum

(d) *Phytophthora*

ramorum [Sudden oak death (SOD)]

(e) *Rhizobium*

rhizogenes (Bacterial gall)

(f) *Xyleborus dispar* (Pear blight beetle)

(i) Free from

quarantine weeds seeds and soil Contamination.

(ii) Methyl bromide

fumigation @ 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof or Heat treatment at 56°C (core temperature) for 30

minutes or any other treatment approved by the Plant Protection

Adviser to the Government of India

The treatment should be endorsed on

Phytosanitary certificate issued at the Country of origin/re-export.

298.

Freesia spp. (Freesia)

(i) Seeds for sowing

(i) USA

Free from Tobacco rattle virus (spraying of potato)

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free from tobacco rattle virus.

(ii) Europe

(iii) Asia

Nil

Free from quarantine weed seeds.

(iv) Australia

Free from freesia mosaic virus

(i) Free from soil

and quarantine weed seeds.

(ii) Crop inspection and certification for freedom from freesia mosaic virus.

(ii) Bulbs for propagation

Europe

Nil

(i) Free from soil.

(ii) Post-entry quarantine for one growth season.

299.

Fuchsia spp.

(i) Tissue culture plants

(i) Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from Nerine latent virus.

Nil

(ii) Costa Rica

(iii) USA

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

300.

Gaillardia spp. (Blanket flower)

Seeds for sowing

(i) Europe

(ii) USA

Nil

Free from quarantine weed seeds.

301.

Garcinia mangostana (Mangosteen)

Fruits for consumption

(i) Thailand

Free from :

(a) *Bactrocera*

papayae (papaya fruit fly)

(b) Mealy bug

(i) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above or equivalent thereof or

(ii) Pre-shipment cold treatment at 0°C or below

for 13 days; 0.55°C or below for 14 days; 1.10°C or below for 18 days plus in-transit refrigeration against papaya fruit fly.

(ii) Sri Lanka

Nil

Nil

Cuttings/plants for propagation

(i) Philippines

(ii) New Zealand

(iii) Sri Lanka

(iv) Indonesia

(v) Malaysia

(vi) Mauritius

(vii) USA

Nil

(ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(i) Free from soil.

(iii) Post-entry quarantine growing for 6-9 month except for research.

(viii) Thailand

Free from *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)

(i) Australia,

(ii) Puerto rico

Free from *Bemisia tabaci* (B biotype)

(i) Free from soil.

(ii) Post-entry quarantine growing for a period of 2-3 months except for research.

(iii) Madagascar

(iv) Myanmar

(v) Vietnam

Nil

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

302.

Gardenia spp. (*Gardenia*)

Tissue cultured plants

Holland

Certified that the tissue cultured plants
obtained from mother stock tested and maintained free from virus

Nil

303.

Gazania spp. (Gazania)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Japan

(v) Guatemala

(vi) Australia

Nil

Free from quarantine weed seeds and soil.

304.

Genista spp.

Seeds for sowing

(i) Asia

(ii) Europe

(iii) USA

Nil

Free from quarantine weed seeds.

305.

Gentiana spp.

Tissue cultured plants

(i) Japan

Certified that the

tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Bean yellow

mosaic virus

(b) Broad bean wilt

virus

(c) Clover yellow

vein virus

(d) Tobacco rattle virus

Nil

(ii) USA

Certified that the

tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Bean yellow

mosaic virus

(b) Impatiens necrotic spot virus

NIL

(iii) Germany

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from
gentiana carlavirus.

Nil

(iv) Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from broad bean wilt virus.

Nil

(v) UK

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from tomato black ring virus

Nil

(vi) Any country except Japan, Germany, Australia, UK, USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

(ii) Dry plant material (All plant parts) for medicinal purpose

China

Free from *Cronartium flaccidum* (scot pine blister rust)

Free from quarantine weed seeds and soil.

306.

Geranium spp.

(i) Seeds for sowing

(i) USA

(ii) Asia

(iii) Europe

Nil

Free from quarantine weed seeds.

(iv) Guatemala

Free from:-

(a) *Phenacoccus*

madeirensis (cassava mealybug)

(b) *Pseudococcus*

jabeardsleyi (Jack Beardsleyi mealybug)

(c) *Spodoptera frugiperda* (fall armyworm)

Free from quarantine weed seeds and soil.

(ii) Tissue cultured plants

(i) USA

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Tomato spotted

wilt virus

(b) *Pelargonium* line

pattern carmovirus

(c) *Pelargonium* ring

spot virus

(d) *Pelargonium* vein

clearing virus

(e) Potato virus S

(f) *Impatiens* necrotic spot virus

Nil

(ii) Netherlands

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Pelargonium leaf

curl virus

(b) Pelargonium vein

netting virus

(c) Arabis mosaic

virus

(d) Tomato ring spot

virus

(e) Tomato black ring

virus

(f) Tobacco necrosis virus

Nil

(iii) Canada

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Tomato spotted

wilt virus

(b) Impatiens necrotic spot virus

Nil

(iv) Italy

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Pelargonium ring

spot virus

(b) Pelargonium

chlorotic ring pattern virus

(c) Pelargonium zonate spot virus

Nil

(v) Iran

(vi) France

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from tomato spotted wilt virus.

Nil

(vii) UK

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from pelargonium line pattern carmovirus

Nil

(viii) Hungary

(ix) Germany

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from pelargonium flower-break virus

Nil

(x) Czech Republic

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from pelargonium leaf curl virus

Nil

(xi) Sweden

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from tomato ring spot virus

Nil

(xii) Poland

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from tobacco necrosis virus

Nil

(xiii) Any country except USA, UK, Italy, Hungary, Germany, Netherlands, Czech Republic, Sweden, Poland, Canada

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

NIL

307.

Gerbera jamesonii (Gerbera)

(i) Seeds for sowing

(i) USA

(ii) Europe

(iii) Asia

NIL

Free from quarantine weed seeds.

(ii) Plants for propagation

(i) Netherlands

Free from:

(a) *Frankliniella*

occidentalis (Western flower thrips)

(b) *Otiorhynchus*

sulcatus (Vine weevil)

(c) Thrips

angusticeps (Field thrips)

(d) *Phytonemus*

pallidus (Strawberry mite)

(e) *Phytophthora cryptogea* (Tomato root rot)

Post-entry quarantine growing for a period of 45 days.

(ii) Germany

Free from:

(a) *Frankliniella*

occidentalis (Western flower thrips)

(b) *Trialeurodes*

vaporariorum (Glasshouse white fly)

(c) *Phytonemus*

pallidus (Strawberry mite)

(d) *Phytophthora cryptogea* (Tomato foot rot)

Post-entry quarantine growing for a period of 45 days.

(iii) Europe (except Germany)

Free from:

(a) *Frankliniella*

occidentalis (Western flower thrips)

(b) *Otiorhynchus*

sulcatus (vine weevil)

(c) *Trialeurodes*

vaporariorum (glasshouse white fly)

(d) Thrips

angusticeps (field thrips)

(e) *Phytonemus*

pallidus (Strawberry mite)

(f) *Phytophthora cryptogea* (tomato foot rot)

Post-entry quarantine growing for a period of 45 days.

(iv) USA

Free from:

(a) *Chrysodeixis*

includens (soybean looper)

(b) *Frankliniella*

occidentalis (Western flower thrips)

(c) *Trialeurodes*

vaporariorum (Glasshouse white fly)

(d) *Phytonemus*

pallidus (Strawberry mite)

(e) *Phytophthora cryptogea* (tomato foot rot)

Post-entry quarantine growing for a period of 45 days.

(iii) Tissue cultured plants

(i) Europe

(ii) Australia

(iii) Argentina

(iv) Greece

(v) Japan

(vi) Columbia

(vii) USA

(viii) Mexico

(ix) Slovenia

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from tomato

spotted wilt virus

Nil

(x) Turkey

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

tobacco mosaic virus

Nil

(xi) Russia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from tobacco rattle tobavirus

Nil

(xii) Any country except Europe, Argentina, Greece, Japan, Columbia, Italy, USA, Mexico, Slovenia, Turkey, Russia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

(iv) Plants/cuttings for propagation purpose

(i) Kenya

(ii) Israel

Free from *Frankliniella occidentalis* (western flower thrips)

(i) Free from soil.

(ii) Post-entry quarantine growing for a period of 45 days.

308.

Gliricidia sepium (Mother of Cocoa)

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

309.

Gloriosa spp. (*Gloriosa*)

Seeds for sowing

(i) South Africa

(ii) Ghana

Nil

Free from quarantine weed seeds.

310.

Glossostigma elatinoides

(i) Plants for propagation

Japan

Nil

(i) Free from soil

and other plant debris.

(ii) Post-entry quarantine for a period of 60 days.

(ii) Tissue culture plants

Japan

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

311.

Glycine spp. (*Soybean*)

(i) Seed for sowing

Any Country

Free from:

- (a) Downy mildew
(*Peronospora manshurica*)
- (b) Stem canker
(*Diaporthe phaseolorum* var. *caulivora*)
- (c) Root and stem rot
(*Phytophthora megasperma* var. *sojae*)
- (d) Pod and stem
blight (*Phomopsis longicolla*)
- (e) Soybean cyst
nematode (*Heterodera glycines*)
- (f) Bacterial wilt
(*Curtobacterium flaccumfaciens* pv. *flaccumfaciens*),
- (g) Soybean viruses
viz. dwarf, chlorotic mottle, stunt, poty.
- (h) Bruchids (*Bruchidius* spp.)
- (i) Import except the
trial material of the same crop species or variety as specified
in Schedule XII of this Order subject to prior approval of
Department of Agriculture, Cooperation and Farmers Welfare in the
Ministry of Agriculture.

(ii) Free from soil.

(ii) Seeds for consumption/processing

Any Country

Free from Bruchids (*Bruchidius* spp.)

(i) (a) Weed free

crop/area certification or

(b) Zero dockage

certification in respect of quarantine weed seeds in the

Phytosanitary Certificate or

(c) Devitalization of

seed by heat treatment at 120°C for 15 minutes or any other
equivalent treatment approved by the Plant Protection Adviser to
the Government of India

(ii) Management of handling, transportation,
milling, and processing of import consignment and manner of
disposal of refuse as per the guidelines prescribed by the Plant
Protection Advisor to the Government of India

312.

Gomphrena spp. (*Globosa*) (Globe amaranth)

Seeds for sowing

(i) Japan

(ii) Germany

(iii) Taiwan

(iv) USA

(v) Netherlands

(vi) France

(vii) UK

(viii) Denmark

Free from soybean

dwarf virus

Nil

Free from quarantine

weeds seeds and soil.

Free from quarantine weed seeds.

313.

Goodenia spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus.

Nil

314.

Gossypium spp. (Cotton)

Raw cotton bales for industrial use

Any Country

Free from Cotton boll weevils (*Anthonomus*

grandis, *A. peninsularis* and *A. vestitus*)

Fumigation with Methyl bromide @ 24 g/m³ for 24

hrs at 21°C and above under NAP at the port of entry or by any

other fumigant/substance in the manner approved by the Plant

Protection Adviser.

315.

Grevillea spp.

Tissue culture plants

Australia

Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from any

virus.

Nil

316.

Guaiacum spp.

Plants for propagation

USA

Free from *Diaprepes abbreviatus* (citrus weevil)

Post-entry quarantine growing for a period of 45

days.

317.

Guizotia spp. (Niger)

Seeds for sowing

Uganda

Nil

(i) Freedom from

quarantine weed seeds

(ii) Commercial imports subject to prior approval

of Department of Agriculture, Cooperation and Farmers Welfare

Grains for consumption

(i) Ethiopia

Free from:

(a) *Spodoptera*

littoralis (cotton leaf worm)

(b) *Orobancha minor* (common broomrape)

(i) Free from quarantine weed seeds.
(ii) Fumigation with Methyl bromide @ 48 g/m³ at @ 210°C and above or equivalent thereof under NAP of heat treatment at 560°C (core temperature) for 30 minutes or by any other fumigant/substance in the manner approved by the Plant Protection Adviser and the treatment to be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Myanmar
Nil

318.

Gypsophyllia sp
Plants for propagation
The Netherlands
Nil

(i) Free from soil.
(ii) Post-entry quarantine period for one growth season

319.

Gypsophylla paniculata

(i) Tissue culture plants
Israel

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.
Post-entry quarantine for a period of 45 days.

(ii) Stems/cuttings and plants for propagation
Israel

Erysiphe buhrii

Free from:

(ii) Free from soil.
(i) Post-entry quarantine for a growing period of 90 days.
(iii) Seeds for sowing

Denmark

Nil

Free from quarantine weeds seeds and soil.

320.

Hasslerina spp.

Seeds for sowing

(i) Netherlands

(ii) France

Nil

Free from quarantine weed seeds.

321.

Hedera spp. (Hedera)

Plants for propagation

Asia

Nil

Post-entry quarantine for a period of 45 days.

322.

Hedichium spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

323.

Helianthus spp. (Sunflower)

(i) Seeds for sowing

Any Country

Free from:

(a) Downy mildew

(Plasmopara halstedii)

(b) Bruchid

(Bruchidius spp.)

(c) Larger Dermestid beetle (Trogoderma versicolor)

(i) Import subject to prior approval of Department of Agriculture and Cooperation in the Ministry of Agriculture.

(ii) Seed treatment with metalaxyl @ 2% at the country of origin prior to shipment and the treatment shall be endorsed on Phytosanitary Certificate.

(ii) Seeds for consumption or processing

Any Country

Nil

(i) (a) Weed free

crop/area certification or

(b) Zero dockage

certification in respect of quarantine weed seeds in the Phytosanitary Certificate or

(c) Devitalization of

seed by heat treatment at 120°C for 15 minutes or any other equivalent treatment approved by the Plant Protection Adviser to the Government of India

(ii) Management of handling, transportation, milling, and processing of import consignment and manner of disposal of refuse as per the guidelines prescribed by the Plant Protection Advisor to the Government of India.

324.

Helichrysum spp.

Seeds for sowing

Australia

Nil

Free from quarantine weeds seeds.

325.

Helichrysum bracteatum (Strawflower)

Seeds for sowing

(i) Europe

(ii) USA

Nil

Free from quarantine weed seeds.

326.

Helleborus spp. (Lantern/Christmas flower)

Tissue cultured plants

(i) Germany

(ii) Japan

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

Helleborous mosaic (Carlavirus) virus.

Nil

(iii) Any country except Germany and Japan

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

327.

Hemarthria altissima/ Hyparrhenia rufa

(Jaraguagrass)

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

328.

Hemerocallis spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

329.

Heuchera spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

330.

Hibiscus spp. (Hibiscus)

(i) Seeds for sowing

(i) Dominican Republic

Free from Ascochyta abelmoschi (Leaf spot)

Free from quarantine weed seeds.

(ii) China

Free from Colletotrichum hibisci (Anthracnose)

Free from quarantine weed seeds.

(iii) Japan

Nil

Free from quarantine weeds seeds.

(iv) Ecuador

Nil

Free from quarantine weeds seeds and soil.

(ii) Seeds for consumption purpose

Ecuador

Nil

Free from quarantine weeds seeds and soil.

(iii) Plants for propagation

(i) Asia

Nil

Post-entry quarantine for a period of 45 days.

(ii) Australia

Free from Hibiscus chlorotic ring spot virus

Post-entry quarantine for a period of 45 days.

(iii) USA

Free from:

(a) *Parabemisia*

myricae (Bayberry whitefly)

(b) *Paracoccus*

marginatus (Papaya mealybug)

(c) *Pectinophora*

scutigera (Pink spotted bollworm)

(d) *Phenacoccus*

madeirensis (Cassava mealybug)

(e) *Pseudococcus*

calceolariae (*Citrophilus* mealybug)

(f) *Pseudococcus*

jackbeardsleyi (Jack Beardsley mealybug)

(g) *Spodoptera*

frugiperda (Fall armyworm)

(h) *Steirastoma breve*

(Cacao beetle)

(i) *Armillaria*

tabescens (*Armillaria* root rot)

(j) *Rhizobium*

rhizogenes (Bacterial gall)

(k) Hibiscus chlorotic ring spot virus

Post-entry quarantine for a period of 45 days.

(iv) Spain

Free from:

Frankliniella

occidentalis (western flower thrips)

Parabemisia myricae

(bayberry whitefly)

Pseudococcus

calceolariae (scarlet mealybug)

Spodoptera littoralis

(cotton leafworm)

Trialeurodes vaporariorum (greenhouse whitefly)

(i) Free from soil.

(ii) Post-entry quarantine for a period of 45 days.

(v) French Polynesia

Free from *Chaetocnema confinis* (flea beetle)

(i) Free from soil.

(ii) Post-entry quarantine for a period of 45 days.

(ii) Tissue cultured plants

(i) Spain

(ii) French Polynesia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

331.

Hibiscus cannabinus, Hibiscus and its wild relatives (Kenaf)

Seeds for sowing

(i) Angola

Free from *Spermophagus pygopubens*

Free from quarantine weed seeds

(ii) El Salvador

(iii) Guatemala

Free from *Anthonomus grandis* (cotton boll weevil)

(iv) Sri Lanka

Free from *Spermophagus convolvuli*

(v) South africa

Free from *Spermophagus maurus*

(vi) USA

Free from:

(a) *Althaeus hibisci*

(b) *Anthonomus grandis*

(c) *Cristulariella maricola*

(d) *Grovensinia pyramidalis*

(i) Free from quarantine weed seeds

(ii) Fumigation with phosphine @ 3 g/m³at NAP

(vii) Australia

(viii) Bangladesh

(ix) Benin

(x) Indonesia

(xi) Iran

(xii) Ivory Coast

(xiii) Nigeria

(xiv) Myanmar

(xv) Thailand

(xvi) Vietnam

Nil

Free from quarantine weed seeds

332.

Hieracium pilosella

Germplasm material for research only

(i) Australia

(ii) Brazil

(iii) Czech Republic

(iv) Kenya

(v) Romania

(vi) Syria

Free from *Ditylenchus dipsaci*

Free from quarantine weed Seeds

Whole plant (dried) (except seeds) for processing

Any country

Free from *Ditylenchus dipsaci* (stem and bulb nematode)

Fumigation with Methyl bromide @ 32 g/m³at @

210C and above or equivalent thereof under NAP and the treatment to be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser.

333.

Hoordia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus
Nil

334.

Hordeum spp. (Barley)

(i) Seeds for sowing

Any Country

Free from:

(a) Glume rot

(*Pseudomonas syringae* pv. *atrofaciens*)

(b) Barley Stripe

mosaic (*Hordeivirus*)

(c) Ergot (*Claviceps*

purpurea)

(d) Granary weevil (*Sitophilus granarius*)

(i) Free from

quarantine weeds.

(ii) Import subject to prior approval of

Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture.

(ii) Grains for consumption

Any Country

Free from :

(a) Ergot(*Claviceps*

purpurea)

(b) Granary weevil (*Sitophilus granarius*)

Fumigation with Methyl bromide @ 32 g/m³@ 210C

and above for 24 hrs under NAP and the treatment to be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser.

(iii) Grains for malting

Any Country

Free from:

(a) Ergot (*Claviceps purpurea*)

(b) Granary weevil (*Sitophilus granarius*)

Fumigation with Methyl Bromide @ 32 g/m³ at 210C

or above under NAP or Fumigation with phosphine @ 3 g/metric tonne (in case of import in bulk) with an exposure period of 21

days and either of the above treatment is to be endorsed on the

Phytosanitary Certificate .

335.

Hosta spp.

Tissue cultured plants

(i) USA

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) *Impatiens*

necrotic spot virus

(b) Tomato ring spot

virus

(c) *Hosta* virus X

Nil

(ii) Any country except USA

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from *hosta*

virus X

Nil

336.

Howea spp.

(i) Seeds for sowing

Any country

Nil

Free from quarantine weeds seeds

(ii) Plants for propagation

Any country (Except from Africa, America and

Caribbean countries)

Free from Palm lethal yellowing phytoplasma

(i) Free from soil.

(ii) Post-entry quarantine growing for a period

of 10-12 months

337.

Humulus spp. (Hops)

(i) Cuttings (rooted/un-rooted)/saplings

Any Country

Free from:

(a) Downy mildew

(*Pseudoperonospora humuli*)

(b) Hops cyst

nematode (*Heterodera humuli*)

(c) Hop viruses

(i) Post-entry

quarantine for a period of 6 months.

(ii) Free from soil.

(ii) Dried flower cones (hops) in bales for industrial processing

Any Country

As above at (b)

(i) Heat treatment at

630C for 6 hrs.

(ii) The refuse collected from the Mill and the jute bags that are used for packing should be destroyed by incineration

338.

Hydrangea spp.

Tissue cultured plants

(i) Columbia

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Hydrangea ring

spot virus

(b) Hydrangea latent

virus

(c) Tomato ring spot virus

Nil

(ii) Canada

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Tomato ring spot

virus

(b) Hydrangea latent

virus

(c) Hydrangea ring spot virus

Nil

(iii) UK

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Hydrangea mosaic

virus

(b) Hydrangea ring

spot virus

(c) Tomato ring spot virus

Nil

(iv) USA

(v) Japan

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Tomato spotted

wilt virus

(b) Tomato ring spot

virus

(c) Hydrangea ring spot virus

Nil

(v) Any country except Columbia, Canada, UK,

USA, Japan

Certified that the

tissue cultured plants were obtained from mother stock tested and

maintained free from :

(a) Hydrangea ring

spot virus

(b) Tomato ring spot virus

Nil

339.

Hydrastic Canadensis

Seeds for sowing

(i) Europe

(ii) USA

(iii) Canada

Nil

Free from quarantine weed seeds and soil

contamination.

340.

Hygrophila polysperma

(i) Plants for propagation

Japan

Nil

(i) Free from soil

and other plant debris.

(ii) Post-entry quarantine for a period of 60

days.

(ii) Tissue culture plants

Japan

Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from any

virus.

Nil

341.

Hylocereus undatus (Dragon fruit)

(i) Fresh fruit for consumption

(i) Sri Lanka

(ii) Thailand

Nil

Free from soil.

(iii) Vietnam

Nil

Nil

(ii) Stems/cuttings/Plant for propagation

Malaysia

Nil

(i) Free from soil.

(ii) Post-entry quarantine for a period 6 to 9 months.

(iii) Plants for propagation

Thailand

Nil

(i) Post-entry

quarantine growing for a period of 10-12 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

342.

Hypericum spp.

Seeds for sowing

(i) Asia

(ii) Europe

(iii) USA

Nil

Free from quarantine weed seeds.

343.

Hypericum perforatum

Plants/cuttings for propagation

Netherlands

Nil

1. Free from soil.

2. Post-entry quarantine for a growing period of 6-9 months.

344.

Hyphaene spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any country

Nil

(i) Free from soil

(ii) Post-entry quarantine growing for a period of 10-12 months.

345.

Hypnum curvifolium (Hypnum Moss/Green Moss)

Moss for consumption/processing

Any country

Nil

(i) Import Permit

should be obtained from Plant Protection Adviser to the Government of India, Faridabad

(ii) Free from soil, grain and weed seeds.

(iii) Steam sterilized for 30 min.

346.

Hypocalymma robustum

Tissue culture plants

Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

347.

Hypoestes spp.

Seed for sowing

Netherlands, Denmark and Germany

Nil

Free from quarantine weeds seeds and soil.

348.

Hypolaena spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from any virus

Nil

349.

Iberis spp. (Candytuft)

Seeds for sowing

(i) Asia

(ii) Europe

(iii) USA

Nil

Free from quarantine weed seeds.

350.

Icacinaceae (Nothapodytes roots)

Dried roots for consumption purpose

China

Nil

Free from soil and other plant debris.

351.

Illicium verum (Star Aniseed)

Seeds for sowing

China

Nil

Free from quarantine weed seeds.

352.

Impatiens spp. (Impatiens)

Seeds for sowing

(i) Denmark

Free from Phyllosticta impatiens

Free from quarantine weed seeds.

(ii) Europe

Free from:

(a) Tomato ring spot

virus

(b) Tomato aspermy virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free from tomato ring spot virus and tomato aspermy virus

(iii) USA

Free from Impatiens necrotic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free from impatiens necrotic virus.

(iv) Japan

(iv) Taiwan

(v) Australia

Nil

Free from quarantine weed seeds.

(vi) Guatemala

Nil

Free from quarantine weed seeds and soil.

(i) Plants for propagation

(i) USA

Free from:

(a) Frankliniella

occidentalis (western flower thrips)

(b) Hercinothrips

femoralis (banded greenhouse thrips)

(c) Otiorhynchus

sulcatus (vine weevil)

(d) Phytonemus

pallidus (strawberry mite)

(e) Rhizobium

rhizogenes

(f) Clover yellow

vein virus (CYVV)

(g) Impatiens necrotic spot virus (TSWV-I)

(i) Free from soil.

(ii) Post-entry quarantine for a period of 45 days.

(ii) The Netherlands

Free from:

(a) Frankliniella

occidentalis (western flower thrips)

(b) Otiorhynchus

sulcatus (vine weevil)

(c) Phytonemus

pallidus (strawberry mite)

(d) Clover yellow

vein virus (CYVV)

(e) Impatiens necrotic spot virus (TSWV-I)

(i) Free from soil.

(ii) Post-entry quarantine for a period of 45 days.

(ii) Tissue cultured plants

(i) USA

(ii) The Netherlands

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from clover yellow vein virus (CYVV) and impatiens necrotic spot virus (TSWV-I) viruses.

Nil

353.

Imperata cylindrica

Wood without bark

Indonesia

Nil

Fumigation with Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP or any other treatment approved by Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

354.

Indigofera hirsuta (Hairy indigo)/*Indigofera* spp.

Seeds for sowing

Kenya

Nil

Free from soil. and quarantine weed seeds

355.

Inga edulis

(i) Plants for propagation

Australia, Thailand, USA

Nil

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(ii) Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(ii) Post-entry quarantine for a growing period of 3-4 months.

356.

Inula L. (Pushkaramoola)

Dried plant material for medicinal use

China

Nil

Free from quarantine weed seeds

357.

Ipomoea spp.

(i) Seeds for sowing

(i) Netherlands

(ii) France

(iii) Germany

(iv) Taiwan

(v) Japan

(vi) UK

(vii) Thailand

(viii) Guatemala

Nil

Free from quarantine weed seeds and soil.

(ii) Rhizomes for propagation

(i) Germany

(ii) Netherlands

(iii) France

Free from:

(a) *Ditylenchus*

destructor (potato tuber nematode)

(b) *Ditylenchus dipsaci* (brown ring disease of hyacinth)

(i) Free from soil.

(ii) Post-entry quarantine for one growth season.

(iii) Plants for propagation

(i) USA

Free from:

(a) *Frankliniella*

occidentalis (western flower thrips)

(b) *Hercinothrips*

femoralis (banded greenhouse thrips)

(c) *Otiorhynchus*

sulcatus (vine weevil)

(d) *Phytonemus*

pallidus (strawberry mite)

(e) *Rhizobium*

rhizogenes

(f) Clover yellow

vein virus (CYVV)

(g) *Impatiens necrotic spot virus* (TSWV-I)

(i) Free from soil.

(ii) Post-entry quarantine for a period of 45 days.

(ii) The Netherlands

Free from:

(a) *Frankliniella*

occidentalis (western flower thrips)

(b) *Otiorynchus*
sulcatus (vine weevil)

(c) *Phytonemus*
pallidus (strawberry mite)

(d) Clover yellow
vein virus (CYVV)

(e) *Impatiens* necrotic spot virus (TSWV-I)

(i) Free from soil.

(ii) Post-entry quarantine for a period of 45
days.

(iv) Tissue cultured plants

(i) USA

(ii) The Netherlands

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from clover
yellow vein virus (CYVV) and *impatiens* necrotic spot virus
(TSWV-I) viruses.

Nil

358.

Iris germanica

(i) Dry roots for consumption purpose

Morocco, China

Nil

Free from soil and other plant debris.

359.

Iris pallida

(i) Dry roots for consumption purpose

Italy

Nil

Free from soil and other plant debris.

360.

Irvingia gabonensis

Seeds for consumption/processing

West Africa

Nil

Free from quarantine weed seeds, soil and other
plant debris.

361.

Ixodia achilleoides (daisy)

Dry flowers for decoration

Australia

Nil;

Free from quarantine weeds seeds and soil

362.

Ixora spp. (*Ixora*)

Plants/cuttings for propagation

Asia

Nil

Post-entry quarantine for a period of 45 days.

363.

Jatropha curcas

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

(i) USA

Free from:

(a) *Diaprepes*

abbreviatus (citrus weevil)

(b) *Pseudococcus*

jackbeardsleyi (Jack Beardsley mealybug)

(c) *Armillaria tabescens* (armillaria root rot)

Post-entry quarantine growing for a period of 45 days

(ii) Europe

Nil

Post-entry quarantine growing for a period of 45 days

(iii) Tissue cultured plants

Any Country

Certified that the tissue cultured plants

obtained from mother stock tested and maintained free from viruses

Nil

(iv) Plants/cuttings for propagation

Singapore

Free from:

Pseudococcus jackbeardsleyi (Jack Beardsley mealybug)

(i) Free from soil

(ii) Post-entry quarantine for a period of 45 days.

364.

Jessenia spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any country

Nil

(i) Free from soil.

(ii) Post-entry quarantine growing for a period of 10-12 months.

365.

Juglans spp. (Walnut)

(i) Wood with/without bark

(i) USA

Free from:

(a) *Hyphantria cunea*

(Blackheaded webworm)

(b) *Popillia japonica*

(Japanese beetle)

(c) *Xyleborus affinis*

(Shot-hole borer of sugarcane)

(d) *Xylosandrus*

germanus (Smaller alnus bark beetle)

(e) *Zeuzera pyrina*

(moth, wood leopard)

(f) *Rhizobium rhizogenes* (bacterial gall)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or any other

treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

(ii) Europe

Free from *Apomyelois ceratoniae* (Carob, moth)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or any other

treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

(iii) North America except USA

Nil

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof or any other

treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

(ii) Dry fruits for consumption (shelled and

unshelled)

(i) USA

Free from:

(a) *Acrobasis*

nuxvorella (pecan nut casebearer)

(b) *Amyelois*

transitella (navel orange worm)

(c) *Curculio caryae*

(pecan weevil)

(d) *Cydia caryana*

(hickory shuckworm)

(e) *Brenneria*

rubrifaciens (deep bark canker of walnut)

(f) *Brenneria nigrifluens* (shallow bark canker)

Fumigation with Methyl bromide at 16 g/m³ for 24

hrs at 21°C and above under NAP and the treatment shall be

endorsed on Phytosanitary Certificate or by any other

fumigant/substance in the manner approved by the Plant Protection

Adviser for this purpose.

(ii) Chile

Free from:

Pantomorus cervinus (Fuller's rose beetle)

Fumigation with phosphine @ 3 gm/metric ton for minimum 5-7 days.

The treatment should be endorsed on Phytosanitary certificate issued at the Country of origin/re-export.

(iii) Afghanistan

Free from:

Erschoviella musculana (Asian walnut moth)

Fumigation with

Methyl bromide at 16 g/m³ for 24 hrs at 21°C and above under NAP or by any other fumigant/substance in the manner approved by the Plant Protection Adviser for this purpose.

The treatment should be endorsed on

Phytosanitary certificate issued at the Country of origin/re-export.

(iv) Ukraine

Free from:

Erschoviella musculana (Asian walnut moth)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof or

Fumigation with phosphine @ 3 gm/metric ton for minimum 5-7 days. The treatment should be endorsed on Phytosanitary certificate issued at the Country of origin/re-export.

(v) Uzbekistan

Free from:

Erschoviella musculana (Asian walnut moth)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof Or

Fumigation with

phosphine @ 3 gm/metric ton for minimum 5-7 days.

The treatment should be endorsed on

Phytosanitary certificate issued at the Country of origin/re-export.

(vi) Kyrgyzstan

Free from:

(a) *Erschoviella musculana* (Asian walnut moth)

(b) *Cydia pomonella* (walnut worm)

(c) *Ophiognomonia leptostyla* (walnut anthracnose)

Fumigation with

Methyl Bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof. Or

Fumigation with

phosphine @ 3 gm/metric ton for minimum 5-7 days.

The treatment should be endorsed on

Phytosanitary certificate issued at the Country of origin/re-export.

366.

Juniperus sabina (Sabina)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Canada

Nil

Free from quarantine weed seeds and soil contamination.

367.

Kalanchoe spp.

Tissue cultured plants

Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

368.

Kalmia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

369.

Khaya ivorensis (Khaya)

Timber logs

Africa

Free from:

(a) *Cledus obesus*

(b) *Gyroptera*

robertsi

(c) *Hypsipyla robusta*

(d) *Catopyla dysorphaea*

Fumigation with Methyl bromide @ 48 g/m³ at 210°C and above or equivalent thereof under NAP and the treatment to be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser.

370.

Khaya senegalensis (African mahogany)

(i) Seeds for sowing

Africa

Nil

Free from quarantine weed seeds.

(ii) Wood with/without bark

(i) Australia

Nil

Free from quarantine weeds seeds and soil contamination.

371.

Kochia spp. (*Kochia*)

Seeds for sowing

(i) Asia

(ii) Europe

(iii) USA

Nil

Free from quarantine weed seeds.

372.

Lactuca sativa (Lettuce)

(i) Fresh vegetable for consumption

Thailand

Nil

Free from soil.

(ii) Seeds for sowing

(i) Denmark

Free from :

(a) Pythium

tracheiphilum (bottom rot of lettuce)

(b) Arabis mosaic

virus

(c) Tobacco rattle

virus

(d) Lolium multiflorum

(i) Free from soil

contamination

(ii) Seed crop inspection and certification for

Free from (b) and (c) by a competent authority at the country of origin.

(ii) Italy

Free from:

(a) Pyrenochaeta

lycopersici (brown rot of tomato)

(b) Sclerotinia minor

(Sclerotinia disease of lettuce)

(c) Xanthomonas

axonopodis pv. vitians (leaf spot)

(d) Arabis mosaic

virus

(e) Impatiens

necrotic spot virus

(f) Lettuce big vein

virus

(g) Tobacco rattle

virus

(h) Tomato infectious

chlorosis virus

(i) Lolium multiflorum

(i) Free from soil

contamination

(ii) Seed crop inspection and certification for

Free from (c) to (h) by a competent authority at the country of origin

(iii) Netherlands

Free from :

- (a) Mycocentrospora
acerina (anthracnose of caraway)
- (b) Arabis mosaic
virus
- (c) Impatiens
necrotic spot virus
- (d) Lettuce big vein
virus
- (e) Tobacco rattle
virus
- (f) Lolium multiflorum
- (i) Free from soil
contamination
- (ii) Seed crop inspection and certification for
Free from (b) to (e) by a competent authority at the country of
origin
- (iv) USA

Free from:

- (a) Pyrenochaeta
lycopersici (brown rot of tomato)
- (b) Sclerotinia minor
(Sclerotinia disease of lettuce)
- (c) Xanthomonas
axonopodis pv. vitians (leaf spot)
- (d) Bieden mottle
virus
- (e) Impatiens
necrotic spot virus
- (f) Lettuce big vein
virus
- (g) Lettuce
infectious yellow virus
- (h) Tobacco rattle
virus
- (i) Tomato infectious
chlorosis virus
- (j) Brachiaria
plantaginea
- (k) Lolium multiflorum
- (i) Free from soil
contamination
- (ii) Seed crop inspection and certification for
Free from (c) to (i) by a competent authority at the country of
origin
- (v) France
Free from Arabis mosaic virus (hop barevine)
- (i) Free from
quarantine weed seeds
- (ii) Crop inspection and certification for Free
from Arabis mosaic virus (hop barevine)

(vi) China

Free from:

(a) *Peridroma saucia*

(pearly underwing moth)

(b) *Sclerotinia minor*

(sclerotinia disease of lettuce)

(c) *Rhizobium*

rhizogenes (gall)

(d) *Lolium multiflorum* (Italian ryegrass)

Australia

(i) Free from

quarantine weeds seeds and soil contamination.

(ii) Fumigation with phosphine @ 3 g/m³ at NAP.

The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(vii) Australia

Free from:

(a) *Chrysodeixis*

inclusens (soybean looper)

(b) *Deroceras*

reticulatum (grey field slug)

(c) *Sclerotinia minor*

(sclerotinia disease of lettuce)

(d) *Pseudomonas*

syringae pv. *tagetis* (bacterial: *Tagetes* spp. leaf spot)

(e) *Rhizobium*

rhizogenes (gall)

(f) *Arabis* mosaic

virus (hop bare-bine)

(g) *Lolium*

multiflorum (Italian ryegrass)

(h) *Orobancha minor* (common broomrape)

(i) Free from

quarantine weed seeds and soil contamination.

(ii) Fumigation with phosphine @ 3 g/m³ at NAP.

The treatment should be endorsed on Phytosanitary certificate issued at the Country of Origin/re-export.

(viii) Philippines

Free from:

(a) *Helix aspersa*

(common snail)

(b) *Lolium multiflorum* (Italian ryegrass)

Free from quarantine weed seeds and soil.

(ix) Thailand

Nil

Free from quarantine weed seeds and soil.

(x) Israel

Free from:-

(a) *Peridroma saucia*

(pearly underwing moth)

(b) *Orobancha minor* (common broomrape)

Free from quarantine weeds seeds and soil.

(iii) Raw Iceberg Lettuce for consumption leaves of lettuce)

(i) Lebanon

Free from:

(a) *Chrysodeixis*

chalcites (golden twin-spot moth)

(b) *Henosepilachna*

elaterii (melon (ladybird) beetle)

(c) *Liriomyza*

huidobrensis (serpentine leafminer)

(d) *Nasonovia*

ribisnigri (currant-lettuce aphid)

(e) *Spodoptera*

littoralis (cotton leafworm)

(f) *Helix aspersa*

(common snail)

(g) Beet western yellows virus (turnip(mild) yellows)

(i) Free from soil

and other plant debris.

(ii) Fumigation with Methyl bromide @ 32 g/m³ for 2½ hrs at 21°C and above under NAP and the treatment to be endorsed on Phytosanitary Certificate.

(ii) Egypt

Free from:

(a) *Bemisia tabaci* (B

biotype) (silverleaf whitefly)

(b) *Chrysodeixis*

chalcites (golden twin-spot moth)

(c) *Henosepilachna*

elaterii (melon (ladybird) beetle)

(d) *Spodoptera*

littoralis (cotton leafworm)

(e) *Helix aspersa*

(common snail)

(f) *Phytophthora cryptogea* (tomato foot rot)

(i) Free from soil

and other plant debris.

(ii) Fumigation with Methyl bromide @ 32 g/m³ for 2½ hrs. at 21°C and above under NAP and the treatment to be endorsed on Phytosanitary Certificate.

373.

Lagenaria siceraria (Bottle gourd)

Seeds for sowing

(i) Thailand

(ii) Vietnam

(iii) Italy

(iv) Philippines

(v) Korea DPR

(vi) Korea ROK

(vii) Taiwan

Nil

Free from quarantine weed seeds.

(vii) Japan

Free from *Fusarium oxysporum* f.sp. *lagenariae*

(bottle gourd wilt)

Free from quarantine weed seeds.

(viii) Indonesia

Nil

Free from quarantine weed seeds and soil contamination.

374.

Lagerstroemia spp.

Seeds for sowing

Taiwan

Nil

Free from quarantine weed seeds.

375.

Lansium domesticum

(i) Plants for propagation

Australia, USA, Thailand

Nil

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

376.

Laportea spp. (*Laportea*)

Whole plants (dried) for consumption

Pakistan

Nil

Free from quarantine weed seeds.

377.

Larrea tridentate (Chaparral)

Dried plants for consumption purpose

Mexico

Free from

Heterodera schachtii (beet cyst eelworm)

(i) Free from soil

contamination and other plant debris.

(ii) Fumigation with

Methyl bromide at 32 g/m³ for 24 hrs at 21°C and above or equivalent thereof for any other treatment approved by Plant Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin or re-export.

378.

Latania spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds

(ii) Plants for propagation

Any country (Except from Africa, Caribbean, Philippines and Solomon Island countries)

Free from:-

(a) Coconut cadang

cadang viroid

(b) Palm lethal yellowing phytoplasma

(i) Free from soil.

(ii) Post-entry quarantine growing for a period of 10-12 months.

379.

Lathyrus spp. (Sweet pea)

Seeds for sowing

(i) USA

(ii) France

(iii) Japan

(iv) Germany

(v) Netherlands

(vi) Denmark

(vii) Australia

Nil

Free from quarantine weed seeds.

(i) UK

Free from:

(a) Bruchus rufipes

(b) B. tristis

Free from quarantine weed seeds

(ii) Syria (ICARDA)

Free from:

(a) Bruchidius

jocosus

(b) Bruchus rufimanus

(c) B. rufipes

(d) B. tristiculus

(e) B. tristis

Free from quarantine weed seeds

380.

Lawsonia inermis

(i) Dried leaves and its powder for consumption/processing

(i) Egypt

Nil

Free from soil and other plant debris.

(ii) Dried leaves for consumption/processing

(i) Pakistan

Nil

Free from soil and other plant debris

381.

Lens spp.

Seeds for sowing

Syria (ICARDA)

Free from:

(a) *Acanthoscelides*

obtectus

(b) *Bruchidius*

algericus

(c) *Bruchus atomarius*

(d) *Bruchus ervi*

(e) *Bruchus loti*

(f) *Bruchus*

luteicornis

(g) *Bruchus rufimanus*

(h) *Bruchus rufipes*

(i) *Bruchus*

signaticornis

(j) *Bruchus*

tristiculus

(k) *Bruchus tristis*

(l) *Bruchus ulicis*

ulicis

(m) *Ditylenchus*

dipsaci

(n) *Heterodera glycines*

(i) Freedom from

quarantine weed seeds

(ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

382.

Lens culinaris (Lentils)

Grain (seed) for consumption

(i) Australia

(ii) Canada

(iii) China

(iv) Iran

(v) USA

Free from *Ditylenchus dipsaci* (stem and bulb nematode)

(i) Free from soil

contamination

(ii) Fumigation by Methyl bromide at 32 g/m³ for 24 hrs at 21°C or equivalent or any other treatment approved by the Plant Protection Adviser to the Government of India and the treatment should be endorsed on Phytosanitary Certificate issued at the country of origin or re-export.

(vi) Nepal

(vii) Tanzania

(viii) Myanmar

Nil

(ix) Turkey

Free from :

- (a) *Bruchus lentis*
- (b) *Ditylenchus dipsaci* (stem and bulb nematode)
- (x) Chile

Free from :

Ditylenchus dipsaci (stem and bulb nematode)

- (i) Free from quarantine weeds seeds and soil contamination.
- (ii) Methyl bromide fumigation @ 32 g/m³ for 24 hrs at 21°C or any other treatment approved by the Plant Protection Adviser to the Government of India.

The treatment should be endorsed on Phytosanitary Certificate issued at the Country of origin/re-export.

Seeds for sowing

Pakistan

Free from *Ditylenchus dipsaci* (stem and bulb nematode)

Free from soil and quarantine weed seeds

383.

Lepidosperma spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from any virus

Nil

384.

Lepidosperma gladiatum

Tissue culture plants

Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus

Nil

385.

Leucadendron spp.

- (i) Plants/cuttings for propagation

- (i) USA

- (ii) Israel

Nil

- (i) Post-entry quarantine for a period of 6 months.

- (ii) Free from soil.

- (ii) Plants for propagation

South Africa

Nil

- (i) Post-entry quarantine for a period of 6 months.

- (ii) Free from soil.

386.

Leucaena leucocephala (*Leucaena*)

Seeds for sowing

Kenya

Nil

Free from soil and quarantine weed seeds

387.

Leucana leucocephala/L. *glauc*a (*Subabul*)

Seeds for sowing

(i) Australia

(ii) Kenya

Nil

Free from quarantine weed seeds.

(iii) Honduras

Free from *Stator pruininus*

388.

Leucojum spp. (*Snowflake*)

Bulbs for propagation

(i) Europe

(ii) Asia

Nil

(i) Free from soil.

(ii) Post-entry quarantine for one growth season.

389.

Leucospermum spp.

Plants/cuttings for propagation

(i) USA

Nil

(i) Post-entry quarantine for a period of 10 months.

(ii) Free from soil.

(ii) Israel

Nil

(i) Free from soil.

(ii) Post-entry quarantine for a growing period of 6 months.

390.

Levisticum officinale

(i) Dry fruit for consumption purpose

Europe

Nil

Free from soil and other plant debris

391.

Libbertia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

392.

Licuala grandis

Seeds for sowing

Any country

Nil

Free from quarantine weeds seeds and soil contamination.

393.

Limonium spp. (Limonium/Statice)

(i) Seeds for sowing

(i) Europe

(ii) USA

(iii) Australia

Nil

Free from quarantine weed seeds.

(iii) Japan

Free from Burkholderia andropogonis

Free from quarantine weed seeds.

(ii) Plants for propagation

(i) Europe

Free from :

(a) Impatiens

necrotic spot virus

(b) Limonium yellow vein virus

Post-entry quarantine growing for a period of 45 days.

(ii) Netherlands

Free from:

(a) Frankliniella

occidentalis (Western flower thrips)

(b) Phytophthora

cryptogea (Tomato foot rot)

(c) clover yellow vein virus

Post-entry quarantine

growing for 45 days period.

(iii) USA

Free from:

(a) Frankliniella

occidentalis (western flower thrips)

(b) Phytophthora

cryptogea (tomato foot rot)

(c) Clover yellow

vein virus

(d) Tobacco rattle

virus

(e) Impatiens necrotic spot virus

Post-entry quarantine growing for a period of 45 days.

(iii) Tissue cultured plants

(i) Columbia

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

statice virus Y.

Nil

(ii) Czech Republic

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from broad bean wilt virus.

Nil

(iii) Europe

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Impatiens

necrotic spot virus

(b) Limonium yellow vein virus

Nil

(iv) Germany

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Cucumber mosaic

cucumovirus

(b) Turnip mosaic

virus

(c) Statice virus Y

Nil

(v) Italy

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Cucumber mosaic

cucumovirus

(b) Clover yellow vein virus

Nil

(vi) Japan

(vii) Salento

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Tomato spotted

wilt virus

(b) Burkholderia

andropogonis (bacterial leaf stripe of sorghum and corn)

(c) Clover yellow vein virus

Nil

(viii) Lithuania

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from tomato ring spot virus

Nil

(ix) Netherlands

Certified that the tissue cultured plants were obtained from mother stock tested and

maintained free from

(a) clover yellow

vein virus

(b) Tomato bushy stunt virus

Nil

(x) Spain

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from clover

yellow vein virus

Nil

(xi) USA

Certified that the

tissue cultured plants were obtained from mother stock tested and

maintained free from

(a) Tobacco rattle

virus

(b) Impatiens necrotic spot virus

Nil

(xii) Any country except Germany, Italy, Czech

Republic, Spain, Netherlands, Europe, USA, Lithuania, Silento,

Japan, Columbia

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

394.

Limonia acidissima (Wood apple)

Fresh fruit for consumption

Sri Lanka

Nil

Free from soil.

Seeds for sowing

(i) Indonesia

(ii) Malaysia

(iii) Mauritius

(iv) New Zealand

(v) Philippines

(vi) Sri Lanka

(vii) Thailand

(viii) USA

Nil

(i) Free from

quarantine weed seeds.

(ii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers

Welfare

395.

Linaria spp.

Seeds for sowing

Europe

Nil

Free from quarantine weeds seeds.

396.

Linum spp. (Flax)

(i) Seeds for sowing

(i) Asia

(ii) Europe

Nil

(i) Imports permitted

subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(ii) Free from quarantine weed seeds

(iii) USA

Free from:

(a) *Colletotrichum*

linicola (Anthracnose)

(b) *Fumaria officinalis* (Common fumitory)

(i) Commercial

imports permitted subject to prior approval of Department of
Agriculture, Cooperation and Farmers Welfare

(ii) Free from quarantine weed seeds

(ii) Seeds for consumption

(iv) Nepal

Nil

Free from quarantine weed seeds.

397.

Liquidambar styraciflua

(i) Timber logs with/without bark for
consumption

(i) Australia

Nil

Fumigation with Methyl bromide @ 48 g/m³ for 24
hrs. at 21°C and above or equivalent thereof or heat treatment at
56°C (core temperature) for 30 minutes or any other treatment
approved by the Plant Protection Adviser to the Government of
India. The treatment should be endorsed on Phytosanitary
Certificate issued at the Country of Origin/re-export

(ii) USA

Free from:

(a) *Hyphantria cunea*

(Mulberry moth)

(b) *Malacosoma*

americanum (Eastern tent caterpillar)

(c) *Malacosoma*

disstria (Forest tent caterpillar)

(d) *Orgyia*

leucostigma (White-marked tussock moth)

(e) *Armillaria tabescens* (armillaria root rot)

Fumigation with Methyl bromide @ 48 g/m³ for 24
hrs. at 21°C and above or equivalent thereof or heat treatment
at 56°C (core temperature) for 30 minutes or any other treatment
approved by the Plant Protection Adviser to the Government of
India. The treatment should be endorsed on Phytosanitary

Certificate issued at the Country of Origin/re-export
398.

Liriodendron tulipifera

(i) Timber logs with/without bark for
consumption

(i) Australia

Nil

Fumigation with Methyl bromide @ 48 g/m³ for 24
hrs. at 21°C and above or equivalent thereof or heat
treatment at 56°C (core temperature) for 30 minutes or any other
treatment approved by the Plant Protection Adviser to the
Government of India. The treatment should be endorsed on
Phytosanitary Certificate issued at the Country of
Origin/re-export.

(ii) USA

Free from:

(a) *Anoplophora*

glabripennis (Asian longhorned beetle)

(b) *Orgyia*

leucostigma (white-marked tussock moth)

(c) *Papilio canadensis* (tiger swallowtail)

Fumigation with Methyl bromide @ 48 g/m³ for 24
hrs. at 21°C and above or equivalent thereof or heat treatment
at 56°C (core temperature) for 30 Minutes or any other treatment
approved by the Plant Protection Adviser to the Government of
India. The treatment should be endorsed on Phytosanitary
Certificate issued at the Country of Origin/re-export.

399.

Litchi chinensis (Litchi)

Stem Cuttings/rooted plants for propagation

(i) Australia

Free from:

(a) *Carpophilus*

mutilans

(b) *Epiphyas postvittana* (apple moth)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month
except for research.

(ii) China

Free from:

(a) *Ceroplastes*

pseudociferus (horned wax scale)

(b) *Peronophythora litchi* (downy blossom blight)

(iii) Thailand

Free from:

(a) *Conopomorpha*

sinensis

(b) *Cossus* sp.

(carpenter moths)

(c) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)

400.

Litchi chinensis and subsp. *philippinensis* (Litchi)

(i) Cuttings/plants for propagation

(i) Madagascar

(ii) Vietnam

Nil

(i) Free from soil.

(ii) Post-entry

quarantine growing for a period of 6-9 months except for research.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(ii) Fresh fruits for consumption

Thailand

Free from:

(a) *Conopomorpha sinensis*

(b) *Pseudococcus jackbeardsleyi* (Jack beardsley mealybug)

Free from soil.

401.

Livistona sp.

(i) Seeds for sowing

Any country (Except from Philippines and Solomon Island)

Free from Coconut cadang-cadang viroid

Free from quarantine weeds seeds.

(ii) Plants for propagation

Any country (Except from Africa, America,

Philippines, Caribbean and Solomon Island countries)

Free from:

(a) Coconut cadang-cadang viroid

(b) Palm lethal yellowing

phytoplasma

(c) *Promecotheca caerulipennis* (Fiji coconut hispid)

(i) Free from soil.

(ii) Post-entry quarantine growing for a period of 10-12 months.

402.

Lobelia spp.

(i) Seeds for sowing

(i) France

(ii) UK

(iii) Germany

(iv) Netherlands

(v) USA

(vi) Denmark

Nil

Free from quarantine weed seeds.

(ii) Tissue culture plants

The Netherlands

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

403.

Lolium multiflorum (Italian ryegrass)

Seeds for sowing

(i) Japan

Free from:

(a) *Monographella*
nivalis

(b) *Nectria*
radicicola

(c) *Burkholderia*
glumae

(d) *Burkholderia*
plantarii

(e) *Pseudomonas*
syringae pv. *atropurpurea*

(f) *Pseudomonas syringae* pv. *coronafaciens* (halo blight)

Free from soil and quarantine weed seeds

(ii) USA

Free from:

(a) *Gloeotinia*
granigena (blind seed disease: grasses)

(b) *Monographella*
nivalis (foot rot of cereals)

(c) *Pseudomonas*
syringae pv. *atropurpurea*

(d) *Pseudomonas*
syringae pv. *coronafaciens* (halo blight)

(e) *Xylella fastidiosa* (Pierce's disease of grapevines)

Free from soil and quarantine weed seeds

404.

Lolium perenne (Perennial ryegrass)

Seeds for sowing

USA

Free from:

(a) *Anguina agrostis* (bentgrass nematode)

(b) *Fusarium ulmorum* (culm rot: cereals)

(c) *Gloeotinia granigena* (blind seed disease: grasses)

(d) *Monographella nivalis* (foot rot: cereals)

(e) *Pseudomonas syringae* pv. *Coronafaciens* (chocolate spot of maize)

Free from quarantine weed seeds.

405.

Lomandra spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants

obtained from mother stock tested and maintained free from viruses

Nil

406.

Lorapatulum spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus.

Nil

407.

Lotus spp. (Lotus)

(i) Bulbs for sowing

(i) Any country except USA

Nil

(i) Free from soil.

(ii) Post-entry quarantine for a period of 45 days

(ii) USA

Free from Tomato ring spot virus (Ring spot of tomato)

(ii) Grains (seeds) for consumption

Pakistan

Free from Tomato ring spot virus

Free from quarantine weed seeds.

408.

Loxocarya spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from any virus

Nil

409.

Ludwigia arcuata

(i) Plants for propagation

Japan

Nil

(i) Free from soil and other plant debris.

(ii) Post-entry quarantine for a period of 60 days.

(ii) Tissue culture plants

Japan

Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from any virus.

Nil

410.

Luffa acutangula (Ridge gourd)

Seeds for sowing

(i) Taiwan(ii) Thailand(iii) Vietnam(iv) China(v)

Philippines(vi) Indonesia

Nil

Free from quarantine weed seeds and soil contamination.

411.

Luffa aegyptiaca (Sponge gourd)

Seeds for sowing

(i) Thailand(ii) Vietnam(iii) Philippines(iv) Hongkong(v)

Taiwan

Nil

Free from quarantine weed seeds.

(v) China

Free from Zucchini yellow mosaic virus

(i) Free from quarantine weed seeds(ii) Crop inspection and certification for free from zucchini yellow mosaic virus

412.

Lupinus spp. (*Lupinus*)

(i) Seeds for sowing

(i) USA

Free from:

(a) *Fusarium*

oxysporum f.sp. *phaseoli* (Wilt of bean)

(b) *Phomopsis*

longicolla (*Phomopsis* seed decay)

(c) *Phytophthora*

sojae (*Phytophthora* root and stem rot)

(d) *Pseudomonas viridiflava* (Bacterial leaf blight of tomato)

Free from quarantine weed seeds.

(ii) Asia

(iii) Europe

Nil

Free from quarantine weed seeds.

(ii) Grains (splitted) for consumption

(i)Australia

Free from:

a) *Phomopsis*

longicolla (*Phomopsis* seed decay)

b) *Phomopsis*

leptostromiformis (Stem blight: lupin)

c) *Phytophthora sojae* (*Phytophthora* root and stem rot)

(i) Free from

quarantine weeds seeds and soil contamination.

(ii)Fumigation by Methyl bromide at 32 g/m³for

24 hrs at 21°C or equivalent or any other treatment approved by the Plant Protection Adviser to the Government of India and the treatment should be endorsed on Phytosanitary Certificate issued

at the country of origin or re-export.

413.

Lupinus luteus, *L. albus* (Lupins)

Seeds for sowing

UK

Free from:

(a) *Pleiochaeta setosa* (lupin leaf spot)(b) *Nectria radiculicola* (black root)

Free from quarantine weed seeds.

414.

Lycopersicon esculentum (Tomato)

Seeds for sowing

Any Country

Free from:

(a) Bacterial canker

(*Clavibacter michiganensis* sub sp. *michiganensis*)

(b) Bacterial leaf

spot (*Pseudomonas syringae* pv. *tomato*)

(c) Bacterial pustule

(*Pseudomonas syringae* pv. *punctulens*)

(d) Potato spindle

tuber (viroid)

(e) *Peronospora*

hyoscyami pv. *Tabacina*

(f) *Phoma andigena*

(g) *Verticillium*

alboatrum

(h) *Clavibacter*

michiganensis subsp. *Sepedonicus*

(i) Pepino mosaic

virus

(j) Tomato aspermy

virus

(k) Tomato black ring

virus

(l) Tomato bushy

stunt virus

(m) Tomato ring spot virus

(i) Free from quarantine weed

seeds.

(ii) Crop inspection and certification for free from (i) to

(m).

415.

Lycopersicon peruvianum (Tomato)

Seeds for sowing

Israel

Nil

Free from quarantine weed seeds.

416.

Lytocaryum spp

(i) Seeds for sowing

Any country

Nil

Free from quarantine weeds seeds.

(ii) Plants for propagation

Any country

Nil

(i) Free from soil.

(ii) Post-entry quarantine growing for a period of 10-12 months

417.

Lytocaryum weddellianum

Seeds for sowing

Any country

Nil

Free from quarantine weeds seeds and soil contamination.

418.

Macadamia spp. (*Macadamia* Nuts)

Nuts (seeds) for consumption

(i) Australia

Nil

(i) Fumigation with

Methyl bromide at 32 g/m³ for 24 hrs. at 21°C and above or equivalent Or Heat treatment at 60°C for 24 hrs or any other treatment duly approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from soil and quarantine weed seeds.

(ii) Kenya

Free from:

(a) *Cryptophlebia leucotreta* (false codling moth)

(b) *Pseudotheraptus wayi* (coconut bug)

(i) Fumigation with

Methyl bromide at 32 g/m³ for 24 hrs. at 21°C and above or equivalent Or

Heat treatment at

60°C for 24 hrs or any other treatment duly approved by the Plant Protection Adviser to the Government of India.

The treatment should

be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from soil and quarantine weed seeds.

419.

Macadamia integrifolia (*Macademia* nut)

Nuts/Seeds for sowing

(i) Australia

Nil

(i) Free from soil

and quarantine weed seeds

(ii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare

(ii) Brazil

Free from *Hypothenemus obscurus* (tropical nut borer)

420.

Macadamia ternifolia (*Macadamia* nut)

Cuttings/rooted plants for propagation

(i) Mauritius

(ii) New Zealand

(iii) Philippines

(iv) Thailand

(v) Sri Lanka

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month.

(vi) Indonesia

(vii) Malaysia

Free from *Rhizobium rhizogenes* (bacterial gall)

(viii) USA

Free from:

(a) *Hypothenemus*

obscurus

(b) *Xyleborus affinis*

(c) *Armillaria*

tabesce

(k) *Rhizobium rhizogenes*

421.

Macroptilium (*Phaseolus*) *lathyroides* (*Phasey* bean)

Seeds for sowing

Brazil

Free from *Phakopsora meibomiae* (soybean rust)

(i) Free from

quarantine weed seeds.

(ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

422.

Macroptilium lathyroides/ *Phaseolus lathyroides*/

Macroptilium atropur-pureum (*Phasey* bean)

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

423.

Magnolia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from

mother stock tested and maintained free from virus.

Nil

424.

Mahonia aquifolium

Seeds for sowing

(i)Europe (ii)USA

Nil

Free from quarantine weed seeds and soil contamination.

425.

Majorana spp.

Seeds for sowing

Denmark

Nil

Free from quarantine weed seeds.

426.

Malva sylvestris

Dried plants without seed for processing

Bulgaria

Free from:

(a) *Puccinia malvacearum* (rust:

hollyhock)

(b) *Rhizobium rhizogenes* (gall)

(i) Free from soil.

(ii) Free from

quarantine weed seeds.

(iii) Fumigation with Methyl bromide @ 48 g

g/m³for 24 hrs at 210C and above or equivalent thereof under NAP

at the country of origin and treatment shall be endorsed on

Phytosanitary Certificate or by any other fumigant/or substance

in the manner approved by the Plant Protection Adviser for this

purpose.

427.

Mandvillia spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus.

Nil

428.

Mangifera caesia (Binjai), *M. foetida* (Bachang), *M. odorata*

Germplasm material for research only

(i) Brazil

(ii) Cuba

(iii) Nigeria

(iv) Vietnam

Nil

(i) Free from soil.

(ii) Post-entry quarantine growing for 6-9 month except for research.

429.

Mangifera indica (Mango)

Cuttings/grafts/ budwood/rooted plants for propagation

(i) Brazil

Free from:

(a) *Apate monachus*

(black borer)

(b) *Aspidiotus nerii*

(aucuba scale)

(c) *Asterolecanium*

pustulans

(d) *Atta* spp. (leaf

cutting ants)

(e) *Crematogaster*

brevispinosa

(f) *Euschistus heros*

(g) *Horiola picta*

(cocoa podhopper)

(h) *Hypothenemus*

eruditus

(i) *Pseudococcus*

jackbeardsleyi (Jack Beardsley mealybug)

(j) *Rhynchophorus*

palmarum

(k) *Selenaspidus*

articulatus

(l) *Sclerotium*

coffeicola

(m) *Rhizobium rhizogenes*

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9

month.

(ii) Cuba

Free from:

(a) *Apate monachus*

(black borer)

(b) *Asterolecanium*

pustulans

(c) *Atta insularis*

(d) *Diaprepes*

splengleri

(e) *Ischnaspis*

longirostris

(f) *Mycetaspis*

personata

(g) *Pachnaeus litus*

(h) *Paracoccus*

marginatus

(i) *Protopulvinaria*

mangiferae

- (j) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)
- (k) *Rhynchophorus palmarum*
- (l) *Selenaspidus articulatus* (red scale)
- (m) *Vinsonia stellifera* (stellate scale)
- (n) *Oligonychus yothersi* (avocado mite)
- (o) *Cercospora mangiferae* (leaf spot)
- (i) Free from soil
- (ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare
- (iii) Post-entry quarantine growing for 6-9 month.
- (iii) Niger
- Free from:
 - (a) *Apate monachus* (Black borer)
 - (b) *Cryptophlebia leucotreta*
 - (c) *Hoplolaimus pararobustus* (Lance nematode)
- (i) Free from soil.
- (ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare
- (iii) Post-entry quarantine growing for 6-9 month.
- (iv) Nigeria
- Free from:
 - (a) *Anoplocnemis curvipes*
 - (b) *Apate monachus* (black borer)
 - (c) *Aspidiotus nerii* (aucuba scale)
 - (d) *Bathycoelia thalassina*
 - (e) *Cryptophlebia leucotreta*
 - (f) *Helopeltis schoutedeni*
 - (g) *Pachnoda interrupta* (chafer beetle)
 - (h) *Planococcoides njalensis*
 - (i) *Scirtothrips aurantii* (citrus thrips)
 - (j) *Selenaspidus*

articulatus (red scale)

(k) *Hoplolaimus pararobustus*

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9
month.

(v) Thailand

Free from:

(a) *Bactrocera papayae* (Papaya
fruit fly)

(b) *Coptotermus curvitrinatus* (rubber termite)

(i) Pest free status

for *Bactrocera papaya* as per international standards or Methyl
bromide fumigation 32gm/cum for 2hrs for 210C or above @ NAP or
equivalent thereof against *Bactrocera papayae*. The treatment
should be endorsed on Phytosanitary Certificate issue at the
country of origin.

(ii) Free from soil.

(iii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare.

(iv) Post-entry quarantine growing for 6-9
months.

Fruits for consumption

(i) Nepal

Free from *Ceroplastes japonicus* (tortoise wax scale)

Fumigation with Methyl bromide at 32 g. per
cubic meter for 2 hrs at 210C and above or equivalent thereof
under NAP or any other treatment duly approved by the Plant
Protection Adviser to the Government of India. The treatment
should be endorsed on Phytosanitary Certificate issued at the
Country of origin/re-export.

(ii) South Africa

Free from :

a) *Ceratitis capitata*
(Mediterranean fruit fly)

b) *Ceratitis cosyra*
(Mango fruit fly)

c) *Ceratitis punctata*
(Cacao fruit fly)

d) *Ceratitis rosa*
(Natal fruit fly)

e) *Clavigralla*
tomentosicollis (African pod bug)

f) *Pseudococcus*
jackbeardsleyi (Jack Beardsley mealybug)

g) *Pseudotheraptus*
wayi (Coconut bug)

h) *Selenaspidus*

articulates (West Indian red scale)

i) *Thaumatotibia leucotreta* (False codling moth)

Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C and above or equivalent thereof under NAP or any other treatment duly approved by the Plant Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the Country of Origin/re-export.

430.

Mangifera spp. (wild mango species)

Germplasm material for research only

(i) Myanmar

Free from:

(a) *Plocaederus*

ruficornis

(b) *Raodiplosis*

orientalis

(c) *Rhytidodera*

simulans

(d) *Oligonychus mangiferus*

(i) Free from soil and quarantine

weed seeds

(ii) Post-entry quarantine growing for 6-9 month.

(ii) Israel

Free from:

(a) *Apate monachus* (black borer)

(b) *Aspidiotus nerii* (aucuba scale)

(iii) Vietnam

Free from:

(a) *Apoderus crenatus*

(b) *Coptotermes*

(termites)

(c) *Euthalia aconthea*

(d) *Olenecamptus*

bilobus

(e) *Plocaederus ruficornis* (bark borer)

431.

Manihot esculenta

Dried chips of tuber for consumption

(i) Vietnam

Free from *Coptotermes* (termites)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export. 176

(ii) Nigeria

Free from:

(a) *Prostephanus*

truncatus (larger grain borer)

(b) *Armillaria heimii*

(armillaria root rot)

(c) *Scutellonema bradys* (yam nematode)

(i) Free from soil

and other plant debris.

(ii) Fumigation with

Methyl bromide @ 48 g/m³ for 24 hrs. at 21°C and above under NAP

or equivalent thereof or any other treatment approved by Plant

Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of

origin/re-export.

432.

Matricaria spp.

Seeds for sowing

UK

Nil

Free from quarantine weed seeds.

433.

Matricaria recutita

Dried plants without seed for processing

Bulgaria

Free from *Xiphinema diversicaudatum*

(i) Free from soil..

(ii) Free from

quarantine weed seeds.

(iii) Fumigation with Methyl bromide @ 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP at the country of origin and treatment shall be endorsed on

Phytosanitary Certificate or by any other fumigant/substance in

the manner approved by the Plant Protection Adviser for this

purpose.

434.

Matthiola spp. (Stock)

Seeds for sowing

Japan

Nil

Freedom from quarantine weeds seeds.

435.

Matthiola incana (Stock)

Seeds for sowing

(i) Denmark

Free from *Phoma matthiolicola* (Leaf spot)

Free from quarantine weed seeds.

(ii) USA

Free from:

(a) *Fusarium*

oxysporum f.sp. *matthiolae* (Wilt)

(b) *Xanthomonas*

campestris p.v. *raphani* (Raphanus leaf spot)

(c) *Xanthomonas campestris* p.v. *incanae*

Free from quarantine weed seeds.

(iii) Brazil

Free from *Xanthomonas campestris* p.v. *raphani*

(Raphanus leaf spot)

Free from quarantine weed seeds.

(iv) South Africa

(v) Australia

Free from *Xanthomonas campestris* p.v. *incanae*

Free from quarantine weed seeds.

(vi) France

(vii) UK

(viii) Germany

(ix) Netherlands

Nil

Free from quarantine weed seeds.

436.

Medicago spp. (Lucerne or Alfa alfa)

Seeds for sowing

Any Country

Free from:

(a) Yellow leaf

blotch (*Pyrenopeziza medicaginis*)

(b) Sclerotinia wilt

(*Sclerotinia trifoliorum*)

(c) Bacterial wilt

(*Corynebacterium michiganense* pv. *insidiosum*)

(d) Alfalfa cryptic virus.

(i) Free from

quarantine weed seeds.

(ii) Commercial import subject to prior approval
of Department of Agriculture, Cooperation and Farmers Welfare.

437.

Meeboldina spp.

Tissue culture plants

Australia

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from any
virus

Nil

438.

Melia volkensii (*Melia*)

Seeds for sowing

(i) Australia (ii) Honduras (iii) Kenya

Nil

Free from quarantine weed seeds.

439.

Melinis minutiflora (Molasses grass)

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

440.

Mentha piperita

Tissue culture plants

Canada

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

441.

Mentha spicata (Mint)

Plants for propagation

Israel

Free from:

(a) *Peridroma saucia*

(Pearly underwing moth)

(b) *Spodoptera littoralis* (Cotton leafworm)

Post-entry quarantine for a period of 45 days.

442.

Mesembryanthemum spp. (Livingstone daisy)

Seeds for sowing

(i) France(ii) Germany(iii) Netherlands

Nil

Free from quarantine weed seeds.

443.

Mespilus germanica

Plants for propagation

(i) Thailand

Nil

(i) Post-entry quarantine growing for a period of 4-6 months(ii) Free from soil.(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(ii) Australia

Free from:

(a) *Caliotha cerasi*

(Pear and cherry slugworm)

(b) *Rhopalosiphum insertum* (Applegrass aphid)

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) USA

Free from:

(a) *Caliotha cerasi*

(pear and cherry slugworm)

(b) *Rhopalosiphum insertum* (applegrass aphid)

444.

Metroxylon spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any country

Nil

(i) Free from soil.(ii) Post-entry quarantine

growing for a period of 10-12 months.

445.

Micranthemum umbrosum

(i) Plants for propagation

Japan

Nil

(i) Free from soil and other plant debris.(ii) Post-entry

quarantine for a period of 60 days.

(ii) Tissue culture plants

Japan

Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from any

virus.

Nil

446.

Mimulus spp.

Seeds for sowing

(i) Europe(ii) Japan(iii) USA

Nil

Free from quarantine weed seeds.

447.

Mirabilis jalapa

Seeds for sowing

Taiwan

Nil

Free from quarantine weed seeds.

448.

Miscanthus spp.

Tissue cultured plants

(i) Japan

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

miscanthus streak virus

Nil

(ii) Any country except Japan

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

449.

Mitrogyna speciosa

Dried leaves for consumption

Indonesia

Nil

Free from soil and other plant debris.

450.

Momo inula paniculata

Dry flowers for decoration

Thailand

Nil

Free from quarantine weeds seeds and soil

451.

Momordica charantia (Bittergourd)

Seeds for sowing

(i) China

(ii) Hong Kong

Free from:

(a) Pythium spinosum

(root rot)

(b) Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free
from zucchini yellow mosaic virus

(iii) Japan

Free from Zucchini yellow mosaic virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free
from zucchini yellow mosaic virus

(iv) Phillipines

(v) Vietnam

(vi)Thailand

(vii) Indonesia

(viii) Taiwan

Nil

Free from quarantine weed seeds and soil
contamination.

452.

Moringa oleifera (Moringa)

Seeds/grains for consumption

(i) Tanzania(ii) Uganda

Nil

Free from quarantine weed seeds.

453.

Morinda citrifolia

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.(ii) Commercial imports
subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare(iii)Post-entry quarantine for a
growing period of 6-9 months.

454.

Morus alba (Mulberry)

Plants for propagation

Canada

Free from:

(a) *Acrosternum*

hilare (green stink bug)

(b) *Hyphantria cunea*

(black headed webworm)

(c) *Peridroma saucia*

(pearly underwing moth)

(d) *Pectobacterium*

rhapontici (rhubarb crown rot)

(e) *Rhizobium*

rhizogenes (bacterial gall)

(f) *Xylella fastidiosa* (Pierce's disease of

grapevine)

(i) Free from soil

contamination

(ii) Nursery

inspection and certification for Free from (e) and (f) by a

competent authority at the country of origin

(iii) The plants shall be subjected to

post-entry quarantine for 60 days.

455.

Mucuna (*Mucuna*)

Plants for propagation

(i) Asia

Nil

Post-entry quarantine for a period of 45 days.

(ii) USA

Free from :

(a) *Anticarsia gemmatilis* (Soybean caterpillar)(b) *Diaprepes abbreviatus* (Citrus weevil)(c) *Pseudococcus*

jackbeardsleyi (Jack Beardsley mealybug)(d) *Spodoptera*

frugiperda (fall armyworm)

Post-entry quarantine for a period of 45 days.

456.

Murraya koenigi (Nutmeg)

Seeds for sowing

Sri Lanka

Nil

Free from quarantine weed seeds.

457.

Musa spp. (Banana)

Tissue cultured plants

(i) Philippines

Certified that the

tissue cultured plants were obtained from mother stock tested and

maintained free from

(a) Abaca mosaic

virus

(b) Banana mild mosaic virus

Commercial imports subject to prior approval of

Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Australia

(iii) Africa

(iv) Latin America

(v) Thailand

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from banana mild mosaic virus

Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(vi) Any country Except Philippines, Australia, Africa, Latin America, Thailand

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

458.

Mushroom: *Agaricus bisporus* (Button), *Agaricus subrufescens* (Almond), *Auricularia polytricha* (Cloud Ear), *Boletus edulis* (Porcini), *Cantharellus cibarius* (Chantrelles), *Craterellus cornucopioides*, (Black Trumpets), *Flammulina velutipes* (Enoki), *Lentinula edodes* (Shiitake), *Morchella esculenta* (Morels), *Marasmius oreades* (Fairy ring), *Pleurotus ostreatus* (Oyster), *Pleurotus eryngii* (King oyster)

(i) Frozen mushroom for consumption

(i) France

Free from:

Soil, insects, diseases, weed seeds and contamination of other plant material.

(i) Mushroom shall be

washed with clean water before packing.

(ii) Pre-shipment freezing at -180C or below for 7 days or above. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Dried mushroom for consumption

(i) France

Free from:

Soil, insects, diseases, weed seeds and contamination of other plant material.

Fumigation with Phosphine (PH₃) at 3 g/m³ for 5-7 days at NAP The treatment should be endorsed on phytosanitary certificate issued at the country of origin/re-export.

(iii) Mushroom spawn for propagation

i) Netherlands ii) USA iii) France iv) China v) Italy vi)

Belgium vii) South Korea viii) Thailand

Free from:

Soil, insects, diseases, weed seeds and contamination of other plant material.

(i) The substrate

(prior to inoculation) shall be subjected to steam heat (autoclave) at 1210C for 30 minutes at 15 psi.

(ii) The above mentioned treatment and the name

of the substrate shall be endorsed in Phytosanitary Certificate issued at the country of Origin/re-export.

459.

Myosotis spp. (Myosotis)

Seeds for sowing

(i) USA

Nil

Free from quarantine weed seeds.

(ii) Netherland

Free from Phytonemus pallidus (Strawberry mite)

Free from quarantine weed seeds.

460.

Myrciaria cauliflora

(i) Plants for propagation

Australia, USA, Thailand

Nil

(i) Post-entry quarantine growing for a period

of 4-6 months(ii) Free from soil.(iii) Commercial imports

subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

461.

Myrciaria dubia

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.(ii) Commercial imports

subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare(iii) Post-entry quarantine for a

growing period of 6-9 months.

462.

Nandina compacta

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus.

Nil

463.

Nandina spp. except Nandina compacta

(i) Tissue cultured plants

(i) USA

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from:(a)

Closterovirus(b) Nandina mosaic virus(c) Nandina stem pitting

capilovirus

Nil

(ii) Any country except USA

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

(ii) Plants for propagation

(i) USA

Free from:(a) Clostero virus(b) Nandina mosaic

virus(c) Nandina stem pitting capilovirus

Post-entry quarantine growing for a period of 45 days

(ii) Europe

Nil

Post-entry quarantine growing for a period of 45 days

464.

Nauclea diderrichii (Bilinga)

Wood with/without bark

Africa

Free from *Orygmophora mediofoveata*

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof or any other

treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

465.

Nelumbium speciosum (*Nelumbo nucifera*)

(i) Grain (seeds) for consumption

(i) China(ii)Thailand(iii)Vietnam

Nil

Free from soil and other plant debris

(ii) Stamens for consumption

(i) China(ii)Thailand(iii)Vietnam

Nil

Free from soil and other plant debris.

466.

Nemesia strumosa (*Nemesia*)

Seeds for sowing

Europe

Nil

Free from quarantine weed seeds

467.

Neoregelia spp. (*Neoregelia*)

(i) Seeds for sowing

Asia

Nil

Free from quarantine weed seeds

(ii) Plants for propagation

Asia

Nil

Post entry quarantine growing for a period of 45 days.

468.

Nepeta cataria (Catmint)

Seeds for sowing

USA

Nil

Free from quarantine weeds seeds.

469.

Nephelium lappaceum (Rambutan)

Fruits for consumption

(i) Thailand

Free from:

(a) *Bactrocera papaya*

(papaya fruit fly)

(b) *Cataenococcus*

hispidus (citrus mealy bug)

(c) *Conopomorpha*

cremerella (cocoa moth)

(d) *Darna diducta*

(nettle caterpillar)

(e) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)

(i) Pest-free area

status for *Bactrocera papayae* (papaya fruit fly) as per international standards or

(ii) Methyl bromide

fumigation @ 32 g/m³ for 3-1/2 hrs at 21°C or above or equivalent thereof or

(iii) Pre-shipment cold treatment at 0°C or

below for 13 days; 0.55°C or below for 14 days; 1.1°C or below

for 18 days plus in-transit refrigeration against papaya fruit fly.

(ii) Sri Lanka

Free from:

(a) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)

Methyl bromide fumigation at 32 g/m³ for 3 ½

hrs at 21°C or above or equivalent thereof. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

Cuttings/grafts/ rooted plants for propagation

(i) Indonesia

(ii) Malaysia

(iii) Philippines

(iv) Thailand

Free from:

(a) *Conopomorpha cramerella*

(b) *Darna diducta* (nettle caterpillar)

(c) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9

month except for research. Post-entry quarantine growing for a period of 45 days.

(v) Mauritius

(vi) New Zealand

Nil

(vii) Sri Lanka

Free from *Conopomorpha cramerella* (cocoa moth)

(viii) USA

Free from:(a) *Diaprepes abbreviatus* (citrus weevil)(b) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealybug)

470.

Nephrolepis spp. (*Nephrolepis*)

Plants for propagation

Asia

Nil

471.

Nicotiana spp.

(i) Seeds for sowing

(i) UK

Free from:(a) *Ditylenchus dipsaci* (brown ring disease of hyacinth)(b) Pepino mosaic virus

(i) Free from quarantine weed seeds.(ii) Crop inspection and certification for Free from Pepino mosaic virus.

(ii) Europe

Nil

Free from quarantine weed seeds

(iii) USA

Free from *Pseudomonas syringae* pv. *mellea* (brown spot of tobacco)

Free from quarantine weed seeds

(ii) Leaves (unmanufactured) in bales

Any Country

Free from:(a) Chocolate moth (*Ephestia elutella*)(b) Blue mould (*Peronospora hyoscyami* f.sp. *tabacina*)

Fumigation with phosphine @ 3 gm per tonne for 5-7 days.

472.

Nigella sativa (Black Cumin)

(i) Seeds for sowing

Europe

Nil

Freedom from quarantine weeds seeds.

(ii) Seed for consumption/Processing

Europe

Free from:(a) Quarantine weed seeds as listed under Schedule-VIII of PQ Order, 2003(b) Soil and other plant debris

Nil

473.

Nuphar lutea

(i) Seeds for sowing

Germany

Nil

Free from quarantine weeds seeds

474.

Nymphaea spp. (*Nymphaea*)

Plants for propagation

(i) Thailand(ii) USA

Nil

Post-entry quarantine growing for a period of 45 days.

475.

Nypa spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds

(ii) Plants for propagation

Any country

Nil

(i) Free from soil.(ii) Post-entry quarantine growing for a period of 10-12 months.

476.

Ochroma pyramidale (Balsa)

Wood with or without bark

Germany

Nil

Fumigation with Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

477.

Ocimum basilicum (Basil)

(i) Seeds for sowing

(i) Europe(ii) USA(iii) Russia(iv) Thailand

Nil

Free from quarantine weed seeds.

(v) Japan

Free from Pseudomonas viridiflava (Bacterial leaf blight)

Free from quarantine weed seeds.

(ii) Grains (seeds) for consumption

Pakistan

Nil

Free from soil and quarantine weed seeds.

(iii) Vegetables for consumption

Thailand

Nil

Nil

478.

Oenothera spp. (Oenothera)

(i) Seeds for sowing

(i) USA(ii) Netherlands(iii) France(iv) Germany

Nil

Free from quarantine weed seeds.

(ii) Tissue cultured plants

USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from viruses.

Nil

479.

Olea Africana (wild olive)

Cuttings/plants for propagation

South Africa

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Phaeoacremonium*

aleophilum (Petri disease)

(c) *Phialophora parasitica* (wilt)

(i) Free from soil.

(ii) Post-entry quarantine growing for a period of 2-3 months except for research.

480.

Olea europaea (Olive)

(i) Dried leaves for consumption

Morocco

Free from: (a) *Aspidiotus nerii* (aucuba scale) (b) *Epidiaspis leperii* (European pear scale) (c) *Saturnia pyri* (giant emperor moth) (d) *Zeuzera pyrina* (leopard moth)

Fumigation with Methyl bromide @ 32 g/m³ at 210C

and above or equivalent thereof under NAP and the treatment to be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser.

(ii) Plants for propagation

Spain

Free from: (a) *Acherontia atropos* (death's Head

Hawkmoth) (b) *Apate monachus* (black borer) (c) *Epidiaspis leperii*

(European pear scale) (d) *Euzophera pinguis* (olive moth) (e)

Hylesinus varius (bark beetle) (f) *Lasioptera berlesiana* (g) *Otiorhynchus armadillo* (armadillo weevil) (h) *Otiorhynchus*

cribricollis (apple weevil) (i) *Phloeotribus scarabaeoides* (olive

bark beetle) (j) *Prays oleae* (olive kernel borer) (k) *Saturnia*

pyri (giant emperor moth) (l) *Zeuzera pyrina* (leopard moth) (m)

Pezicula alba (bark canker) (n) aster yellows phytoplasma group (o) *Pseudomonas savastanoi* pv. *savastanoi* (oleander knot)

Post-entry quarantine growing for a period of 60 days.

(iii) Fruits for consumption/processing

Spain

Free from: (a) *Ceratitis capitata* (Mediterranean

fruit fly) (b) *Epidiaspis leperii* (European pear scale) (c)

Lobesia botrana (grape berry moth) (d) *Prays oleae* (Olive kernel

borer) (e) *Phaeoacremonium maleophilum* (Petri disease)

(a) Pest free status for *Ceratitis capitata*

(Mediterranean fruit fly) as per international standards or (b)

Methyl bromide fumigation @ 32gm/cum for 2 hrs @ 210C or above at

NAP or equivalent thereof against Mediterranean fruit fly or (c)

Pre-shipment cold treatment at 00C or below for 10 days; 0.550C

or below for 11 days; 1.10C or below for 12 days plus in-transit

refrigeration against Mediterranean fruit fly. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

Peru

Free from:(a) *Anastrepha fraterculus* (South American fruit fly)(b) *Selenaspidus articulatus* (West Indian red scale)

(i) Pest free status for *Anastrepha fraterculus* (South American fruit fly) as per international standards Or(ii) Pre-shipment cold treatment at 0°C or below for 10 days; 0.550°C or below for 11 days; 1.10°C or below for 12 days plus intransit refrigeration against *Anastrepha fraterculus* (South American fruit fly) and 0°C or below for 13 days; 0.550°C or below for 14 days; 1.10°C or below for 18 days plus intransit refrigeration against *Anastrepha fraterculus* (South American fruit fly) Or(iii) Methyl bromide fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against *Anastrepha fraterculus* (South American fruit fly).

(iv) Plants/cuttings for propagation

(i) Israel

Free from:(a) *Acherontia atropos* (Death's head hawkmoth)(b) *Aceria oleae* (Olive bud mite)(c) *Apate monachus* (Black borer)(d) *Aspidiotus nerii* (Aucuba scale)(e) *Euphyllura olivina*(f) *Prays oleae* (Olive kernel borer)(g) *Saturnia pyri* (Giant emperor moth)(h) *Zeuzera pyrina* (Moth, wood leopard)(i) *Theba pisana* (White garden snail)(j) *Pseudomonas savastanoi* pv. *Savastanoi* (Oleander knot)

(i) Free from soil and other plant debris.(ii)

Post-entry quarantine for 60 days.(iii) Commercial imports permitted subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.(iv) Fumigation with Methyl bromide @ 32 g/m³ for 2 hrs at 21°C and above under NAP or equivalent thereof or any other treatment approved by Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(v) Seeds for sowing

Jordan

Free from:*Amaranthus blitoides**Raphanus raphanistrum*

Free from quarantine weeds seeds.

Europe

Free from:(a) *Pezicula alba*(b) *Phaeoacremonium aleophilum*(c) *Rotylenchus roumoulti*(d) *Heterodera croatae*

Free from quarantine weed seeds

(vi) Cuttings/grafts/rooted plants for propagation

USA

Free from:(a) *Epidiaspis leperii* (pear scale)(b) *Metcalfe pruinosus*(c) *Otiorynchus cribricollis*(d)

Selenaspidus articulatus(e) *Zeuzera pyrina* (leopard moth)(f)

Eutypa lata (*Eutypa dieback*)(g) *Mycocentrospora cladosporioides*(h) *Phaeoacremonium deophilum*(i) *Spilocaea oleaginea* (leaf spot)(j) *Pseudomonas savastanoi* pv. *savastanoi* (olive knot)

(i) Free from soil.(ii) Post-entry quarantine growing for 6-9 month except for research purposes.

481.

Opuntia ficus indica (Cactus pear/Prickly pear)

Germplasm material for research only

Mexico

Free from *Anthonomus grandis* (Mexican cotton boll weevil)

(i) Free from soil and quarantine weed seeds. (ii) Post-entry quarantine for a period of 45-60 days.

482.

Orchids : (Aranda, Cattleya, Cymbidium, Dendrobium, Lawlio- cattleya, Mokara, Odontoglossum, Phalaenopsis, Vanda, Vanilla etc.) (i) Cattleya spp.

(i) Saplings

Any Country

Free from:

(a) Bacterial leaf

spots (*Burkholderia gladioli* pv. *gladioli* and *Erwinia chrysanthemi*)

(b) Blossom blight

(*Phyllostica capitalensis*)

(c) Orchid viruses such as vanilla necrosis, *Odontoglossum* ring spot and orchid fleck etc.

(ii) Tissue-cultured plants

Any Country

Certified that the tissue-cultured plants are obtained from mother stock tested and maintained virus-free.

Nil

Tissue cultured plants

(i) Korea(ii) Japan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained

Nil

(iii) USA

(iv) Hungary

(v) Canada

(vi) Italy

(vii) Ukraine

(viii) Columbia

Free from :

(a) *Odontoglossum* ring spot virus

(ix) Germany

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from rhabdovirus

Nil

(x) Indonesia(xi) South Africa

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from cattleya colour break virus

Nil

(xii) Taiwan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from :(a)

Odontoglossum ring spot virus(c) Rhabdovirus

Nil

(xiii) Thailand

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from : (a)
Tobacco mosaic virus (b) Odontoglossum ring spot virus

Nil

(xiv) Any country except Korea, Taiwan,
Thailand, Japan, USA, Hungary, Canada, Italy, Ukraine, Columbia,
Germany, Indonesia and South Africa

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

(ii) Dendrobium spp.

Tissue cultured plants

(i) USA

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from : (a)
Odontoglossum ring spot tobamo virus (b) Tomato spotted wilt
tospovirus (c) Poty viruses (d) Tobacco mosaic virus (e)

Dendrobium virus

Nil

(ii) Italy

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from: (a)
Potyviruses (b) Tobacco mosaic virus (c) Dendrobium mosaic virus (d) Bean yellow mosaic virus (e) Tomato ring spot
virus (f)

Orchid fleck virus (g) Phalenopsis virus (h) Dendrobium virus (i)

Grammatophyllum (bacilliform) virus

Nil

(iii) Japan

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from: (a)
Tobacco mosaic virus (b) Dendrobium mosaic virus (c) Tomato ring
spot virus (d) Orchid fleck virus

Nil

(iv) Germany

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from: (a)
Grammatophyllum (bacilliform) virus (b) Dendrobium vein necrosis
virus (c) Rhabdovirus

Nil

(v) Malaysia

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from
potyviruses.

Nil

(vi) Denmark

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from
dendrobium virus.

Nil

(vii) Any country except USA, Italy, Japan, Germany, Malaysia and Denmark

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

(iii) *Vanilla planifolia*

Seeds for sowing

Papua New Guinea

Nil

Free from quarantine weed seeds.

483.

Orchis laxiflora

Seeds for Medicinal purpose

China

Nil

Free from quarantine weed seeds and soil.

484.

Origanum spp.(*Origanum*)

Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

485.

Ornamental Palm species:

(*Arikuryoba*, *Borassus*, *Caryota*, *Carypha*, *Chamaedorea*, *Chrysalidocarpus*, *Dictyosperma*, *Washingtonia*, *Roystonea*, *Hyophorbe*, *Pritchardia*, *Sabal*, *Syagrus*, *Trachycarpus*, *Vietchia*, *Mascarena*)

Seeds/Seed sprouts

Any Country

(i) Free from: (a) Bacterial blight (*Acidovorax avenae* sub sp. *avenae*) - For *Carypha* spp only (b) Mosaic (Poty virus) - For *Washingtonia* spp only (c) Red ring nematode (*Rhadinaphelenchus cocophilus*) (ii) Certified that the seeds/seed sprouts collected from mother palms free from Cadang cadang (viroids)

Post-entry quarantine for a period of 10-12 months

486.

Ornithogalum spp.

Tissue cultured plants

(i) Japan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from : (a) *Ornithogalum* virus 2 (b) *Ornithogalum* virus 3

Nil

(ii) Israel (iii) Kenya (iv) South Africa (v) USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from *ornithogalum* mosaic potyvirus.

Nil

(vi) Any country except Japan, Israel, Kenya, South Africa,

USA

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus.

Nil

487.

Oryza sativa (Rice)

(i) Grains for consumption

Any Country

Free from Granary weevil (*Sitophilus granarius*)

Fumigation with Methyl bromide @ 32 g/m³ at 210C

and above for 24 hrs under NAP and the treatment to be endorsed
on Phytosanitary Certificate or by any other fumigant/substance
in the manner approved by the Plant Protection Adviser for this
purpose.

(ii) Fortified rice kernel for consumption

China

Free from: (a) *Trogoderma variabile* (Grain

dermestid) (b) *Typhaea stercorea* (Hairy fungus beetle) (c)

Monographella nivalis (Foot rot of cereals)

Fumigation with Methyl bromide @ 32 g/m³ at 210C

and above for 24 hrs under normal atmospheric pressure (NAP) and
the treatment to be endorsed on Phytosanitary Certificate.

488.

Osteospermum spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus.

Nil

489.

Pachira insignis

Plants for propagation

Australia, Thailand

Nil

(i) Post-entry quarantine growing for a period
of 4-6 months (ii) Free from soil (iii) Commercial imports
subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

USA

Free from *Steirastoma breve* (Cacao beetle)

490.

Paeonia suffruticosa (Peonia)

Plants/Cuttings for propagation

Netherlands

Nil

(i) Free from soil. (ii) Post-entry quarantine
for a growing period of 6-9 months.

491.

Panax quinquefolius (Ginseng)

Seeds for sowing

USA

Free from *Nectria radicola* (Black root)

Freedom from quarantine weeds seeds.

492.

Pandanus spp. (*Pandanus*)

Vegetable (leaves) for consumption

Thailand

Nil

Nil

493.

Panicum spp.

Germplasm material for research only

(i) Brazil(ii) China(iii) Kenya(iv) Nepal(v) USA

Nil

Free from soil and quarantine weed seeds

494.

Panicum antidotale (Elbow grass) /*Panicum*

maximum var. *trichoglume* (Guinea grass)

Seeds for sowing

Kenya

Free from Sugarcane chlorotic streak virus

(i) Free from soil and quarantine weed seeds(ii) Crop inspection and certification for freedom from Sugarcane chlorotic streak virus

495.

Panicum sumatrense (Little millet)

Seeds for sowing

Nepal

Nil

Free from quarantine weed seeds.

496.

Papaver spp. (Ornamental Poppy)

Seeds for sowing

(i) USA

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato)

Free from quarantine weed seeds.

(ii) France

(iii) U.K

(iv) The Netherlands

(v) Spain

(vi) Germany

Nil

Free from quarantine weed seeds.

(vii) Italy

Free from Artichoke Italian latent virus

Free from quarantine weed seeds

497.

Papaver somniferum (Opium poppy)

Germplasm material for research only

(i) Afghanistan(ii) Australia(iii) Austria(iv) Finland(v)

Germany(vi) Hungary(vii) Bulgaria(viii) Turkey

Nil

Free from soil and quarantine weed seeds

498.

Paspalum commersonii/ *Paspalum notatum*

Seeds for sowing

Kenya

Nil

Freedom from quarantine weed seeds

499.

Paspalum scrobiculatum, *P. dilatatum*/*Paspalum*

spp.

Germplasm material for research only

(i) China(ii) Nepal(iii) USA

Nil

Free from quarantine weed seeds.

Seeds for sowing

USA

Nil

Free from quarantine weed seeds.

500.

Passiflora edulis (Passion fruit)

(i) Cuttings/plants for propagation

(i)Australia

Free from:

(a) *Pantomorus*

cervinus (rose beetle)

(b) *Fusarium*

oxysporum f.sp. *passiflorae*

(c) *Pseudomonas*

passiflora

(d) *Pseudomonas*

viridiflava

(e) Passion fruit woodiness virus

(i) Free from soil.

(ii) Post-entry

quarantine growing for 6-9 months

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers

Welfare

(ii) Brazil

Free from:

(a) *Dione junio*

(b) *Eueides isabella*

(*Isabella tiger*)

(c) *Pantomorus*

cervinus

(d) *Selenaspidus*

articulates (Red scale)

(e) *Fusarium*

oxysporum f.sp. *passiflorae*

(f) *Pseudomonas*

viridiflava

(g) Passion fruit woodiness virus

(iii) South Africa

Free from:

(a) *Pantomorus*

cervinus

(b) *Fusarium*

oxysporum f.sp. *passiflorae*

(c) *Pseudomonas* *passiflora*

(ii) Leaves for consumption

Germany, Netherland, Belgium

Free from *Pseudomonas* *viridiflava* (Bacterial

leaf blight of tomato (USA)

Free from soil and other plant debris

France

Free from:

(i) *Pseudomonas*

viridiflava (Bacterial leaf blight of tomato (USA)

(ii) *Pantomorus* *cervinus* (Fuller's rose beetle)

(iii) Scion/Budwood/Rooted plants for

propagation

(i) Philippines

(ii) Sri Lanka

(iii) Thailand

(iv) Indonesia

(v) Malaysia

(vi) Mauritius

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9

month except for research.

(vii) New Zealand

Free from:

(a) *Pantomorus*

cervinus

(b) *Pseudomonas*

passiflora

(c) *Pseudomonas*

viridiflava

(d) Passion fruit woodiness virus

(viii) USA

Free from:

(a) *Agraulis* *vanillae*

(b) *Pantomorus*

cervinus

(c) *Selenaspidus*

articulatus

(d) *Fusarium*

oxysporum f.sp. *passiflorae* (Base rot disease of passionfruit)

(e) *Pseudomonas viridiflava*

(iv) Seeds for sowing

(i) Australia

Free from:

(a) *Fusarium*

oxysporum f.sp. *passiflorae* (Base rot disease of passionfruit)

(b) *Pseudomonas*

passiflora

(c) *Pseudomonas viridiflava*

Free from quarantine weed seeds.

(ii) Brazil

Free from:

(a) *Fusarium*

oxysporum f.sp. *passiflorae*

(b) *Pseudomonas viridiflava*

Free from quarantine weed seeds

(iii) South Africa

Free from:

(a) *Fusarium*

oxysporum f.sp. *passiflorae*

(b) *Pseudomonas passiflora* (Grease spot of passion fruit)

Free from quarantine weed seeds

501.

Passiflora foetida (Stone Flower)

Dried flowers for medicinal use

Any country

Nil

Free from quarantine weeds seeds

502.

Paulownia kawakamii

Tissue culture plants

USA, Netherlands

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

503.

Peganum harmala

Dried seeds for consumption

Pakistan

Nil

Free from quarantine weed seeds and soil contamination.

504.

Pelargonium spp. (*Pelargonium*)

(i) Seeds/Cuttings/Saplings for planting or propagation

Any Country

Free from:

(a) Bacterial spot

(Xanthomonas campestris pv. pelargonii)

(b) Pelargonium viruses viz. flower break virus,
leaf curl virus, vein clearing virus and zonate spot virus.

(i) Free from

quarantine weed seeds.

(ii) Post-entry quarantine for a period of 45-60
days.

Seeds for sowing

Australia

Free from tomato ring spot virus

(i) Free from soil

and quarantine weed seeds.

(ii) Crop inspection and certification for
freedom from tomato ring spot virus.

(ii) Tissue cultured plants

(i) UK

Certified that the

tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Pelargonium

flower break virus

(b) Pelargonium line pattern virus

Nil

(ii) Italy

Certified that the

tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Pelargonium vein

clearing virus

(b) Pelargonium zonate spot virus

Nil

(iii) Germany

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

pelargonium leaf curl virus

Nil

(iv) Europe, USA

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

pelargonium ringspot virus

Nil

(v) Any country except UK, Italy, Germany,

Europe, USA

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

505.

Penicicum vergatum

Tissue culture plants

USA

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Post-entry quarantine for a period of 45 days.

506.

Pennisetum americanum/*Pennisetum glaucum* (Pearl millet)

Seeds for sowing

Nepal

Nil

Free from quarantine weed seeds.

507.

(i) *Pennisetum clandestinum* /*Pennisetum purpureum*/*Pennisetum* spp. *Pennisetum* hybrids

(i) Seeds for sowing

Kenya

Nil

(i) Free from soil.

(ii) Crop inspection and certification for freedom from viruses

(ii) *Pennisetum purpureum*

(i) Plants/Cuttings for propagation

(i) China

Free from Sugarcane chlorotic streak virus (sugarcane chlorotic streak disease).

(i) Commercial import

subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(ii) Free from soil.

(iii) Post-entry quarantine for a growing period of 6 months

508.

Pennisetum glaucum (Pearl millet)

Seeds for sowing

(i) Niger

(ii) China

Nil

(i) Free from quarantine weed seeds.

(ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(iii) Nigeria

Free from *Aphelenchoides arachidis* (groundnut testa nematode)

(iv) USA

Free from Wheat streak mosaic virus

(i) Free from quarantine weed seeds.

(ii) Commercial imports subject to prior approval of Department of Agriculture and cooperation ,

(iii) Post-entry

quarantine growing for 2-3 months,

(iv) Crop inspection and certification for freedom from Wheat streak mosaic virus

(v) Australia

Free from:

(a) Johnsongrass

mosaic virus

(b) Wheat streak mosaic virus (wheat virus 6 & 7)

(i) Free from

quarantine weed seeds.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry

quarantine growing for 2-3 months,

(iv) Crop inspection and certification for

freedom from Johnsongrass mosaic virus and Wheat streak mosaic virus (wheat virus 6 & 7)

509.

Penstemon spp. (Pentas)

Seeds for sowing

Europe

Nil

Free from quarantine weed seeds.

510.

Pepromia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus

Nil

511.

Perilla frutescens (Perilla)

Seeds for sowing

(i) Japan

(ii) Korea

(iii) Turkey

(iv) USA

Nil

Free from quarantine weed seeds

512.

Persea americana (Avocado)

(i) Plants for propagation

(i) Israel

Free from:

(a) *Parabemisia*

myricae (bayberry whitefly)

(b) *Peridroma saucia*

(pearly underwing moth)

(c) *Protopulvinaria*

pyriformis (pyriform scale)

(d) Spodoptera

littoralis (cotton leafworm)

(e) Avocado sunblotch viroid

(i) Imports subject

to prior approval of the Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Post-entry

quarantine for a period of one year.

(iii) Free from soil.

(ii) South Africa

Free from:

(a) Cacoecimorpha

pronubana (carnation tortrix)

(b) Ceroplastes

destructor (white wax scale)

(c) Pantomorus

cervinus (Fuller's rose beetle)

(d) Protopulvinaria

pyriformis (pyriform scale)

(e) Pseudotheraptus

wayi (coconut bug)

(f) Spodoptera

littoralis (cotton leafworm)

(g) Xyleborus

ferrugineus

(h) Cercospora

purpurea (spot blotch)

(i) Phytophthora

cryptogea (tomato foot rot)

(j) Sphaceloma

perseae (avocado scab)

(k) Rhizobium

rhizogenes

(l) Avocado sunblotch viroid

(i) Imports subject

to prior approval of the Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Post-entry

quarantine for a period of one year.

(iii) Free from soil.

(ii) Tissue cultured plants

(i) Israel

(ii) South Africa

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from avocado sun blotch viroid.

Imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Cuttings/budwoods/rooted plants for

propagation

(i) Indonesia

Free from *Rhizobium rhizogenes*

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month

(ii) Malaysia

Free from

(a) *Xyleborus*

ferrugineus

(b) *Rhizobium rhizogenes*

(iii) Mauritius

Free from *Spodoptera littoralis* (cotton
leafworm)

(iv) Mexico

Free from:

(a) *Aleurodicus*

cocois (Whitefly)

(b) *Aleurodicus*

pulvinatus (Whitefly)

(c) *Atta* spp. (Ants)

(d) *Caulophilus*

oryzae

(e) *Conotrachelus*

perseae

(f) *Heilipus lauri*

(Avocado seed weevil)

(g) *Pantomorus*

cervinus (Rose beetle)

(h) *Paracoccus*

marginatus

(i) *Peridroma saucia*

(Pearly moth)

(j) *Platynota*

stultana (Leaf roller)

(k) *Rhynchophorus*

palmarum

(l) *Scirtothrips*

perseae (Thrips)

(m) *Selenaspidus*

articulatus (Red scale)

(n) *Spodoptera*

eridania

(o) *Stenoma catenifer*

(Moth)

(p) *Trialeurodes*

vaporariorum

(q) *Rosellinia pepo*

(Black root rot)

(r) *Sphaceloma*

perseae (Scab)

(s) Xyleborus ferrugineus

(v) New Zealand

Free from:

(a) Ceroplastes

destructor (wax scale)

(b) Epiphyas

postvittana (apple moth)

(c) Pantomorus

cervinus (rose beetle)

(d) Phytophthora cryptogea (foot rot)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9
month

(vi) Philippines

Free from:

(a) Nipponoclea spp.

(b) Suana concolor

(c) Sphaceloma perseae (scab)

(vii) Sri Lanka

Free from Peridroma saucia (pearly underwing
moth)

(viii) Thailand

Free from

(a) Ceroplastes

japonicus (wax scale)

(b) Oligonychus mangiferus (mango red spider
mite)

(ix) USA

Free from:

(a) Amorbia cuneana

(b) Atta sp.

(c) Avocado sunblotch
viroid

(d) Cacoecimorpha

pronubana (carnation tortrix)

(e) Caulophilus

oryzae

(f) Chrysodeixis

includens

(g) Diaprepes

abbreviatus

(h) Epiphyas

postvittana (apple moth)

(i) Melanaspis

obscura (obscure, scale)

(j) Oligonychus

peruvianus

- (k) *Oligonychus*
punicae
- (l) *Pantomorus*
cervinus (rose beetle)
- (m) *Parabemisia*
myricae
- (n) *Paracoccus*
marginatus
- (o) *Peridroma saucia*
(underwing moth)
- (p) *Phytophthora*
citricola (root rot)
- (q) *Phytophthora*
cryptogea (foot rot)
- (r) *Platynota*
stultana (leaf roller)
- (s) *Protaetia fusca*
- (t) *Rhizobium*
rhizogenes
- (u) *Sabulodes*
aegrotata (looper)
- (v) *Scirtothrips*
perseae
- (w) *Selenaspidus*
articulatus (red scale)
- (x) *Sphaceloma*
perseae (avocado scab)
- (y) *Spodoptera*
eridania (armyworm)
- (z) *Xyleborus*
ferrugineus
- (aa) *Xyleborus immaturus* (bark beetle)
- (i) Free from soil.
- (ii) Commercial
imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare
- (iii) Post-entry quarantine growing for 6-9
month
- (iv) Cuttings/Plants for propagation
- (i) Australia
Free from:
 - (a) *Ceroplastes*
destructor
 - (b) *Chrysodeixis*
includens
 - (c) *Epiphyas*
postvittana (Apple moth)
 - (d) *Monolepta*
australis (Leaf beetle)
 - (e) *Pantomorus*
cervinus (Rose beetle)

- (f) *Phytophthora*
cryptogea *Rhizobium* *rhizogenes* (Gall)
- (g) Avocado sunblotch viroid
- (i) Free from soil.
- (ii) Post-entry
quarantine growing for 6-9 months
- (iii) Commercial imports subject to prior
approval of Department of Agriculture, Cooperation and Farmers
Welfare
- (ii) Chile
Free from:
 - (a) *Chrysodeixis*
inclusens
 - (b) *Pantomorus*
cervinus
 - (c) *Peridroma* *saucia*
 - (d) *Spodoptera*
eridania
 - (e) *Trialeurodes*
vaporariorum
 - (f) *Phytophthora* *cryptogea*
 - (i) Free from soil.
 - (ii) Post-entry
quarantine growing for 6-9 months
 - (iii) Commercial imports subject to prior
approval of Department of Agriculture, Cooperation and Farmers
Welfare
- (iii) Columbia
Free from:
 - (a) *Aleurodicus*
pulvinatus
 - (b) *Atta* (leaf cutter
ant)
 - (c) *Chrysodeixis*
inclusens
 - (d) *Heilipus* *lauri*
 - (e) *Peridroma* *saucia*
 - (f) *Rhynchophorus*
palmarum
 - (g) *Selenaspidus*
articulatus
 - (h) *Stenoma*
catenifer(avocado moth)
 - (i) *Trialeurodes*
vaporariorum (greenhouse whitefly)
 - (j) *Oligonychus*
peruvianus
 - (k) *Rosellinia* *pepo*
(black root rot)
 - (l) *Rhizobium* *rhizogenes*
 - (i) Free from soil.

- (ii) Post-entry
quarantine growing for 6-9 months
- (iii) Commercial imports subject to prior
approval of Department of Agriculture, Cooperation and Farmers
Welfare
- (iv) Guatemala
Free from:
 - (a) *Atta* (leaf cutter
ant)
 - (b) *Caulophilus*
oryzae (grain weevil)
 - (c) *Conotrachelus*
perseae
 - (d) *Heilipus lauri*
(avocado weevil)
 - (e) *Paracoccus*
marginatus
 - (f) *Peridroma saucia*
(pearly moth)
 - (g) *Rhynchophorus*
palmarum
 - (h) *Scirtothrips*
perseae
 - (i) *Stenoma catenifer*
(avocado moth)
 - (j) *Xyleborus*
ferrugineus
 - (k) *Oligonychus*
peruvianus
 - (l) *Sphaceloma perseae*
- (i) Free from soil.
- (ii) Post-entry
quarantine growing for 6-9 months
- (iii) Commercial imports subject to prior
approval of Department of Agriculture, Cooperation and Farmers
Welfare
- (v) Israel
Free from:
 - (a) *Parabemisia*
myricae (bayberry whitefly)
 - (b) *Peridroma saucia*
 - (c) *Protopulvinaria*
pyriformis (pyriform scale)
 - (d) *Spodoptera*
littoralis
 - (e) Avocado sunblotch viroid
- (i) Free from soil.
- (ii) Post-entry
quarantine growing for 6-9 months
- (iii) Commercial imports subject to prior
approval of Department of Agriculture, Cooperation and Farmers

Welfare

(vi) South Africa

Free from:

(a) *Cacoecimorpha*

pronubana (carnation tortrix)

(b) *Ceroplastes*

destructor

(c) *Pantomorus*

cervinus

(d) *Protopulvinaria*

pyriformis

(e) *Pseudotheraptus*

wayi

(f) *Spodoptera*

littoralis

(g) *Xyleborus*

ferrugineu

(h) *Phytophthora*

cryptogea

(i) *Sphaceloma*

perseae

(j) *Rhizobium*

rhizogenes

(k) Avocado sunblotch viroid

(i) Free from soil.

(ii) Post-entry

quarantine growing for 6-9 months

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers

Welfare

(vii) Spain

Free from:

(a) *Cacoecimorpha*

pronubana

(b) *Pantomorus*

cervinus

(c) *Parabemisia*

myricae

(d) *Peridroma saucia*

(e) *Spodoptera*

littoralis

(f) *Trialeurodes*

vaporariorum

(g) *Phytophthora*

cryptogea

(h) Avocado sunblotch viroid (Avocado sun blotch)

(i) Free from soil.

(ii) Post-entry

quarantine growing for 6-9 months

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare

(viii) Caribbean Countries

Free from *Lagocheirus araneiformis*

(i) Free from soil.

(ii) Post-entry

quarantine growing for 6-9 months

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare

Welfare

(v) Fresh fruits for consumption

(i) Chile

Free from:

(a) *Chrysodeixis*

includes (Soybean looper)

(b) *Naupactus*

xanthographus (South American fruit tree weevil)

(c) *Peridroma saucia*

(pearly underwing moth)

(d) *Spodoptera*

eridania (southern armyworm)

(e) *Phytophthora cryptogea* (tomato foot rot)

(a) Fumigation with

Methyl bromide @ 32 g/m³ for 2 hrs @ 21°C and above or any other

treatment duly approved by the Plant Protection Adviser to the

Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of

origin/re-export

(ii) Peru

Free from *Stenoma catenifer* (avocado moth)

Pest free status for *Stenoma catenifer* (Avocado

moth) as per international standards or methyl bromide fumigation

@ 32 g/m³ for 3½ hrs at 21°C or above under NAP or

equivalent thereof.

(iii) New Zealand

Free from:

(a) *Linepithema*

humile (Argentine ant)

(b) *Phytophthora cryptogea* (Tomato foot rot)

513.

Petroselinum crispum (Parsley)

(i) Seeds for sowing

(i) Denmark

Free from:

Ditylenchus dipsaci (stem and bulb nematode)

(i) Free from soil

contamination

(ii) Free from quarantine weed seeds

(ii) Italy

Free from:

- (a) *Ditylenchus*
dipsaci (Stem and bulb nematode)
- (b) *Pleosporum*
herbarum (Leaf blight of onion)
- (c) *Pseudomonas*
viridiflava
- (d) Celery mosaic
virus
- (e) Chicory yellow mosaic virus
- (i) Free from soil
contamination
- (ii) Free from
quarantine weed seeds
- (iii) Seed crop inspection and certification for
free from (d) and (e) by a competent authority at the country of
origin
- (iii) Japan
Free from:
 - (a) *Ditylenchus*
dipsaci (Stem and bulb nematode)
 - (b) *Pseudomonas*
viridiflava
 - (c) Celery mosaic virus
 - (i) Free from soil
contamination
 - (ii) Free from
quarantine weed seeds
 - (iii) Seed crop inspection and certification for
free from (c) by a competent authority at the country of origin
- (iv) Netherlands
- (v) France
Free from:
 - (a) *Ditylenchus*
dipsaci (Stem and bulb nematode)
 - (b) *Pseudomonas viridiflava*
 - (i) Free from soil
contamination
 - (ii) Free from quarantine weed seeds.
- (vi) USA
Free from:
 - (a) *Ditylenchus*
dipsaci (Stem and bulb nematode)
 - (b) *Pleosporum*
herbarum (Leaf blight of onion)
 - (c) *Pseudomonas*
viridiflava
 - (d) Celery mosaic virus
 - (i) Free from soil
contamination
 - (ii) Free from
quarantine weed seeds.

(iii) Seed crop inspection and certification for
free from (d) by a competent authority at the country of origin
(vii) U.K.

Free from:

(a) *Ditylenchus*
dipsaci

(b) Celery mosaic
virus

(c) *Pseudomonas viridiflava*

(i) Free from soil.

and quarantine weeds seeds

(ii) Seed crop inspection and certification for
free from (b) by a Competent Authority at the country of origin.

(viii) Germany

Free from:

(a) *Ditylenchus*
dipsaci

(b) *Pleospora*
herbarum (Leaf blight of onion)

(c) Celery mosaic
virus

(d) *Pseudomonas*
viridiflava

(e) Chicory mosaic virus

(i) Free from soil.

and quarantine weeds seeds

(ii) Seed Crop inspection and certification for
free from (c) and (e) by a Competent Authority at the country of
origin.

(ix) Spain

Free from:

(a) *Ditylenchus*
dipsaci

(b) *Pseudomonas viridiflava*

Free from quarantine weeds seeds

(x) Israel

Free from *Ditylenchus dipsaci* (Stem and bulb
nematode)

Free from quarantine weeds seeds

(ii) Fresh leaves for consumption

Europe

Free from *Ditylenchus dipsaci* (Stem and bulb
nematode)

Nil

514.

Petunia spp.

(i) Tissue cultured plants

(i) Hungary

Certified that the

tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Tobacco mosaic
virus

(b) Tomato mosaic
virus

(c) Potato virus Y

(d) Potato X virus

Nil

(ii) UK

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Tobacco mosaic
virus

(b) Potato virus Y

(c) Arabis mosaic
virus

(d) Tomato black ring nepo virus

Nil

(iii) Netherlands

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Tobacco mosaic
virus

(b) Tomato mosaic
virus

(c) Tomato black ring
nepoviruses

(d) Potato virus Y

(e) Petunia vein
clearing virus

(f) Broad bean wilt fabavirus

Nil

(iv) Germany

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Petunia asteroid
mosaic virus

(b) Petunia flower
mottle potyvirus

(c) Datura Colombian
potyvirus

(d) Petunia vein clearing virus

Nil

(v) Italy

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Petunia asteroid
mosaic virus

(b) Artichoke latent virus

Nil

(vii) France

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Tobacco mosaic virus

(b) Potato virus Y

Nil

(viii) Switzerland

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from

Petunia vein clearing virus

Nil

(ix) USA

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Petunia vein clearing virus

(b) Petunia asteroid mosaic virus

(c) Tomato infectious chlorosis closterovirus

Nil

(x) Israel

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Tobacco mosaic virus

(b) Tomato mosaic virus

(c) Petunia vein clearing virus

Nil

(xi) Brazil

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from :

(a) Tobacco mosaic virus

(b) Petunia vein clearing virus

Nil

(xii) Japan

(xiii) Egypt

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from tobacco mosaic virus

Nil

(xiv) Korea ROK

(xv) Korea DPR

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from
Petunia asteroid mosaic virus

Nil

(xvi) Slovenia

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from potato
virus Y.

Nil

(xvii) Czech Republic

Certified that the
tissue cultured plants were obtained from mother stock tested and
maintained free from :

(a) Arabis mosaic

virus

(b) Turnip mosaic potyvirus

Nil

(xviii) China

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from turnip
mosaic potyvirus

Nil

(xix) Canada

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from tomato
spotted wilt virus

Nil

(xx) Any country except Canada, China, Czech
Republic, Slovenia, Japan, Egypt, Korea ROK, Korea DPR, Poland,
Italy, UK, Netherlands, Switzerland, Hungary, Germany, France,
USA, Brazil, Israel

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus.

Nil

(ii) Seeds for sowing

(i) Europe

(ii) South Africa

(iii) Canada

(iv) Australia

(v) New Zealand

(vi) Kazakhstan

(vii) Turkey

Free from Arabis mosaic nepho virus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free
from Arabis mosaic nepho virus.

(viii) South America

Free from Andean Potato Virus (stain)

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free from Andean Potato Virus (stain)

(ix) USA

(x) Japan

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato)

Free from quarantine weed seeds.

(xi) Guatemala

Nil

Free from quarantine weed seeds

515.

Petunia axillaris, *P. Integrifolia* (Petunia)

Cuttings/planting material/rooted plants for propagation

(i) Germany

Free from:

(a) *Peridroma saucia*

(Pearly moth)

(b) *Phytonemus*

pallidus (Mite)

(c) *Erwinia*

chrysanthemi pv. *dieffenbachiae* (Stem rot)

(d) *Pseudomonas*

viridiflava

(e) *Phytophthora*

cryptogea (Foot rot)

(f) *Petunia asteroid*

mosaic virus

(g) *Petunia* flower

mottle virus

(h) *Petunia* vein clearing virus

(i) Free from soil.

(ii) Post-entry quarantine growing for one growth season.

(ii) The Netherlands

Free from:

(a) *Peridroma saucia*

(Pearly moth)

(b) *Phytonemus*

pallidus (Mite)

(c) *Pseudomonas*

viridiflava

(d) *Phytophthora cryptogea* (Foot rot)

(i) Free from soil.

(ii) Post-entry quarantine growing for one growth season.

(iii) USA

Free from:

(a) *Anthonomus*

eugenii (Pepper weevil)

(b) *Exomala*

orientalis (Oriental beetle)

(c) *Heliothis*

virescens

(d) *Peridroma saucia*

(Pearly moth)

(e) *Phytonemus*

pallidus (mite)

(f) *Erwinia*

chrysanthemi pv. *dieffenbachiae* (Stem rot)

(g) *Pseudomonas*

viridiflava

(h) *Phytophthora*

cryptogea (Foot rot)

(i) *Rhizobium rhizogenes*

516.

Philotheca myoporoides (Wax flower)

Plants/cuttings for propagation

USA

Nil

(i) Post-entry

quarantine for a period of 6 months.

(ii) Free from soil.

517.

Phlox spp. (Phlox)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Japan

(iv) Australia

Free from:

(a) *Ditylenchus*

dipsaci (Brown ring disease of hyacinth)

(b) Tobacco rattle virus (Spraing of potato).

(i) Free from soil

and quarantine weed seeds.

(ii) Crop inspection and certification for free from tobacco rattle virus.

(ii) Europe

Nil

Free from soil and quarantine weed seeds.

518.

Phoenix spp.

Seeds for sowing

Any country (Except from African, American, Caribbean, Philippines And Solomon Island countries)

Nil

Free from quarantine weeds seeds and soil contamination.

519.

Phoenix dactylifera (Date palm)

(i) Suckers/Plants for planting

Any Country

Free from:

(a) Bayood (*Fusarium*

oxysporum f.sp. *albedinis*)

(b) Palm lethal

yellowing (*Phytoplasmas*)

(c) Texas root rot

(*Phymatotrichum omnivorum*)

(d) American palm weevil (*Rhyncophorus palmarum*)

(i) Import subject to

prior approval of Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture.

(ii) Post-entry quarantine for a period of one year.

(ii) Tissue cultured plants for propagation

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

(iii) Fresh/Dry fruits for consumption

Any Country

Free from Palm kernel borer (*Pachymerus lacerdae*)

Fumigation with Methyl bromide @ 16 g/m³ for 24

hrs at 21°C and above under NAP and the treatment shall be

endorsed on Phytosanitary Certificate or by any other

fumigant/substance in the manner approved by the Plant Protection Adviser.

520.

Phormium spp.

(i) Tissue cultured plants

Any Country

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

(ii) Plants for propagation

Australia

Nil

Post-entry quarantine growing for a period of 45 days.

521.

Phyllostachys spp. (Bamboo)

(i) Seeds for sowing

(i) Thailand

(ii) China

Nil

Free from quarantine weed seeds.

(ii) Stem cuttings/saplings for propagation

China

Free from:

(a) Top blight

(*Ceratosphaeria phyllostachydis*)

(b) Clum base rot

(*Arthrinium* spp.)

(c) Witches broom

(*Phytoplasma*)

(d) Bamboo mosaic virus

Post-entry quarantine growing for a period of 45 days.

522.

Physalis peruviana (Cape gooseberry)

Cuttings/grafts/rooted plants for propagation

(i) Italy

(ii) Spain

(iii) USA

Free from *Aculops lycopersici* (tomato russet mite)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(iii) Post-entry quarantine growing for 6-9 month except for research.

523.

Picea abies (Spruce)

(i) Wood without bark

(i) North America

Free from:

(a) *Pityogenes*

bidentatus (Two-toothed pine beetle)

(b) *Ips typographus*

(Spruce bark beetle)

(c) *Dendroctonus*

micans (European Spruce beetle)

(d) *Pissodes* spp.

(Pine weevil)

(e) *Tomicus piniperda*

(Beetle, pine)

(f) *Bursaphenchus xylophilus* (Pine wood nematode)

Fumigation with Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) China

Free from :

(a) *Dendroctonus*

micans (European Spruce beetle)

(b) *Ips typographus* (Spruce bark beetle)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 210C and above or equivalent thereof or heat treatment at 560C (core temperature) for 30 minutes or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Woodwith/without bark

(i) Africa

Free from :

(a) *Hylobius abietis* (Fir-tree weevil)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 210C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Europe

Free from:

(a) *Pityogenes*

bidentatus (Two-toothed pine beetle)

(b) *Ips typographus*

(Spruce bark beetle)

(c) *Dendroctonus*

micans (European Spruce beetle)

(d) *Pissodes* spp.

(Pine weevil)

(e) *Tomicus piniperda*

(Beetle, pine)

(f) *Zeiraphera* spp.

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 210C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(iii) Malaysia

Nil

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 210C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

524.

Picea engelmannii

Wood without bark

Canada

Free from:

(a) *Choristoneura*

fumiferana (Spruce budworm)

(b) *Choristoneura*

occidentalis (Western spruce budworm)

(c) *Dendroctonus*

ponderosae (Black hills beetle)

(d) *Dendroctonus*

rufipennis(Spruce beetle)

(e) Dryocoetes

confusus (Western balsam bark beetle)

(f) Monochamusnotatus

(Northeastern sawyer)

(g) Trypodendron

lineatum (Striped ambrosia beetle)

(h) Bursaphelenchus

xylophilus (Pine wilt nematode)

(i) Heterobasidion

annosum

(j) Heterobasidion parviporum

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof under NAP or heat

treatment at 56°C (core temperature) for 30 minutes or any other

treatment approved by Plant Protection Adviser to the Government

of India. The treatment should be endorsed on Phytosanitary

Certificate issued at the country of origin/re-export

525.

Picea glauca

Wood without bark

Canada

Free from:

(a) *Choristoneura*

fumiferana (spruce budworm)

(b) *Choristoneura*

occidentalis (western spruce budworm)

(c) *Choristoneura*

pinus pinus (jack-pine budworm)

(d)

Dendroctonus rufipennis (spruce beetle)

(e) *Monochamus*

notatus (northeastern sawyer)

(f)

Monochamus titillator (southern pine sawyer)

(g) *Pissodes nemorensis*

(northern pine weevil)

(h) *Heterobasidion parviporum*

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof under NAP or heat

treatment at 56°C (core temperature) for 30 minutes or any other

treatment approved by Plant Protection Adviser to the Government

of India. The treatment should be endorsed on Phytosanitary

Certificate issued at the country of origin/re-export.

526.

Picea sitchensis

Wood without bark

(i) Canada

Free from:

(a)

Dendroctonus rufipennis (Spruce beetle)

(b) Operophtera

brumata (Winter moth)

(c) Sirex

juvencus (Steel-blue woodwasp)

(d) Trypodendron

lineatum (Striped ambrosia beetle)

(e) Bursaphelenchus

xylophilus (Pine wilt nematode)

(f) Heterobasidion

annosum

(g) Heterobasidion parviporum

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof under NAP or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Ivory Coast

Nil

(i) Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Free from quarantine weed seeds, soil and other plant debris.

527.

Picea mariana

Wood without bark

Canada

Free from:

(a) Chrysomyxa

pirolata (Inland spruce cone rust)

(b) Cydia strobilella

(Spruce seed moth)

(c) Dryocoetes

affaber (Spruce Bark beetle)

(d) Dryocoetes

autographus (Spruce Bark beetle)

(e) Hylobius congener

(Seedling debarking weevil)

(f) Ips perturbatus

(Northern spruce engraver)

(g) Polygraphus rufipennis (Four-eyed Spruce Bark beetle)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof under NAP or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

528.

Picea rubens

Wood without bark

Canada

Free from:

(a) *Arceuthobium*

pusillum (Eastern dwarf mistletoe)

(b) *Bursaphelenchus*

xylophilus (Pine wilt nematode)

(c) *Dendroctonus*

rufipennis (Spruce beetle)

(d) *Gremmeniella*

abietina (Brunchorstia disease)

(e) *Heterobasidion*

annosum

(f) *Ips pini* (Pine

engraver)

(g) *Lambdina*

fiscellaria (Eastern hemlock looper)

(h) *Monochamus*

marmorator (Balsam fir sawyer)

(i) *Sirococcus*

conigenus (*Sirococcus* blight of conifers)

(j) *Tetropium fuscum* (Brown spruce longhorn beetle)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof under NAP or heat

treatment at 56°C (core temperature) for 30 minutes or any other

treatment approved by Plant Protection Adviser. The treatment

should be endorsed on Phytosanitary Certificate issued at the

country of origin/re-export.

529.

Pimenta racemosa

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period

of 6-9 months.

530.

Pinus taeda

(i) Timber logs with/without bark for consumption

(i) Australia

Free from:

(a) *Sirex noctilio*

(woodwasp)

(b) *Heterobasidion araucariae*

Fumigation with Methyl bromide 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary certificate issued at the Country of Origin/re-export.

(ii) USA

Free from:

(a) *Ips*

calligraphus (Six-spined ips)

(b) *Monochamus*

carolinensis (Pine sawyer)

(c) *Pineus boernerii*

(Pine woolly aphid)

(d) *Pissodes*

nemorensis (Northern pine weevil)

(e) *Sirex noctilio*

(Woodwasp)

(f) *Bursaphelenchus*

xylophilus (Pine wilt nematode)

(g)

Atropellispiniphila (Twig blight of pine)

(h) *Gibberella*

circinata (Pitch canker)

(i) *Heterobasidion*

annosum

(j) *Leptographium procerum* (White pine root decline)

Fumigation with Methyl bromide @ 48 g/m³ for 24 hrs. 21°C and above or equivalent Thereof or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

531.

Piratinera guianensis (Snakewood)

Wood with and without bark

Central & South America

Nil

Fumigation with Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

532.

Pistacia vera (Pistachio nut)

Cuttings/grafts/rooted plants for propagation

Iran

Free from *Phytophthora cryptogea* (foot rot)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month
except for research.

533.

Pisum spp. (Pea)

(i) Seeds for sowing

Any Country

Free from:

(a) Pod and stem

blight (*Phomopsis logicolla*)

(b) Stem and bulb

nematode (*Ditylenchus dipsaci*)

(c) Pea cyst nematode

(*Heterodera goettingiana*)

(d) Bruchids

(*Bruchidius* spp. *Specularis impressithorax*)

(e) Pea viruses viz. early-browning, enation
mosaic and green mottle.

(i) Free from soil.

(ii) Free from

quarantine weed seeds

(iii) Seed shall be appropriately treated with
suitable fungicide and treatment shall be endorsed on the
Phytosanitary Certificate.

(ii) Seeds for consumption or processing

Any Country

Free from:

(a) Stem and bulb

nematode (*Ditylenchus dipsaci*)

(b) Pea cyst nematode

(*Heterodera goettingiana*)

(c) Bruchids (*Bruchidius* spp. *Specularis*
impressithorax)

Fumigation with Methyl bromide @ 32 g/m³ at @

210C and above under NAP and the treatment to be endorsed on
Phytosanitary Certificate or by any other fumigant/substance in
the manner approved by the Plant Protection Adviser for this
purpose.

534.

Pisum sativum (Snow pea)

Fresh vegetable for consumption

Thailand

Nil

Free from soil..

535.

Pisum sativum (peas)

Seeds (Frozen green peas) for consumption

China

Free from:

- (a) *Adelphocoris lineolatus* (lucerne bug)
- (b) *Halyomorpha halys* (brown marmorated stink bug)
- (c) *Peridroma saucia* (pearly underwing moth)
- (d) *Ditylenchus dipsaci* (stem and bulb nematode)
- (e) *Pseudomonas viridiflava* (bacterial leaf blight of tomato (USA))
- (f) Broad bean wilt virus
- (g) Lettuce mosaic virus
- (h) Peanut stunt virus (peanut stunt)
- (i) Free from quarantine weed seeds, soil and other plant debris.
- (ii) Pest-free area status for *Ditylenchus dipsaci* (Stem and bulb nematode) as per international standards or
- (iii) Fumigation with Methyl bromide @ 48 g/m³ for 24 hrs. at 21°C and above under NAP before processing & freezing and the treatment to be endorsed on Phytosanitary Certificate of by any other phytosanitary treatment in the manner approved by the Plant Protection Adviser for this purpose.

(ii) Belgium

Free from:

- (i) The consignment should be free from contamination of soil, weed seeds and other plant debris.
- (iii) United Kingdom
 - (a) *Ditylenchus dipsaci* (stem and bulb nematode)
 - b) *Rhodococcus fascians* (fasciation: leafy gall)
 - c) Pea early browning virus
- (ii) Pre-shipment freezing at -18°C or below for 7 days or above. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

536.

Plumeria rubra

(i) Plants for propagation

(i) USA

Free from;

- (a) *Aspidiotus nerii* (Acuba scale)
- (b) *Selenaspidus articulatus* (West Indian red scale)

Post entry quarantine growing for a period of 45 days.

(ii) Australia

Free from *Aspidiotus nerii* (acuba scale)

Post-entry quarantine rowing for a period of 45 days.

(iii) Thailand

(iv) Singapore

Nil

Post-entry quarantine growing for a period of 45 days.

(ii) Tissue cultured plants

Any Country

Nil

Post-entry quarantine growing for a period of 45 days.

537.

Poa pratensis (Kentucky blue grass)

Seeds for sowing

USA

Free from:

(a) *Anguina agrostis*

(Bentgrass nematode)

(b) *Claviceps*

purpurea (ergot)

(c) *Monographella*

nivalis (foot rot: cereals)

(d) *Sclerotinia*

homoeocarpa (dollar spot: grasses)

(e) *Pantoea stewartii* (Bacterial leaf blight of maize)

(i) Imports permitted

subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Free from soil and quarantine weed seeds.

538.

Polygala myrtifolia/*Polygala paniculata*

(i) Seeds for sowing

(ii) Cuttings

USA

Nil

(i) Free from soil.

and quarantine weed seeds

(ii) Post-entry quarantine for a period of one growth season except for research

539.

Polypodium spp. (*Polypodium*)

Plants for propagation

Any Country

Nil

Post-entry quarantine for a period of 45 days.

540.

Polyscias spp. (*Polyscias*)

Plants for propagation

Any Country

Nil

Post-entry quarantine for a period of 45 days.

541.

Pome Fruits: (Apple, Pear (*Pyrus* spp.) and Quince (*Cydonia* spp.)).

(i) Cuttings/Saplings/Bud wood for planting or propagation

Any Country

Free from:

(a) Fire blight

(*Erwinia amylovora*)

(b) Crown gall

(*Agrobacterium tumefaciens*)

(c) Hairy root

(*A. rhizogenes*)

(d) Apple and pear

rusts (*Gymnosporangium* spp) non Asiatic

(e) Apple scar skin,

apple stem grooving viruses.

(f) Seed chalcid

(*Megastigmus spermatrophus*)

(g) Viruses/phytoplasmas affecting Pomidae.

(i) Post-entry

quarantine for a period of 1-2 years.

(ii) Import subject to prior approval of

Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture.

(ii) Tissue cultured plants

Any Country

Certified that the planting material is obtained

from mother stock indexed/tested and maintained free from viruses and phytoplasmas affecting Pomidae.

The above condition at (i) shall not apply.

(iii) Fresh fruits for consumption

(i) Australia

Free from:

(a) *Bactrocera tryoni*

(Queensland fruit fly)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Cydia pomonella*

(Codling moth)

(d) *Epiphyas*

postvittana (Light brown apple moth)

(e) *Pseudococcus calceolariae* (Scarlet mealybug)

(a) Pest free status

for *Bactrocera tryoni* (Queensland fruit fly) and *Ceratitis*

capitata (Mediterranean fruit fly) as per international standards

or

(b) Pre-shipment cold treatment at 00C or below

for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and 00C or below for 13 days; 0.550C or below for 14 days; 1.10C or below for 18 days plus intransit refrigeration against Queensland fruit fly

(ii) Canada

Free from :

(a) *Cydia molesta*

(Oriental fruit moth)

(b) *Erwinia amylovora*

(Fireblight)

(c) *Pandemis heparana*

(apple brown tortrix)

(d) *Peridroma saucia*

(pearly under wing moth)

(e) *Pseudococcus*

comstocki (Comstock mealy bug)

(f) *Rhagoletis pomonella* (apple maggot)

((a) Pest free area

status for *Rhagoletis pomonella* (Apple maggot) as per international standard or

(b) Pre-shipment cold treatment at 00C or below

for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against *Rhagoletis pomonella*

(Apple maggot)

(iii) Chile

Free from *Ceratitis capitata* (Mediterranean fruit fly)

(a) Pest free status

for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Pre-shipment cold treatment at 00C or below

for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against Mediterranean fruit

fly

(iv) China

Free from:

(a) *Adoxophyes orana*

(summer fruit tortrix)

(b) *Cydia funebrana*

(red plum maggot)

(c) *Cydia inopinata*

(Manchurian fruitmoth)

(d) *Cydia molesta*

(Oriental fruit moth)

(e) *Cydia pomonella*

(Codling moth)

(f) *Pandemis cerasana*

(Common twist moth)

(g) *Pandemis heparana*

(apple brown tortrix)

(h) *Peridroma saucia* (Pearly underwing moth)

(a) Pest free status

for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Pre-shipment cold treatment at 00C or below

for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly

(v) France

Free from:

(a) *Adoxophyes orana*

(summer fruit tortrix)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Cydia funebrana*

(red plum maggot)

(d) *Cydia molesta*

(oriental fruit moth)

(e) *Cydia pomonella*

(codling moth)

(f) *Erwinia amylovora*

(fire blight)

(g) *Pandemis heparana*

(apple browntortrix)

(h) *Peridroma saucia*

(pearly underwing moth)

(i) *Pseudococcus calceolariae* (scarlet mealybug)

(a) Pest free status

for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Pre-shipment cold treatment at 00C or below

for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly

(vi) Iran

Free from *Cydia pomonella* (codling moth)

Nil

(vii) New Zealand

Free from:

(a) *Cydia molesta*

(oriental fruit moth)

(b) *Cydia pomonella*

(Codling moth)

(c) *Epiphyas*

postvittana (light brown apple moth)

(d) *Erwinia amylovora*

(fire blight)

(e) *Pseudococcus calceolariae* (scarlet mealy bug)

Nil

(viii) South Africa

Free from:

- (a) *Ceratitis capitata* (Mediterranean fruit fly)
- (b) *Ceratitis rosa* (Natal fruit fly)
- (c) *Cydia molesta* (Oriental fruit moth)
- (d) *Cydia pomonella* (Codling moth)
- (e) *Erwinia amylovora* (fire blight)
- (f) *Pseudococcus calceolariae* (scarlet mealy bug)
- (a) Pest free status for *Ceratitis capitata* (Mediterranean fruit fly) and *Ceratitis rosa* (Natal fruit fly) or
- (b) Pre-shipment cold treatment at 00C or below for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against Mediterranean fruit Fly
- (ix) USA

Free from :

- (a) *Ceratitis capitata* (Mediterranean fruit fly)
- (b) *Cydia pomonella* (codling moth)
- (c) *Epiphyas postvittana* (light brown apple moth)
- (d) *Erwinia amylovora* (fire blight)
- (e) *Pseudococcus calceolariae* (scarlet mealy bug)
- (f) *Pseudococcus comstocki* (Comstock mealy bug)
- (g) *Rhagoletis pomonella* (apple maggot)
- (h) *Anastrepha fraterculus* (South American fruit fly)
- (i) *Anastrepha lundens* (Mexican fruit fly)
- (j) *Anastrepha serpentina* (Sapodilla fruit fly)
- (k) *Anastrepha suspensa* (Caribbean fruit fly)
- (l) *Anthonomus quadrigibbus* (apple curculio)
- (m) *Epidiaspis leperii* (European pear scale)
- (n) *Grapholita molesta* (Oriental fruit fly)
- (a) Pest free status for *Ceratitis capitata* (Mediterranean fruit fly) as per

international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs @ 21°C or above at NAP or

equivalent thereof against Mediterranean fruit fly or

(c) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12

days plus in-transit refrigeration against Mediterranean fruit

fly. The treatment should be endorsed on Phytosanitary

Certificate issued at the country of origin/re-export.

(x) Italy

Free from :

(a) *Adoxophyes orana*

(summer fruit tortrix)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Cydia funebrana*

(red plum maggot)

(d) *Cydia molesta*

(oriental fruit moth)

(e) *Erwinia amylovora*

(fireblight)

(f) *Pandemis cerasana*

(common twist moth)

(g) *Pandemis heparana*

(apple brown tortrix)

(h) *Peridroma saucia*

(pearly underwing moth)

(i) *Pseudococcus calceolariae* (scarlet mealy

bug)

(a) Pest free status

for *Ceratitis capitata* (Mediterranean fruit fly) as per

international standards or

(b) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12

days plus in-transit refrigeration against Mediterranean fruit

fly

(xi) Brazil

Free from:

a. *Anastrepha*

fraterculus (South American fruit fly)

b. *Anastrepha*

serpentina (Sapodilla fruit fly)

c. *Grapholita molesta*

(Oriental fruit moth)

d. *Pantomorus*

cervinus (Fuller's rose beetle)

e. *Peridroma saucia*

(Pearly underwing moth)

f. *Phytophthora*

cryptogea (Tomato foot rot)

g. *Pseudococcus*

calceolariae (Scarlet mealybug)

h. Pseudococcus

Comstocki (Comstock mealybug)

i. Pseudomonas

viridiflava (Bacterial leaf blight of tomato (USA))

j. Venturia pyrina (Black spot of pear)

Pre-shipment/in

transit cold treatment at zero degree Celsius (00C) for 40 days.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of
origin/re-export.

(xii) Poland

Freedom from:

a) Adoxophyes orana

(Summer fruit tortrix)

b) Archips podana

(Great brown twist moth)

c) Aspidiotus nerii

(Aucuba scale)

d) Epidiaspis leperii

(European pear scale)

e) Erwinia amylovora

(Fire blight)

f) Frankliniella

occidentalis (Western flower thrips)

g) Orthosia cerasi

(Common quaker)

h) Peridroma saucia (Pearly underwing moth)

Fumigation by Methyl

Bromide at 32 g/m³ for 2 hrs at 210C or equivalent thereof. Or

Pre-shipment cold treatment at 00C or below for

10 days; or 0.550C or below for 11 days; or 1.10C or below for 12

days plus in-transit refrigeration. The treatment shall be

endorsed on Phytosanitary Certificate issued at the country of

origin/re-export.

(xiii) Afghanistan

Free from:

(a) Byturus

tomentosus (raspberry beetle)

(b) Venturia pyrina (black spot of pear)

(a) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs @ 210C or above at NAP or
equivalent thereof against Byturus tomentosus (Raspberry beetle)

(b) Pre-shipment cold treatment at 00C or below

for 10 days; 0.550C or below for 11 days; 1.10C or below for 12

days plus in-transit refrigeration against Byturus tomentosus

(Raspberry beetle). The treatment should be endorsed on

Phytosanitary Certificate issued at the country of

origin/re-export.

(xiv) Belgium

Free from:

- (a) *Adoxophyes orana*
(Summer fruit tortrix)
- (b) *Ametastegia*
- (c) *Archips podana*
(Great browntwist moth)
- (d) *Byturus*
tomentosus (Raspberry beetle)
- (e) *Caliroa cerasi*
(Pear andcherryslugworm)
- (f) *Epidiaspis*
leperii (European pear scale)
- (g) *Frankliniella*
occidentalis (Western flower thrips)
- (h) *Grapholita*
funebrana (Red plum maggot)
- (i) *Gymnosporangium*
fuscum (European pear rust)
- (j) *Harmonia axyridis*
(Harlequin ladybird)
- (k) *Hoplocampa*
- (l) *Leucoptera*
malifoliella (Pear leaf blister moth)
- (m) *Operophtera*
brumata (Winter moth)
- (n) *Orthosia*
cerasi (Common quaker)
- (o) *Ostrinia*
nubilalis (European maize borer)
- (p) *Pandemis heparana*
(Apple brown tortrix)
- (q) *Peridroma saucia*
(Pearly underwing moth)
- (r) *Venturia pyrina*
(Black spot of pear)
- (s) *Erwinia amylovora*
(Fireblight)
- (t) Apple stem pitting virus (Apple spy 227
epinasty & decline)
Methyl bromide
fumigation @ 32 g/m³ for 2 hrs @ 21°C or above at NAP or
Equivalent thereof against *Byturus tomentosus* (Raspberry beetle).
The treatment should be endorsed on
Phytosanitary Certificate issued at the country of
origin/re-export.
- (xv) Argentina
Free from:
 - (a) *Ametastegia*
spp. (Sawflies)
 - (b) *Anastrepha*
fraterculus (South American fruit fly)
 - (c) *Grapholita*

molesta (Oriental fruit moth)

(d) *Harmonia axyridis*

(Harlequin ladybird)

(e) *Pantomorus*

cervinus (Fuller's rose beetle)

(f) *Peridroma saucia*

(Pearly underwing moth)

(g) *Phytophthora*

cryptogea (Tomato foot rot)

(h) *Pseudomonas viridiflava* (Bacterial leaf blight of tomato (USA))

Pre-shipment/In-transit

cold treatment @ 0.00C for 40 days.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export.

(xvi) Bulgaria

Free from :

(a) *Aculus*

schlechtendali (Apple rust mite)

(b) *Adoxophyes orana*

(Summer fruit tortrix)

(c) *Ametastegia*

(Sawflies)

(d) *Archips podanus*

(Great brown twist moth)

(e) *Byturus*

tomentosus (Raspberry beetle)

(f) *Ceratitis*

capitata (Mediterranean fruit fly)

(g) *Cornu*

aspersum/Helix aspera (Common snail).

(h) *Epidiaspis*

leperii (European pear scale)

(i) *Erwinia amylovora*

(Fireblight)

(j) *Frankliniella*

occidentalis (western flower thrips)

(k) *Grapholita*

funebrana (Red plum maggot)

(l) *Grapholita*

molesta (Oriental fruit moth)

(m) *Harmonia axyridis*

(Harlequin ladybird)

(n) *Hedya nubiferana*

(bud moth)

(o) *Hoplocampa* spp.

(p) *Lacanobia*

oleracea (Bright-line brown- eye moth)

(q) *Leucoptera*

malifoliella (Pear leaf blister moth)

- (r) *Metcalfa pruinosa*
(Frosted moth-bug)
- (s) *Orthosia cerasi*
(Common quaker)
- (t) *Pandemis*
heparana (Apple brown tortrix)
- (u) *Peridroma saucia*
(Pearly underwing moth)
- (v) *Phytophthora*
cryptogea (Tomato foot rot)
- (w) *Pseudomonas*
viridiflava (Bacterial leaf blight of tomato (USA))
- (x) *Venturia pyrina* (Black spot of pear)
- (a) Pest free area
status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or Pre shipment cold treatment at 00C or below for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against fruit fly and
- (b) Methyl Bromide
fumigation @ 32 g/m³ for 2 hrs at 210C or above at NAP or equivalent thereof.
The treatment should be endorsed on
Phytosanitary certificate issued at the country of
origin/re-export.
- (xvii) Spain
Free from:
 - (a) *Adoxophyes orana*
(Summer fruit tortrix)
 - (b) *Ametastegia*
(Sawflies)
 - (c) *Byturus*
tomentosus (Raspberry beetle)
 - (d) *Ceratitis*
capitata (Mediterranean fruit fly)
 - (e) *Cornu*
aspersum/*Helix aspera* (Common snail).
 - (f) *Cydia pomonella*
(Codling moth)
 - (g) *Dorosophila*
simulans
 - (h) *Epidiaspis*
leperii (European pear scale)
 - (i) *Erwinia amylovora*
(Fireblight)
 - (j) *Frankliniella*
occidentalis (western flower thrips)
 - (k) *Grapholita*
funebrana (Red plum maggot)
 - (l) *Grapholita*
molesta (Oriental fruit moth)
 - (m) *Harmonia axyridis*

(Harlequin ladybird)
(n) Leucoptera
malifoliella (Pear leaf blister moth)
(o) Metcalfa pruinosa
(Frosted moth-bug)
(p) Monilinia
fructigena (Blossom blight of fruit trees)
(q) Orthosia cerasi
(Common quaker)
(r) Pantomorus
cervinus (Fuller's rose beetle)
(s) Peridroma saucia
(Pearly underwing moth)
(t) Phytophthora
cryptogea (Tomato foot rot)
(u) Pseudococcus
calceolariae (Scarlet mealybug)
(v) Pseudomonas
viridiflava (Bacterial leaf blight of tomato (USA))
(w) Venturia pyrina (Black spot of pear)
(a) Pest free area
status for Ceratitis capitata (Mediterranean fruit fly) as per
international standards or Pre shipment cold treatment at 00C or
below for 10 days; 0.550C or below for 11 days; 1.10C or below
for 12 days plus in-transit refrigeration against fruit fly and
(b) Methyl Bromide fumigation @ 32 g/m³ for 2
hrs at 210C or above at NAP or equivalent thereof. The treatment
should be endorsed on Phytosanitary certificate issued at the
country of origin/re-export.
(xviii) United Kingdom
Free from:
(a) Aculus
schlechtendali (apple rust mite)
(b) Adoxophyes orana
(summer fruit tortrix)
(c) Ametastegia
glabrata
(d) Archips podanus
(great brown twist moth)
(e) Blastobasis
decolorella
(f) Cydia pomonella
(codling moth)
(g) Forficula
auricularia
(h) Harmonia axyridis
(harlequin ladybird)
(i) Hoplocampa
testudinea
(j) Quadraspidiotus
pyri

(k) *Syndemis musculana*

a) Methyl Bromide fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(xix) Netherlands

Free from:

(a) *Aculus*

schlechtendali (apple rust mite)

(b) *Adoxophyes orana*

(summer fruit tortrix)

(c) *Archips podanus*

(great brown twist moth)

(d) *Botrytis cinerea*

(e) *Cydia pomonella*

(codling moth)

(f) *Harmonia axyridis*

(harlequin ladybird)

(g) *Hedya nubiferana*

(bud moth)

(h) *Monilinia*

fructigena (brown rot)

(i) *Orthosia cerasi*

(common quaker)

(j) *Penicillium*

expansum

(k) *Pezizula alba*

(l) *Pezizula*

malicorticis (apple anthracnose)

(m) *Phytophthora*

cactorum

(n) *Phytophthora*

cryptogea (tomato foot rot)

(o) *Phytophthora*

syringae

(p) *Venturia*

inaequalis

(q) *Venturia pyrina* (black spot of pear)

a) Methyl Bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof.

The treatment should be endorsed on

Phytosanitary certificate issued at the country of origin/re-export.

(ii) *Malus domestica* (Apple)

(iii) Fruits for consumption

(i) Afghanistan

Free from:

(a) *Byturus*

tomentosus (Raspberry beetle)

(b) *Venturia pyrina* (Black spot of pear)

- (a) Pest free status
for *Byturus tomentosus* (Raspberry beetle) as per international standards or
 - (b) Pre-shipment cold
treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against *Byturus tomentosus* (Raspberry beetle) or
 - (c) Methyl bromide fumigation @ 32 g/m³ for 2 hrs @ 21°C or above at NAP or equivalent thereof against *Byturus tomentosus* (Raspberry beetle)
- (ii) Belgium

Free from:

- (a) *Adoxophyes orana*
(Summer fruit tortrix)
- (b) *Ametastegia*
- (c) *Archips podana*
(great browntwist moth)
- (d) *Byturus tomentosus*
(raspberry beetle)
- (e) *Caliroa cerasi*
(pear and cherry slugworm)
- (f) *Epidiaspis*
leperii (European pear scale)
- (g) *Frankliniella*
occidentalis (Western flower thrips)
- (h) *Grapholita*
funebrana (Red plum maggot)
- (i) *Harmonia axyridis*
(Harlequin ladybird)
- (j) *Hoplocampa*
- (k) *Leucoptera*
malifoliella (Pear leaf blister moth)
- (l) *Operophtera*
brumata (Winter moth)
- (m) *Orthosia*
cerasi (Common quaker)
- (n) *Ostrinia*
nubilalis (European maize borer)
- (o) *Pandemis heparana*
(apple brown tortrix)
- (p) *Peridroma saucia*
(pearly underwing moth)
- (q) *Venturia pyrina*
(black spot of pear)
- (r) *Erwinia amylovora* (fireblight)

- (a) Pest free status
for *Byturus tomentosus* (raspberry beetle) as per international standards or
- (b) Pre-shipment cold
treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration

against *Byturus tomentosus* (Raspberry beetle) or
(c) Methyl bromide fumigation @ 32 g/m³ for 2
hrs @ 21°C or above at NAP or equivalent thereof against *Byturus*
tomentosus (Raspberry beetle)

(iii) Romania

Free from:

(a) *Adoxophyes orana*

(Summer fruit tortrix)

(b) *Ametastegia*

(c) *Archips podana*

(Great brown twist moth)

(d) *Epidiaspis*

leperii (European pear scale)

(e) *Frankliniella*

occidentalis (Western flower thrips)

(f) *Grapholita*

funebrana (Red plum maggot)

(g) *Grapholita*

molesta (Oriental fruit moth)

(h) *Hedya nubiferana*

(Bud moth)

(i) *Hoplocampa*

(j) *Leucoptera*

malifoliella (Pear leaf blister moth)

(k) *Orthosia cerasi*

(common quaker)

(l) *Ostrinia*

nubilalis (European maize borer)

(m) *Pandemis heparana*

(apple brown tortrix)

(n) *Peridroma saucia*

(pearly underwing moth)

(o) *Venturia pyrina*

(black spot of pear)

(p) *Erwinia amylovora*

(fireblight)

(q) Apple stem pitting virus (Apple Spy 227

epinasty & decline)

(a) Pest free status

for *Grapholita funebrana* (Red plum maggot) and *Grapholita molesta*
(Oriental fruit moth) as per international standards or

(b) Methyl Bromide

fumigation @ 32 g/m³ for 2 hrs @ 21°C or above at NAP or
equivalent thereof against *Grapholita funebrana* (Red plum maggot)
and *Grapholita molesta* (oriental fruit moth) or

(c) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12
days plus in-transit refrigeration against *Grapholita funebrana*
(Red plum maggot) and *Grapholita molesta* (Oriental fruit moth).

The treatment should be endorsed on Phytosanitary Certificate
issued at the country of origin/re-export.

(iv) Turkey

Free from

(a) *Byturus*

tomentosus (raspberry beetle)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Epidiaspis*

leperii (European pear scale)

(d) *Frankliniella*

occidentalis (Western flower thrips)

(e) *Grapholita*

funebrana (red plum maggot)

(f) *Grapholita*

molesta (Oriental fruit fly)

(g) *Hedya nubiferana*

(bud moth)

(h) *Hoplocampa*

(i) *Lymantria monacha*

(nun moth)

(j) *Erwinia amylovora*

(fireblight)

(k) Tomato ring spot virus (ringspot of tomato)

(a) Pest free status

of *Ceratitis capitata* (Mediterranean fruit fly) as per

International Standard or

(b) Pre-shipment cold treatment at 00C or below

for 10 days; 0.550C or below for 11 days; 1.10C or below for 12

days plus in-transit refrigeration against Mediterranean fruit

fly.

(iii) *Pyrus communis* (Pears)

(iii) Fruits for consumption

(i) Belgium

Free from:

(a) *Adoxophyes orana*

(summer fruit tortrix)

(b) *Archips podana*

(great brown twist moth)

(c) *Cacopsylla*

pyri (pear sucker)

(d) *Cacopsylla*

pyricola (psyllid, pear)

(e) *Caliotha cerasi*

(pear and cherry slugworm)

(f) *Epidiaspis leperii*

(European pear scale)

(g) *Harmonia axyridis*

(harlequin ladybird)

(h) *Hoplocampa*

(i) *Leucoptera*

malifoliella (pear leaf blister moth)

(j) *Operophtera*

brumata (winter moth)

(k) *Peridroma saucia*

(pearly underwing moth)

(l) *Epitrimerus*

pyri (pear rust mite)

(m) *Helix aspersa*

(common snail)

(n) *Gymnosporangium*

fuscum (European pear rust)

(o) *Venturia pyrina*

(black spot of pear)

(p) *Erwinia amylovora* (fireblight)

Nil

542.

Populus nigra

(i) Timber logs without bark for consumption

(i) Belgium

Free from *Lymantria monacha* (Nun moth)

Fumigation with Methyl bromide @ 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or heat treatment at

56°C (core temperature) for 30 minutes or any other treatment

approved by the Plant Protection Adviser to the Government of

India. The treatment should be endorsed on Phytosanitary

Certificate issued at the Country of Origin/re-export.

(ii) Germany

Free from:

(a) *Anoplophora*

glabripennis (Asian longhorned beetle)

(b) *Lymantria monacha*

(nun moth)

(c) *Tremex*

fuscicornis (*Tremex* wasp)

(d) *Heterobasidion annosum*

Fumigation with Methyl bromide @ 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or heat treatment at

56°C (core temperature) for 30 minutes or any other treatment

approved by the Plant Protection Adviser to the Government of

India. The treatment should be endorsed on Phytosanitary

Certificate issued at the Country of Origin/re-export.

543.

Portulaca spp. (*Portulaca*)

Seeds for sowing

(i) USA

(ii) Australia

Free from Tobacco rattle virus (Spraying of

potato)

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free

from tobacco rattle virus.

(iii) Netherlands

Nil

Free from quarantine weed seeds.

(iv) Taiwan

Free from Aster yellows phytoplasma group

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for free from aster yellows phytoplasma group.

(v) UK

Free from:

(a) *Duponchelia*

fovealis (Southern European marshland pyralid)

(b) *Peridroma saucia*

(Pearly underwing moth)

(c) *Phytonemus pallidus* (Strawberry mite)

Free from soil and quarantine weed seeds.

(vi) Japan

Free from:

(a) *Peridroma saucia*

(Pearly underwing moth)

(b) *Phytonemus pallidus* (Strawberry mite)

Free from soil and quarantine weed seeds.

544.

Populus euramericana (Poplar)

(i) Seeds for sowing

Canada

Nil

(i) Free from

quarantine weed seeds.

(ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(ii) Cuttings

Canada

Free from:

(a) *Anoplophora*

glabripennis

(b) *Choristoneura*

rosaceana

(c) *Euproctis*

chrysorrhoea

(d) *Hyphantria cunea*

(e) *Leucoma salicis*

(satin moth)

(f) *Lygus lineolaris*

(plant bug)

(g) *Malacosoma*

americanum

(h) *Malacosoma*

disstria

(i) *Operophtera*

brumata

(j) *Peridroma saucia*

(pearly moth)

(k) *Zeuzera pyrina*

(leopard moth)

(l) *Botryosphaeria*

stevensii

(m) *Cryptodiaporthe*

populea (canker)

(n) *Drepanopeziza*

populorum

(o) *Heterobasidion*

annosum

(p) *Heterobasidion*

parviporum

(q) *Hypoxyton*

mammatum (canker)

(r) *Mycosphaerella*

populorum

(s) *Ophiostoma piceae*

(t) *Phellinus*

tremulae

(u) *Phytophthora*

cryptogea (foot rot)

(v) *Rhizobium rhizogenes*

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month.

545.

Pot pourie/dried decorative plant material

Decorative plant material (dried) for

consumption

Any Country

Nil

(i) Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or

equivalent thereof or any other treatment approved by Plant

Protection Adviser. The treatment should be endorsed on

Phytosanitary Certificate issued at the country of

origin/re-export.

(ii) Free from quarantine weeds seeds.

546.

Pouteria caimito

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period
of 6-9 months.

547.

Pouteria locuma

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period
of 6-9 months.

548.

Pouteria sapota

(i) Plants for propagation

Thailand, Australia, USA

Nil

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior
approval of Department of Agriculture, Cooperation and Farmers
Welfare

(ii) Plants/ cuttings for propagation

Israel

Nil

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare.

(iii) Post-entry quarantine for a growing period
of 6-9 months.

549.

Pouteria viridis

(i) Plants for propagation

Thailand, Australia, USA

Nil

(i) Post-entry

quarantine growing for a period of 4-6 months

(ii) Free from soil.

(iii) Commercial imports subject to prior
approval of Department of Agriculture, Cooperation and Farmers
Welfare

550.

Primula spp. (Primula)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Japan

Nil

Free from soil and quarantine weed seeds.

(iv) Australia

Free from *Pseudomonas syringae* pv. *primulae*

(leaf spot)

Free from quarantine weeds seeds.

551.

Protea spp.

(i) Plants/cuttings for propagation

(i) Australia

Nil

Post-entry quarantine for a period of 45 days.

(ii) USA

Free from:

(a) *Botryosphaeria*

dothidea (canker of almond)

(b) *Botryosphaeria stevensii* (*Botryosphaeria* disease, grapevine)

(i) Post-entry

quarantine for a period of 10 months.

(ii) Free from soil.

(iii) Ecuador

Nil

(i) Post-entry

quarantine for a period of 45 days.

(ii) Free from soil

(iv) Israel

Free from *Rosellinia necatrix* (*dematophora* root rot)

(i) Free from soil

(ii) Post-entry quarantine for a period of 45 days

552.

Prunus spp. (Cherry)

Wood with/without bark

(i) USA

Free from:

(a) *Scolytus*

rugulosus (Shothole borer)

(b) *Synanthedon*

exitiosa (peachtree borer)

(c) *Xyleborus dispar* (ambrosia beetle)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent there of or any other

treatment duly approved by the Plant Protection Adviser. The

treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) North America

(except USA)

(iii) Europe

Free from *Pseudococcus maritimus* (Grape

mealybug)

Free from *Phenacoccus aceris* (Apple mealybug)

553.

Prunus avium (Sakura/Stella/Cherry blossom)

Rooted cuttings for propagation

(i) Japan

Free from:

(a) Peach wart

disease

(b) *Adoxophyes orana*

(fruit tortrix)

(c) *Caliroa cerasi*

(cherry sawfly)

(d) *Ceroplastes*

japonicus (wax scale)

(e) *Chaetocnema*

confinis (flea beetle)

(f) *Euproctis*

chrysorrhoea

(g) *Grapholita*

molesta

(h) *Homona magnanima*

(tea tortrix)

(i) *Hyphantria cunea*

(j) *Malacosoma*

neustria

(k) *Operophtera*

brumata

(l) *Parabemisia*

myricae

(m) *Philaenus*

spumarius (frog hopper)

(n) *Sphaerolecanium*

prunastri

(o) *Amphitetranychus*

viennensis

(p) *Phytophthora*

cryptogea (foot rot)

(q) *Pseudomonas*

viridiflav

(r) *Rhizobium*

rhizogenes

(s) *Arabis mosaic*

virus

(t) Little cherry

virus

(u) Peach latent

mosaic viroid

(v) Prune dwarf virus

(w) Tomato ringspot virus

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare.

(iii) Post-entry quarantine growing for 6-9
month

(ii) UK

Free from:

(a) Apiognomonina

erythrostoma (cherry leaf scorch)

(b) Arabis mosaic

virus (hop bare-bine)

(c) Carnation ring

spot virus

(d) Cherry leaf roll

virus (walnut ringspot)

(e) Cherry rusty

mottle disease (cherry rusty mottle (American)

(f) Cherry virus A

(g) Choreutis pariana

(apple-and-thorn skeletonizer)

(h) Conotrachelus

nemophila (plum curculio)

(i) Euproctis

chrysorrhoea (brown-tail moth)

(j) Grapholita

molesta (oriental fruit moth)

(k) Leucoptera

malifoliella (pear leaf blister moth)

(l) Little cherry

virus

(m) Operophtera

brumata (winter moth)

(n) Orgyia antiqua

(European tussock moth)

(o) Philaenus

spumarius (meadow froghopper)

(p) Phytophthora

cryptogea (tomato foot rot)

(q) Pseudomonas

viridiflava (bacterial leaf blight of tomato (USA)

(r) Raspberry ring

spot virus (ring spot of raspberry)

(s) Strawberry latent

ring spot virus (latent ring spot of strawberry)

(t) Thekopsora

areolata (cherry spruce rust)

(u) Tomato ring spot

virus (ring spot of tomato)

(v) Venturia cerasi

(cherry scab)

(w) Xyleborus dispar

(pear blight beetle)

(x) *Yponomeuta padellus* (cherry ermine moth)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare.

(iii) Post-entry quarantine growing for 6-9
month.

554.

Prunus persica (Peach)

Scion/budwoods/grafts Rooted plants for
Propagation

(i) Iran

Free from:

(a) *Agriotes lineatus*

(wireworm)

(b) *Aporia crataegi*

(white butterfly)

(c) *Aspidiotus nerii*

(aucuba scale)

(d) *Epidiaspis*

leperii (pear scale)

(e) *Operophtera*

brumata

(f) *Ostrinia*

nubilalis (maize borer)

(g) *Saturnia pyri*

(giant moth)

(h) *Sphaerolecanium*

prunastri

(i) Thrips

angusticeps (field thrips)

(j) *Xyleborus dispar*

(pear beetle)

(k) *Amphitetranychus*

viennensis

(l) *Xiphinema rivesi*

(m) *Phytophthora*

cryptogea (foot rot)

(n) Tomato ringspot virus

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9
month

(ii) USA

Free from:

(a) *Acrosternum*

hilare (green bug)

(b) *Agriotes lineatus*

(wireworm)
(c) *Archips*
fuscocupreanus
(d) *Archips rosana*
(leaf roller)
(e) *Aspidiotus nerii*
(aucuba scale)
(f) *Ceresa alta*
(buffalo treehopper)
(g) *Conotrachelus*
nenuphar
(h) *Dysaphis*
plantaginea (apple aphid)
(i) *Edwardsiana rosae*
(leafhopper)
(j) *Epidiaspis*
leperii (pear scale)
(k) *Epiphyas*
postvittana (apple moth)
(l) *Frankliniella*
occidentalis
(m) *Grapholita*
molesta (fruit moth)
(n) *Grapholita*
packardi (fruitworm)
(o) *Grapholita*
prunivora (plum moth)
(p) *Homalodisca*
coagulata
(q) *Lygus lineolaris*
(plant bug)
(r) *Malacosoma*
americanum
(s) *Metcalfa pruinosa*
(t) *Operophtera*
brumata (winter moth)
(u) *Orgyia*
leucostigma (moth)
(v) *Ostrinia*
nubilalis (maize borer)
(w) *Pantomorus*
cervinus (rose beetle)
(x) *Parabemisia*
myricae (whitefly)
(y) *Peridroma saucia*
(pearly moth)
(z) *Philaenus*
spumarius (froghopper)
(aa) *Platynota*
stultana (leaf roller)
(bb) *Scolytus*

schevyrewi (bark beetle)
(cc) Sphaerolecanium
prunastri
(dd) Spilonota
ocellana
(ee) Spodoptera
frugiperda
(ff) Synanthedon
pictipes (tree borer)
(gg) Thyridopteryx
ephemeraeformis
(hh) Xyleborus dispar
(pear beetle)
(ii) Aculus fockeui
(plum rust mite)
(jj) Xiphinema
diversicaudatum
(kk) Xiphinema rivesi
(dagger nematode)
(ll) Apiosporina
morbosa (black knot)
(mm) Armillaria
tabescens (root rot)
(nn) Botryosphaeria
dothidea
(oo) Botryosphaeria
obtuse
(pp) Botryosphaeria
stevensii
(qq) Diaporthe eres
(rr) Eutypa lata
(Eutypa dieback)
(ss) Heterobasidion
annosum
(tt) Nectria
radicicola (black root)
(uu)
Phymatotrichopsis omnivora
(vv) Phytophthora
citricola
(ww) Phytophthora
cryptogea
(xx) Peach rosette
phytoplasma
(yy) Peach yellows
phytoplasma
(zz) Rhizobium
rhizogenes
(aaa) American plum
line pattern virus
(bbb) Cherry green

ring mottle virus

(ccc)Cherry rasp leaf

virus

(ddd) Cherry rusty

mottle virus

(eee)Peach rosette

mosaic virus

(fff) Prune dwarf

virus

(ggg) Strawberry

latent ringspot virus

(hhh) Tomato ringspot virus

(i) Free from soil..

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare.

(iii) Post-entry quarantine growing for 6-9

month

555.

Pseudotsuga menziesii (Douglas fir)

(i) Wood without bark

(i) China

(ii) North America

Free from :

(a) *Dendroctonus*

pseudotsugae (Douglas fir beetle)

(b) *Bursaphenochus xylophilus* (Pine wood
nematode)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof or heat treatment at

56°C (core temperature) for 30 minutes or any other treatment

approved by Plant Protection Adviser. The treatment should be

endorsed on Phytosanitary Certificate issued at the country of

origin/re-export.

(iii) New Zealand

Free from:

(a) *Hylastes ater*

(Black pine bark)

(b) *Hylotrupes*

bajulus (House longhorn beetle)

(c) *Otiorhynchus*

ovatus (Strawberry root weevil)

(d) *Pseudocoremia*

suavis

(e) *Heterobasidion*

annosum

(f) *Leptographium*

procerum (White pine root decline)

(g) *Ophiostoma piceae*

(Vascular mycosis of oak)

(h) *Phaeocryptopus gaeumannii* (Swiss needle)

cast)

Fumigation with Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Tissue culture plants

(i) USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

(iii) Timber logs for consumption

(i) Australia

Free from;

(a) *Hylastes ater*

(Black pine bark beetle)

(b) *Heterobasidion*

annosum

(c) *Phytophthora*

cryptogea (Tomato foot rot)

(d) *Rhizobium rhizogenes* (Gall)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by Plant Protection Adviser. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Fiji

Free from *Orthotomicus erosus* (Mediterranean pine beetle)

(iii) Papua New Guinea

Free from *Phytophthora cryptogea* (tomato foot rot)

(iv) South Africa

Free from:

(a) *Hylotrupes*

bajulus (house long horn beetle)

(b) *Orthotomicus*

erosus (Mediterranean pine beetle)

(c) *Bursaphelenchus*

xylophilus (pine wilt nematode)

(d) *Gibberella*

circinata (pitch canker)

(e) *Leptographium*

procerum (white pine root decline)

(f) *Rhizobium rhizogenes* (gall)

(iv) Cone for tissue culture production

USA

Free from:-

(a) *Barbara*

colfaxiana (Douglas-fir cone moth)

(b) Choristoneura

fumiferana (Spruce budworm)

(c) Conophthorus

radiatae (Cone beetle, Monterey pine)

(d) Lambdina

fiscellaria (Eastern hemlock looper)

(e) Gibberella

circinata (Pitch canker)

(f) Gremmeniella

abietina (Brunchorstia disease)

(g) Phytophthora

cryptogea (Tomato foot rot)

(h) Sirococcus

conigenus (Sirococcus blight of conifers)

(i) Contarinia

oregonensis (Douglas-fir conegall midge)

(j) Dioryctria abietivorella (Fir coneworm)

Nil

556.

Psidium cattleianum

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period
of 6-9 months.

557.

Psidium friedrichsthalia

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period
of 6-9 months.

558.

Psidium guajava (Guava)

(i) Fruits for consumption

Thailand

Free from:

(a) Bactrocera

papayae (papaya fruit fly)

(b) Bactrocera prifoliae

(i) Pest free area

status for Bactrocera papayae (Papaya fruit fly) and Bactrocera

prifoliae as per international standards or

(ii) Methyl bromide

fumigation @ 32 g/m³ for 3½ hrs at 21°C or above or

equivalent thereof or

(iii) Pre-shipment cold treatment at 0°C or

below for 13 days; 0.55°C or below for 14 days; 1.10°C or below

for 18 days plus in-transit refrigeration against *Bactrocera*

papayae (papaya fruit fly) and *Bactrocera prifoliae*.

(ii) Plants for propagation

Thailand

Free from *Chondracris rosea* (Citrus locust)

(i) Free from soil.

(ii) Post entry

quarantine growing for a period of 10-12 months.

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers

Welfare

559.

Pteris (*Pteris*)

Plants for propagation

Asia

Nil

Post-entry quarantine for a period of 45 days.

560.

Ptilotus spp.

Tissue culture plants

Australia

Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from virus.

Nil

561.

Ptychosperma macarthurii

Seeds for sowing

Any Country

Nil

Free from quarantine weeds seeds and soil

contamination.

562.

Pueraria phaseoloides (Tropical Kadzu)

Seeds for sowing

Kenya

Nil

Free from soil and quarantine weed seeds

563.

Punica granatum (Pomegranate)

(i) Fruits for consumption

Afghanistan

Nil

Nil

(ii) Plants (graft) for propagation

(i) USA

Free from:

(a) *Paracoccus*

marginatus (papaya mealybug)

(b) *Pseudococcus*

comstocki (Comstock mealy bug)

(c) *Armillaria*

tabescens (armillaria root rot)

(d) *Rhizobium rhizogenes*

(i) Commercial

imports permitted subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Post-entry quarantine growing for a period of 45 days.

(ii) Europe

Free from *Apomyelois ceratoniae* (carob moth)

(i) Commercial

imports permitted subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Post entry quarantine growing for a period of 45 days.

(iii) Scion/budwoods/grafts/rooted plants for propagation

(i) Afghanistan

Nil

(i) Free from soil.

(ii) Iran

Free from:

(a) *Spodoptera*

littoralis

(b) *Zeuzera pyrina* (Leopard moth)

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine growing for 6-9 month except for research.

(iv) Plants/cuttings for propagation

(iii) Israel

Free From:

(a) *Apate*

monachus (black borer)

(b) *Lobesia botrana*

(grape berry moth)

(c) *Spodoptera*

littoralis (cotton leafworm)

(d) *Zeuzera pyrina* (moth, wood leopard)

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iii) Post-entry quarantine for a growing period of 6-9 months.

(v) Cuttings/budwoods/plants for propagation

(i) Yemen

Free from: *Spodoptera littoralis*

(i) Free from soil.

(ii) Post-entry

quarantine growing for 6-9 months

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare

(ii) Azerbaijan

(iii) Georgia

(Republic)

(iv) Tajikistan,

(v) Turkmenistan

(vi) Uzbekistan

Free from:

a) *Lobesia botrana*

(grape berry moth)

b) *Pseudococcus comstocki* (Comstock mealybug)

(vii) Iran

Free from:

a) *Apomyelois*

ceratoniae

b) *Lobesia botrana*

c) *Spodoptera*

littoralis

d) *Zeuzera pyrina* (leopard moth)

(viii) Turkey

Free from:

a) *Lobesia botrana*

b) *Spodoptera*

littoralis

c) *Zeuzera pyrina*

(ix) China

Free from:

a) *Pseudococcus*

comstocki

b) *Rhizobium rhizogenes* (gall)

(i) Free from soil.

(ii) Post-entry

quarantine growing for 6-9 months

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare

(x) Thailand

Free from:

a) *Pseudococcus*

comstocki

b) *Pseudococcus*

jackbeardsleyi (Jack Beardsley mealybug)

c) *Thosea sinensis* (nettle grub)

(xi) Syria

Free from:

a) *Apate monachus*

(black borer)

b) *Lobesia botrana*

c) *Spodoptera*

littoralis

d) *Zeuzera pyrina*

564.

Quassia amara (Quassia)

Wood without bark

(i) Mexico

(ii) Brazil

Nil

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs. at 21°C and above or equivalent thereof under NAP or any

other treatment approved by Plant Protection Adviser to the

Government of India. The treatment should be endorsed on

Phytosanitary Certificate issued at the country of

origin/re-export

Wood without bark

(i) Mexico

(ii) Brazil

Nil

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent thereof under NAP or any

other treatment approved by Plant Protection Adviser to the

Government of India. The treatments should be endorsed on

Phytosanitary Certificate issued at the country of

origin/reexport

565.

Quercus spp. (Maju phal)

Grains (seeds) for consumption

Iran

Nil

(i) Fumigation with

Methyl bromide at 32 g/m³ for 24 hrs. at 21°C and above or

equivalent or any other treatment approved by the Plant

Protection Adviser to the Government of India and the treatment

should be endorsed on Phytosanitary Certificate issued at the

Country of Origin/re-export.

(ii) Free from quarantine weed seeds.

566.

Quercus spp. (Oak)

(i) Galls for consumption

(i) Turkey

Nil

Free from soil and other plant debris.

567.

Ranunculus spp. (*Ranunculus*)

(i) Seeds for sowing

(i) Europe

(ii) USA

Free from *Ditylenchus dipsaci* (Brown ring disease of hyacinth)

Free from quarantine weed seeds.

(iii) Japan

Free from:

(a) *Ditylenchus*

dipsaci (Brown ring disease of hyacinth)

(b) Arabis mosaic virus (Hop bare-bine)

Free from quarantine weed seeds.

(iv) Netherland

Free from:

(a) *Ditylenchus*

dipsaci (Brown ring disease of hyacinth)

(b) Arabis mosaic virus (Hop bare-bine)

(i) Free from

quarantine weed seeds and soil contamination

(ii) Seed crop inspection and certification for

free from (a) and (b) by a competent authority at the country of origin.

(ii) Bulbs for propagation

Netherlands

Free from:

(a) *Ditylenchus*

dipsaci (brown ring disease of hyacinth)

(b) Arabis mosaic virus (hop bare-bine)

(i) Free from soil.

(ii) Post-entry quarantine for one growth season.

568.

Ranunculus arvensis

Tissue culture plants

Netherlands

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus.

Post-entry quarantine for a period of 45 days.

569.

Raphanus sativus (Radish)

Seeds for sowing

(i) Australia

Free from :

(a) *Pseudomonas*

viridiflava

(b) Turnip yellow mosaic virus

(i) Free from

quarantine weed seeds

(ii) Seed crop inspection and certification for

free from (b) by a competent authority at the country of origin.

(ii) Denmark

(iii) Hong Kong

(iv) Korea DPR

(v) Vietnam

Nil

Free from quarantine weed seeds.

(vi) Korea ROK

(vii) China

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato)

Free from quarantine weed seeds.

(viii) Italy

Free from :

(a) *Pleosporum*

herbarum (leaf blight of onion)

(b) *Pseudomonas*

viridiflava (bacterial leaf blight of tomato)

(c) Radish mosaic virus

(i) Free from

quarantine weed seeds

(ii) Seed crop inspection and certification for

free from (c) by a competent authority at the country of origin

(ix) Japan

Free from :

(a) *Pseudomonas*

viridiflava (Bacterial leaf blight of tomato)

(b) Radish mosaic virus

(i) Free from

quarantine weed seeds

(ii) Seed crop inspection and certification for

free from (b) by a competent authority at the country of origin

(x) New Zealand

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato)

Free from quarantine weed seeds.

(xi) France

Free from:

(a) *Pseudomonas*

viridiflava (bacterial leaf blight of tomato)

(b) *Xanthomonas campestris* pv. *campestris* (black rot)

Free from quarantine weed seeds.

(xii) Chile

Free from *Peridroma saucia* (Pearly underwing moth)

Freedom from quarantine weeds seeds

(xiii) Nepal

Free from *Pseudomonas viridiflava* (Bacterial leaf blight of tomato)

Freedom from quarantine weeds seeds and soil contamination

(xiv) USA

Free from:

- (a) *Epitrix tuberis*
(Tuber flea beetle)
 - (b) *Peridroma saucia*
(Pearly underwing moth)
 - (c) *Pleospora*
herbarum (Leaf blight of onion)
 - (d) *Pseudomonas*
viridiflava (Bacterial leaf blight of tomato (USA))
 - (e) *Xanthomonas*
campestris pv. *raphani* (Leafspot)
 - (f) Radish mosaic virus
 - (i) Free from
quarantine weeds seeds and soil contamination.
 - (ii) Fumigation with
phosphine @ 3 g/m³ at NAP. The treatment should be endorsed on
Phytosanitary Certificate issued at the Country of
Origin/re-export.
 - (iii) Seed crop inspection and certification for
free from (e) and (f) by a competent authority at the country of
origin
Fresh vegetable for consumption
Nepal
Free from:
 - (a) *Erysiphe*
cruciferarum (Powdery mildew of crucifers))
 - (b) *Pseudomonas viridiflava* (bacterial leaf
blight of tomato (USA))Free from soil and other plant debris.
- 570.
- Raphia* spp.
- (i) Seeds for sowing
Any Country
Nil
Free from quarantine weed seeds.
 - (ii) Dried plant material for processing
 - (i) Madagascar
 - (ii) PhilippinesFree from *Oryctes monoceros* (coconut beetle)
Fumigation with Methyl bromide @ 32 g/m³ at 210C
and above or equivalent thereof under NAP and the treatment to be
endorsed on Phytosanitary Certificate or by any other
fumigant/substance in the manner approved by the Plant Protection
Adviser.
 - (iii) Plants for propagation
Any country
Nil
 - (i) Free from soil.
 - (ii) Post-entry quarantine growing for a period
of 10-12 months.
- 571.
- Rheum* spp.

Tissue cultured plants

(i) Africa

(ii) Kazakhstan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from arabis mosaic nepovirus.

Nil

(iii) Europe

(iv) USA

(v) Australia

(vi) New Zealand

(vii) Turkey

(viii) Canada

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Arabis mosaic

nepovirus

(b) Cherry leaf roll nepovirus

Nil

(ix) China

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from cherry leaf roll nepovirus

Nil

(x) Japan

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Arabis mosaic

nepovirus

(b) Rhubarb temperate alphacryptovirus

Nil

(xi) Any country except Europe, USA, Australia, New Zealand, Turkey, Canada, Africa, Kazakhstan, Japan, China
Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus.

Nil

572.

Rheum rhabarbarum

Frozen fruits for consumption

Poland

Free from:

(a) Ametastegia

(b) Peridroma saucia

(pearly underwing moth)

(c) Pectobacterium

rhapontici (rhubarb crown rot)

(d) Turnip mosaic virus (cabbage A virus mosaic)

(i) Free from any

plant debris.

(ii) Fumigation with Methyl bromide @ 32 g/m³ for 2 hrs at 21°C and above under NAP before processing/freezing of fruits and the treatment be endorsed on Phytosanitary Certificate.

573.

Rhododendron spp.

Tissue cultured plants

(i) USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from rhododendron necrotic ringspot virus

Nil

(ii) Any country except USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

574.

Ribes spp. (Gooseberry)

Fresh vegetable for consumption

Thailand

Nil

Free from soil.

575.

Ribes nigrum

Frozen Black currants for consumption

France

Nil

Free from any plant debris.

576.

Ribes rubrum

Frozen Red currants for consumption

Poland

Nil

Free from any plant debris.

577.

Ricinus communis (Castor)

Seeds for sowing

(i) Nepal

(ii) Serbia

(iii) Herzegovina

Nil

Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iv) USA

Free from Rhizobium rhizogenes (gall)

Free from soil and quarantine weed seeds

578.

Rosa spp. (Rose)

Rooted cuttings/Grafts/Bud wood/Saplings for planting

Any Country

Free from:

- (a) Crown gall
(*Agrobacterium tumefaciens*)
- (b) Hairy root (*A. rhizogenes*)
- (c) Brand canker
(*Coniothyrium wernsdorffiae*)
- (d) Brown canker
(*Cryptosporella umbrina*)
- (e) Downy mildew
(*Peronospora sparsa*)
- (f) Rust (*Phragmidium* spp.)
- (g) Rose streak virus
- (h) Rose wilt virus
- (i) Post-entry quarantine for a period of 18 months except budding for 90 days
- (ii) Free from soil for rooted cuttings.

579.

Rosmarinus officinalis (Rosemary)

- (i) Plants for propagation

Israel

Nil

Post-entry quarantine for a period of 45 days.

- (ii) Seeds for sowing

France

Free from *Helix aspersa* (common snail)

Free from quarantine weed seeds and soil contamination.

580.

Rotalla rotundifolia

- (i) Plants for propagation

Japan

Nil

- (i) Free from soil and other plant debris.

- (ii) Post-entry quarantine for a period of 60 days.

- (ii) Tissue culture plants

Japan

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

581.

Rubus idaeus (Vilamete raspberries)

Frozen fruits for consumption

Serbia

Nil

Free from any plant debris

582.

Rudbeckia spp. (Black eyed susan)

Seeds for sowing

(i) Taiwan

(ii) USA

(iii) Russia

Nil

Free from quarantine weed seeds.

583.

Rumohra adiantiformis (Leather leaf fern)

(i) Tissue culture plants

Israel

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

(ii) Rhizome/Plants for propagati on

(i) Israel

(ii) South Africa

(iii)The Netherlands

Nil

(i) Post-entry

quarantine growing for a period of 45 days.

(ii) Free from soil.

584.

Ruscus aculeatus

Plants for propagation

South Africa

Nil

(i) Post-entry

quarantine for a growing period of 4-6 months.

(ii) Free from soil

585.

Salix spp. (Willows)

(i) Wooden logs with bark/clefts

Europe

Free from:

(a) Saperda

carcharias (Greater poplar longhorn)

(b) Saperda populnea

(Poplar borer)

(c) Zeuzera pyrina (Wood leopard moth)

(i) Fumigation with Methyl bromide at 48 g/m³ for 24 hrs. at 21°C and above or equivalent there of or heat
treatment at 56°C for 30 minutes or any other treatment approved
by the Plant Protection Adviser to the Government of India. The
treatment should be endorsed on Phytosanitary Certificate issued
at the Country of Origin/re-export.

(ii) Cuttings/grafts/rooted plants for
propagation

(i) Germany

Free from:

(a) Adoxophyes orana

(fruit tortrix)

(b) Ametastegia

- (c) Cryptorhynchus
lapathi
- (d) Euproctis
chrysorrhoea (tail moth)
- (e) Malacosoma
Neustria
- (f) Operophtera
brumata (winter moth)
- (g) Orgyia antiqua
(tussock moth)
- (h) Orthosia cerasi
(common quaker)
- (i) Otiorhynchus
armadillo
- (j) Peridroma saucia
(pearly moth)
- (k) Rabdophaga
saliciperda (gall midge)
- (l) Saturnia pavonia
(small moth)
- (m) Saturnia pyri
(giant moth)
- (n) Scolytus
intricatus (bark beetle)
- (o) Thrips
angusticeps (field thrips)
- (p) Tremex
fuscicornis (Tremex wasp)
- (q) Xyleborus dispar
(ambrosia beetle)
- (r) Phellinus
igniarius
- (s) Xanthomonas populi
- (i) Free from soil.
- (ii) Post-entry quarantine growing for 6-9 month
except for research
- (ii) USA
Free from:
 - (a) Adoxophyes orana
(fruit tortrix)
 - (b) Ametastegia
 - (c) Cryptorhynchus
lapathi
 - (d) Euproctis
chrysorrhoea (tail moth)
 - (e) Malacosoma
Neustria
 - (f) Operophtera
brumata (winter moth)
 - (g) Orgyia antiqua
(tussock moth)

- (h) *Orthosia cerasi*
(common quaker)
- (i) *Peridroma saucia*
(pearly moth)
- (j) *Rabdophaga saliciperda* (gall midge)
- (k) *Saturnia pavonia*
(small moth)
- (l) *Scolytus intricatus* (bark beetle)
- (m) Thrips
angusticeps (field thrips)
- (n) *Xyleborus dispar*
(ambrosia beetle)
- (o) *Eutypa lata* (*Eutypa* dieback)
- (i) Free from soil.
- (ii) Post-entry quarantine growing for 6-9 month except for research
- iii) Clefts for processing
 - (i) Australia
- Free from:
 - a) *Tremex fuscicornis*
(tremex wasp)
 - b) *Agrianome spinicollis* (longocorn beetle)
 - c) *Anoplophora glabripennis* (Asian longhorned beetle)
 - d) *Paroplitus australis* (Longocorn beetle)
 - e) *Bifiditermes improbus*
 - f) *Coptotermes acinaciformis*
 - g) *Coptotermes frenchi*
- Fumigation with Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above Or Heat treatment at 56°C (core temperature) for 30 minutes. The treatment shall be endorsed on Phytosanitary Certificate issued at the Country of origin/re-export.
- 586.
- Salvia* spp.
 - (i) Seeds for sowing
- Guatemala
- Free from:-
 - (a) *Lygus lineolaris*
(tarnished plant bug)
 - (b) *Peridroma saucia*
(pearly underwing moth)
 - (c) *Pseudococcus jackbeardsleyi* (Jack Beardsley mealy bug)
- Free from quarantine weeds seeds and soil

(ii) Tissue culture plants

(i) Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from Nerine latent virus.

Nil

(ii) Costa Rica

(iii) USA

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

587.

Salvia divinorum

Dried leaves for consumption

Mexico

Free from:

(a) Lygus lineolaris

(tarnished plant bug)

(b) Peridroma saucia (pearly underwing moth)

(i) Free from soil

and other plant debris.

(ii) Fumigation with

Methyl bromide at 32 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export.

588.

Salvia hispanica

Seeds for sowing

Australia

Nil

Free from quarantine weeds seeds and soil

589.

Salvia officinalis (Sage)

(i) Seeds for sowing

(i) Denmark

(ii) Netherlands

(iii) France

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Israel

Free from:

(a) Peridroma saucia

(Pearly underwing)

(b) Spodoptera littoralis (Cotton leafworm)

Post-entry quarantine for a period of 45 days.

590.

Salvia splendens (Salvia)

Seeds for sowing

(i) Europe

(ii) USA

(iii) Taiwan

(iv) Russia

(v) Japan

(vi) Israel

(vii) Australia

Nil

Free from quarantine weed seeds.

591.

Sandoricum koetjape

Plants/cuttings for propagation

Israel

Nil

(i) Free from soil

(ii) Commercial

imports subject to prior approval of Department of Agriculture,
Cooperation and farmers welfare

(iii) Post-entry quarantine for a growing period
of 6-9 months.

592.

Sansevieria spp.

(i) Plants for propagation

(i) USA

Free from:

(a) *Hercinothrips*

femoralis (Banded greenhouse thrips)

(b) *Opogona sacchari*

(Banana moth)

(c) *Otiorhynchus*

sulcatus (Vine weevil)

(d) *Hoplolaimus galeatus*

Post-entry quarantine growing for a period of 45
days.

(ii) Europe

Free from *Opogona sacchari* (banana moth)

Post-entry quarantine growing for a period of 45
days.

(iii) Malaysia

Free from *Otiorhynchus sulcatus* (vine weevil)

Post-entry quarantine growing for a period of 45
days.

(ii) Tissue cultured plants

Any Country

Certified that the tissue cultured plants

obtained from mother stock tested and maintained free from
viruses.

Nil

593.

Santalum spp. (Sandalwood)

Seeds for sowing

Australia

Nil

Free from quarantine weed seeds.

594.

Sarsonia spp.

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus.

Nil

595.

Saussurea lappa (Kuth)

Dried roots for consumption

China

Nil

Free from soil and other plant debris.

596.

Scabiosa

Tissue culture plants

Netherlands

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus.

Nil

597.

Schefflera spp. (Brassia)

Tissue cultured plants

Any Country

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus.

Nil

Plants for propagation

Asia

Nil

Post-entry quarantine for a period of 45 days.

598.

Schinus terebinthifolius (Baie rose bresi)

Fruits for consumption purpose

Brazil, Europe

Nil

Free from soil and other plant debris

599.

Schizanthus spp. (Schizanthus)

Seeds for sowing

(i) France

(ii) UK

(iii) Germany

(iv) Netherlands

(v) Denmark

(vi) USA

(vii) Australia

Nil

Free from quarantine weed seeds.

600.

Scholtzia involucrate

Tissue culture plants

Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

601.

Sclerocarrya birrea

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds..

602.

Senecio spp. (Senecio)

(i) Seeds for sowing

(i) Europe

(ii) USA

(iii) Japan

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Japan

Free from:

(a) Beet western

yellow virus

(b) Chrysanthemum virus B

Post-entry quarantine growing for 45 days period.

(iii) Tissue cultured plants

(i) USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Bidens mottle

potyvirus

(b) Tomato spotted

wilt virus

(c) Tobacco mosaic virus

Nil

(ii) New Zealand

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from potato virus Y

Nil

(iii) Japan

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from arabis mosaic nepovirus.

Nil

(iv) Eurasian region

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from beet mild yellowing luteovirus.

Nil

(v) Germany

(vi) Scotland

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from elm mottle virus.

Nil

(vii) Any country except USA, New Zealand,

Japan, Eurasian region, Germany, Scotland

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

603.

Senna siamea (Cassia)

Plants for propagation

(i) Asia

(ii) USA

Nil

Post-entry quarantine growing for 45 days period.

604.

Sesamum spp. (*Sesamum*)

Grains (seeds) for consumption

(i) Somalia

(ii) Sudan

(iii) Senegal

(iv) African

countries

(v) Pakistan

Nil

(i) Fumigation with

Methyl bromide at 16 g/m³ for 24 hrs. at 21°C and above or equivalent or any other treatment approved by the Plant Protection Adviser to the Government of India and the treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Free from quarantine weed seeds and soil contamination.

(vi) Bangladesh

Nil

(i) Free from quarantine weed seeds and soil contamination.

(vii) Mexico

(ii) Methyl Bromide fumigation @ 16 g/m³ for 24

hrs at 210C and above or equivalent or any other treatment approved by the Plant Protection Adviser. The treatment should be endorsed on Phytosanitary certificate issued at the country of origin/re-export.

Germplasm material for research only

(i) USA

(ii) Netherlands

Nil

(i) Free from

quarantine weed seeds.

(ii) Commercial

imports subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare

(iii) Crop inspection for free from quarantine

weed seeds.

605.

Sesbania cannabina

Seeds for sowing

Pakistan

Nil

Freedom from quarantine weed seeds, soil and any

plant debris

606.

Sesbania sesban *Sesbania* spp.

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

607.

Setaria glauca, *S. italica*

Germplasm material for research only

(i) China

Nil

Free from quarantine weed seeds.

(ii) USA

Free from:

(a) Foxtail mosaic

virus

(b) Wheat streak mosaic virus

(i) Free from soil.

and plant debris

(ii) Post-entry

quarantine growing for 2-3 months

(iii) Crop inspection and certification for

freedom from Wheat streak mosaic virus and Foxtail mosaic virus

608.

Shorea laevis

Wood without bark

Indonesia

Free from:

(a) *Coptotermes*

curvignathus (Rubber termite)

(b) Xyleborus

pseudopilifer

(c) Xylosandrus ater

Fumigation with Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP or any other treatment approved by Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export
609.

Silene spp. (Campion)

Tissue cultured plants

USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from viruses.

Nil

610.

Silybum marianum (Milk Thistle)

Seeds for sowing

USA

Nil

Free from quarantine weeds seeds.

611.

Sinningia spp. (Gloxinia)

(i) Seeds for sowing

(i) Asia

(ii) Europe

(iii) USA

Nil

Free from quarantine weed seeds.

(ii) Tissue cultured plants

Germany

Certified that the tissue cultured plants obtained from mother stock tested and maintained free from virus.

Nil

612.

Sisymbrium irio

Seeds for Medicinal purpose

China

Nil

Free from quarantine weed seeds and other plant debris.

613.

Small fruit plant species:

(a) Blue berry and Cranberry (Vaccinium spp.)

(i) Cuttings Rooted/unrooted/Grafts/Bud

wood/Saplings for planting

Any Country

Free from:

- (a) Leaf rust
(*Pucciniastrum myrtilli*)
- (b) Red leaf
(*Exobasidium vaccinii*)
- (c) Red gall
(*Synchytrium vaccinii*)
- (d) Witches' broom
(*Pucciniastrum goeppertianum*)
- (e) Straw berry
weevils (*Anthonomus signatus* and *A. bisignifer*)
- (f) Blue berry
viruses viz., blue berry mosaic, shoe-string, red (necrotic)
ring spot, leaf mottle, peach rosette and tomato ring spot
- (g) Phytoplasmas (blueberry stunt, witches broom
and cranberry false blossom)
- (i) Import subject to
prior approval of Department of Agriculture, Cooperation and
Farmers Welfare in the Ministry of Agriculture
- (ii) Post-entry
quarantine for a period of 9-12 months;
- (iii) Free from soil
- (iv) Dormant cuttings shall be Appropriately
treated or fumigated at the country of origin prior to shipment
and the treatment shall be endorsed on Phytosanitary Certificate.
- (ii) Seeds for sowing
Any Country
Free from:
 - (a) Mummy berry
(*Monilia vacciniicorymbasi*)
 - (b) Viruses affecting blueberry and cranberry as
per item (f) above.
As per conditions (i) and (ii) stated above.
- (iii) Tissue cultured plants
Any Country
Certified that the tissue-cultured plants are
obtained from mother stock tested/indexed and maintained
virus-free.
As per condition (i) stated above.
- (iv) Fresh fruit for consumption
 - (i) Canada
Free from:-
 - (i) *Grapholita*
packardii (Cherry fruitworm)
 - (ii) *Rhagoletis*
mendax (Blueberry fruit fly)
 - (iii) *Spodoptera*
frugiperda (Fall armyworm)
 - (v) *Diaporthe*
vaccinii (Phomopsis twig blight of blueberry)
 - (v) Peach
rosettemosaic virus (rosette mosaic of peach)

(vi) Tomato ringspotvirus (ringspot of tomato)

Pest free status for

Rhagoletis mendax (Blueberry fruit fly) as per international standards Or

(a) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Blueberry fruit fly. Or

(b) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Blueberry fruit fly.

The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

(ii) Chile

Free from:-

(a) Spodoptera

eridania (Southern armyworm)

(b) Spodoptera

frugiperda (Fall armyworm)

(c) Diaporthe

vaccinii (Phomopsis twig blight of blueberry)

(d) Tomato ringspotvirus (ringspot of tomato)

(a) Fumigation with

Methyl bromide @ 32 g/m³ for 2 hrs @ 21°C and above or equivalent thereof or any other treatment duly approved by the Plant Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export.

(iii) Australia

Free from:

a) Aspidiotus nerii

(Aucuba scale)

b) Bactrocera tryoni

(Queensland fruit fly)

c) Guignardia

vaccinii (Berry speckle)

d) Pseudomonas viridiflava (Bacterial leaf blight of tomato (USA))

i. Pest free area

status for Bactrocera tryoni (Queensland fruit fly) as per international standards; or

ii. Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above under NAP; or Methyl bromide fumigation @ 32 g/m³ for 31/2 hrs at 15°C or above under NAP; or equivalent thereof against Queensland fruit fly; Or

iii. Pre shipment cold treatment at 0°C or below

for 13 days or greater; 0.55°C or below for 14 days or greater;

1.10°C or below for 18 days or greater or in-transit cold

treatment at 0°C or below for 13 days or greater; 0.55°C or below

for 14 days or greater; 1.10°C or below for 18 days or greater

against Queensland fruit fly. The treatment should be endorsed on

Phytosanitary Certificate issued at the country of Origin/re-export. The treatment should be endorsed on Phytosanitary Certificate issued at the country of Origin/re-export.

(v) Fresh and dry fruits

USA

Free from:-

(a) *Grapholita*

packardii (Cherry fruitworm)

(b) *Rhagoletis mendax*

(Blueberry fruit fly)

(c) *Spodoptera*

eridania (Southern armyworm)

(d) *Spodoptera*

frugiperda (Fall armyworm)

(e) *Diaporthe*

vaccinii (Phomopsis twig blight of blueberry)

(f) Peach rosette

mosaic virus (Rosette mosaic of peach)

(g) Tomato ringspot virus (Ringspot of tomato)

Pest free status for

Rhagoletis mendax (Blueberry fruit fly) as per international standards Or

(a) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly. Or

(b) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12

days plus intransit refrigeration against Mediterranean fruit fly

and 0°C or below for 13 days; 0.55°C or below for 14 days; 1.10°C

or below for 18 days. The treatment should be endorsed on

Phytosanitary Certificate issued at the Country of

Origin/re-export.

(b) Gooseberry and Currants (*Ribes* spp)

(i) Cuttings Rooted/un-rooted)/Bud

wood/Grafts/Saplings

Any Country

Free from:

(a) American

(Gooseberry) mildew (*Sphaerotheca morsuvae*)

(b) European

(Gooseberry) mildew (*Microsphaeria grassulariae*)

(c) Leaf spot

(Anthracnose) (*Pseudopeziza ribis*)

(d) Cluster cup rust

(*Puccinia pringsheimiana*)

(e) Black pustule

(*Plowrightia ribesia*)

(f) Cane blight

(*Botryosphaeria ribis*)

(g) Viruses viz., black current reversion,

gooseberry vein banding, arabis mosaic, and strawberry latent ring spot.

(i) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Post-entry

quarantine for a period of 9-12 months.

(iii) Free from soil

(iv) Dormant cuttings shall be appropriately fumigated or treated at the country of origin and the treatment shall be endorsed on Phytosanitary Certificate.

(ii) Seeds for sowing

Any Country

Free from seed-borne viruses such as raspberry ring spot, arabis mosaic and strawberry latent ring spot.

As per condition (i) and (ii).

(iii) Tissue cultured plants

Any Country

Certified that the tissue-cultured plants are obtained from mother stock tested/indexed and maintained virus-free.

As per condition (i).

(c) Raspberry (*Rubus* spp.)

(i) Cuttings Rooted/un-rooted)/Bud wood/Grafts/Saplings.

Any Country

Free from:

(a) Crown gall

(*Agrobacterium tumefaciens*)

(b) Hairy root (*A. rhizogenes*)

(c) Rusts (*Gymnoconia*

nitens, *Kuehneola uredinalis*, *Phragmedium bulbosum*, *P. rubi-idaeli*, *P. violacearum* and *Pucciniastrum americanum*)

(d) Downy mildew

(*Peronospora rubi*)

(e) Straw berry

weevils (*Anthonomus signatus* and *A. bisignifer*)

(f) Viruses such as leaf mottle, leaf spot, bushy dwarf, leaf curl, raspberry (black) necrosis, vein chlorosis and yellow dwarf, arabis mosaic and strawberry shoestring.

(i) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Post-entry

quarantine for a period of 9-12 months.

(iii) Free from soil

(iv) Dormant cuttings shall be appropriately fumigated or treated at the country of origin and the treatment shall be endorsed on Phytosanitary Certificate.

(ii) Seeds for sowing

Any Country

Free from seed-borne viruses such as raspberry ring spot, arabis mosaic and straw berry latent ring spot.

As per condition (i) and (ii).

(iii) Tissue cultured plants

Any Country

Certified that the tissue-cultured plants are obtained from mother stock tested/indexed and maintained virus-free.

As per condition (i).

(d) Straw berry (*Fragaria* spp.)

(i) Stem (runner) cuttings (rooted/un-rooted) for planting.

Any Country

Free from:

(a) Phomopsis blight

(*Phomopsis obscurens*)

(b) Red stele

(*Phytophthora fragariae*)

(c) Crown rot

(*Phytophthora cactorum*)

(d) Angular leaf spot

(*Xanthomonas fragariae*)

(e) American dagger

nematode (*Xiphinema americanum*)

(f) Leaf blotch

(*Gnomonia fragariae*)

(g) Straw berry

weevils (*Anthonomus signatus* and *A. bisignifer*)

(h) Straw berry

viruses viz., vein banding, crinkle leaf (rhabdovirus), mild yellow edge, latent ring spot (nepovirus), latent C.

(i) Aster yellows, straw berry green petal, phyllody and yellows (phytoplasmas).

(i) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Post-entry

quarantine for a period of 9-12 months.

(iii) Free from soil

(iv) Dormant cuttings shall be appropriately fumigated or treated at the country of origin and the treatment shall be endorsed on Phytosanitary Certificate.

(ii) Seeds for sowing

Any Country

Free from seed-borne viruses such as arabis mosaic, raspberry ring spot and straw berry latent ring spot.

The above condition at (i) and (ii)

(iii) Tissue-cultured plants for planting

Any Country

Certified that tissue-cultured plants are obtained from mother stock indexed/tested and maintained virus-free.

The above condition at (i)
614.

(i) Soil

In any form (for research purpose)

Any country

Free from: Insect pests, nematodes, microbes and quarantine weed seeds

(i) Dry heat at 1210

C (core temp.) for two hours or

(ii) Steam heat (autoclave) at 1210C for 30 minutes at 15 psi

(ii) Growing media (with soil, peat or other organic materials)

In any form (with or without plant)

Free from: Insect pests, nematodes, microbes and quarantine weed seeds

Steam heat (autoclave) at 1210C for 30 minutes at 15 psi

(iii) Sand

In any form (for non-agricultural purpose)

Free from: Insect pests, nematodes, microbes quarantine weed seeds and organic matter like plant debris etc.

Nil

(iv) Peat or sphagnum moss

In any form

Free from: Insect pests, nematodes, microbes, quarantine weed, soil

(i) Steam heat

(autoclave) at 1210C for 30 minutes at 15 psi or

(ii) Peat should be excavated beneath 2 meter from the surface.

(v) Similar materials: inorganic soil additives, Leonardite, Lignite, Pure sand (Silica, Zircon, Quartz etc.), Pure clay like Kaolin etc., Rock aggregates and Gravel, Volcanic, Pumice, Chalk, Rock salt, Diatomaceous earth, All kinds of ore, Vermiculite, Perlite, Gypsum, Geolite etc.,

In any form (for industrial and non agricultural purpose)

Nil

Free from organic matter like plant debris etc.

(vi) Stone

Aggregates/dust (for non- agricultural purpose)

Nepal

Free from: Organic matter like plant debris etc.

Nil

615.

Solanum quitoense (Naranjilla)

Germplasm material for research only

(i) Spain

Nil

Free from soil. and quarantine weed seeds

(ii) Italy

(iii) USA

Free from *Globodera tabacum*

616.

Solanum melongena (Brinjal/Eggplant/Aubergine)

(i) Seeds for sowing

(i) China

Free from *Pythium spinosum* (root rot)

(i) Free from soil

contamination.

(ii) Free from quarantine weed seeds.

(ii) Europe

Free from:

(a) Pepino mosaic

virus

(b) Tomato bushy

stunt virus (*Lycopersicon virus 4*)

(c) Tomato black ring nepovirus

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free

from (a), (b) and (c)

(iii) Japan

(iv) Vietnam

(v) Philippines

(vi) Thailand

Nil

Free from quarantine weed seeds.

(vii) USA

Free from Tomato bushy stunt virus (*lycopersicon virus 4*)

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free

from tomato bushy stunt virus.

(viii) Jordan

(ix) Israel

Free from:

(a) *Peronospora*

hyoscyami f. sp. *tabacina* (angular tobacco leaf spot)

(b) Eggplant mottled dwarf virus (hibiscus vein

yellowing virus)

(i) Free from

quarantine weeds seeds.

(ii) Crop inspection and certification for Free

from eggplant mottled dwarf virus.

(i) Russia

(ii) Taiwan

Free from:

- (a) Peronospora
hyoscyami f.sp. tabacina
- (b) Pepino mosaic
virus
- (c) Tomato bushy stunt virus
- (i) Freedom from
quarantine weed seeds
- (ii) Post-entry
quarantine growing for 2-3 months
- (iii) Crop inspection and certification for
freedom from Pepino mosaic virus and Tomato bushy stunt virus
- (ii) Vegetables for consumption

Thailand

Free from:

- (a) Bactrocera
papayae (papaya fruit fly)
- (b) Pseudococcus
jackbeardsleyi (Jack Beardsley mealybug)
- (c) Tetranychus
marianae
- (d) Tetranychus truncatus

Pest-free area status for papaya fruit fly

(Bactrocera papayae) as per international standards.

617.

Solanum muricatum (Pepino)

- (i) Seeds for sowing
- (ii) Cuttings
- (i) Italy
- (ii) Spain
- (iii) USA

Nil

Free from quarantine

weed seeds.

- (i) Free from soil.
- (ii) Post-entry quarantine for one growth season
except for research
- (iii) Plants/Cuttings for propagation
- (iv) Israel

Nil

- (i) Free from soil.

(ii) Post-entry quarantine for one growth season
except for research

618.

Solanum tuberosum (Potato)

- (i) Tubers for consumption

(i) Egypt

Free from:

- (a) Phoma exigua var.
foveata (Gangrene)
- (b) Phytophthora

cryptogea (tomato foot rot)

(c) Potato Spindle

Tuber Viroid (PSTVd)

(d) *Pratylenchus goodeyi* (banana lesion nematode)

(i) Free from

quarantine weed seeds, soil and other plant debris.

(ii) Potato tubers

shall be washed with clean water before packing.

(iii) Potato tubers

shall be treated with a recommended sprout inhibitor.

(iv) Prophylactic chemical treatment of packages

and empty container (v) Points of entry for this consignment

shall be as per the Clause 3 (14), Chapter-II of PQ Order, 2003.

The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

(ii) Pakistan

Free from:

(a) *Clavibacter*

michiganensis subsp. *Sepedonicus* (Potato ring rot)

(b) *Ditylenchus*

depsaci (Stem and Bulb nematode)

(c) *Ditylenchus*

destructor (Potato tuber nematode)

(d) *Globodera*

(Heterodera) pallida (Potato cyst nematode)

(e) *Globodera*

(Heterodera) rostochiensis (Potato cyst nematode)

(f) Potato mop-top

virus

(g) *Pratylenchus*

neglectus (California meadow nematode)

(h) *Pratylenchus scribneri*

(iii) Turkey

Free from:

(a) *Clavibacter*

michiganensis subsp. *Sepedonicus* (Potato ring rot)

(b) *Ditylenchus*

depsaci (Stem and Bulb nematode)

(c) *Ditylenchus*

destructor (Potato tuber nematode)

(d) *Globodera*

(Heterodera) pallida (Potato cyst nematode)

(e) *Globodera*

(Heterodera) rostochiensis (Potato cyst nematode)

(f) *Leptinotarsa*

decemlineata (Colorado potato beetle)

(g) *Meloidogyne*

chitwoodi (columbia root-knot nematode)

(h) *Meloidogyne*

ethiopica (Root-knot nematode)

(i) *Phytophthora cryptogea* (tomato foot rot)

(ii) Tubers for processing

(iv) Germany

Free from:

(a) *Clavibacter*

michiganensis subsp. *Sepedonicus* (Potato ring rot)

(b) *Ditylenchus*

destructor (Potato tuber nematodes)

(c) *Ditylenchus*

dipsaci (Stem & bulb nematodes)

(d) *Globodera*

(*Heterodera*) *rostochiensis* (Potato cyst nematodes)

(e) *Globodera*

(*Heterodera*) *pallida* (Potato cyst nematodes)

(f) *Leptinotarsa*

decemlineata (Colorado potato beetle)

(g) *Phoma exigua* var.

foveata (Gangrene)

(h) *Phoma exigua* var.

linicola (Foot rot)

(i) *Phytophthora*

cryptogea (Tomato foot rot)

(j) *Polyscytalum*

pustulans (Skin spot of potato)

(k) Potato mop-top

virus

(l) *Synchytrium endobioticum* (Potato wart)

(i) Free from

quarantine weed seeds, soil and other plant debris.

(ii) Potato tubers

shall be washed with clean water before packing.

(iii) Prophylactic

chemical treatment of packages and empty container

(iv) Points of entry

for this consignment shall be as per the Clause 3 (14),

Chapter-II of PQ Order, 2003.

(v) Zero spillage during transit from point of

entry to processing unit. The conditions (i) to (iii) should be

endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

619.

Solidago spp.

(i) Cuttings/Plants for propagation

(i) The Netherlands

Free from:

(a) *Peridroma saucia*

(pearly underwing moth)

(b) *Rhizobium radiobacter* (crown gall)

Post-entry quarantine growing for a period of 90 days.

(ii) Tissue culture plants

(i) Israel

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus

Nil

620.

Sorghum spp. (Sorghum)

Seeds for sowing

Any Country

Free from:

(a) Bacterial blight

(Burkholderia andropogoni)

(b) Bacterial leaf

streak (Xanthomonas vasicola pv. holcicola)

(c) Milo disease

(Periconia circinata)

(d) Striga weed

(Striga harmonithica)

(e) Sorghum viruses viz. chlorotic spot, mosaic

Import except the trial material of the same

crop species or variety as specified in Schedule XII of this

Order subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare in the Ministry of Agriculture.

621.

Sterculiae lychnophora

Dried seeds for consumption

(i)Thailand

(ii)Indonesia

(iii)China

(iv)Vietnam

Nil

Free from quarantine weed seeds and soil contamination.

622.

Sterlingia- S.latifolia

Dry flowers for decoration

Australia

Free from Pineus pini (Pine woolly aphid)

Free from quarantine weeds seeds and soil

623.

Stevia spp.

(i) Tissue cultured plants

Any Country

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from virus.

Nil

(ii)Cuttings for propagation

(i) Kenya

Free from: Septoria steviae (Septoria leaf spot)

Post entry quarantine for a period of 45 days.

624.

Stone fruits (plum, peach, cherry, apricot,

almond, nectrine) (*Prunus* spp.)

(i) Stones (Seeds)/Grafts/Bud wood/Cuttings.

Any Country

Free from:

(a) Crown gall

(*Agrobacterium tumefaciens*)

(b) Hairy root (*A. rhizogenes*)

(c) Bacterial die

back of peach (*Pseudomonas syringae* pv. *persicae* syn. *P. morsprunorum*)

(d) Black knot

(*Dibotrya morbosum*)

(e) Gummosis (*Eutypa armeniaceae*)

(f) Brown rot

(*Monilinia fructicola*) (American strain)

(g) Blossom blight

and fruit rot (*M. laxa*)

(h) Scab (*Venturia cerasi*, *V. carpophila*)

(i) Cherry leaf spot

(*Blumeriella jaapii*)

(j) Plum weevil

(*Conotrachelus menuphar*)

(k) Stone virus viz. *Prunus virus S*.

(i) Post-entry

quarantine for a period of 1-2 years

(ii) Commercial

imports are subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(iii) Plants cuttings shall be appropriately

fumigated or treated against insect infestation prior to dispatch at the country of origin and the treatment shall be endorsed on Phytosanitary Certificate. The stones (seeds) shall be treated with suitable fungicide.

(ii) Tissue cultured plant

Any Country

Certified that the tissue-cultured plants

obtained from mother stock indexed/tested and maintained virus-free

The above conditions shall not apply except the condition at (ii).

(iii) Fresh fruits for consumption

Any Country

Free from:

(a) Oriental fruit

moth (*Cydia molesta*)

(b) Gypsy moth

(*Lymantria dispar*)

(c) Mediterranean

fruit fly (*Ceratitis capitata*)

(d) Manchurian fruit

moth (*Cydia inopinata*)

(e) Cherry fruitworm

(*C. packardii*)

(f) Plum moth (*C.*

prunivora)

(g) Cherry fruit fly

(*Rhagoletis* spp.)

(h) Peach fruit moth

(*Carposina niponensis*)

(i) Queensland fruit fly (*Bactrocera tryoni*)

(a) Pest free area

status for Mediterranean fruit fly (*Ceratitis capitata*) and

Cherry fruit flies (*Rhagoletis* spp.) as per international

standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or

equivalent thereof against Cherry fruit flies and Mediterranean

fruit fly or

(c) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12

days plus in-transit refrigeration against cherry fruit flies and

Mediterranean fruit fly

(iv) Dry fruits for consumption

Any Country

Free from:

(a) Mediterranean

flour moth (*Ephestia kuehniella*)

(b) Apricot chalcid

(c) *Ephestia elutella*

(Tobacco moth)

(d) *Plodia interpunctella* (Indian meal moth)

Fumigation with Methyl bromide @ 16 g/m³ for 24

hrs at 21°C and above under NAP and the treatment shall be

endorsed on the Phytosanitary Certificate or by any other

fumigant/substance in the manner approved by the Plant Protection

Adviser for this purpose Or for Almonds, fumigation by phosphine

or by any other fumigant/substance in the manner approved by the

Plant Protection Adviser for this purpose so as to result

incomplete mortality of all life stages of quarantine pests

mentioned in the column 5 and the treatment shall be endorsed on

the Phytosanitary Certificate.

(v) Almonds for consumption

USA

Free from:

(a) Mediterranean

flour moth (*Ephestia kuehniella*)

(b) Tobacco moth

(*Ephestia elutella*)

(c) Indian meal moth (*Plodia interpunctella*)

625.

Strelitzia reginae

(i) Seeds for sowing

(i) Holland

(ii) South Africa

Nil

Free from quarantine weed seeds

(ii) Plants for propagation

Any Country

Nil

Post entry quarantine for a period of 45 days

626.

Streptocarpus spp.

(i) Tissue culture plants

(i) Australia

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from Nerine latent virus.

Nil

(ii) Costa Rica

(iii) USA

Certified that the tissue culture plants were obtained from mother stock tested and maintained free from any virus.

Nil

627.

Stylosanthes sp.

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

628.

Swertia spp.

Saplings/Plants for propagation

Nepal

Nil

Post-entry quarantine growing for a period of 60 days.

629.

Synsepalum dulcificum (Miracle fruit)

(i) Seeds for sowing

(i) Algeria

Nil

(i) Free from soil.

(ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Ghana

(iii) Congo

Nil

Free from quarantine weed seeds and soil.

(ii) Cuttings/grafts/rooted plants for propagation

Algeria

Nil

(i) Freedom from quarantine weed seeds

(ii) Post-entry

quarantine for one growth season except for research

(iii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers Welfare.

630.

Syringa spp./Syringa vulgaris (Lilac)

Tissue cultured plants

(i) USA

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Arabis mosaic

nepovirus

(b) Lilac ring mottle

ilarvirus

(c) Lilac mottle carlavirus

Nil

(ii) Japan

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from

(a) Arabis mosaic

nepovirus

(b) Lilac ring spot carlavirus

Nil

(iii) UK

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from lilac chlorotic leaf spot capillovirus.

Nil

(iv) Germany

Certified that the

tissue cultured plants were obtained from mother stock tested and maintained free from:

(a) Arabis mosaic

virus (hop bare-bine)

(b) Cherry leaf roll

virus (berteroa ringspot)

(c) Elm mottle virus

Nil

(v) Scotland

Certified that the tissue cultured plants were

obtained from mother stock tested and maintained free from elm mottle ilarvirus.

Nil

(vi) Africa

(vii) Australia

(viii) Europe

(ix) New Zealand

(x) Turkey

(xi) Canada

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from Arabis mosaic nepovirus.

Nil

(xii) Any country except USA, UK, Germany, Scotland, Africa, Australia, Japan, Europe, New Zealand, Turkey, Canada

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

631.

Syzygium cuminii (Jamon)

(i) Seeds for sowing

(i) Philippines

(ii) Thailand

(iii) New Zealand

(iv) Indonesia

(v) Malaysia

(vi) Sri Lanka

(vii) Mauritius

(viii) USA

Nil

(i) Free from

quarantine weed seeds.

(ii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Cuttings/grafts/rooted plants for propagation

(i) Free from soil.

(ii) Commercial

imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

(iv) Post-entry quarantine growing for 6-9 month except for research.

(iii) Plants for propagation

Thailand

Nil

(i) Post-entry

quarantine growing for a period of 10-12 months

(ii) Free from soil.

(iv) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare

632.

Syzygium jambos (Rose apple)

Plants/cuttings for propagation

Thailand

Nil

(i) Post-entry

quarantine growing for a period of 10-12 months

(ii) Free from soil.

(iii) Commercial imports subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

633.

Syzygium samarangense (Java apple)

Fresh fruits for consumption

Thailand

Free from:

(a) *Bactrocera*

papayae (papaya fruit fly)

(b) *Bactrocera*

carambolae

(c) *Bactrocera albistrigata*

(i) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above or equivalent thereof; or

(ii) Pre-shipment cold treatment at 0°C or below

for 13 days; 0.55°C or below for 14 days; 1.10°C or below for 18 days plus in-transit refrigeration against fruit flies.

634.

Tabebuia impetiginosa (Ipe)

Wood with or without bark

Brazil

Nil

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export.

635.

Tagetes spp. (Marigold African)

(i) Seeds for sowing

Any Country except Guatemala

Free from:

(a) *Fusarium*

oxysporum sp. *callistephi*

(b) *Septoria*

tagetica (Leaf spot)

(c) *Pseudomonas tagetis* (Bacterial leaf spot)

Free from quarantine weed seeds.

Guatemala

Nil

Free from quarantine weed seeds.

(ii) Plants/cuttings for propagation

Netherlands

Free from *Phytophthora cryptogea* (Tomato foot rot)

(i) Post-entry

quarantine for a period of 45 days

(ii) Free from soil..

636.

Tamarindus spp. (Tamarind)

(i) Seeds for sowing

(i) Indonesia

(ii) Malaysia

(iii) Mauritius

(iv) New Zealand

(v) Philippines

(vi) Sri Lanka

Nil

Free from quarantine weed seeds.

(vii) USA

Free from *Hypothenemus obscurus* (tropical nut borer)

Free from quarantine weed seeds.

(ii) Plants for propagation

Thailand

Free from :-

Pseudococcus jackbeardsleyi (Jack Beardsley mealybug)

(i) Post-entry

quarantine growing or a period of 10-12 months

(ii) Free from soil.

(iii) Commercial imports subject to prior

approval of Department of Agriculture and Cooperation

637.

Tanacetum parthenium (Feverfew)

Seeds for sowing

USA

Nil

Free from quarantine weeds seeds.

638.

Taraxacum officinale (Dandelium)

oots (dried) for processing

Poland

Free from *Otiorhynchus sulcatus* (vine weevil)

(i) Free from soil.

(ii) Fumigation with Methyl bromide @ 48 g/m³ at

@ 21°C and above or equivalent thereof under NAP and the

treatment to be endorsed on phytosanitary certificate or by any

other fumigant/substance in the manner approved by the Plant

Protection Adviser.

Seeds for sowing

(i) Australia

Free from:

(a) *Ditylenchus*

dipsaci (stem and bulb nematode)

(b) Tomato ringspot virus

(i) Free from

quarantine weed seeds

(ii) Post-entry

quarantine growing for 6-9 month

(iii) Crop inspection and certification for
freedom from Tomato ringspot virus

(ii) Brazil

Free from:

(a) *Ditylenchus*

dipsaci (stem and bulb nematode)

(b) *Xylella fastidiosa* (Pierce's disease of
grapevines)

(i) Free from

quarantine weed seeds.

(ii) Post-entry quarantine growing for 6-9 month
except for research.

(iii) Czech Republic

(iv) Kenya

(v) Romania

(vi) Syria

Free from *Ditylenchus dipsaci* (stem and bulb
nematode)

639.

Taxus spp.

Seeds for sowing

USA

Nil

Free from quarantine weed seeds.

640.

Taxus baccata (Yew)

Plants for propagation

Nepal

Free from *Heterobasidion annosum*

(i) Post-entry

quarantine for a period of 45 days.

(ii) Free from soil..

641.

Tectona grandis (Teak)

Tissue cultured plants

Thailand

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

642.

Tephrosia candida (Subabul)

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

643.

Teramnus labialis

Seeds for sowing

Kenya

Nil

Free from quarantine weed seeds.

644.

Theobroma cacao (Cocoa)

Beans (fermented and dried) for processing or industrial use

Any Country

Free from:

(a) Chocolate moth

(*Ephestia elutella*)

(b) Mediterranean

flour moth (*Ephestia kuehniella*)

(c) Tropical nut

borer (*Hypothenemus obscurus*)

(d) Black pod of

cocoa (*Phytophthora megakarya*)

(e) Chestnut downy mildew (*Phytophthora katsurae*)

The consignment shall be fumigated with Methyl bromide @ 16 g/m³ for 24 hrs at 21°C and above at NAP and the treatment shall be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser

645.

Thuja occidentalis

(i) Timber logs with/without bark for consumption

(i) Canada

Free from:

(a) *Lambdina*

fiscellaria (eastern hemlock looper)

(b) *Trypodendron*

lineatum (striped ambrosia beetle)

(c) *Seiridium cardinale* (cypress canker)

Fumigation with Methyl bromide @ 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature) for 30 minutes or any other treatment approved by the Plant Protection Adviser to the Government of India. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.

646.

Thuja plicata

Timber logs with/without bark for consumption

Canada

Free from:

(a) Lambdina

fiscellaria (eastern hemlock looper)

(b) Trypodendron

lineatum (striped ambrosia beetle)

(c) Heterobasidion

annosum

(d) Heterobasidion

parviporum

(e) Seiridium cardinal (cypress canker)

Fumigation with

Methyl bromide @ 48 g/m³ for 24 hrs. at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature)

for 30 minutes or any other treatment approved by the Plant

Protection Adviser to the Government of India

The treatment should be endorsed on

Phytosanitary Certificate issued at the Country of

Origin/re-export.

647.

Thunbergia spp.

Seeds for sowing

(i) Germany

(ii) Netherlands

(iii) France

(iv) UK

(v) Russia

(vi) USA

Nil

Free from quarantine weed seeds.

648.

Thymus vulgaris (Thyme)

(i) Seeds for sowing

(i) Denmark

Nil

Free from quarantine weed seeds.

(ii) UK

(iii) USA

(iv) The Netherlands

(v) Spain

(vi) Italy

(vii) France

(viii) Germany

Nil

(i) Freedom from

quarantine weed seeds

(ii) Crop inspection and certification for

freedom from Helix aspersa (Common snail)

(ii) Tissue culture plants

Canada

Certified that the tissue culture plants were

obtained from mother stock tested and maintained free from any virus.

Nil

649.

Thysanolaena latifolia (Broom grass)

(i) Broom sticks for consumption

(i) Myanmar

(ii) Nepal

Nil

Free from soil and other plant debris.

650.

Thysostachys spp.

Seeds for sowing

(i) Thailand

Free from:

(a) *Aspergillus*

wentii

(b) *Rhizopus* sp.

Free from quarantine weed seeds.

(ii) China

Nil

Free from quarantine weed seeds.

651.

Tilia americana (Bass wood)

Wood with bark

USA

Free from :

(a) *Chaetocnema*

confinis (flea beetle)

(b) *Malacosoma*

americanum (eastern tent caterpillar)

(c) *Malacosoma*

disstria (forest tent caterpillar)

(d) *Operophtera*

brumata (winter moth)

(e) *Orgyia*

leucostigma (white-marked tussock moth)

(f) *Papilio Canadensis* (tiger swallowtail)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof or any other treatment approved by Plant Protection Adviser to the Government of India.

The treatment should be endorsed on

Phytosanitary Certificate issued at the country of origin/re-export.

Wood without bark

USA

Free from :

(a) *Chaetocnema*

confinis (flea beetle)

(b) *Malacosoma*

americanum (eastern tent caterpillar)

(c) Operophtera

brumata (winter moth)

(d) Papilio Canadensis (tiger swallowtail)

Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof or heat treatment at 56°C (core temperature) or 30 minutes or any other treatment approved by Plant Protection Adviser to the Government of India.

The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

652.

Tillandsia spp (All related spp.) (Air born plants)

Plants for propagation

USA

Free from:-

(a) Nipaecoccus nipae

(spiked mealybug)

(b) Unaspis citri (citrus snow scale)

(i) Post entry

quarantine for a growing period of 60 days

(ii) Free from soil

653.

Timber logs

(i) Castanea spp. (Chest nut)

Logs with/without bark

Any Country

Free from Chest nut blight (Cryphonectria parasitica)-American strain

The timber shall be fumigated with Methyl bromide shall be @ 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP or kiln drying as the case may be at the country of origin and treatment shall be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser for this purpose.

(ii) Ulmus spp (Elm)

Logs with/without bark

Any Country

Free from:

(a) Dutch elm disease

(Ceratocystis ulmi)-American and European strains

(b) Elm bark beetle (Scolytus scolytus)

The timber shall be fumigated with Methyl bromide shall be @ 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP or kiln drying as the case may be at the country of origin and treatment shall be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser for this

purpose.

(iii) *Quercus* spp (Oak)

Logs with/without bark

Any Country

Free from:

(a) Oak wilt

(*Ceratocystis fagacearum*)

(b) Oak bark beetles

(*Pseudopityophthorus* spp)

(c) Sudden Oak death (*Phytophthora ramorum*)

The timber shall be fumigated with Methyl

bromide shall be @ 48 g/m³ for 24 hrs at 21°C and above or

equivalent thereof under NAP or kiln drying as the case may be at

the country of origin and treatment shall be endorsed on

Phytosanitary Certificate or by any other fumigant/substance in

the manner approved by the Plant Protection Adviser for this

purpose.

(iv) *Pinus* spp. (Pine wood)

Logs with/without bark

Any Country

Free from:

(a) Branch and trunk

cankers (*Atropellis piniphila*, *A. pinicola*)

(b) Pine wood

nematode (*Bursaphelenchus xylophilus*)

(c) Cerambycid vector

(*Monochamus* spp.)

(d) Pine beetle

(*Tomicus piniperda*) and pine weevils (*Pissodes* spp.)

(e) Sirex wasp (*Sirex* spp)

The timber shall be fumigated with Methyl

bromide @ 48 g/m³ for 24 hrs at 21°C and above or equivalent

thereof under NAP or heat treatment at 56°C and above (core

temperature of wood) for 30 minutes or by any other

fumigant/substance in the manner approved by the Plant Protection

Adviser for the purpose as the case may be at the country of

origin and treatment shall be endorsed on Phytosanitary

Certificate

(v) *Pinus pinaster*

Seeds for sowing

Australia

Nil

Free from quarantine weed seeds.

654.

Timbers (Logs/Sawn

and sized wood) :

(i) *Desbordesia*

glaucescens (Alep)

(ii) *Detarium*

microcarpum (Amouk)

(iii)

Gilbertiodendron preussii (Limballi)

(iv) Oxystigma

oxyphyllum (Tchitola)

(v) Petersia africana

(Essial/Abale)

(vi) Sterculia

rhinopetala (Lotofa)

(vii) Pteleopsis

hylodendron (Osanga)

(i) Monopetalanthus

spp (Andoung)

(ii) Sinodoropsis

letestui (Gheombi)

(iii) Staudtia

stipitata (Niove)

(iv) Testulea gabonensis (Izombe)

Wood with bark/without bark

(i) Cameroon

(ii) Gabon

Free from:

(a) Apate monachus

(Black borer),

(b) Coptotermes

sjostedii (African termite)

(c) Wasmania

auropunctata (red fire ant)

Free from Wasmania auropunctata (red fire ant)

The timber shall be fumigated with Methyl bromide @ 48 g/m³ for 24 hrs at 21°C and above or equivalent thereof under NAP or kiln drying as the case may be at the country of origin and treatment shall be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser for this purpose

655.

Tithonia

Dry flowers for decoration

Australia

Nil

Free from quarantine weeds seeds and soil

656.

Toluidra perirae (Perou baume)

All plant parts for consumption purpose

EL Salvador

Nil

Free from quarantine weeds seeds, soil and other plant debris.

657.

Torenia spp.

Seeds for sowing

(i) USA

(ii) Europe

(iii) Japan

Nil

Free from quarantine weed seeds.

658.

Trichosanthes cucumerina (Snakegourd)

Seeds for sowing

Thailand

Nil

Free from quarantine weed seeds.

659.

Trifolium alexandrinum (Berseem and Clovers)

Seeds for sowing

Any Country

Free from:

(a) Northern

anthracnose (*Kabatiella caulivora*)

(b) Stem and bulb

nematode (*Ditylenchus dipsaci*)

(c) Sclerotinia wilt (*Sclerotinia trifoliorum*)

(i) Import subject to

prior approval of Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture.

(ii) Free from soil.

(iii) Free from quarantine weed seeds.

660.

Trifolium pratense (Red clover)

Seeds for sowing

USA

Free from:

(a) *Ditylenchus*

dipsaci (Brown ring disease of hyacinth)

(b) *Phomopsis*

longicolla (*Phomopsis* seed decay)

(c) *Sclerotinia*

borealis (Snow blight of grass)

(d) *Burkholderia*

andropogonis (Bacterial leaf stripe of sorghum and corn)

(e) *Pseudomonas*

viridiflava (Bacterial leaf blight of tomato (USA))

(f) Peanut stunt virus

(i) Imports permitted

subject to prior approval of Department of Agriculture, Cooperation and Farmers Welfare.

(ii) Free from soil

and quarantine weed seeds.

(iii) Crop inspection and certification for free from (e) & (f)

661.

Tripsacum dactyloides (Eastern gamagrass)

Germplasm material for research only

(i) Australia

(ii) Brazil

(iii) Czech Republic

(iv) Kenya

(v) Romania

(vi) Syria

(vii) USA

Nil

Free from quarantine weed seeds.

662.

Triticale

Germplasm material for research only

Mexico

Free from

(a) *Pseudomonas*

fuscovaginae (bacterial rot of rice sheaths)

(b) *Diuraphis noxia*

Free from quarantine weed seeds.

663.

Triticum spp. (Wheat)

Grains for consumption or processing

Any Country

Free from:

(a) Granary weevil

(*Sitophilus granarius*)

(b) Ergot (*Claviceps*

purpurea)

(c) Dwarf bunt (*Tilletia contraversa*)

Fumigation with Methyl bromide @ 32 g/m³ at 21°C

and above for 24 hrs under NAP and the treatment shall be

endorsed on Phytosanitary certificate or by any other

fumigant/substance in the manner approved by the Plant Protection

Adviser for this purpose.

(ii) Flour for consumption

Any country

Freedom from:

Storage pests

Fumigation with Phosphine @ 3 g/metric ton for

minimum 5 days. The treatment shall be endorsed on Phytosanitary

Certificate issued at the country of origin/re-export.

664.

Tropaeolum majus (Nasturtium)

Seeds for sowing

(i) Netherlands

(ii) France

(iii) Germany

Free from *Pseudomonas viridiflava*

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for

Pseudomonas viridiflava

(iv) U.K.

(v) Spain

(vi) Italy

Free from:

(a) *Peridroma saucia*

(b) *Pseudomonas viridiflava*

Freedom from quarantine weeds seeds

665.

Torenia spp.

Seeds for sowing

Japan

Nil

Freedom from quarantine weeds seeds.

666.

Tropaelum spp.

Seeds for sowing

Australia

Free from *Pseudomonas viridiflava* (bacterial leaf blight of tomato)

Freedom from quarantine weeds seeds.

667.

Undaria pinnatifida (Dry wakame)

(i) Dried plant material for consumption/processing

(i) China

(ii) Japan

Nil

Free from soil and other plant debris.

668.

Vaccinium spp. (Blueberry)

Fresh fruits for consumption

Thailand

Nil

Free from soil.

669.

Vaccinium myrtillus (wild blueberries)

Frozen fruits for consumption

Poland

Free from:

(a) *Operophtera*

brumata (winter moth)

(b) *Lepidosaphes ulmi* (oystershell scale)

(i) Free from any

plant debris.

(ii) Fumigation with Methyl bromide @ 32 g/m³ for 2 hrs. at 21°C and above under NAP before processing/freezing of fruits and the treatment be endorsed on Phytosanitary

Certificate.

670.

Valeriana officinalis

(i) Seeds for sowing

USA

Nil

Free from quarantine weeds seeds.

(ii) Dry roots for consumption purpose

Europe

Nil

Free from soil and other plant debris.

671.

Vanilla planifolia/Vanilla tahitensis (Vanilla)

(i) Cuttings/grafts for propagation

(i) Australia

(ii) Bhutan

(iii) China

(iv) Mauritius

(v) Nepal

(vi) Nigeria

(vii) Suriname

Nil

(i) Free from soil.

(ii) Post-entry quarantine growing for 6-9 month
except for research.

(viii) Fiji

Free from Vanilla mosaic virus

(ix) Mauritius

Nil

Free from soil.

(ii) Green bean pods for consumption/processing

(i) Mauritius

Nil

Free from soil and quarantine weed seeds

(iii) Dried beans (pods) for consumption

Any Country

Nil

Free from soil and quarantine weeds seeds

672.

Verbascum spp.

Tissue cultured plants

USA

Certified that the tissue cultured plants were
obtained from mother stock tested and maintained free from virus

Nil

673.

Verbena spp. (Verbena)

(i) Seeds for sowing

(i) Asia

(ii) France

(iii) Germany

(iv) Netherlands

(v) Denmark

(vi) UK

(vii) Australia

(viii) Guatemala

Nil

Free from Quarantine weed seeds.

(vii) USA

Free from *Phytonemus pallidus* (Strawberry mite)

Free from quarantine weed seeds.

(ii) Plants/cuttings for propagation

(i) Asia

(ii) USA

Nil

Post-entry quarantine for a period of 45 days.

674.

Viburnum spp.

(i) Seeds for sowing

Germany

Nil

Free from quarantine weeds seeds.

(ii) Tissue cultured plants

(i) Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from citrus enation-woody gall luteovirus.

Nil

(iii) Any country except Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

675.

Vicia faba (Broad bean) and *Vicia villosa*

(Vetches)

(i) Seeds for sowing

Any Country

Free from:

(a) Leaf and pod spot

(*Ascochyta fabae*)

(b) Soybean cyst

nematode (*Heterodera glycines*)

(c) Stem and bulb

nematode (*Ditylenchus dipsaci*)

(d) Broad bean viruses viz. mottle, necrosis, strain (Comovirus), true mosaic, wilt virus I and 2 (Fabavirus)

Free from quarantine weed seeds.

(ii) Seeds for consumption or processing

Any Country

Free from:

(a) Stem and bulb

nematode (*Ditylenchus dipsaci*)

(b) Soybean cyst nematode (*Heterodera glycines*)

Fumigation with Methyl bromide @ 32 g/m³ for 24

hrs at 21°C and above under NAP and the treatment to be endorsed on Phytosanitary Certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser.

676.

Vicia sativa (vetch), *Vicia villosa*

Seeds for sowing

Syria (ICARDA)

Free from:

(a) *Bruchus rufipes*

(b) *Mimosestes*

mimosae

(c) *Bruchidius*

bimaculatus

(d) *B. incarnatus*

(e) *B. lividimanus*

(f) *B.*

quinqueguttatus

(g) *Bruchus atomarius*

(h) *B. dentipes*

(i) *B. ervi*

(j) *B. hamatus*

(k) *B. lugubris*

(l) *B. luteicornis*

(m) *B. rufimanus*

(n) *Bruchus rufipes*

(o) *B. tristiculus*

(p) *B. ulicis ulicis*

(q) *Ditylenchus*

dipsaci

(r) Broad bean stain virus

(i) Free from

quarantine weed seeds.

(ii) Post-entry

quarantine growing for 2-3 month

(iii) Crop Inspection and certification for

freedom from Broad bean stain virus

677.

Vigna (*Phaseolus*) spp. (Beans).

(i) Seeds for sowing

Any Country

Free from:

(a) Scab (*Elsinoe*

phaseoli)

(b) Downy mildew of

lima bean (*Phytophthora phaseoli*)

(c) Pod and stem

blight (*Phomopsis longicolla*)

(d) Bacterial wilt

(*Curtobacterium flaccumfaciens* pv. *flaccumfaciens*)

(e) Bean bruchid (*Acanthoscelides obtectus*)

Free from quarantine weed seeds.

(ii) Seeds for consumption or processing

Any Country

Free from Bean bruchid (*Acanthoscelides*

obtectus)

(i) Free from

quarantine weed seeds

(ii) Fumigation with Methyl bromide @ 32 g/m³ for 24 hrs at 21°C and above under NAP and the treatment shall be endorsed on Phytosanitary Certificate or by any other

fumigant/substance in the manner approved by the Plant Protection

Adviser.

678.

Vigna spp. (Cowpea)

(i) Seeds for sowing

Any Country

Free from:

(a) Bruchids

(Bruchidium spp., Stator spp.)

(b) Cowpea seed-borne viruses (bromo virus, poty

virus, comovirus, carmovirus)

Import except the trial material of the same

crop species or variety as specified in Schedule XII of this

Order subject to prior approval of Department of Agriculture,

Cooperation and Farmers Welfare in the Ministry of Agriculture.

(ii) Seeds for consumption

Any Country

Free from bruchids (Bruchidium spp., Stator

spp.)

Fumigation with Methyl bromide @ 32 g/m³ for 24

hrs at 21°C and above under NAP and the treatment to be endorsed

on Phytosanitary Certificate or by any other fumigant/substance

in the manner approved by the Plant Protection Adviser.

(iii) Vegetable (beans) for Consumption

Thailand

Free from:

(a) Anomala cupripes

(large green chafer beetle)

(b) Anomala pallida

Nil

679.

Vinca spp./Catharanthus spp. (Vinca/Periwinkle)

Seeds for sowing

(i) Japan

(ii) Russia

(iii) Europe

(iv) USA

(v) Taiwan

Nil

Free from quarantine weed seeds.

680.

Viola spp. (Pansy)

Seeds for sowing

(i) Germany

Free from:

(a) Colletotrichum

violaetricoloris (Anthracnose)

(b) Spaceloma violae

(Scab)

(c) Urocystis violae (Smut)

Free from quarantine weed seeds.

(ii) USA

Free from:

(a) Mycocentrospora

acerina (Halo blight)

(b) Ramularia lacteal

(White spot)

(c) Spaceloma violae

(Scab)

(d) Cherry leaf roll

virus

(e) Pseudomonas viridiflava (Bacterial leaf blight of tomato (USA))

(i) Free from

quarantine weed seeds.

(ii) Crop inspection and certification for Free from cherry leaf roll virus.

(iii) France

(iv) Denmark

Free from Mycocentrospora acerina (Halo blight)

Free from quarantine weedseeds.

(v) Netherlands

(vi) UK

Nil

Free from quarantine weed seeds.

(vii) Japan

Free from Pseudomonas viridiflava (bacterial leaf blight of tomato)

Free from quarantine weed seeds.

(viii) Australia

Free from:

(a) Pseudomonas

viridiflava (bacterial leaf blight of tomato)

(b) Tobacco rattle virus

(i) Free from

quarantine weeds seeds.

(ii) Crop inspection and certification for freedom from tobacco rattle virus.

(ix) Guatemala

Free from:

(a) Peridroma saucia

(pearly underwing moth)

(b) Spodoptera fugiperda (fall army worm)

Freedom from quarantine weeds seeds and soil.

681.

Vitis vinifera (Grapevine) Grape

(i) Rooted stock/Bud wood (stem

cuttings)/Saplings

Any Country

Free from:

(a) Grapevine

Phylloxera or vine louse (*Viteus vitifoliae*, syn. *Daktulosphaira vitifoliae*)

(b) Rust (*Phakopsora vitis*)

(c) Dead arm

(*Cryptosporella viticola* syn. *Phomopsis viticola*)

(d) Cown gall

(*Agrobacterium vitis*)

(e) Gummosis (*Pantoea agglomerans*)

(f) Hairy root

(*Agrobacterium rhizogenes*)

(g) Pierce's disease

(*Xylella fastidiosa*)

(h) Bacterial

necrosis (*Xylophilus ampelinus*)

(i) Grapevine

viruses: Luteovirus, Nepovirus,

(j) Closterovirus, Trichovirus, Potyvirus.

(i) Post-entry

quarantine for a period of one year.

(ii) Import subject to prior approval of

Department of Agriculture, Cooperation and Farmers Welfare in the Ministry of Agriculture.

(ii) Fresh fruits for consumption

(i) Afghanistan

Nil

Nil

(ii) Australia

Free from:

(a) *Aspidiotus nerii*

(*aucuba* scale)

(b) *Bactrocera tryoni*

(Queensland fruit fly)

(c) *Ceratitis*

capitata (Mediterranean fruit fly)

(d) *Epiphyas*

postvittana (light brown apple moth)

(e) *Frankliniella*

occidentalis (Western flower thrips)

(f) *Pseudococcus calceolariae* (scarlet mealy bug)

(a) Pest free area

status for *Bactrocera tryoni* (Queensland fruit fly) and *Ceratitis capitata* (Mediterranean fruit fly) as per international standards

or

(b) Methyl bromide

fumigation @ 40 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly and Queensland fruit fly or

(c) Pre shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and 0°C or below for 13 days; 0.55°C or below for 14 days; 1.10°C or below for 18 days plus in-transit refrigeration against Queensland fruit fly

(iii) Canada

Free from :

(a) *Frankliniella*

occidentalis (Western flower thrips)

(b) *Peridroma saucia*

(pearly underwing moth)

(c) *Spodoptera frugiperda* (fall armyworm)

(iv) Chile

Free from :

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Frankliniella*

occidentalis (western flower thrips)

(d) *Peridroma saucia*

(pearly underwing moth)

(e) *Pseudococcus*

calceolariae (scarlet mealybug)

(f) *Selenaspidus articulatus* (West Indian red scale)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or

(c) Pre shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly

(v) China

Free from :

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Peridroma saucia*

(pearly underwing moth)

(c) *Pseudococcus calceolariae* (scarlet mealybug)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or
(c) Pre shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly

(vi) France

Free from :

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Frankliniella*

occidentalis (Western flower thrips)

(d) *Peridroma saucia*

(pearly underwing moth)

(e) *Pseudococcus*

calceolariae (scarlet mealybug)

(f) *Lobesia botrana* (grape berry moth)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or

(c) Pre shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly

(vii) Iran

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Lobesia botrana* (grape berry moth)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or

(c) Pre shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly

(viii) Italy

Free from:

(a) Arabic mosaic

virus (hop barevine)

(b) *Aspidiotus nerii*

(aucuba scale)

(c) *Ceratitis*

capitata (Mediterranean fruit fly)

(d) Frankliniella

occidentalis (Western flower thrips)

(e) Peridroma saucia

(pearly underwing moth)

(f) Phytonemus

pallidus (strawberry mite)

(g) Pseudococcus

calceolariae (scarlet mealybug)

(h) Lobesia botrana (grape berry moth)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly or

(c) Pre shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly

(ix) New Zealand

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Calepitrimerus*

vitis (grape leaf rust mite)

(c) *Epiphyas*

postvittana (light brown apple moth)

(d) Frankliniella

occidentalis (Western flower thrips)

(e) *Panonychus citri*

(citrus red mite)

(f) Pseudococcus

calceolariae (scarlet mealybug)

(g) *Pseudococcus longispinus* (long-tailed mealybug)

(a) Pest free area

status for *Bactrocera tryoni* (Queensland fruit fly) and *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 40 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly and Queensland fruit fly or

(c) Pre shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and 0°C or below for 13 days; 0.55°C or below for 14 days; 1.10°C or below for 18 days plus in-transit refrigeration against Queensland fruit fly

(x) South Africa

Free from:

- (a) *Ceratitis capitata* (Mediterranean fruit fly)
- (b) *Ceratitis rosa* (Natal fruitfly)
- (c) *Frankliniella occidentalis* (western flower thrips)
- (d) *Pseudococcus calceolariae* (scarlet mealybug)
- (e) *Scirtothrips aurantii* (South African citrus thrips)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) and *Ceratitis rosa* (Natal fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly and Natal fruit fly

(c) Pre-shipment cold treatment at 0°C or below

for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and Natal fruit fly.

(xi) USA

Free from:

- (a) *Anastrepha fraterculus* (South American fruit fly)
- (b) *Aspidiotus nerii* (aucuba scale)
- (c) *Ceratitis capitata* (Mediterranean fruitfly)
- (d) *Epiphyas postvittana* (light brown apple moth)
- (e) *Frankliniella occidentalis* (Western flower thrips)
- (f) *Panonychus citri* (citrus red mite)
- (g) *Peridroma saucia* (pearly underwing moth)
- (h) *Pseudococcus calceolariae* (scarlet mealybug)
- (i) *Selenaspidus articulatus* (West Indies red scale)

(a) Pest free area

status for *Anastrepha fraterculus* (South American fruit fly) and *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or

(b) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly and Methyl bromide fumigatin @ 40 g/m³ for 2 hrs at 21°C or above at NAP or

equivalent thereof against *Anastrepha fraterculata* or
(c) Pre-shipment cold treatment at 00C or below
for 10 days; at 0.550C or below for 11 days; at 1.10C or below
for 12 days plus in-transit refrigeration against Mediterranean
fruit fly and at 0.550C or below for 18 days; at 1.10C or below
for 20 days plus in-transit refrigeration against *Anastrepha*
fraterculata

(xii) Egypt

Free from:

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Harmonia axyridis*

(harlequin lady bird)

(d) *Lobesia botrana*

(grape berry moth)

(e) *Otiorhynchus*

sulcatus (vine weevil)

(f) *Brevipalpus*

lewisi (citrus flat mite)

(g) *Phytophthora*

cryptogea (tomato foot rot)

(h) Grapevine fan

leaf virus (grapevine court-noue virus)

(i) Peach rosette

mosaic virus (rosette mosaic of peach)

(j) Tomato ringspot virus (ringspot of tomato)

Pest free area status

for *Ceratitis capitata* (Mediterranean fruit fly) as per
international standards Or

(a) Methyl bromide

fumigation @ 32 g/m³ for 2 hrs at 210C or above at NAP or

equivalent thereof against Mediterranean fruit fly or

(b) Pre-shipment cold treatment at 00C or below

for 10 days; 0.550C or below for 11 days; 1.10C or below for 12

days plus in-transit refrigeration against Mediterranean fruit

fly and 00C or below for 13 days; 0.550C or below for 14 days;

1.10C or below for 18 days. The treatment should be endorsed on

Phytosanitary Certificate issued at the country of

Origin/re-export.

(xiii) Morocco

Free from:-

(a) *Aspidiotus nerii*

(aucuba scale)

(b) *Ceratitis*

capitata (Mediterranean fruit fly)

(c) *Lobesia botrana*

(grape berry moth)

(d) *Peridroma saucia*

(pearly underwing moth)

- (e) *Pseudococcus calceolariae* (scarlet mealy bug)
- (f) Grapevine fan leaf virus (grapevine court-noue virus)

(xiv) Spain

Free from:

- (a) *Ametastegia capitata* (Mediterranean fruitfly)
- (c) *Frankliniella occidentalis* (Western flower thrips)
- (d) *Limothrips cerealium* (corn thrips)
- (e) *Lobesia botrana* (grape berry moth)
- (f) *Spodoptera frugiperda* (fall armyworm)
- (g) *Helix aspersa* (common snail)
- (h) *Phaeoacremonium aleophilum* (Petri disease)
- (i) *Phaeomoniella chlamydospora* (Petri disease)
- (j) *Phytophthora cryptogea* (tomato foot rot)

(a) Pest free area

status for *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or Pre shipment cold treatment at 00C or below for 10 days; 0.550C or below for 11 days; 1.10C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly

(b) Methyl bromide fumigation @ 40 g/m³ for 2 hrs at 210C or above at NAP or equivalent thereof against Mediterranean fruit fly.

(xv) Peru

Free from:

- (a) *Anastrepha fraterculus* (South American fruit fly)
- (b) *Aspidiotus nerii* (aucuba scale)
- (c) *Ceratitis capitata* (Mediterranean fruitfly)
- (d) *Eryophyes vitis* (grape mite)
- (e) *Frankliniella occidentalis* (Western flower thrips)
- (f) *Panonychus citri* (citrus red mite)
- (g) *Peridroma saucia* (pearly underwing moth)
- (h) *Pseudococcus longispinus* (long tailed mealybug)

- (i) *Selenaspidus articulatus* (West Indies red scale)
- (j) *Spodoptera frugiperda* (fall armyworm)
- (k) *Nectria radicicola* (black rot)
- a) Pest free area status for *Anastrepha fraterculus* (South American fruit fly) and *Ceratitis capitata* (Mediterranean fruit fly) as per international standards or
- (b) Methyl bromide fumigation @ 40 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly and South American fruit fly; or
- (c) Pre shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and at 0.55°C or below for 18 days; at 1.10°C or below for 20 days plus intransit refrigeration against *Anastrepha fraterculata* and the treatment to be endorsed on Phytosanitary Certificate
- (xvi) Mexico
- Free from:
- (a) *Anastrepha fraterculus* (South American fruit fly)
- (b) *Aspidiotus nerii* (aucuba scale)
- (c) *Ceratitis capitata* (Mediterranean fruitfly)
- (d) *Amyelois transitella* (naval orange worm)
- (e) *Caliothrips faciatum* (thrips)
- (f) *Drepanothrips reutri* (grape thrips)
- (g) *Drosophila simulans*
- (h) *Frankliniella occidentalis* (Western flower thrips)
- (i) *Homalodisca coagulata* (glassy winged sharpshooter)
- (j) *Hyphantria cunea* (mulberry moth)
- (k) *Panonychus citri* (citrus red mite)
- (l) *Melittia cucurbitae* (squash vine borer)
- (n) *Peridroma saucia* (pearly underwing moth)
- (o) *Plasmophora viticola* (grapevine downy mildew)
- (p) *Planococcous ficus* (vine mealy bug)

- (q) *Pseudococcus calceolariae* (scarlet mealybug)
- (r) *Pseudococcus longispinus* (long tailed mealybug)
- (s) *Selenaspidus articulatus* (West Indies red scale)
- (t) *Spodoptera frugiperda* (fall armyworm)
- (u) *Tetranychus pacificus* (Pacific spider mite)
- (v) *Xylella fastidiosa* (Pierce's disease of grapevines)
- (w) Grapevine fanleaf virus (grapevine court-noué virus)
- (x) Grapevine leafroll-associated viruses (leafroll disease)
- (a) Pest free area status for *Anastrepha fraterculus* (South American fruit fly) and *Ceratitis capitata* (Mediterranean fruit fly) as per international standards; or
- (b) Methyl bromide fumigation @ 40 g/m³ for 2 hrs at 21°C or above at NAP or equivalent thereof against Mediterranean fruit fly and South American fruit fly; or
- (c) Pre shipment cold treatment at 0°C or below for 10 days; 0.55°C or below for 11 days; 1.10°C or below for 12 days plus in-transit refrigeration against Mediterranean fruit fly and at 0.55°C or below for 18 days; at 1.10°C or below for 20 days plus in-transit refrigeration against *Anastrepha fraterculata* and the treatment to be endorsed on Phytosanitary Certificate.
- (iii) Raisins (dried grapes) for consumption
Any Country
Fumigation with Methyl bromide @ 16 g/m³ for 24 hrs at 21°C and above at NAP and treatment shall be endorsed on phytosanitary certificate or by any other fumigant/substance in the manner approved by the Plant Protection Adviser for this purpose
- (iv) Seeds (dried) for medicinal use
France
Nil
- (i) (a) Weed free crop/area certification or
- (b) Zero dockage certification in respect of quarantine weed seeds in the Phytosanitary Certificate or
- (c) Devitalization of seed by heat treatment at 120°C for 15 minutes or any other equivalent treatment approved by the Plant Protection Adviser to the Government of India, and
- (ii) Management of handling, transportation,

milling and processing of import consignment and manner of disposal refer as per the guidelines prescribed by the Plant Protection Adviser to the Government of India

682.

Wodyetia bifurcata (Foxtail palm)

Plants for propagation

Australia

Nil

(i) Post-entry

quarantine for a period of one year.

(ii) Free from soil.

683.

Xanthosoma spp.

Tissue cultured plants

USA

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from *Xanthomonas axonopodis* pv. *dieffenbachiae* (bacterial blight of aroids)

Nil

684.

Yucca spp.

Tissue cultured plants

(i) Brazil

(ii) Costa Rica

(iii) Italy

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from yucca bacilliform virus.

Nil

(iv) Columbia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from furcaea necrotic streak virus.

Nil

(v) Any country Except Columbia, Brazil, Costa Rica, Italy

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus

Nil

685.

Zamia spp.

(i) Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

(ii) Plants for propagation

Any Country

Nil

Post-entry quarantine for a period of 45 days.

686.

Zamioculcas

Tissue culture plants

Australia

Certified that the tissue cultured plants were obtained from mother stock tested and maintained free from virus.

Nil

687.

Zantedeschia aethiopica

Plants/cuttings for propagation

Netherlands

Free from Phytophthora richardiae (root rot)

(i) Free from soil

and other plant debris.

(ii) Post-entry quarantine for a period of 45 days.

688.

Zea mays (Maize/Corn)

(i) Seeds for sowing

Any Country

Free from:

(a) Stewart's wilt

(Pantoea stewartii sub sp. stewartii)

(b) Nebraska wilt

(Clavibacter michiganensis sub sp. nebraskensis)

(c) Southern corn

blight (Drechslera maydis Race T)

(d) Ergot (Claviceps

gigantea)

(e) Tropical rust

(Physopella zeae)

(f) Anthracnose

(Kabatiella zeae)

(g) Larger grain borer

(Prostephanus truncatus)

(h) Maize weevil

(Sitophilus zeamais)

(i) Mycosphaella

zeae-maydis

(j) Burkholderia

andropogonis

(k) Pantoea

agglomerans

(l) Pseudomonas

fuscavaginae

(m) Pseudomonas

syringae pv. Coronofaciens

(n) Maize chlorotic dwarf machlovirus

(i) Import except the

trial material of the same crop species or variety as specified

in Schedule XII of this Order subject to prior approval of

Department of Agriculture, Cooperation and Farmers Welfare in the

Ministry of Agriculture.

(ii) Free from soil.

(iii) Free from quarantine weed seeds.

(ii) Grains for consumption or processing

Any Country

Free from:

(a) Ergot (*Claviceps gigantea*)

(b) Larger grain

borer (*Protophonus truncatus*)

(c) Maize weevil (*Sitophilus zeamais*)

Fumigation with methyl bromide @ 32 g/m³ for 24

hrs., at 21°C and above under NAP and the treatment shall be

endorsed on Phytosanitary Certificate or by any other

fumigant/substance in the manner approved by the Plant Protection

Adviser.

689.

Zingiber spp. (Ginger)

(i) Rhizome for consumption

(i) Nepal

Nil

Free from quarantine weed seeds and soil.

(ii) Rhizomes for propagation

(i) Thailand

Nil

(i) Post-entry

quarantine for one growth season.

(ii) Free from soil.

690.

Zingiber officinale (Ginger)

Rhizomes for propagation

(i) Australia

(ii) Bhutan

(iii) China

(iv) Fiji

(v) Mauritius

(vi) Nigeria

Free from:

(a) *Pratylenchus*

coffeae

(b) *P. brachyurus*

(c) *Radopholus similis*

(i) Free from soil.

(ii) Post-entry quarantine growing for 2-3 month

except for research.

(vii) Suriname

Free from *Spodoptera frugiperda*

(viii) Nepal

Nil

691.

Zinnia spp. (*Zinnia*)

Seeds for sowing

Any Country

Nil

Free from quarantine weed seeds.

692.

Ziziphus spp.

Dried fruits (berries) for consumption

Iran

Free from Lobesia botrana (grape berry moth)

Fumigation with Methyl bromide at 48 g/m³ for 24

hrs at 21°C and above or equivalent or any other treatment

approved by the Plant Protection Adviser to the Government of

India and the treatment should be endorsed on Phytosanitary

Certificate issued at the Country of Origin/re-export.

693.

Zizyphus jujube (Chinese date)

Seeds for sowing

China

Nil

(i) Free from

quarantine weed seeds.

(ii) Commercial imports subject to prior

approval of Department of Agriculture, Cooperation and Farmers

Welfare

694.

Zoysia japonica

Seeds for sowing

USA

Free from Gaeumannomyces graminis var. graminis

(crown sheath rot)

Free from quarantine weed seeds and soil

contamination

695.

Wood/bamboo Products

Wood/bamboo Products Without Bark Such As

Manufactured/finished/handicrafts/furniture/joinery And Articles

From Carpentry (Windows/doors/shutters/photo Frames/curtain

Rods/boxes/thatch Etc)/conveyances (Row Boats, Vehicle Decks,

Trailers Etc)/garden Items/house Hold Articles/musical

Instruments/sporting equipments/tools/toys/flower vase/wood

fiber/woody dry branches without bark/cones/baskets etc.

Any Country

Free From:

a) Quarantine pests

b) Bark

c) Soil contamination

d) Any other plant debris

(i) Fumigation with

Methyl bromide at 48 g/m³ for 24 hrs at 21°C or above or

(ii) Kiln dried at

56°C for 30 minutes (core temperature of wood) or heat treated at

560C for 30 minutes (core temperature of wood) or
(iii) Gamma irradiation at 25 kGray or
equivalent thereof or any other treatment duly approved by the
Plant Protection Adviser. The treatment shall be carried out
prior to manufacturing/grafting Process and shall be endorsed on
the Phytosanitary Certificate issued thereof at the country of
export/re-export.

696.

Larix spp. (Larch)

Timber logs with/without bark for consumption

Canada

Free from:

a) *Monochamus*

scutellatus *scutellatus* (white-potted sawyer)

b) *Monochamus*

scutellatus (white-potted sawyer)

c) *Otiorhynchus*

singularis (clay coloured weevil)

d) *Lachnellula*

willkommii (European larch canker)

e) *Dendroctonus*

simplex (eastern larch beetle)

f) *Dryocoetes*

autographus (bark beetle)

g) *Monochamus*

scutellatus *oregonensis* (Oregon fir sawyer)

h) *Sirex* *juvencus*

(steel-blue wood wasp)

i) *Gnathotirchus*

sulcatus (western hemlock wood stainer)

j) *Dendroctonus*

pseudotsugae (douglas-fir beetle)

k) *Orgyia* *leucostigma*

(white-marked tussock moth)

l) *Bursaphelenchus*

xylophilus (pine wilt nematode)

m) *Orgyia*

pseudotsugata (douglas-fir tussock moth)

n) *Trypodendron*

lineatum (striped ambrosia beetle)

o) *Ips* *grandicollis* (five-spined bark beetle)

Fumigation with

methyl bromide at 48 g per cubic metre for 24 hrs at 210C or
above or equivalent thereof; Or

Heat Treatment at

560C (core temperature) for 30 minutes.

The treatment should be endorsed on the

Phytosanitary Certificate issued at the country of
export/re-export

697.

Tectona grandis (Teak)

Timber (Sawn or sized wood)

Ecuador

Free from:

a) Coptotermes

testaceus (Termite)

b) Steirastoma breve

(Cocoa beetle)

The consignment is free from quarantine weed seeds

(i) Export

consignment must comply with Systems Approach.

(ii) Pre-shipment

fumigation with phosphine gas @ 3gm per cubic meter (Aluminium phosphide/Magnesium phosphide) for 7 days.

(iii) Fumigation agency and fumigation operator must be accredited by NPPO India.

[Schedule-VII]

[Replaced by Notification No. S.O. 2286(E), dated 4.6.2018.]

[See clause 3(7) and 10(2)]

List of Plants/ Plant Products Where Imports are Permissible on the Basis of Phytosanitary Certificate Issued By The Exporting Country, The Inspection Conducted By Plant Protection Adviser or Officers Authorized by him and Fumigation, If Required, Including all Other General Conditions.

Sl. No.

Scientific Name

Plant Product

1

Acacia mangium

Brown sal wood for consumption

2

Acer spp.

Sycamore/ Maple wood/logs for consumption

3

Acorus calamus

Cane for consumption

4

Adansonia digitata

Baobab fruits (dried) for medicinal use

5

Aegle marmelos

Wood for consumption

6

Aesculus hippocastanum

Horse Chestnut dried seeds for medicinal use

7

Agathis dammara

Wood for consumption

8

Agave sisalana

Sisal fibres

9

Albizia lebbbeck

Acacia wood for consumption

10

Alpinia officinarum

Galangal Roots

11

Amomum subulatum

Large cardamom

12

Anacardium occidentale

Cashew nuts (Raw/ processed)/ husk for consumption

13

Anacyclus pyrethrum

Pellitory Roots (dried) for medicinal use

14

Anemone hepatica

Hepatica whole plants (dried) for medicinal use

15

Angelica spp.

Roots (dried) for medicinal use

16

Animal feed

kibbled ?crushed seeds / pellets / dried

cake form thereby denatured and free from weed seeds, bacterial and fungal pathogens

17

Aningeria spp.

Anigre wood for consumption

18

Anisoptera spp.

Mersawa/ Kaunghmu wood for consumption

19

Apocynum cannabinum

Indian Hemp Roots (dried) for medicinal use

20

Aquilaria malaccensis

Agar wood

21

Arachis hypogea

Peanut (Roasted) for consumption

22

Aralia racemosa

Spikenard roots (dried) for medicinal use

23

Arctium lappa

Burdock whole plants (dried) for medicinal use

24

Arctostaphylos sp.

Uva-Ursi leaves (dried) for medicinal use

25

Areca catechu

Betel nut (dried) for consumption
26
Argemone maxicana
Prickly poppy whole plant (dried) for medicinal
use
27
Armoracia rusticana (Cochlearia armoracia)
Horse Radish roots (dried) for medicinal use
28
Arnica montana
Celtic Nard whole plants (dried) for medicinal
use
29
Artemisia spp.
Artemisia leaves (dried) for medicinal use
30
Aspalathus linearis
Rooibos tea (fermented) for consumption
31
Aspidosperma quebracho-blanco
Bark (dried) for medicinal use
32
Atropa belladonna
Deadly nightshade leaves/roots (dried) for
medicinal use
33
Aucoumea klaineana
Okoume wood for consumption
34
Azadirachta indica
Margosa/ Neem ? dried seed / Neem cake for
consumption
35
Bambusa arundinacea
Bamboo sticks
36
Baptisia tinctoria
Wild Indigo bark/ roots (dried) for medicinal
use
37
Berberis spp.
Barberry roots (dried) for medicinal use
38
Borago officinalis
Borage dried leaves/ flowers for medicinal use
39
Bryonia alba
Wild Hops roots (dried) for medicinal use
40
Caesalpinia sappan
Sappan wood for consumption

- 41
Calamus rotang
Rattan (Cane)
- 42
Calophyllum spp.
Bintangor wood for consumption
- 43
Camellia sinensis
Tea Seed Powder/ Green tea/ Tea powder for consumption
- 44
Cannabis sativa
Hemp fibres
- 45
Capsicum annuum
Capsicum fruit & seed (dried) for consumption
- 46
Carapichea ipecacuanha (Cephaelis ipecacuanha/
C. psychotria)
Ipecacuanha roots (dried) for medicinal use
- 47
Carduus sp.
Blessed Thistle whole plants (dried) for medicinal use
- 48
Carum carvi
Caraway seed for consumption
- 49
Carum copticum
Ajwain seeds for consumption
- 50
Carya glabra
Pignut Hickory log wood for consumption
- 51
Cassia spp.
Senna pods /dry leaves for medicinal use
- 52
Catalpa bignonioides
Catalpa roots (dried) for medicinal use
- 53
Ceanothus americanus
Leaves (dried) for medicinal use
- 54
Cedrus spp.
Cedar wood for consumption
- 55
Ceiba pentandra
Kapok fibre (lint) without seed for consumption
- 56
Centella asiatica

Centella leaves (dried) for medicinal use

57

Ceratonia siliqua

Carob dried pods/ seeds for consumption /
medicinal purpose

58

Chamaecyparis spp.

Juniper berries dried seed for medicinal use

59

Chamaemelum nobile

Chamomile flowers (dried) for consumption

60

Chamaemelum nobile (Anthemis nobilis)

Roman Chamomile flower head (dried) for
medicinal use

61

Chelidonium majus

Calandine whole Plants (dried) for medicinal use

62

Chionanthus virginicus

Fringe Tree bark (dried) for medicinal use

63

Cinchona spp.

Cinchona bark (dried) for medicinal use

64

Cinnamomum camphora

Dried camphor laurel leaves

65

Cinnamomum verum (Cinnamomum zeylanicum)

Dried bark

66

Cinnamomum cassia

Dried bark

67

Clematis recta

Upright virgin's bower leaves/ stem
(dried) for medicinal use

68

Cocos nucifera

Coconut fiber/ powder/ Copra kernel dried for
consumption

69

Coffea arabica

Roasted coffee beans

70

Cola nitida (Kola vera)

Kolanuts

71

Collinsonia canadensis

Stone Root roots (dried) for medicinal use

72

Convolvulus scammonia (Scammonia sp.)
Roots (dried) for medicinal use
73
Corchorus capsularis
Jute fibers
74
Coriandrum sativum
Coriander seed for consumption
75
Cotinus spp.
Whole plant (without seed) (dried) for
consumption
76
Crataegus laevigata
Hawthorn fruits (Dried) for medicinal use
77
Crocus sativus
Saffron (dried) flowers for consumption
78
Croton eluteria
Cascarilla Bark (dried) for medicinal use
79
Cuminum cyminum
Cumin seed for consumption
80
Curcuma longa
Turmeric rhizome (dried) for consumption
81
Curcuma zedoaria
Kachura dried rhizome for consumption
82
Cut Flowers (Except Roses & Carnation)
For decoration / consumption purpose
83
Cyamopsis tetragonoloba
Guar seeds (broken) for processing
84
Cynara scolymus
Artichoke leaves (dried) for medicinal use
85
Dalbergia spp.
Rosewood wood for consumption
86
Dialyanthera spp.
White Cedar wood for consumption
87
Digitalis spp.
Digitalis leaves (dried) for medicinal use
88
Dioscorea villosa
Roots/bulbs (dried) for medicinal use

89

Diospyros spp.

Malabar ebony wood for consumption

90

Dipterocarpus alatus

Gurjan / Keruing logs

91

Dipterocarpus stellatus

Keruing logs

92

Dryobalanops spp.

Kapur wood for consumption

93

Duboisia spp.

Duboisia leaves (dried) medicinal use

94

Dulacia inopiflora (*Liriosma* sp.)

Muira Puama root/ bark (dried) for medicinal use

95

Elaeagnus rhamnoides (*Hippophae rhamnoides*)

Sea buckthorn fruit pulp and seeds for consumption

96

Elaeis guineensis

Oil Palm cake for consumption

97

Elaeocarpus ganitrus

Rudraksh

98

Elettaria cardamomum

Small cardamom

99

Equisetum arvense

Field Horsetail leaves (dried) for medicinal use

100

Eriodictyon glutinosum

Yerba santa leaves (dried) for medicinal use

101

Eryngium spp.

Button snakeroot roots (dried) for medicinal use

102

Erysimum cheiri (*Cheiranthus cheiri*)

Common wallflower whole plant (dried) for medicinal use

103

Erythrophleum spp.

Tali wood for consumption

104

Eschscholzia californica

California poppy whole plant (dried) except seeds for processing

105

Eupatorium spp.

Indian sage whole plants (dried) for medicinal use

106

Euphrasia officinalis

Eye-bright whole plants (dried) for medicinal use

107

Eurycoma longifolia

Tongkat Ali roots/ bark (dried) for medicinal use

108

Fagus grandifolia

Beech logs

109

Ficus auriculata

Timla wood for consumption

110

Ficus carica

Figs (Dried)

111

Foeniculum vulgare

Fennel for consumption

112

Fraxinus americana

White Ash logs / White Ash bark (dried) for medicinal use

113

Fucus vesiculosus

Bladder Wrack (any dried plant part) for medicinal use

114

Garcinia cambogia

Garcinia (dried) for consumption

115

Garcinia mangostana

Mangosteen (dried fruit rind) for medicinal use

116

Gaultheria procumbens

Winter green leaves (dried) for medicinal use

117

Gentiana spp.

Bitterwort roots (dried) for medicinal use

118

Geranium maculatum

Alumroot whole plants/ root (dried) for medicinal use

119

Geum urbanum

Herb Bennet roots (dried) for medicinal use

120
Ginkgo biloba
Ginkgo leaves (dried) for medicinal use
121
Gluta spp.
Rengas wood for consumption
122
Glycyrrhiza glabra
Liquorice/ Mulati
123
Gmelina spp.
Yemane wood for consumption
124
Griffonia simplicifolia
Any dried plant part for medicinal use
125
Guaiaacum officinale
Guaiaacum whole plants (dried) for medicinal use
126
Guibourtia spp.
Ovengkol wood for consumption
127
Haldina cordifolia (Adina cordifolia)
Hnaw logs/ wood for consumption
128
Hamamelis virginiana
Witch Hazel bark (dried) for medicinal use
129
Harpagophytum procumbens
Devil's Claw roots (dried) for medicinal
use
130
Hevea brasiliensis
Rubber wood
131
Hibiscus sabdariffa
Hibiscus flowers (dried) for consumption
132
Humulus lupulus
Hop pellets/hop leaves (dried) for medicinal use
133
Hydrangea arborescens
Seven Barks roots/ rhizomes (dried) for
medicinal use
134
Hymenaea courbaril
Jatoba Sawn Timber wood for consumption
135
Hypericum perforatum
St. Johnswort whole plants (dried) for medicinal
use

136

Illicium verum

Star Anise for consumption

137

Insect Galls

Medicinal use

138

Intsia spp.

Merbau logs

139

Ipomoea orizabensis

Scammony roots (dried) for medicinal use.

140

Jasminum officinale

Poets Jessamine berries (dried) for medicinal use

141

Jateorrhiza palmata

Colombo roots (dried) for medicinal use

142

Juglans spp.

Walnut shell (crushed/ powdered) (dried) for consumption

143

Juncus effusus

Rush rhizome (dried) for medicinal use

144

Juniperus communis / *Juniperus sabina*

Howbar / Sabina twig (dried) for medicinal use

145

Kalmia latifolia

Leaves (dried) for medicinal use

146

Khaya grandifoliola

Mahogani wood for consumption

147

Koompassia spp.

Kempas wood for consumption

148

Krameria spp.

Ratanhia roots (dried) for medicinal use

149

Laburnum anagyroides

Golden Chair leaves/flowers (dried) for medicinal use

150

Lactuca virosa

Lactuca whole plants (dried) for medicinal use

151

Lagerstroemia speciosa

Banaba ? Dried plant parts medicinal use

152

Lamium album

Blind Nettle leaves/ flowers (dried) for medicinal use

153

Laurus nobilis

Laurel/ Sweet bay leaved dried for consumption

154

Lavandula angustifolia

Lavender flowers (dried) for consumption

155

Ledum spp.

Marsh Tea whole Plants (dried) for medicinal use

156

Leitneria floridana

Corkwood for consumption

157

Lemna spp.

Common Duckweed whole plants (dried) for medicinal use

158

Liatris spicata

Gay feather roots (dried) for medicinal use

159

Limonia acidissima

Wood for consumption

160

Linum spp.

Flax fibres for consumption/ processing

161

Litsea spp.

Sticky wood bark (dried) for consumption

162

Lonicera xylosteum

European fly honeysuckle berries (dried) for medicinal use

163

Luffa spp.

Loofa fruits (dried) for medicinal use

164

Lycium barbarum

Fruits (dried) for medicinal use/processing

165

Maclura tinctoria

Mora wood for consumption

166

Magnolia champaca (*Michelia champaca*)

Sagawa (Champa) wood for consumption

167

Melissa officinalis

Lemon balm leaves (dried) for processing

168

Menispermum canadense

Common Moonseed roots (dried) for medicinal use

169

Mentha spicata

Spearmint dried leaves for consumption

170

Metasequoia glyptostroboides

Western Red Cedar wood for consumption

171

Millettia spp.

Wenge wood for consumption

172

Mimosa pudica

Lajwanti seeds (dried) for medicinal use

173

Mimusops spp.

Moabi round logs wood for consumption

174

Morella cerifera (*Myrica cerifera*)

Wax-Myrtle roots/ bark (dried) for medicinal use

175

Myristica fragrans

Nutmeg & Mace for consumption and dried bark
for medicinal use

176

Nigella sativa

Black cumin for consumption

177

Nuphar lutea

Yellow Pond-lily rhizomes (dried) for medicinal
use

178

Ocimum basilicum/ *Ocimum* spp.

Basil leaves/ Tukmaria fruits (dried) for
consumption

179

Ocotea spp.

Green heart wood for consumption

180

Oenothera biennis

Whole plant (dried) for medicinal use

181

Okoubaka aubrevillei

Okoubaka roots (dried) for medicinal use

182

Onosma echinoides

Ratton jot ? dried root for medicinal use

183

Origanum majorana

Majorana whole plants/herbs (dried) for

medicinal use

184

Origanum vulgare

Oreganum - dried seeds and leaves for
consumption

185

Ornithogalum umbellatum

Star-flower (dried) for medicinal use

186

Orthosiphon spp.

Orthosiphon leaves (dried) for medicinal use

187

Oryza sativa

Rice bran/ husk dried for processing

188

Osyris lanceolata

Tanzanian/ African Sandalwood dry roots/ wood
for consumption

189

Palaquium spp.

Nyatoh wood for consumption

190

Panax quinquefolius

Ginseng roots/ Korean Ginseng roots (dried) for
medicinal use

191

Papaver somniferum

Poppy seed for consumption

192

Parashorea spp.

Seraya wood for consumption

193

Pareira brava

Velvet leaf roots (dried) for medicinal use

194

Paullinia cupana

Guarana seeds (dried) for medicinal use

195

Pausinystalia yohimba

Yohimbe Bark (dried) for medicinal use

196

Peltogyne paniculata subsp.

pubescens (*Peltogyne pubescens*) Purple Heart/
Amarante wood for consumption

197

Perilla spp.

Leaves (dried) for medicinal use

198

Persea macrantha (*Machilus micrantha*)

Jigat (Joss) dried bark powder for consumption

199

Persea spp
Persea bark (dried) for medicinal use
200
Petasites hybridus (Tussilago petasites)
Butter Burr whole plants (dried) for medicinal
use
201
Petroselinum crispum
Parsley plants/ herbs (dried) for consumption
202
Peumus boldus
Boldina leaves (dried) for consumption
203
Phytolacca spp.
Berries/ roots (dried) for medicinal use
204
Picrorhiza kurroa
Picrorhiza roots (dried) for medicinal use
205
Pilocarpus jaborandi
Jaborandi leaves (dried) for medicinal use
206
Pimenta dioica
Allspice dried fruit
207
Pimpinella anisum
Aniseed (dried) for consumption
208
Pinus gerardiana
Pine-nut/ Chilgozah roasted seed for consumption
209
Piper cubeba
Cubebs for consumption
210
Piper longum
Long Pepper
211
Piper methysticum
Kava Roots (dried) for consumption
212
Piper nigrum
Black / white/ green pepper
213
Piscidia spp.
Piscidia bark (dried) for medicinal use
214
Pistacia vera
Pistachio dried fruit
215
Pogostemon cablin
Patchouli dried leaves for consumption

216

Polygala senega

Senega roots (dried) for medicinal use

217

Populus spp.

Balm of Gilead bud (dried) for medicinal use

218

Prunus spp.

Cherry-Laurel leaves/ Pygeum Bark (dried) for medicinal use

219

Pterocarpus soyauxii

Padauk logs

220

Pulsatilla spp.

Anemone - Windflower whole plants (dried) for medicinal use

221

Punica granatum

Pomegranate dried seeds for consumption

222

Rauvolfia vomitoria

Rauwolfia root bark (dried) for medicinal use

223

Reynoutria sachalinensis (*Polygonum sachalinense*)

Giant Knotweed dried hay/ roots for consumption

224

Rhamnus spp.

European Buckthorn berries /Alder buckthorn roots/ Cascara bark (dried) for medicinal use

225

Rhaponticum carthamoides

Maral root for medicinal use

226

Rhodiola spp.

Root (dried) for medicinal use

227

Rhus succedanea

Kakra singhi (dried) for consumption

228

Rhus toxicodendron

Poison Ivy leaves (dried) for medicinal use

229

Rosa spp.

Rose flower (dried) and rosehip (whole/ broken) (dried) for medicinal use/ consumption

230

Rosmarinus officinalis

Rosemary for consumption

231

Rubia spp.

Manjith roots (dried) for consumption

232

Ruscus aculeatus

Butcher?s broom roots (dried) for
processing

233

Ruta graveolens

Bitter Herb whole plants (dried) for medicinal
use

234

Sabal serrulata

Saw palmetto root (dried) for medicinal use

235

Salix alba / Salix nigra

Willow bark /Black Willow bark (dried) for
medicinal use

236

Salix spp.

Willow Baskets (woven) for consumption

237

Salvia officinalis

Clary sage leaves/plants/herbs (dried)
medicinal/ consumption use

238

Sambucus niger

Elder berry dried fruits for consumption/
medicinal purpose

239

Santalum spp.

Sandalwood (wood/nuts) for consumption

240

Sapindus emarginatus

Soap nut (dried) for consumption

241

Sceletium tortuosum

Kanna leaves (dried) for medicinal/consumption
purpose

242

Schoenocaulon officinale

Sabadilla crushed seeds (dried) for medicinal
use

243

Scrophularia spp.

Figwort whole plants (dried) for medicinal use

244

Scutellaria spp

Helmet Flower whole plants (dried) for medicinal
use

245

Seaweeds - Chondrus spp./ Ecklonia maxima/

Eucheuma spp./Gelidium spp./ Gelidiella spp./ Gracilaria spp./
Kappaphycus spp./ Pterocladia spp.
Seaweed dried for consumption
246
Secale spp.
Ergot of Rye grounded form for medicinal use
247
Sedum spp.
Wall Pepper whole plants (dried) for medicinal
use
248
Sempervivum spp.
Houseleek leaves (dried) for medicinal use
249
Sequoia sempervirens
Western Red Cedar wood for consumption
250
Shorea robusta/ Shorea spp.
Sal logs/ Selagan batu logs / Meranti wood for
consumption
251
Silybum marianum (Cardui mariae) Milk Thistle
seeds/ fruits (dried)
for medicinal use
252
Sinopodophyllum hexandrum (Podophyllum
hexandrum)
Podophyllum rhizome/roots (dried) for medicinal
use
253
Smilax spp.
Smilax rhizomes/roots (dried) for medicinal use
254
Stevia rebaudiana
Stevia leaves (dried) for medicinal use
255
Strychnos ignatii (Ignatia amara)
St. Ignatius? Bean cut (dried) for
medicinal use
256
Swietenia macrophylla
Mahogani wood for consumption
257
Symphytum officinale
Comfrey roots (dried) for medicinal use
258
Symplocarpus foetidus (Pothos foetidus)
Skunk Cabbage roots (dried) for medicinal use
259
Syzygium aromaticum
Cloves (dried) for consumption

260

Syzygium jambos

Rose Apple fruits (dried) for medicinal use

261

Tamarindus indica

Tamarind fruit pulp and seed for consumption

262

Tanacetum cinerariifolium (*Chrysanthemum*

cinerariifolium) / *Tanacetum balsamita* (*Chrysanthemum tanacetum*)

Pyrethrum flower powder/flowers (dried) for consumption

263

Tanacetum vulgare

Tansy whole plants (dried) for medicinal use

264

Taxus baccata

English Yew dried leaves for medicinal use

265

Taxus brevifolia

Pacific yew dried leaves for medicinal use

266

Tectona grandis

Teak Logs

267

Terminalia spp.

Htauk Kyant wood for consumption

268

Teucrium marum

Cat Thyme whole plants (dried) for medicinal use

269

Theobroma cacao

Cocoa powder

270

Thuja occidentalis

Eastern arborvitae leaves/ twigs (dried) medicinal use

271

Thymus spp.

Whole plant (without seed) (dried) for processing

272

Thymus vulgaris

Thyme

273

Tillandsia usneoides

Spanish moss (dried) for medicinal use

274

Trachyspermum ammi

Ajwain seeds for consumption

275

Tribulus terrestris

Caltrop whole plants (dried) for medicinal use
276
Trigonella foenum-graecum
Fenugreek for consumption
277
Triplochiton scleroxylon
African white wood for consumption
278
Tsuga canadensis (Abies canadensis)
Hemlock spruce bark (dried) for medicinal use
279
Tsuga spp.
Hem-fir/ Hemlock wood for consumption
280
Turnera diffusa
Damiana whole plants (dried) for medicinal use
281
Uncaria tomentosa
Cat's claw leaves (dried) for consumption
282
Urtica dioica
Nettle roots (Dried) for medicinal use
283
Usnea barbata
Bearded usnea whole plants (dried) for medicinal
use
284
Vaccinium myrtillus
Common bilberry leaves (dried) for medicinal use
285
Valeriana officinalis
Common valerian roots (dried) for medicinal use
286
Vatica spp.
Resak wood for consumption
287
Veronica spp.
Roots (dried) for medicinal use
288
Viburnum prunifolium (Viburnum sp.)
Black Haw barks (dried) for medicinal use
289
Vinca minor
Common Periwinkle whole plants (dried) for
medicinal use
290
Vincetoxicum spp.
Leaves (dried) for medicinal use
291
Vitex spp.
Vitex wood for consumption

292

Voacanga spp.

Voacanga seeds, roots and bark (dried) for medicinal use

293

Withania coagulans

Paneer dodi fruits (dried) for consumption

294

Wood/ bamboo products

Wood/Bamboo products Without bark such as manufactured/ finished/ handicrafts/ furniture/ joinery and articles from carpentry (windows/ doors/ shutters/ photo frames/ curtain rods/ boxes/ thatch etc)/ conveyances (row boats, vehicle decks, trailers etc)/ garden items/house hold articles/ musical instruments/ sporting equipments/ tools /toys/flower vase/ wood fiber/ woody dry branches without bark/ cones/baskets etc.

295

Xylia xylocarpa (Xylia dolabriformis)

Pyinkado logs

296

Zanthoxylum americanum

Prickly Ash berries/bark (dried) for medicinal use

297

Zanthoxylum bungeanum

Sichuan pepper pods (dried) for consumption

298

Zea mays

Corn cob ground without grain / Corn leaf pellets (dried) for consumption

299

Zingiber officinale

Dry Ginger for consumption

VIII

[See Clause 3 (12)]

List of Quarantine Weed Species

(1)

(2)

(1)

(2)

1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

- 12.
- 13.
- 14.
- 15.
- 16.
- Allium vineale
- Ambrosia maritime
- Ambrosia psilostachya
- Ambrosia trifida
- Apera-spica-venti
- Bromus secalinus
- Cenchrus tribuloides
- Centaurea diffusa
- Centaurea maculosa
- Centaurea
solstitialis
- Cichorium pumilum
- Cichorium spinosum
- Cordia curassavica
- Cuscuta australis
- Cynoglossum
officinale
- Echinochloa crus-pavonis
- 17.
- 18.
- 19.
- 20.
- 21.
- 22.
- 23.
- 24.
- 25.
- 26.
- 27.
- 28.
- 29.
- 30.
- 31.
- Froelichia floridana
- Helianthus
californicus
- Helianthus ciliaris
- Heliotropium
amplexicaule
- Leersia japonica
- Matricaria perforatum
- Polygonum cuspidatum
- Proboscidea
lovisianica
- Salsola vermiculata
- Senecio jacobaea

Solanum carolinense

Striga hermonthica

Thesium australe

Thesium humiale

Viola arvensis

IX

[See clause 5]

A-Inspection Fees

Sl. No.

Particulars of Import

Numbers/Weight/Volume

Fee

(1)

(2)

(3)

(4)

1.

i) Plants/Planting materials including cuttings, saplings, bud wood, seed sprouts, bulbs, tubers, and corns, rhizomes etc. requiring post entry quarantine

(i) Up to 100 numbers

Rs. 400/-

(ii) Above 100 and up to 1,000 numbers

Rs. 400/- plus Rs. 120/- per hundred numbers or part thereof.

(iii) Above 1,000 numbers and up to 10,000 numbers

Rs. 1480/- plus Rs. 800/- per 1,000 numbers or part thereof.

(iv) Above 10,000 number

Rs. 8680/- plus Rs. 4500/- per 10,000 numbers or part thereof.

ii) Tissue Culture

(i) Up to 100 numbers

*Rs. 100/

(ii) Above 100 and up to 1,000 numbers

*Rs. 100/- plus Rs. 20/- per hundred numbers or part thereof.

(iii) Above 1,000 numbers and up to 10,000 numbers

*Rs. 280/- plus Rs. 100/- per 1000 numbers or part thereof.

(iv) Above 10,000 numbers

*Rs. 1180/- plus Rs. 500/- per 10,000 numbers or part thereof.

2.

Cormlets/Bulblets of size up to 1 cm diameter requiring post entry quarantine

(i) Up to 1 kg

Rs. 150/-

(ii) Above 1 kg and up to 10 kg

Rs. 150/- plus Rs. 15/- per kg or part thereof.

(iii) Above 10 kg

Rs. 285/- plus Rs. 50/- per 10 kg or part thereof.

3.

Mushroom spawn Culture

(i) Up to 1 kg

Rs. 150/-

(ii) Above 1 kg and up to 10 kg

Rs. 150/- plus Rs. 15/- per kg or part thereof

(iii) Above 10 kg

Rs. 285/- plus Rs. 50/- per 10 kg or part thereof.

4.

Seeds for sowing

(i) Up to 10 kg

Rs. 400/-

(ii) Above 10 kg and Up to 100 kg

Rs. 400/- plus Rs. 400/- per 10 kg or part thereof.

(iii) Above 100 kg and up to 1,000 kg

Rs. 4000/- plus Rs. 2000/- per 100 kg or part thereof.

(iv) Above 1,000 kg

Rs. 22000/- plus Rs. 10000/- per 1,000 kg or part thereof.

5.

Plant material such

as seeds/fruits/nuts/grains/timbers for consumption

Note: Fraction of Kg may be rounded off to the nearest unit.

(i) Up to 2 kg

Rs. 80/-

(ii) Above 2 kg up to 100 kg

Rs. 80/- plus Rs. 8/- per additional kg or part thereof.

(iii) Above 100 kg up to 1000 kg

Rs. 860/- plus Rs. 300/- per additional 100 kg or part thereof.

(iv) Above 1000 kg

Rs. 3500/- plus Rs. 200/- per additional 1,000 kg or part thereof.

Rs. 4,000/- plus Rs. 150/- per additional 1,000 kg or part thereof in case of pulses.

6.

(i) Soil, growing media (with soil, peat or other organic materials) and Peat or Sphagnum moss

(i) Up to 10 kg

Rs. 80/-

(ii) Above 10 kg and up to 100 kg

Rs. 80/- plus Rs. 8/- per additional kg or part

thereof.

(iii) Above 100 kg and up to 1000 kg

Rs. 860/- plus Rs. 300/- per additional 100 kg

or part thereof.

(iv) Above 1000 kg

Rs. 3500/- plus Rs. 200/- per additional 1,000

kg or part thereof.

(ii) Sand, similar materials: inorganic soil

additives, leonardite, lignite, pure sand (silica, zircon, quartz

etc.), pure clay like kaolin etc., rock aggregates and gravel,

volcanic, pumice, chalk, rock salt, diatomaceous earth, all

kinds of ore, vermiculite, perlite, gypsum, geolite etc., and

Stone

(i) Up to 1000 kg

Rs. 150/-

(ii) Above 1,000 kg

Rs. 150/- plus Rs. 5/- per additional 1,000 kg.

or part thereof.

7.

i) Insect and other arthropods/Nematodes

(i) Up to 100 numbers

* Rs. 150/-

(ii) Above 100 and up to 1,000 numbers

*Rs. 150/- plus Rs. 100/- per additional 100

number or part thereof.

(iii) Above 1,000 numbers

*Rs. 1050/- plus Rs. 300/- per additional 1000

number or part thereof.

ii) Fungi/Bacteria (Spores)

(i) Up to 1 gm

*Rs. 150/-

(ii) Above 1 gm

*Rs. 150/- plus Rs. 100/- per additional 1 gm or

part thereof.

(iii) Fungi/Bacteria (Liquid cultures)

(i) Up to 1 litre

*Rs. 500/-

(ii) Above 1 litre

*Rs. 500/- plus Rs. 250/- per additional 1 litre

or part thereof

(iv) Fungi/Bacteria and other Bio-agents (In

Petri Plates/Vials/ Culture tubes etc.,)

(i) Up to 10 numbers

*Rs. 500/-

(ii) Above 10 up to 100 numbers

*Rs. 500/- plus Rs. 250/- per additional 10

numbers or part thereof.

(iii) Above 100 numbers

*Rs. 2750/- plus Rs. 1500/- per additional 100

numbers or part thereof.

* Plus costs/fees for any special tests as per rates fixed by concerned approved institutes.

B. Fumigation/disinfection/disinfestation Charges

- 1.
- 2.
- 3.
- 4.
- 1.

Plants/Planting

materials/ Planting products/Dry fruits/ Fresh fruits/Vegetables/

Seeds/Soil/earth/clay

[The importer shall arrange for fumigation, disinfection of consignment at his cost, under the supervision of Plant Protection Adviser or an officer authorized by him in this behalf]

(A) On volume basis

(i) Up to 5 cu.m

Rs. 900/-

(ii) Above 5 cu.m

Rs. 900/- plus Rs. 450/- per additional 5 cu.m

or part thereof.

(B) On container

basis

(i) 20' container (33 cu.m)

Rs. 3600/-

(ii) 40' Container (66 cu.m)

Rs. 6500/-

C. Supervision Charges

Sl. No.

Particulars of Import

Numbers/Weight/Volume

Fee

- (1)
- (2)
- (3)
- (4)

1.

Supervision Charges

Rs. 750/- per day per consignment

X

[See Clause 2(xii) and Clause 3(3)]

List of Permit Issuing Authorities for Import of Seeds, Plants and Plant Products and other articles

S. No.

Issuing Authority

Jurisdiction

Authorized to issue permits for

- (1)
- (2)
- (3)
- (4)

1.

Plant Protection Adviser

All notified points of entry

All kinds of plants/plant materials and other items as: insects, microbial cultures, biocontrol agents, soil, growing media (with soil, peat or other organic materials), sand, peat or sphagnum moss, similar materials and stone etc.

2.

Additional Plant Protection Adviser (PQ)

All notified points of entry

All kinds of plants/plant materials and other items as: insects, microbial cultures, biocontrol agents, soil, growing media (with soil, peat or other organic materials), sand, peat or sphagnum moss, similar materials and stone etc.

3.

Director, National Bureau of Plant Genetic Resources, New Delhi

New Delhi

All kinds of import of plant germplasm for public/private sectors/Institutions in the country.

4.

[Officer-in-Charge Regional Plant Quarantine Station, New Delhi]

[Replaced 'Officer-In-Charge, National Plant Quarantine Station, New Delhi ' by Notification No. S.O. 2286(E), dated 4.6.2018.]

(i) New Delhi Airport

(ii) All Notified points of entry in Northern

Zone in the States of Delhi, Haryana, Himachal Pradesh, J&K, Rajasthan, U.P. and Uttaranchal.

Import of all kind of plants/ plant materials for sowing, planting , propagation and consumption and other items as: soil, growing media (with soil, peat or other organic materials), sand, peat or sphagnum moss, similar material and stone.

5.

Officer-In-Charge, Regional Plant Quarantine Station, Amritsar

(i) Amritsar Airport

(ii) All notified points of entry bordering

Pakistan in the States of Punjab & UT Chandigarh

Import of all kind of plants/ plant materials for sowing, planting, propagation and consumption and other items as: soil, growing media (with soil, peat or other organic materials), sand, peat or sphagnum moss, similar material and stone.

6.

Officer-In-Charge, Regional Plant Quarantine Station , Chennai

(i)Chennai

Airport/Seaport

(ii)All notified points of entry in Southern

Zone in the States of Andhra Pradesh, Karnataka, Kerala, Tamil Nadu, UTs A&N Islands, Lakshadeep and Pondicherry.

Import of all kind of plants/ plant materials for sowing, planting, propagation and consumption and other items

as: soil, growing media (with soil, peat or other organic materials), sand, peat or sphagnum moss, similar material and stone.

7.

Officer-In-Charge, Regional Plant Quarantine
Station, Kolkata

(i) Kolkata

Airport/Seaport

(ii) All notified points of entry in Eastern

Zone in the States of Arunachal Pradesh, Assam, Bihar, Jharkhand, Meghalaya, Manipur, Nagaland, Orissa, Sikkim, Tripura, West Bengal and Mizoram.

Import of all kind of plants/ plant materials

for sowing, planting, propagation and consumption and other items

as: soil, growing media (with soil, peat or other organic materials), sand, peat or sphagnum moss, similar material and stone.

8.

Officer-In-Charge, Regional Plant Quarantine
Station, Mumbai

(i) Mumbai Airport/Seaport (ii) All points of

entry notified in Western Zone in the States of Goa, Gujarat, M.P., Chhatisgarh, Maharashtra and UT Dadra & Nagar Haveli, Daman & Diu.

Import of all kind of plants/ plant materials

for sowing, planting, propagation and consumption and other items

as: soil, growing media (with soil, peat or other organic materials), sand, peat or sphagnum moss, similar material and stone.

9.

Officer-In-Charge, Plant Quarantine Station,
Agartala

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of soil only.

10.

Officer-In-Charge, Plant Quarantine Station,
Ahmedabad

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of soil only.

11.

Officer-In-Charge, Plant Quarantine Station,
Bagdogra

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of soil only.

12.

Officer-In-Charge, Plant Quarantine Station,
Banbasa
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (v & vi) under the category of
soil only.

13.

Officer-In-Charge, Plant Quarantine Station,
Bengaluru
Andhra Pradesh, Telengana and Karnataka
Import of Plants and Plant materials for
consumption and all kinds of soil, growing media (with soil, peat
or other organic materials), peat or sphagnum moss and mushroom
spawn.

14.

Officer-In-Charge, Plant Quarantine Station,
Bhavnagar
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (v & vi) under the category of
soil only.

15.

Officer-In-Charge, Plant Quarantine Station,
Bongaon
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (v & vi) under the category of
soil only.

16.

Officer-In-Charge, Plant Quarantine Station,
Calicut
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (v & vi) under the category of
soil only.

17.

Officer-In-Charge, Plant Quarantine Station,
Coimbatore
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (v & vi) under the category of
soil only.

18.

Officer-In-Charge, Plant Quarantine Station,
Cochin
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (iii, v & vi) under the category
of soil only.

19.

Officer-In-Charge, Plant Quarantine Station,

Guwahati

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

20.

Officer-In-Charge, Plant Quarantine Station,

Haldia

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

21.

Officer-In-Charge, Plant Quarantine Station,

Hyderabad

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

22.

Officer-In-Charge, Plant Quarantine Station,

Jamnagar

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

23.

Officer-In-Charge, Plant Quarantine Station,

Jogbani

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

24.

Officer-In-Charge, Plant Quarantine Station,

Kakinada

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

25.

Officer-In-Charge, Plant Quarantine Station,

Kalimpong

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

26.

Officer-In-Charge, Plant Quarantine Station,

Kandla

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

27.

Officer-In-Charge, Plant Quarantine Station,
Krishnapatnam

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (iii, v & vi) under the category of soil only.

28.

Officer-In-Charge, Plant Quarantine Station,
Lucknow

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

29.

Officer-In-Charge, Plant Quarantine Station,
Mangalore

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (iii, v & vi) under the category of soil only.

30.

Officer-In-Charge, Plant Quarantine Station,
Mundra

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

31.

Officer-In-Charge, Plant Quarantine Station,
Panitanki

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

32.

Officer-In-Charge, Plant Quarantine Station,
Pipavav

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of soil only.

33.

Officer-In-Charge, Plant Quarantine Station,
Sonauli

Concerned Port of Entry

Import of Plants and Plant materials for consumption and other items (v & vi) under the category of

soil only.

34.

Officer-In-Charge, Plant Quarantine Station,

Raxaul

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of
soil only.

35.

Officer-In-Charge, Plant Quarantine Station,

Rupaidiha

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of
soil only.

36.

Officer-In-Charge, Plant Quarantine Station,

Tiruchirapalli

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of
soil only.

37.

Officer-In-Charge, Plant Quarantine Station,

Thiruananthpuram

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of
soil only.

38.

Officer-In-Charge, Plant Quarantine Station,

Tuticorin

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (iii, v & vi) under

39.

Officer-In-Charge, Plant Quarantine Station,

Vishakhapatnam,

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of
soil only.

40.

Officer-In-Charge, Central Integrated Pest

Management Centre, Goa

Concerned Port of Entry

Import of Plants and Plant materials for

consumption and other items (v & vi) under the category of
soil only.

41.

Officer-In-Charge, Central Integrated Pest

Management Centre, Indore
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (v & vi) under the category of
soil only.

42.

Officer-In-Charge, Central Integrated Pest
Management Centre, Nagpur
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (v & vi) under the category of
soil only.

43.

Officer-In-Charge, Central Integrated Pest
Management Centre, Patna
Concerned Port of Entry
Import of Plants and Plant materials for
consumption and other items (v & vi) under the category of
soil only.

XI

[See clause 2 (xi)]

Part - I List of Inspection Authorities for Certification of Post entry quarantine facilities and inspection of growing plants
S. No.

State/Union Territory

Jurisdiction

Designated Inspection Authorities.

(1)

(2)

(3)

(4)

1.

Andaman & Nicobar Islands

Entire Union Territory

Officer-in-charge, Indian Council of
Agricultural Research, Research Complex, Port Blair.

2.

Andhra Pradesh

Entire State

Head, Division of Plant Pathology, Andhra
Pradesh Agricultural University, Hyderabad.

3.

Arunachal Pradesh

Entire State

Joint Director, Indian Council of Agricultural
Research, Research Complex for North- Eastern Hill Region,
Arunachal Pradesh Center, Basar, Arunachal Pradesh.

4.

Assam

Entire State

Head, Division of Plant Pathology, Assam
Agricultural University, Jorhat.

5.

Bihar

Except North and South Chota Nagpur, Santhal
Region

Head, Division of Plant Pathology, Rajendra
Agricultural University, Pusa, Bihar.

6.

Bihar

North and South Chota Nagpur, Santhal Region.

Head, Division of Plant Pathology, Bisra
Agricultural University, Ranchi, Bihar.

7.

Chandigarh

Entire Union Territory

Head, Division of Plant Pathology, Punjab
Agricultural University, Ludhiana..

8.

Daman & Diu

Entire Union Territory

Head, Division of Plant Pathology, Gujarat
Agricultural University, Banaskantha.

9.

Delhi

Entire Union Territory

Head, Division of Plant Pathology and Mycology,
Indian Agricultural Research Institute, New Delhi -110012.

10.

Goa

Entire State

Officer-in-charge, Indian Council of
Agricultural Research, Research Complex for Goa, Ele Farm, Ele,
Old Goa-403 402.

11.

Gujarat

Entire State

Head, Division of Plant Pathology, Gujarat
Agricultural University, Dantiwada.

12.

Haryana

Entire State

Head, Division of Plant Pathology, Haryana
Agricultural University, Hissar.

13.

Himachal Pradesh

Entire State (Agriculture)

Head, Division of Plant Pathology, Himachal
Pradesh Krishi Vishva Vidyalaya, Palampur.

14.

Himachal Pradesh

Entire State (Horticulture and Forestry)

Head, Division of Plant Pathology, Dr. Y.S.

Parmar University of Horticulture and Forestry, Solan.

15.

Jammu & Kashmir

Entire State

Head, Division of Plant Pathology,

Sher-e-Kashmir Agricultural University of Science and Technology,

Srinagar/Jammu

16.

Karnataka,

Shimoga, Chitterdurga, South Kanada,

Chickmagalur, Kolar, Bangalore, Hassan, Coorg, Mandya, Mysore

Head, Division of Plant Pathology, University of

Agricultural Sciences, Bangalore 560067.

17.

Karnataka

Belgaon, Bellary, Bidar, Bijapur, Dharwar,

Gulbarga, Raichur and Uttar Kannada

Head, Division of Plant Pathology, Dharwar

University of Agricultural Sciences, Dharwar.

18.

Kerala

Entire State

Head, Division of Plant Pathology, Kerala

Agricultural University, Trichur.

19.

Laskshadweep

Entire Union Territory

Head, Division of Plant Pathology, Kerala

Agricultural University, Trichur.

20.

Madhya Pradesh

All districts of state except Raipur, Durg,

Rajnandgaon, Bilaspur, Rajgarh, Surguja and Bastar

Head, Division of Plant Pathology, Jawahar Lal

Nehru Krishi Vishva Vidyala, Jabalpur.

21.

Madhura Pradesh

Raipur, Durg, Rajnandgaon, Bilaspur, Rajgarh,

Surguja and Bastar

Head, Division of Plant Pathology, Indira Gandhi

Krishi Vishva Vidyalyaya, Raipur.

22.

Maharashtra

Konkan and Revenue Division of Bombay

Head, Division of Plant Pathology, Dr. Balasaheb

Sawant Konkan Krishi Vidyapeeth, Dapoli.

23.

Maharashtra

Revenue Division of Pune and Nasik

Head, Division of Plant Pathology, Mahatma Phule

Krishi Vidyapeeth, Rahuri.

24.

Maharashtra

Revenue Division of Aurangabad (7 districts)

Head, Division of Plant Pathology, Vasant Rao

Naik Marathwada Krishi Vidyapeeth, Parbhani.

25.

Maharashtra

Revenue Division of Nagpur and Amravati

Head, Division of Plant Pathology, Panjabrao

Krishi Vidyapeeth, Akola.

26.

Manipur

Entire State

Indian Council of Agricultural Research,

Research Complex for North-Eastern Hill Region, Manipur Center,

Lamphelpat, Manipur.

27.

Meghalaya

Entire State

Indian Council of Agricultural Research,

Research Complex, Meghalaya.

28.

Mizoram

Entire State

Indian Council of Agricultural Research,

Research Complex for North-Eastern Hill Region, Mizoram Center,

Kelasib, Mizoram.

29.

Nagaland

Entire State

Indian Council of Agricultural Research,

Research Complex for North-Eastern Hill Region, Nagaland Center,

Jharnapani, Nagaland.

30.

Orissa

Entire State

Head, Division of Plant Pathology, Orissa

University of Agriculture and Technology, Bhubaneswar.

31.

Pondicherry

Entire Union Territory

Head, Division of Plant Pathology, Tamil Nadu

Agricultural University, Coimbatore.

32.

Punjab

Entire State

Head, Division of Plant Pathology, Punjab

Agricultural University, Ludhiana.

33.

Rajasthan

Entire State

Head, Division of Plant Pathology, Rajasthan
Agricultural University, Bikaner.

34.

Sikkim

Entire State

Head, Indian Council of Agricultural Research,
Research Complex for North- Eastern Hill Region, Sikkim Center,
Tadong, Gangtok, Sikkim.

35.

Tamil Nadu

Entire State

Head, Division of Plant Pathology, Tamil Nadu
Agricultural University, Coimbatore, Tamil Nadu.

36.

Tripura

Entire State

Officer-in-charge, Indian Council of
Agricultural Research, Research Complex, Agartala, Tripura.

37.

Uttar Pradesh

Lucknow, Jhansi, Agra and Allahabad Division
Head Division of Plant Pathology, Chandrasekhar
Azad University of Agriculture and Technology, Kanpur.

38.

Uttar Pradesh

Kumaon, Garhwal, Rohilkhand, Meerut Division.
Head Division of Plant Pathology, G.B. Pant
University of Agriculture and Technology, Pantnagar.

39

Uttar Pradesh

Faizabad, Gorakhpur and Varanasi Division
Head, Division of Plant Pathology, Narender Dev
University of Agriculture and Technology, Faizabad.

40.

West Bengal

Entire State

Head, Division of Plant Pathology, Bidhan
Chandra Krishi Vishva Vidyalaya, Kalyani, Mohanpur, Nadia (West
Bengal).

41.

Karnataka

Entire State

Head, Division of Plant Pathology, IIHR,
Hessarghata, Bangalore, Karnataka.

Part - II List of Inspection Authority For Certain Specified Purposes

S. No.

(1)

Name of Inspection

Authority

(2)

Jurisdiction

(3)

Purpose

(4)

1.

Head, Advance Center for Plant Virology, IARI,

PUSA, New Delhi

Entire Country

Tissue Culture raised plants

2.

Head, Indian Institute of Horticultural

Research, Hesarghatta, Bangalore

Entire Country

Tissue Culture raised plants

3.

Head, Institute of Himalayan Bio- Resources

Technology, Palampur, Himachal Pradesh

Entire Country

Tissue Culture raised plants

XII

[See clause 3 (4)]

Quantities of seeds permitted for trial purpose/accession to gene bank of National Bureau of Plant Genetic Resources.

Crop Species

Multi-location Trials (MLT)(Kg)

Agronomic Trials (AT)(Kg)

MLT+AT (Kg)

Accession To gene bank (Gm)

1. Black gram

6.0

14.0

20.0

200/2500

2. Castor

6.0

9.0

15.0

900/4500

3. Chick pea

30.0

70.0

100.0

800/2500

4. Cowpea

10.0

20.0

30.0

300/2500

5. Green gram

6.0

14.0

20.0

500/2500

6. Groundnut (Pod)

50.0
100.00
150.00
900/2500

7. Lentil

10.0
20.0
30.0
70/2500

8. Linseed

10.0
15.0
25.0
15/2500

9. Maize

10.0
10.0
20.0
700/4500

10. Minor millet

4.0
6.0
10.0
15/4500

11. Niger

4.0
4.0
8.0
10/4500

12. Paddy

16.0
50/2500

13. Pearl millet

2.0
3.0
5.0
15/4500

14. Peas

30.0
70.0
100.0
600/2500

15. Pigeon pea

6.0
14.0
20.0
400/2500

16. Rajmah

20.0
30.0
50.0
500/2500
17. Rape/Mustard
2.0
3.0
5.0
6/2500
18. Safflower
4.0
6.0
10.0
100/4500
19. Sesamum
2.0
3.0
5.0
6/2500
20. Sunflower
4.0
6.0
10.0
100/4500
21. Sorghum
4.0
6.0
10.0
35/4500
22. Soybean
20.0
55.0
75.0
400/2500
23. Wheat

5.0
150/2500

*The seed size varies considerably from variety to variety of crop. Hence, number of seeds per variety as per the gene bank standards for self/cross pollinated is also given for each crop. Seeds should not be treated with any chemical.

[Replaced by Notification No. S.O. 2286(E), dated 4.6.2018.]

Related AI tags, queries and research notes

Translation