

The Assam Control of Industrial Major Accident Hazards Rules, 1992

Source: <https://indiankanoon.org/doc/46131212/>

[Skip to main content](#)

[Legal Document View](#)

[Tools for analyzing structure and cite text of judgments](#)

[Unlock Advanced Research with](#)

[PRISM](#)

[AI](#)

Integrated with over 4 crore judgments and laws ? designed for legal practitioners, researchers, students and institutions

-

[Know your Kanoon](#)

-

[Doc Gen Hub](#)

-

[Counter Argument](#)

-

[Case Predict AI](#)

-

[Talk with IK Doc](#)

-

...

[Upgrade to Premium](#)

[Cites

0

, Cited by

0

]

State of Assam - Act

The Assam Control of Industrial Major Accident Hazards Rules, 1992

ASSAM

India

The Assam Control of Industrial Major Accident Hazards Rules, 1992

Rule THE-ASSAM-CONTROL-OF-INDUSTRIAL-MAJOR-ACCIDENT-HAZARDS-RULES-1992 of 1992

Published on 4 September 1995

Commenced on 4 September 1995

[This is the version of this document from 4 September 1995.]

[Note: The original publication document is not available and this content could not be verified.]

The Assam Control of Industrial Major Accident Hazards Rules, 1992

Published vide Notification Assam Gazette, Extraordinary, dated 4-9-1995

Last Updated 12th February, 2020

1.

Short title, extent and commencement.

(1)

These rules may be called the Assam Control of Industrial Major Accident Hazards Rules, 1992.

(2)

They shall extend to the whole of Assam.

(3)

They shall come into force on the date of their publication in the official Gazette.

2.

Definitions.

- In these rules unless the context otherwise requires-

(a)

"Hazardous chemical" means-

(i)

any chemical which satisfies any of the criteria laid down in para I of Schedule 1 and is listed in Column 2 of Part II of the said Schedule; or

(ii)

any chemical listed in Column 2 of Schedule 2; or

(iii)

any chemical listed in Column 2 of Schedule 3;

(b)

"Industrial activity" means-

(i)

an operation or process carried out in an industrial installation referred to in Schedule 4 involving or likely to involve one of hazardous chemicals and includes on site storage or on site transport which is associated with that operation or process, as the case may be; or

(ii)

isolated storage;

(c)

"isolated storage" means storage where no other manufacturing process other than pumping or hazardous chemical is carried out and that storage involves at least a quantity of the chemical set out in Schedule 2, but does not include storage associated with an installation specified in Schedule 4 on the same site;

(d)

"major accident" means an occurrence (including in particular, a major omission of fire or explosion) involving one or more hazardous chemicals and resulting from uncontrolled development in the course of an industrial activity or owing to natural events, leading to a serious danger to person, whether, immediate or delayed, inside or outside the installation or damage to property or adverse effects on the environment;

(e)

"pipeline" means a pipe (together with any apparatus and works associated therewith), or system of pipes (together with any apparatus and works associated therewith) for the conveyance of a hazardous chemical, other than a flammable gas as set out in Column 2 of Part II of Schedule 3 at a pressure of less than 8 bars absolute;

(f)

"Schedule" means Schedule appended to these Rules;

(g)

"Site" means any location where hazardous chemicals are manufactured or processed, stored, handled, used, disposed of and includes the whole of an area under the control of occupier;

(h)

Words and expressions not defined in these Rules but defined or used in the Factories Act, 1948 and the Rules made thereunder have the same meaning as assigned therein.

3.

Collection, development and dissemination of information.

(1)

This rule shall apply to an industrial activity in which a hazardous chemical which satisfies any of the criteria laid down in Part I of Schedule 1 and is listed in Column 2 of Part II of this Schedule is or may be involved.

(2)

An occupier who has control of an industrial activity in terms of sub-rule (1) of this rule shall arrange to obtain or develop detailed information on hazardous chemicals in the form of a material safety data sheet as indicated in Schedule 5. The information shall be accessible to workers upon request for reference.

(3)

The occupier while obtaining or developing a material safety data sheet as indicated in Schedule 5 in respect of a hazardous chemical handled by him shall ensure that the information is recorded accurately and reflects the scientific evidence used in making the hazard determination. In case, any significant information regarding hazard of a chemical is available it shall be added to the material safety data sheet as indicated in Schedule 5 as soon as practicable.

(4)

Every container of a hazardous chemical shall be clearly labelled or marked to identify,-

(a)

the contents of the container;

(b)

the name and address of the manufacturer or importer of the hazardous chemical; and

(c)

the physical, chemical and toxicological data of the hazardous chemical.

(5)

In terms of sub-rule (4) of this rule where it is impractical to label a chemical in view of the size of the container or the nature of the package, provision should be made for other effective means like tagging or accompanying documents.

4.

General responsibility of the occupiers.

(1)

This rule shall apply to-

(a)

an industrial activity, other than isolated storage, in which a hazardous chemical which satisfies any of the criteria laid in Part 1 of Schedule 1 and is listed in Column 2 of Part II of the Schedule therein is or may be involved; and

(b)

isolated storage in which there is involved a quantity of a hazardous chemical listed in Column 2 of Schedule 2 which is equal to or more than the quantity specified in the Schedule for that chemical in Column 3 thereof.

(2)

An occupier who has control of an, industrial activity in terms of sub-rule (1) of this rule shall provide evidence to show that he has-

(a)

identified the major accident hazards; and

(b)

taken adequate steps to-

(i)

prevent such major accidents and to limit their consequences to persons and the environment; and

(ii)

provide the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety.

5.

Notification of major accidents.

(1)

Where a major accident occurs on a site the occupier shall forthwith notify the Inspector and the Chief Inspector of that accident, and furnish thereafter to the Chief Inspector a report relating to the accident in instalments, if necessary, in Schedule 6.

(2)

The Chief Inspector shall on receipt of the report in accordance with sub-rule (1) of this rule, shall undertake a full analysis of the major accident and send the requisite information to the Directorate General Factory Advice Service and Labour Institutes (DGFASLI) and the Ministry of Labour through appropriate channel.

6.

Industrial activities to which Rules 7 to 15 apply.

(1)

(a)

Rules 7 to 9 and 13 to 15 shall apply to an industrial activity, other than isolated storage, in which there is involved a quantity of a hazardous chemical listed in Column 2 of Schedule 3 which is equal to or more than the quantity specified in the entry for that chemical in Column 3.

(b)

Rules 10 to 12 shall apply to an industrial activity, other than isolated storage, in which there is involved a quantity of a hazardous chemical listed in Column 2 of Schedule 3 which is equal to or more than the quantity specified in the entry for that chemical in Column 4.

(c)

Rules 7 to 9 shall apply to an isolated storage in which there is involved a quantity of a hazardous chemical listed in Column 2 of Schedule 2 which is equal to or more than the quantity specified in the entry of that chemical in Column 3.

(d)

Rules 10 to 15 shall apply to an isolated storage in which there is involved a quantity of a hazardous chemical listed in Column 2 of Schedule 2 which is equal to or more than the quantity specified in the entry for that chemical in Column 4.

(2)

For the purposes of Rules 7 to 26-

(a)

a "new industrial activity" means an industrial activity which-

(i)

was commenced after the date of coming into operation of these Rules; or

(ii)

if commences before that date when industrial activity in which there has been since that date a modification which would be likely to have important implications for major accident hazards, and that activity shall be deemed to have been commenced on the date on which the modification was made; and

(b)

an "existing industrial activity" means an industrial activity which is not a new industrial activity.

7.

Notification of industrial activities.

(1)

An occupier shall not undertake any industrial activity unless he has submitted a written report to the Chief Inspector containing the particulars specified in Schedule 7 at least 3 months before commencing that activity or before such shorter time as the Chief Inspector may agree and for the purposes of this sub-rule an activity in which subsequently there is or liable to be a quantity given in Column 3 of Schedules 2 and 3 or more of an additional hazardous chemical shall be deemed to be a different activity and shall be notified accordingly.

(2)

No report under sub-rule (1) of this rule need to be submitted by the occupier, if he submits a report under Rule 10 (1).

8.

Updating of the notification under Rule 7.

- Where an activity has been reported in accordance with Rule 7 (1) and the occupier makes a change in it (including an increase or decrease in the maximum quantity of a hazardous chemical to which this rule applies which is or is liable to be at the site or in the pipeline or the cessation of the activity) which affects the particulars specified in that report or any subsequent report made under this rule, the occupier shall forthwith furnish a further report of the Chief Inspector.

9.

Transitional provision.

- Where,-

(a)

at the date of coming into operation of these Rules, an occupier who is in control of an existing industrial activity which is required to be reported under Rule 7 (1); or

(b)

within 6 months after that date an occupier commences any such new industrial activity;

it shall be a sufficient compliance with that rule if he reports to the Chief Inspector as per the particulars in Schedule 7 within 3 months after the date of coming into operation of these Rules or within such longer time as the Chief Inspector

may agree in writing.

10.

Safety reports.

(1)

Subject to the following sub-rule of this rule, an occupier shall not undertake any industrial activity to which this rule applies, unless Rule he has prepared a safety report on that industrial activity containing the information specified in Schedule 3 and has sent a copy of that report to the Chief Inspector at last 3 months before commencing that activity.

(2)

In the case of a new industrial activity which an occupier commences, or by virtue of sub-rule (2)(a)(ii) of Rule 6 is deemed to commence, within 6 months after coming into operation of these Rules, it shall be a sufficient compliance with sub-rule (1) of this rule if the occupier sends to the Chief Inspector a copy of the report required in accordance with that sub-rule within 3 months after the date of coming into operation of these Rules.

(3)

In the case of an existing industrial activity, until five years from the date of coming into operation of these Rules, it shall be a sufficient compliance with sub-rule (1) of this rule if the occupier on or before 3 months from the date of the coming into operation of these rules sends to the Chief Inspector the information specified in Schedule 7 relating to that activity.

11.

Updating of reports under Rule 10.

(1)

Where an occupier has made a safety report in accordance with sub-rule (1) of Rule 10, he shall not make any modification to the industrial activity to which that safety report relates which could materially affect the particulars in that report unless he has made a further report to take account of those modifications and has sent a copy of that report to the Chief Inspector at least 3 months before making those modifications.

(2)

Where an occupier has made a report in accordance with Rule 10, sub-rule (1) of this rule and that industrial activity is continuing, the occupier shall, within three years of the date of the last such report, make a further report which shall have regard in particular to new technical knowledge which has affected the particulars in the previous report relating to safety an hazard assessment and shall within one month or in such longer time as the Chief Inspector may agree in writing, send a copy of the report to the Chief Inspector.

12.

Requirements for further information.

- Where in accordance with Rule 10(1) an occupier has sent a safety report relating to an industrial activity to the Chief Inspector, the Chief Inspector may, by a notice served on the occupier, require him to provide such additional information as is specified in the notice and the occupier shall send that information to the Chief Inspector within such time as is specified in the notice or within such extended time as the Chief Inspector may subsequently specify.

13.

Preparation of on-site emergency plans by the occupiers.

(1)

An occupier who has control of an industrial activity to which this rule applies shall prepare in consultation with the Chief Inspector keep up to date and furnish to the Chief Inspector and the Inspector an on-site emergency plan detailing how major accidents will be dealt with on the site on which the industrial activity is carried on and that plan shall include the name of the person who is responsible for safety on the site and the names of those who are authorised to take action in accordance with the plan in case of an emergency.

(2)

The occupier shall ensure that the emergency plan prepared in accordance with sub-rule (1) of this rule, takes into account any modification made in the industrial activity and that every person on the site who is affected by the plan is informed of its relevant provisions.

(3)

The occupier shall prepare the emergency plan required under sub-rule (1) of this rule-

(a)

in the case of a new industrial activity, before that activity is commenced, except that, in the case of a new industrial

activity which is commenced or is deemed to have been commenced before a date 3 months after the coming into operation of these rules, by that date; or

(b)

in the case of an existing industrial activity within 3 months of coming into operation of these Rules.

14.

Preparation of off-site emergency plans.

(1)

It shall be the duty of the District Collector or the District Emergency Authority designated by the State Government in whose areas there is a site on which an occupier carries on a n industrial activity to which this rule applies to prepare and keep up-to-date an adequate off-site emergency plan detailing how emergencies relating to a possible major accident on that site will be dealt with and in preparing that plan the Authority shall consult the occupier, the Chief Inspector and such other persons as appear to the Authority to be appropriate.

(2)

The occupier shall provide the District Collector or the District Emergency Authority with such information relating to the industrial activity under his control as may be necessary to enable the District Collector or the District Emergency Authority to prepare an off-site emergency plan under sub-rule (1) of this rule including the nature, extent and likely effects of off-site of possible major accident as well as any additional information as the District Collector or the District Emergency Authority may require in this regard.

(3)

The District Collector or the District Emergency Authority shall provide the occupier with information from the off-site emergency plan which relates to his duties under Rule 13 of sub-rule (2) of this rule.

(4)

The District Collector or the District Emergency Authority shall prepare its emergency plan for any industrial activity required under sub-rule (1) of this rule.

(a)

in the case of a new industrial activity, before that activity is commenced;

(b)

in the case of an existing industrial activity, within 6 months of his being notified by the occupier of the industrial activity.

15.

Information to be given to persons liable to be affected by a major accident.

(1)

The occupier shall take appropriate steps to inform persons outside the site who are likely to be in an area which might be affected by a major accident at any site on which an industrial activity under this control to which this rule applies is carried on either directly or through the District Emergency Authority about-

(a)

the nature of the major accident hazard; and

(b)

the safety measures and the correct behaviour which should be adopted in the event of a major accident.

(2)

The occupier shall take the steps required under sub-rule (1) of this rule to inform persons about an industrial activity, before that activity is commenced except that, in the case of an existing industrial activity in which case the occupier shall comply with the requirements of sub-rule (1) of this rule within 3 months of coming into operation of these Rules.

16.

Disclosure of information notified under these Rules.

- Where for the purpose of evaluating information notified under Rule 5 or Rules 7 to 15, the Inspector or the Chief Inspector or the District Emergency Authority discloses that information to some other person, that other person shall not use that information for any purpose except a purpose of the Inspector or the Chief Inspector or the District Emergency Authority disclosing it, as the case may be, and before disclosing that information the Inspector or the Chief Inspector or the District Emergency Authority, as the case may be, shall inform that other person of his obligation under this rule.

17.

Improvement notice.

(1)

If an Inspector is of the opinion that an occupier-

(a)

is contravening one or more of these Rules, or

(b)

has contravened one or more of these Rules in circumstances that make it likely that the contravention will continue or be repeated;

he may serve on him a notice (in this rule referred to as "an improvement notice") stating that he is of that opinion, specifying the rule or rules as to which he is of that opinion, giving particulars of the reasons why he is of that opinion and requiring that occupier to remedy the contravention or, as the case may be, the matters occasioning it within such period as may be specified in the notice.

(2)

A notice served under sub-rule (1) of this rule may (but need not) include directions as to the matters to be taken by the occupier to remedy any contravention or matter to which the notice relates.

18.

Power of the State Government to modify the Schedules.

- The State Government may, at any time by notification in the official Gazette, make suitable changes in the Schedules.

Schedule 1

[See Rules 2(a)(i), 3(1), 4(1)(a) and 4(2)(1)]

Indicative Criteria and List of Chemicals

Part I

Indicative Criteria

(a)

Toxic Chemicals: Chemicals having the following values of acute toxicity and which, owing to their physical and chemical properties are capable of producing major accident hazards.

Sl. No.

Degree of Toxicity

LD 50 absorbed orally in rate mg./kg. body weight

LD 50 by continues absorption in rate or rabbits

mg./Kg. body weight

LC 50 absorbed by inhalation (4 hours) in rates

mg./litre

1.

Extremely toxic

< = 50

< = 200

0.1-0.5

2.

Highly toxic

51-500

201-2090

0.5-2.0

(b)

Highly Flammable Chemicals :

(i)

Flammable gases : Chemicals which in the gaseous state at normal pressure and mixed with air become flammable and the boiling point of which at normal pressure is 20 degrees C or below;

(ii)

Highly flammable liquids : Chemicals which have a flash point lower than 23 degrees C and the boiling point of which at normal pressure is above 20 degrees C;

(iii)

Flammable liquids : Chemicals which have a flash point lower than 65 degrees C and which remain liquid under pressure, where particular processing conditions, such as high pressure and high temperature may create major accident hazards.

(c)

Explosives : Chemicals which may explode under the effect of flames, heat or photo chemical condition, or which are more sensitive to shocks or friction than dinitrobenzene.

Part II

List of Hazardous Chemicals

Sl.No.

Name of the Chemical

(1)

(2)

1.

Acetone

2.

Acetone Cyanohydrine

3.

Acetyl Chloride

4.

Acetylene (Ethyne)

5.

Acrolein (2-Propenal)

6.

Acrylonitrile

7.

Aldicarb

8.

Aldrine

9.

Alkyl Phthalate

10.

Allyl Alcohol

11.

Allylamine

12.

Alpha Naphthyl Thiourea (Antu)

13.

4-Aminodiphenyl

14.

2-Aminophenol

15.

Amiton

16.

Ammonia

17.

Ammonium Nitrate

18.

Ammonium Nitrate in fertilizers

19.

Ammonium Sulfamate

20.

Anabasine

21.

Aniline

22.

P-Anisidine

23.

Antimony & Compounds

24.

Antimony Hydride (Stibine)

25.

Arsenic Hydride (Arsine)

26.

Arsenic Pentoxide, Arsenic (V) Acids & Salts

27.

Arsenic Trioxide, Arsenious (III) Acids & Salts

28.

Asbetos

29.

Azinphos-Ethyl

30.

Azinphos-Methyl

31.

Barium Azide

32.

Benzene

33.

Benzidine

34.

Benzidine Salts

35.

Benzoquinone

36.

Benzoyl Chloride

37.

Benzoyl Peroxide

38.

Benzyl Chloride

39.

Benzyl Cyanide

40.

Beryllium (Powders, Compounds)

41.

Biphenyl

42.

Bis (2-Chloromethyl) Ketone

43.

Bis (2, 4, 6-Trinitrophenyl) Amine

44.

Bis (2-Chloroethyl) Sulphide

45.

Bis (Chloromethyl) Ether

- 46.
2, 2-Bis (tert-Butylperoxy) Butane
- 47.
1, 1-Bis (tert-Butylperoxy) Cyclohexane
- 48.
Bis-1, 2 (Tribromophenoxy)-Ethane
- 49.
Bisphenol
- 50.
Boron & Compounds
- 51.
Bromine
- 52.
Bromine Pentafluoride
- 53.
Bromoform
- 54.
1.3-Butadiene
- 55.
Butane
- 56.
N-Butanethiol
- 57.
2-Butanone
- 58.
Butoxy Ethanol
- 59.
Butyl Glycidal Ether
- 60.
tert-Butyl Peroxyacetate
- 61.
tert-Butyl Peroxyisobutyrate
- 62.
tert-Butyl Peroxyisopropyl Carbonate
- 63.
tert-Butyl Peroxymaleate
- 64.
tert-Butyl Peroxypivalate
- 65.
Butyl Vinyl Ether
- 66.
Butylamine
- 67.
C9-Aromatic Hydrocarbon Froction
- 68.
Cadmium & Compounds
- 69.
Cadmium Oxide (Fumes)
- 70.
Calcium Cyanide
- 71.

Cap tan

72.

Captfol

73.

Carbaryl(Sevin)

74.

Cabofuran

75.

Carbon Disulphide

76.

Carbon Monoxide

77.

Carbon Tetrachloride

78.

Carbophenothion

79.

Cellulose Nitrate

80.

Chlorates (use in explosives)

81.

Chlordane

82.

Chlorfenvinphos

83.

Chlorinated Benzenes

84.

Chlorine

85.

Chlorine Dioxide

86.

Chlorine Oxide

87.

Chlorine Trifluoride

88.

Chlormequate Chloride

89.

Chloroacetal Chloride

90.

Chloroacetaldehyde

91.

2-Chloroaniline

92.

4-Chloroaniline

93.

Chlorobenzene

94.

Chlorodiphenyl

95.

Chloroepoxypropane

96.

Chloroethanol

97.
Chloroethyl Chloroformate
98.
Chlorofluorocarbons
99.
Chloroform
100.
4-(Chloroformyl), Morpholine
101.
Chloromethane
102.
Chloromethyl Ether
103.
Chloronitrobenzene
104.
Chloroprene
105.
Chlorosulphonic Acid
106.
Chlorotrini trobenzene
107.
Chloroxuron
108.
Chromium & Compounds
109.
Cobolt & Compounds
110.
Copper & Compounds
111.
Coumafuryl
112.
Coumaphos
113.
Coumatetralyl
114.
Cresols
115.
Crimidine
116.
Cumene
117.
Cyanophos
118.
Cyanothoate
119.
Cyanuric Fluoride
120.
Cyclohexane
121.
Cyclohexanol
- 122.

Cyclohexanone

123.

Cyclohexamide

124.

Cyclopentadiene

125.

Cyclopentane

126.

Cyclotetramethylenetetranitramine

127.

Cyclotrimethylenetrinitramine

128.

DDT

129.

Decabromodiphenyl Oxide

130.

Demeton

131.

DI-Isobutyryl Peroxide

132.

DI-n-Propyl Peroxydicarbonate

133.

DI-sec-Butyl Peroxydicarbonate

134.

Dialifos

135.

Diazodinitrophenol

136.

Diazomethane

137.

Dibenzyl Peroxydicarbonate

138.

Dichloroacetylene

139.

o-Dichlorobenzene

140.

p-Dichlorobenzene

141.

Dichloroethane

142.

Dichloroethyl Ether

143.

2, 4-Dichlorophenol

144.

2, 6-Dichlorophenol

145.

3, 4-Dichlorophenoxy Acetic Acid (2, 4-D)

146.

1, 2-Dichloropropane

147.

3, 5-Dichlorosalicylic Acid

- 148.
Dichlorovos (DDVP)
- 149.
Dicrotophos
- 150.
Dieldrin
- 151.
Diepoxybutane
- 152.
Diethyl Peroxydicarbonate
- 153.
Diethylene Glycol Dinitrate
- 154.
Diethylene Triamine
- 155.
Diethyleneglycol Butyl Ether/Diethyleneglycol Butyl Acetate
- 156.
Diethylenetriamine (Deta)
- 157.
Diglycidyl Ether
- 158.
2, 2-Dihydroperoxypropane
- 159.
Diisobutyryl Peroxide
- 160.
Dimefox
- 161.
Dimethoate
- 162.
Dimethyl Phosphoramidocyanidic Acid
- 163.
Dimethyl Phthalate
- 164.
Dimethylcarbomoyl Chloride
- 165.
Dimethylnitrosamine
- 166.
Dinitrophenol Salts
- 167.
Dinitrotoluene
- 168.
Dinitro-o-Cresol
- 169.
Dioxane
- 170.
Dioxathion
- 171.
Dioxolane
- 172.
Diphacinone
- 173.

Diphosphoramid Octamethyl

174.

Dipropylene Glycolmethylether

175.

Disulfoton

176.

Endosulfan

177.

Endrin

178.

Epichlorohydrine

179.

Epn

180.

1, 2-Epoxypropane

181.

Ethion

182.

Ethyl Carbamate

183.

Ethyl Ether

184.

2-Ethyl Hexanol

185.

Ethyl Mercaptan

186.

Ethyl Methacrylate

187.

Ethyl Nitrate

188.

Ethylamine

189.

Ethylene

190.

Ethylene Chlorohydrine

191.

Ethylene Diamine

192.

Ethylene Dibromide

193.

Ethylene Dichloride

194.

Ethylene Glycol Dinitrate

195.

Ethylene Oxide

196.

Ethylene Imine

197.

Ethylthiocyanate

198.

Fensulphothion

199.
Fluenetil
200.
4-Fluoro, 2-Flydroxybutyric Acid & Salts, Esters, Amides
201.
Fluoroacetic Acid & Salts, Esters, Amides
202.
4-Fluorobutyric Acid & Salts, Esters, Amides
203.
4-Fluorochrotonic Acid & Salts, Esters, Amides
204.
Formaldehyde
205.
Glyconitrile (Hydroxyacetonitrile)
206.
1 -Guanyl-4-Nitrosaminoguanyl-1-Tetrazene
207.
Heptachlor
208.
Hexachloro Cyclopentadiene
209.
Hexachlorocyclohexane
210.
Hexachlorocyclomethane
211.
1, 23, 7, 8, 9-Hexachlorodibenzo-p-Dioxine
212.
Hexafluopropene
213.
Hexamethylphosphoramide
214.
3,3,6,6,9,9-Hexamethyl-1,2,4,5,-Tetroxacyclononane
215.
Hexamcthylenediamine
216.
Hexane
217.
2,2',4,4',6,6'-Flexanitrostilbene
218.
Hexavalent Chromium
219.
Hydrazine
220.
Hydrizine Nitrate
221.
Hydrochloric Acid
222.
Hydrogen
223.
Hydrogen Bromide (Hydrobromic Acid)
- 224.

Hydrogen Chloride (Liquefied Gas)

225.

Hydrogen Cyanide

226.

Hydrogen Fluoride

227.

Hydrogen Selenide

228.

Hydrogen Sulphide

229.

Hydroquinone

230.

Iodine

231.

Isobenzan

232.

Isodrin

233.

Isophorone Diisocyanate

234.

Isopropyl Ether

235.

Juglone (5-Hydroxynaphthalene-1,4-Dione)

236.

Lead (inorganic fumes & dusts)

237.

Lead 2,4,6-Trinitroresorcinoxide (Lead Styphnate)

238.

Lead Azide

239.

Letophos

240.

Lindane

241.

Liquefied Petroleum Gas (LPG)

242.

Maleic Anhydride

243.

Manganese & Compounds

244.

Mercapto Benzothiazole

245.

Mercury Alkyl

246.

Mercury Fulminate

247.

Mercury Methyl

248.

Methacrylic Anhydride

249.

Methacrylonitrile

- 250.
Methacryloyl Chloride
- 251.
Methamidophos
- 252.
Methanesulphonyl Fluoride
- 253.
Methanethiol
- 254.
Methoxy Ethanol (2-Methyl Cellosolve)
- 255.
Methoxyethylmercuric Acetate
- 256.
Methyl Acrylate
- 257.
Methyl Alcohol
- 258.
Methyl Amylketone
- 259.
Methyl Bromide (Bromomethane)
- 260.
Methyl Chloride
- 261.
Methyl Chloroform
- 262.
Methyl Cyclohexene
- 263.
Methyl Ethyl Ketone Peroxide
- 264.
Methyl Hydrazine
- 265.
Methyl Isobutyl Ketone Peroxide
- 266.
Methyl Isobutyl Ketone Peroxide
- 267.
Methyl Isocyanate
- 268.
Methyl Isothiocyanate
- 269.
Methyl Mercaptan
- 270.
Methyl Methacrylate
- 271.
Methyl Parathion
- 272.
Methyl Phosphonic Dichloride
- 273.
N-Methyl, 2,4,6-Tetranitroaniline
- 274.
Methylene Chloride
- 275.

4/4-Methylenebis (2-Chloroaniline)

276.

Methyltrichlorosilane

277.

Mevinphos

278.

Molybdenum & Compounds

279.

N-Methyl-N,2,4,6-N-Tetranitroaniline

280.

Naphtha (Coal Tar)

281.

2-Naphthylamine

282.

Nickel & Compounds

283.

Nickel Tetracarbonyl

284.

O-Nitroaniline

285.

P-Nitroaniline

286.

Nitrobenzene

287.

P-Nitrochlorobenzene

288.

Nitrocyclohexane

289.

Nitroethane

290.

Nitrogen Dioxide

291.

Nitrogen Oxides

292.

Nitrogen Trifluoride

293.

Nitroglycerine

294.

P-Nitrophenol

295.

1-Nitropropane

296.

2-Nitropropane

297.

Nitrosodimethylamine

298.

Nitrotolune

299.

Octabromophenyl Oxide

300.

Oleum

- 301.
Oleylamine
- 302.
OO-Diethyl S-Ethylsulphinylmethyl Phosphorothioate
- 303.
OO-Diethyl S-Ethylsulphonylmethyl Phosphorothioate
- 304.
OO-Diethyl S-Ethylthiomethyl Phosphorothioate
- 305.
OO-Diethyl S-Isopropyl thiomethyl Phosphorodithioate
- 306.
OO-Diethyl S-Propylthiomethyl Phosphorodithioate
- 307.
Oxyamyl
- 308.
Oxydisulfoton
- 309.
Oxygen (Liquid)
- 310.
Oxygen Difluoride
- 311.
Ozone
- 312.
Paraoxon (Diethyl 4-Nitrophenyl Phosphate)
- 313.
Paraquat
- 314.
Parathion
- 315.
Parathion Methyl
- 316.
Paris Green (Bis Aceto Hexametaarsenitoteracopper)
- 317.
Pentaborane
- 318.
Pentabromodiphenyl Oxide
- 319.
Pentabromophenol
- 320.
Pentachloro Naphthalene
- 321.
Pen tachloroethane
- 322.
Pentachlorophenol
- 323.
Pentaerythritol Tetranitrate
- 324.
Pentane
- 325.
Peracetic Acid
- 326.

Perchloroethylene

327.

Perchloromethyl Mercaptan

328.

2-Pentanone, 4-Methyl

329.

Phenol

330.

Phenyl Glycidal Ether

331.

Phenylene P-Diamine

332.

Phenylmercury Acetate

333.

Phorate

334.

Phosacetim

335.

Phosalane

336.

Phosfolan

337.

Phosgene (Carbonyl Chloride)

338.

Phosmet

339.

Phosphamidon

340.

Phosphine (Hydrogen Phosphide)

341.

Phosphoric Acid and Esters

342.

Phosphoric Acid Bromoethyl Bromo (2, 2-Dimethyl-propyl)

Bromoethyl Ester

343.

Phosphoric Acid Bromoethyl Bromo (2, 2-Dimethyl-propyl)

Chloroethyl Ester

344.

Phosphoric Acid, Chloroethyl Bromo (2, 2-Dimethoxyl-propyl)

Chloroethyl Ester

345.

Phosphorus & Compounds

346.

Phostalan

347.

Picric Acid (2, 4, 6-Trinitrophenol)

348.

Polybrominated Biphenyls

349.

Potassium Arsenite

350.

Potassium Chlorate

351.

Promurit (1-(3,4-Dichlorophenyl)-2-Triazene Thiocarboxamide)

352.

1,3-Propanesultone

353.

1-Propen,-2-Chloro-1,3-Diol-Diacetate

354.

Propylene Dichloride

355.

Propylene Oxide

356.

Propyleneimine

357.

Pyrazoxon

358.

Selenium Hexafluoride

359.

Semicarbazide Hydrochloride

360.

Sodium Arsenite

361.

Sodium Azide

362.

Sodium Chbrate

363.

Sodium Cyanide

364.

Sodium Picramate

365.

Sodium Selenite

366.

Styrene, 1,1,2,2-Tetrachloroethane

367.

Sulfotep

368.

Sulphur Dichloride

369.

Sulphur Dioxide

370.

Sulphur Trioxide

371.

Sulphuric Acid

372.

Sulphoxide, 3-Chloropropyloctyl

373.

Tellurium

374.

Tellurium Hexafluoride

375.

Tepp

376.
Terbufos
377.
alpha-Terabromobisphenol
378.
2,2,5,6-Tetrachloro-2,5-Cyclohexadiene-1,4-Dione
379.
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)
380.
Tetraethyl Lead
381.
Tetrafluoroethane
382.
Tetramethylenedisulphotetramine
383.
Tetranitromethane
384.
Tetranitromethane
385.
Thallium & Compounds
386.
Thionazin
387.
Thionyl Chloride
388.
Tirpate
389.
Toluene
390.
Toluene-2,4-Diisocyanate
391.
o-Toluidine
392.
Toluene 2,6-Diisocyanate
393.
Trans-1,4 Chlorobutene
394.
1-Tri-(Cyclohexyl) Stannyl-1H-1,2,4-Triazole
395.
1,3,5-Triamino-2,4,6-Trinitrobenzene
396.
2,4,6-Tribromophenol
397.
Trichloro Acetyl Chloride
398.
Trichloro Ethane
399.
Trichloro Naphthalene
400.
Trichlorochloromethylsilane
- 401.

Trichlorodichlorophenylsilane

402.

1, 1,1-Trichloroethane

403.

Trichloroethyllane

404.

Trichloroethylene

405.

Trichloromethanesulphenyl Chloride

406.

2,2,6-Trichlorophenol

407.

2,4,5-Trichlorophenol

408.

Triethylamine

409.

Triethylenemelamine

410.

Trimethyl Chlorosilane

411.

Trimethylolpropane Phosphite

412.

Trinitroaniline

413.

2,4,6-T rinitroanisole

414.

Trinitrobenzene

415.

Trinitrobenzoic Acid

416.

Trinitrocresol

417.

2,4,6-Trinitrophenetole

418.

2,4,6-Trinitroresorcinol (Styphnic Acid)

419.

Trinitrotoluene

420.

Triophthocresyl Phosphate

421.

Triphenyltin Chloride

422.

Terpentine

423.

Uranium & Compounds

424.

Vanadium & Compounds

425.

Vinyl Chloride

426.

Vinyl Fluoride

427.

Vinyl Toluene

428.

Warfarin

429.

Xylene

430.

Xylidine

431.

Zinc & Compounds

432.

Zirconium & Compounds

Schedule 2

[See Rules 2(a)(ii), 4(1)(b), 4(2)(1) and 6(1)(c) and (d)]

Isolated storage of Installation other than those covered by Schedule 4

(a)

The quantities set out below relate to each installation or group of installations belonging to the occupier where the distance between installations is not sufficient to avoid in foreseeable circumstances any aggravation of major accident hazards. These quantities apply in any case to each of the installations belonging to the same occupier where the distance between the installations is less than 500 metres.

(b)

For the purpose of determining the quantity of a hazardous chemical at an isolated storage account shall also be taken of any hazardous chemical which is-

(i)

in that part of any pipeline under the control of the occupier having control of the site, which is within 500 metres of that site and connected to it;

(ii)

at any other site under the control of the occupier any part of the boundary of which is 500 metres of the said site; and

(iii)

in any vehicle, vessel, aircraft or hovercraft under the control of the same occupier which is used for storage purpose, either at the site or within 500 metres of it;

but no account shall be taken of any hazardous chemical which is in a vehicle, vessel, aircraft or hovercraft for transporting it.

Sl. No.

Chemical or groups of chemicals

Quantity (tonnes)

For application of Rules 4, 5 and 7 to 9

For application of Rules 10 to 15

(Col. 1)

(Col. 2)

(Col. 3)

(Col. 4)

1.

Acrylonitrile

350

5000

2.

Ammonia

60

600

3.

Ammonium nitrate (a)

350*

2500*

4.

Ammonium nitrate fertilizers (b)

1250

10000

5.

Chloride

10

25

6.

Flammable gases as defined in Schedule 1, paragraph (b) (i)

50

300

7.

Highly flammable liquid as defined in Schedule 1, paragraph

(b) (ii)

10000

100000

8.

Liquid Oxygen

200

2000

9.

Sodium Chlorate

25

250

10.

Sulphur dioxide

20

500

11.

Sulphur trioxide

15

100

* Where this chemical is in a state which gives it properties capable of creating a major accident hazard.

Foot Notes : (a) This applies to ammonium nitrate and mixtures of ammonium nitrate where the nitrogen content derived from the ammonium nitrate is greater than 2 per cent by weight and to aqueous solutions of ammonium nitrate where the concentration of ammonium nitrate is greater than 90 per cent by weight.

(b)

This applies to straight ammonium nitrate fertilisers and to compound fertilisers where the nitrogen content derived from the ammonium nitrate is greater than 28 per cent by weight (a compound fertiliser contains ammonium nitrate together with phosphate and/or potash).

Schedule 3

[See Rules 2(a)(iii), 5 and 6(1)(a) and (b)]

List of hazardous chemicals for application of Rules 5 and 7 to 15

(a)

The quantities set out below relate to each installation or group of installations belonging to the same occupier where the distance between the installations is not sufficient to avoid in foreseeable circumstances, any aggravation of major accident hazards. These quantities apply in any case to each group of installations belonging to the same occupier

where the distance between the installations is less than 500 metres.

(b)

For the purpose of determining the quantity of hazardous chemical in an industrial installation, account shall also be taken of any hazardous chemical which is-

(i)

in that part of any pipeline under the control of the occupier having control of the site, which is within 500 metres of that site and connected to it;

(ii)

at any other site under the control of the same occupier any part of the boundary of which is within 500 metres of the said site; and

(iii)

in any vehicle, vessel, aircraft or hovercraft under the control of the same occupier which is used for storage purpose either at the site or within 500 metres of it.

Part I

Named Chemicals

Sl. No.

Chemicals

Quantity

CAS No.

For application of Rules 5, 7 to 9 and 13 to 15

For application of Rules 10 to 12

(1)

(2)

(3)

(4)

(5)

Group 1-Toxic Chemicals :

1.

Aldicarb

100 Kg

?...

116-06-3

2.

4-Aminodiphenyl

1 Kg

?...

92-67-1

3.

Amiton

1 Kg

?...

78-53-5

4.

Anabasine

100 Kg

?...

494-52-0

5.

Arsenic pentoxide, Arsenic (v) Acid & Salts

500 Kg

?...

6.
Asenic Trioxide, Arsenious (III) acid & Salts
100 Kg
?...
7.
Arrsne :(Arsenic hydride)
10 Kg
?...
7784-42-1
8.
Aziniphos-ethyl
100 Kg
?...
2642-71-9
9.
Aziniphos-methyl
100 Kg
?...
86-50-0
10.
Benzidine
1 Kg
?...
92-87-5
11.
Benzidine salts
1 Kg
?...
12.
Becoryllium (powders, compounds)
10 Kg
?...
13.
Bis (2 chloroethyl) sulphide
1 Kg
?...
505-60-2
14.
Bis (chloromethyl) ether
1 Kg
?...
542-88-1
15.
Carboturan
100 Kg
?...
1563-66-2
16.
Carbophenothion
100 Kg
...

786-19-6

17.

Chlorfenvinphos

100 Kg

?...

470-90-6

18.

4-(Chloroformyl) morpholine

1 Kg

?...

15159-40-7

19.

Chloromethyl methyl ether

1 Kg

?...

107-30-2

20.

Cobalt metal, Oxides, Carbonates, Sulphides, as powders

1 kg

?...

21.

Crimidine

100 Kg

?...

535-89-7

22.

Cyanthoate

100 Kg

?...

3734-95-0

23.

Cycloheximide

100 Kg

?...

66-81-9

24.

Demeton

100 Kg

?...

8065-48-3

25.

Dralifos

100 Kg

?...

10311-84-9

26.

oo-Diethyl, S-ethylsulphiny methyl phosphorthioate

100 Kg

?...

2588-05-8

27.

oo-Diethyl S-ethylsulphonyl methyl phosphorothioate
100 Kg
?...
2588-06-9
28.
oo-Diethyl S-ethylthiomethyl phosphordithioates
100 Kg
?...
2600-69-3
29.
oo-Diethyl S-isopropylthiomethyl phosphorodithioate
100 Kg
?...
78-52-4
30.
oo-Diethyl S-propylthiomethyl phosphorothioate
100 Kg
?...
3309-68-0
31.
Dimefox
100 Kg
?...
115-26-4
32.
Dimethylcarbamoyl chloride
1 Kg
?...
79-44-7
33.
Dimethylnitrosamine 1 K, 62-75-9
?...
34.
Dimethyl phosphoramidocyanidic acid
1 t
?...
63917-41-9
35.
Diphacinone
100 Kg
?...
82-66-6
36.
Disulfoton
100 Kg
?...
298-04-4
37.
EPN
100 Kg
...

2104-64-5

38.

Ethion

100 Kg

?...

563-12-2

39.

Fensulfothion

100 Kg

?...

115-90-2

40.

Fluometil

100 Kg

?...

4301-50-2

41.

Fluoroacetic acid

1 Kg

?...

144-49-0

42.

Fluoroacetic acid, salts

1 Kg

?...

43.

Fluoroacetic acid, esters

1 Kg

?...

44.

Fluoroacetic acid, amides

1 Kg

?...

45.

4-Fluorobutyric acid

1 Kg

?...

462-23-7

46.

4-Fluorobutyric, acid, salts

1 Kg

?...

47.

4-Fluorobutyric, esters

1 Kg

?...

48.

4-Fluorobutyric acid, amides

1 Kg

?...

49.

4-Fluorocronotic acid

1 Kg

?...

37759-72-1

50.

4-Fluorocronotic acid, salts

1 Kg

?...

51.

4-Fluorocronotic acid, esters

1 Kg

?...

52.

4-Fluorocronotic acid amides

1 Kg

?...

53.

4-Fluoro-2-hydroxybutyric acid

1 Kg

?...

54.

4-Fluoro-2-hydroxybutyric acid, salts

1 Kg

?...

55.

4-Fluoro-2-hydroxybutyric acid esters

1 Kg

?...

56.

4-Fluoro-2-hydroxybutyric acid, amides

1 Kg

?...

57.

Glycolonitrite (hydroxyacetonitrite)

100 Kg

?...

107-16-1

58.

1, 2, 3, 7, 8, 9 Hexachlorodibenzo-p-dioxin

100 Kg

?...

19408-74-3

59.

Hexamethylphosphoramide

1 Kg

?...

680-31-9

60.

Hydrogen selenide

10 Kg

?...

7783-07-5

61.

Isobenzan

100 Kg

?...

297-78-9

62.

Isodrin

100 Kg

?...

465-73-6

63.

Jugione (5-Hydroxynaphthalene-1 , -dione

100 Kg

?...

481-39-0

64.

4,4?-Methylenebi (2-chloroanniline)

10 Kg

?...

101-14-4

65.

Methyl isocyanate

150 Kg

150 Kg

624-83-9

66.

Mevinphos

100 Kg

?...

7786-34-7

67.

2-Napathylamine

1 Kg

?...

91-59-8

68.

Nickel metal, oxides, carbonates sulphide, as powders

1 t

?...

69.

Nickel tetracarbonyl

10 Kg

?...

13463-39-3

70.

Oxydisulfoton

100 Kg

?...

24970-7-6

71.

Oxygen difluoride

10 Kg

?...

7783-41-7

72.

Paraoxon (diethyl 4-nitrophenyl phosphate)

100 Kg

?...

311-45-5

73.

Parathion

100 Kg

?...

56-38-2

74.

Parathion-methyl

10 Kg

?...

98-00-0

75.

Pentaborane

100 Kg

?...

19624-22-7

76.

Phorate

100 Kg

?...

298-02-2

77.

Phasacetim

100 Kg

?...

4104-14-7

78.

Phosgene (carbonyl chloride)

750 Kg

750 Kg

75-44-5

79.

Phosphamidon

100 Kg

?...

13171-21-6

80.

Phospaine (Hydrogen Phosphide)

100 Kg

?...

7803-51-2

81.

Promurit (1-(3,4-Dichlorophenyl) 1-3-triazenethio carboxamide)

100 Kg

?...

5836-73-7

82.

1.3-Propanesultoge

1 Kg

?...

1120-71-4

83.

1-Prope-2-chloro-1 3-diol diacetate

10 Kg

?...

0118-72-6

84.

Pyrazoxon

100 Kg

?...

108-34-9

85.

Selenium hexafluoride

100 Kg

?...

7783-79-1

86.

Sodium selenite

100 Kg

?...

10102-18-8

87.

Stibine (Antimony hydride)

100 Kg

?...

7803-52-3

88.

Sulfotop

100 Kg

?...

3689-24-5

89.

Sulphur dichloride

1 t

?...

10545-99-0

90.

Tellurium hexafluoride

100 Kg

?...

7783-80-4

91.

TEPP

100 Kg

?...
107-49-3
92.
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)
1 Kg
?...
1746-01-6
93.
Tetramethylenedisulphotetramine
1 Kg
?...
0-12-6
94.
Thionazin
100 Kg
?...
297-97-2
95.
Tirpate (2 4-Dimethyl-1 3-dithiolane 2-carboxaldehyde 0-methyl-carbomoyloxime)
100 Kg
?...
26419-73-8
96.
Trichloromethane sulphenyl chloride
100 Kg
?...
594-42-3
97.
l-Tri (cyclohexyl) stann 1-1 H-1.2.4-triazole
10 Kg
?...
41083-11-8
98.
Triethylenemelamine
13 Kg
?...
51-18-3
99.
Warfarin
100 Kg
?...
81-81-2
Group 2- Toxic Chemicals:(Quantity VI tonne)
100.
Acetone cyanohydrin (2-Cyariopropan 2-ol)
200 Kg
?...
75-86-5
101.
Acrolein (2-Propenal)

20 t
?...
107-02-8
102.
Acrylonitrile
20 t
200 t
107-18-1
103.
Allyl alcohol (2-Propen 1 -ol)
200 t
?...
107-18-6
104.
Allylamine
200 t
?...
107-11-9
105.
Ammonia
50 t
50 t
7666-41-7
106.
Bromine
40 t
?...
7726-95-0
107.
Carbon disulphide
20 t
200 t
75-15-9
108.
Chlorine
10 t
25 t
778-50-5
109.
Diphenyl Methane diisocyanate (MDI)
20 t
?...
101-68-8
110.
Ethylene dibromide 1,2-Dibromomethane)
5 t
?...
106-93-4
111.
Ethyleneimine
50 t

?...
151-56-4
112.
Formaldehyde (concentration=90%)
5 t
?...
50-00-0
113.
Hydrogen chloride (liquefied gas)
25 t
250 t
7647-01-0
114.
Hydrogen cyanide
5 t
20 t
74-90-8
115.
Hydrogen fluoride
5 t
50 t
7664-39-3
116.
Hydrogen Sulphide
5 t
50 t
7783-06-4
117.
Methyl bromide (Bromomethane)
20 t
?...
74-83-9
118.
Nitrogen oxides
50 t
?...
11104-93-1
119.
Propyleneimine
50 t
?...
75-55-8
120.
Sulphur dioxide
10 t
250 t
7446-09-5
121.
Sulphur trioxide
15 t
75 t

7446-11-9

122.

Tetraethyl lead

5 t

?...

78-00-2

123.

Tetramethyl lead

5 t

?...

75-74-1

124.

Toluene diisocyanate (TDI)

10 t

?...

584-84-9

Group 3-Highly Reactive Chemicals:

125.

Acetylene (ethyne)

5 t

?...

74-86-2

126.

(a) Ammonium nitrate (1)

350 t

25.00 t

6484-52-2

(b) Ammonium nitrate in the form of fertiliser (2)

1,250 t

?...

127.

2,2-Bis (tert-butyl-peroxy) butane (concentration $\geq 70\%$)

5 t

?...

2167-23-9

128.

1 -1 -Bis (tert-butyl)-peroxy cyclohexane (concentration $\geq 80\%$)

5 t

?...

3006-86-8

129.

Tert-Butyl peroxyacetate (concentration $\geq 70\%$)

5 t

?...

107-71-1

130.

Tert-Butyl Peroxyisobutyrate (concentration $\geq 80\%$)

5 t

?...

109-13-7

131.
Tert-Butyl Peroxyisopropyl carbonate (concentration $\geq 80\%$)
5 t
?...
2372-21-6
132.
Tert-Butyl peroxy maleate (concentration $\geq 80\%$)
5 t
?...
1931-62-0
133.
Tert-Butyl Peroxypivalate (concentration $\geq 77\%$)
50 t
?...
927-07-1
134.
Dibenzyl peroxydicarbonate (concentration $\geq 90\%$)
5 t
?...
2144-45-8
135.
Di-sec-butyl peroxydicarbonate (concentration $\geq 80\%$)
5 t
?...
19910-5-7
136.
Diethyl peroxydicarbonate (concentration ≥ 30 per cent)
50 t
?...
14666-78-5
137.
2,2-Dihydroperoxypropane (concentration ≥ 30 per cent)
5 t
?...
2614-76-8
138.
Di-isobutyl peroxide (concentration ≥ 50 per cent)
50 t
?...
3437-84-1
139.
Di-n-propyl peroxydicarbonate (concentration $\geq 80\%$)
5 t
?...
16066-38-9
140.
Ethylene oxide
5 t
50 t
75-21-8
- 141.

Ethyl nitrate

50 t

625-58-1

142.

3, 3, 6, 6, 9, 9-Hexamethyl-1, 2, 4, 5-tetroxacyclonane

(concentration ≥ 75 per cent)

50 t

?...

22397-33-7

143.

Hydrogen

2 t

50 t

1333-74-0

144.

Liquid oxygen

200 t

?...

7782-44-7

145.

Methyl ethyl Ketone peroxide (concentration $\geq 0\%$)

5 t

?...

133-23-4

146.

Methyl isobutyl ketone peroxide (concentration $\geq 60\%$)

50 t

?...

37206-20-51

147.

Peracetic acid (concentration $\geq 60\%$)

50 t

?...

79-21-0

148.

Propylene oxide

5 t

?...

75-56-9

149.

Sodium chlorate

25 t

?...

7775-09-9

Group 4-Explosive Chemicals :

150.

Barium azide

50 t

?...

18810-58-7

151.

Bis (2,4,6-trinitro phenyl) amine

50 t

?...

131-73-7

152.

Chlorotrinitrobenzene

50 t

?...

28260-61-9

153.

Cellulose nitrate (containing=12.6% nitrogen)

50 t

?...

9004-70-0

154.

Cyclotetramethylene tetranitramine

50 t

?...

2891-41-0

155.

Cyclotrimethylenetrinitroamine

50 t

?...

121-82-4

156.

Diazodinitrophenol

10 t

?...

7008-81-3

157.

Diethylene glycol dinitrate

10 t

?...

693-21-0

158.

Dinitrophenol salt 50 t

?...

159.

Ethylene glycol dinitrate

10 t

?...

628-96-6

160.

1-Guanyl-4-nitroamineoguanyl-1-tetrazene

10 t

?...

109-27-3

161.

2,2',4,4',6,6';Hexanitrostibene

50 t

?...

20062-22-0

162.

Hydernine nitrate

50 t

?...

13464-97-6

163.

Lead azide

50 t

?...

13424-46-9

164.

Lead styphnate (lead 2.4.6-trinitroresorcinoxide)

50 t

?...

15245-44-0

165.

Mercury fulminate

10 t

?...

628-86-4

166.

N-Methyl-N 2.4.6-tetranitroaniline

50 t

?...

479-45-8

167.

Nitroglycerine

10 t

10 t

55-63-0

168.

Pentaerythritol tetranitrare

50 t

?...

78-11-5

169.

Picric acid (2,4,6-Trinitrophenol)

50 t

?...

88-89-1

170.

Sodium picramate

50 t

?...

831-52-7

171.

Styphnic acid (2.4.6-Trinitroresorcinol)

50 t

?...

82-7-13

172.

1.3.5-Triamino-2.4.6-T rinitrobenzene

50 t

?...

3058-38-6

173.

Trinitronailine

50 t

?...

26952-42-1

174.

2. 4. 6-Trinitroanisole

50 t

?...

606-35-9

175.

Trinitrobenzene

50 t

?...

25377-31-6

176.

Trinitrobenzoic acid

50 t

?...

35860-50-5

177.

Trinitrocresol

50 t

?...

28905-71-7

178.

2-4.6-Trinitrophenetole

50 t

?...

4732-14-3

179.

2.4.6-Trinitrotoluene

50 t

50 t

188-96-7

Part II

Classes of Chemicals not specifically named in Part I

Sl. No.

Classes of Chemicals

Quantity

CAS No.

For application of Rules 5, 7 to 9 and 13 to 15

For application of Rules 10 to 12

(1)

(2)

(3)

(4)

Group 5-Flammable Chemicals :

1.

Flammable gases:-Chemicals which in gaseous state not normal pressure and mixed with air become flammable and the boiling point of which at normal pressure is 20 degree C or below

15 t

200 t

2.

Highly flammable liquids:-Chemicals which have a flash point lower than 23 degree C and the boiling point of which at normal pressure is above 20 degree C

1000 t

50,000 t

3.

Flammable liquids:-Chemicals which have a flash point lower than 65 degree C and which remain liquid under pressure, where particular processing conditions, such as high pressure and high temperature, may create major accident hazards

25 t

200 t

Footnotes. - (1) This applies to ammonium nitrate and mixtures of ammonium nitrate where the nitrogen content derived from the ammonium nitrate is greater than 28 per cent by weight and aqueous solutions of ammonium nitrate where the concentration of ammonium nitrate is greater than 90 per cent by weight.

(2)

This applies to straight ammonium fertilisers and to compound fertilisers where the nitrogen content derived from the ammonium nitrate is greater than 28 per cent by weight (a compound fertiliser contains ammonium nitrate together with phosphate and/or potash).

*CAS Number (Chemical Abstracts Service Number means the number assigned to the Chemical assigned to the Chemical by the Chemical Abstract Service.

Schedule 4

[See Rule 2(b)(i)]

Industrial installation within the meaning of Rule 2(b)(i)

1. Installations for the production, processing or treatment of organic or inorganic chemical using for this purpose, among others :

(a)

alkylation.

(b)

amination by amonolysis.

(c)

carbonylation.

(d)

condensation.

(e)

dehydrogenation.

(f)

estefication.

(g)

halogenation & manufacture of halogens.

(h)

hydrogenation.

- (i)
hydrolysis.
 - (j)
oxidation.
 - (k)
polymerisation.
 - (l)
sulphonation.
 - (m)
desulphurization and manufacture and transformation of sulphur containing compounds.
 - (n)
nitration and manufacture of nitrogen-containing compounds.
 - (o)
manufacture of phosphorous-containing compounds.
 - (p)
formulation of pesticides and of pharmaceutical products.
 - (q)
distillation.
 - (r)
extraction.
 - (s)
salvation.
 - (t)
mixing.
2. Installations for distillation, refining or other processing of petroleum or petroleum products.
 3. Installations for the total or partial disposal of solid or liquid chemicals by incineration or chemical decomposition.
 4. Installations for the production, processing or treatment of energy gases, for example, LPG, LNG, SNG.
 5. Installations for the dry distillation of coal or lignite.
 6. Installations for the production of metals or non-metals by a wet process or by means of electrical energy.

Schedule 5

[See Rule 3 (2) and (3)]

Safety Data Sheet

1. Chemical Identity:

Chemical Name

Chemical Classification

Synonyms

Trade Name

Formula

C.A.S. No.

U.N.N.

Shipping Name Codes/Label

Hazchem No.

Regulated Identification-

Hazardous Wastes

I.D.No.

Hazardous Ingredient

C.A.S.No.

Hazardous Ingredient

C.A.S.No.

1.

3.

2.

4.

2.Physical and Chemical Data:

Boiling Ranga/Point °C

Physical State

Appearance

Melting/Freezing Point °C

Vapour Pressure at 35 °C

Odour mml#lg

Vapour Density (Air=1)

Solubility in water at 30 °C

Other

Specific Gravity

pH

3.Fire and Explosion Hazard Data:

Flammability Yes/No.

LEL

%Flash Point °C

Autoignition °C

TDG Flammability

UEE

%Flash Point °C

Temperature

Explosion Sensitivity to Impact

Explosion Sensitivity to Static Electricity

Hazardous Combustion Products

Combustible Liquid

Explosive Material

Corrosive Material

Flammable Material

Oxidiser

Others

Pyrepheric Material

Organic Perotide

4.Reactivity Data:

Chemical Stability

Incompatibility with other Material

Reactivity

Hazardous Reaction Products

5.Health Hazard Data :

Routes of Entry

Effects of Exposure/Symptoms

Emergency Treatment

TLV (ACGIII) Permissible

ppm

mg/m3

STEL

ppm

mg/m3

Exposure Limit LD 50

ppm

mg/m³

Odour LD 50

Threshold

ppm

mg/m³

NRPA

Hazard

Health

Flammability

Stability

Special Signals

6.Preventive Measures:

Personnel Protective Equipment Handling and Storage Precautions

7.Emergency and First Aid Measure:

Fire

Fire Extinguishing

Fire

Special Procedures Unusual Hazards

First Aid Measures

Exposure

Antidotes/Dosages Steps to be taken

Spills

Waste Disposal Method

8.Additional information/References:

?.....?.....
.....?

9.Manufacturer/Suppliers Data:

Contact Person in Emergency

Name of

Firm.....

Mailing Address :Telephone/Telex Nos. Telegraphic

Address.....

Local Bodies

involved.....

Standard Packing.....

Tremcard Details/Ref.....

Other.....

10.Disclaimer :

Information contained in this material data sheet is believed to be reliable but no representation guaranteed or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer/seller to ensure that the information contained in the material safety data sheet is relevant to the product manufactured/handled or sold by him, as the case may be. The Government makes no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.

Schedule 6

[See Rule 5 (1)]

Information to be furnished regarding notification of a major accident

Report No. of the
particular accident.....

1. General data :

(a)

Name of the site.....

(b)

Name and address of the occupier.....

(Also state the telephone/telex No.)

(c)

(i)

Registration No.

(ii)

Licence No. (as may have been allotted under any statute applicable to the site e.g. the Factories Act)

(d)

(i)

Nature of industrial activity (mention what is actually manufactured, stored, etc.)

(ii)

National Industrial Classification 1987 at the four digits level

2. Type of major accident:

Explosion

Fire

Emission of hazards

3. Description of the major accident.

(a)

Date, shift and hours of the accident.

(b)

Department/Section and exact place where the accident took place.

(c)

The process/operation undertaken in the Department/Section where the accident took place. (Attach a flow chart, if necessary).

(d)

The circumstances of the accident and the hazardous chemical involved.

4. Emergency measures taken and measures envisaged to be taken to alleviate short-term effected to the accident.

5. Causes of the major accident:

Known (to be specified).....

Not known

Information will be supplied as soon as possible.....

6. Nature and extent of damage-

(a)

within the establishment casualties :

.....Killed

.....Injured

.....Poisoned

Persons exposed to the major accident.....

Material damage.....

Damages still present.....

Danger no longer exists.....

(b)

Outside the establishment casualties :

.....Killed

.....Injured

.....Poisoned

Persons exposed to the major accident.....

Material damage.....

Damage to environment.....

Damages still present.....

Danger no longer exists.....

7. Data available for assessing the effects of the accident on persons and environment.

Steps already taken or envisaged-

(a)

to alleviate medium or long term effects of the accident,

(b)

to prevent recurrence of similar major accident,

(c)

any other relevant information.

Schedule 7

[See Rule 7 (i)]

Information to be furnished for the Notification of Activities Sites

Particulars to be included in a notification of site:

1. The name and address of the occupier making the notification.

2. The full postal address of the site where the notifiable industrial activity will be carried on.

3. The area of the site covered by the notification and of any adjacent site which is required to be taken into account by virtue of Schedule 2 (b) and Schedule 3 (b).

4. The date on which it is anticipated that the notifiable industrial activity will commence or if it has already commenced a statement to that effect.

5. The name and maximum quantity liable to be on the site of each hazardous chemical for which notification is being made.

6. Organisation structure, namely, organisation diagram for the proposed industrial activity and set up for ensuring safety and health.

7. Information relating to the potential for major accidents, namely:-

(a)

identification of major accident hazards;

(b)

the condition of events which could be significant in bringing one about;

(c)

a brief description of the measures taken.

8. Information relating to the site namely :

(a)

a map of the site and its surrounding area to a scale large enough to show any features that may be significant in the assessment of the hazard or risk associated with the site :

(i)

area likely to be affected by the major accident;

(ii)

population distribution in the vicinity;

(b)

a scale plan of the site showing the location and quantity of all significant inventories of the hazardous chemical;

(c)

a description of the processes or storage involving the hazardous chemicals, the maximum amount of such a hazardous chemical in the given process or storage and an indication of the conditions under which it is normally held;

(d)

the maximum number of persons likely to be present on site.

9. The arrangement for training of workers and equipment necessary to ensure safety of such workers.

Schedule 8

[See Rule 10 (1)]

Information to be furnished in a safety report

1. The name and address of the person furnishing the information.

2. Description of the industrial activity, namely:-

(a)

site.

(b)

construction design.

(c)

protection zones (explosion protection, separation distances).

(d)

accessibility of plant.

(e)

maximum number of persons working on the site and particularly of those persons exposed to the hazard.

3. Description of the process, namely:-

(a)

technical purpose of the industrial activity.

(b)

basic principles of the technological process,

(c)

process and safety related data for the individual process stages.

(d)

process description.

(e)

safety-related types of utilities.

4. Description of the hazardous chemical, namely:-

(a)

chemicals (quantities, substance, data on physical and chemical properties, safety-related data on explosive limits, flash-point, thermal stability, toxicological data and threshold limit values, lethal concentrations).

(b)

the form in which the chemicals may occur or into which they may be transformed in the event of abnormal conditions.

(c)

the degree of purity of the hazardous chemical.

5. Information on the preliminary hazard analysis, namely:-

(a)

type of accident,

(b)

system elements or foreseen events that can lead to a major accident,

(c)

hazards,

(d)

safety-relevant components.

6. Description of safety-relevant units, among others :

(a)

special design criteria.

(b)

controls and alarms.

(c)

pressure relief systems.

(d)

quick acting valves.

(e)

collecting tanks/dump tanks.

(f)

sprinkler systems.

(g)

fire protection.

7. Information on the hazard assessment, namely:-

(a)

identification of hazards.

(b)

the causes of major accidents.

(c)

assessment of hazards according to their occurrence frequency.

(d)

assessment of accident consequences.

(e)

safety systems.

(f)

Known accident history.

8. Description of information on organisational systems used to carry on industrial activity safety, namely:-

(a)

maintenance and inspection schedules.

(b)

guidelines for the training of personnel.

(c)

allocation and delegation of responsibility for plant safety.

(d)

implementation of safety procedures.

9. Information on assessment of the consequences of major accidents, namely:-

(a)

assessment of the possible release of hazardous chemicals or of energy.

(b)

possible dispersion of released chemicals.

(c)

assessment of the effects of the releases (size of the affected area, health effects, property damage).

10. Information on the mitigation of major accidents, namely:-

(a)

fire brigade.

(b)

alarm systems.

(c)

emergency plan containing system of organisation used to fight the emergency, the alarm and the communication routes, guidelines for fighting the emergency, examples for possible accident sequences.

(d)

co-ordination with the District Collector or the District Emergency Authority and its off-site emergency plan.

(e)

notification of the nature and scope of the hazard in the event of an accident.

(f)

antidotes in the event of a release of a hazardous chemical.

Related AI tags, queries and research notes

Translation