#### **Assignment-4**

Develop and demonstrate a HTML5 file that includes JavaScript script that uses functions for the following problems:

a. Parameter: A string

b. Output: The position in the string of the left-most vowel

c. Parameter: A number


d. Output: The number with its digits in the reverse order

```
<!DOCTYPE HTML>
<html>
<head><title>Program-4</title></head>
<body>
  <script type="text/javascript">
    var str = prompt("Enter the Input", "");
    if (!(isNaN(str))) //isNaN means is Not a Number
     {
       var num, rev = 0, remainder;
       num = parseInt(str);
       while (num != 0)
       {
         remainder = num % 10;
         num = parseInt(num / 10);
         rev = rev * 10 + remainder;
       }
       alert("Reverse of " + str + " is " + rev);
     }
```


```
else
   {
         str = str.toUpperCase();
         for (var i = 0; i < \text{str.length}; i++) //0,1,2,3
     }
            var chr = str.charAt(i);
           if (chr == 'A' \parallel chr == 'E' \parallel chr == 'I' \parallel chr == 'O' \parallel chr == 'U')
                 break;
         }
         if (i < str.length)
            alert("The position of the left most vowel is +(i+1));
         else
            alert("No vowel found in the entered string");
      }
</script>
</body>
</html>
OUTPUT:
× C Program-4
  ▲ Not secure 192.168.81.63:5500/index.html
                                        192.168.81.63:5500 says
```

Cancel

### **Output-1:Integer Value test**




### **Output-2 : String Value test**







# **Output-3 :Negative Integer value**



# Output-4: Alpha numerical value:



# **Output -5: Non vowel string**





#### **CHALLENGE4.html**

```
<!DOCTYPE HTML>
<html>
<head>
  <title>challenge-4</title>
</head>
<body>
  <script type="text/javascript">
    var str = prompt("Enter the Input", "");
    if (!(isNaN(str))) //isNaN means is Not a Number
       var num, rev = 0, remainder, product;
       num = parseInt(str);
       while (num != 0) {
         remainder = num % 10;
         num = parseInt(num / 10);
         rev = rev * 10 + remainder;
       }
       product = parseInt(str) * rev;
```

```
alert("Reverse of " + str + " is " + rev + "and their product is : " + product);
     }
     else {
        str = str.toUpperCase();
        count =0;
        for (var i = 0; i < \text{str.length}; i++) //0,1,2,3
        {
          var chr = str.charAt(i);
          if (chr == 'A' || chr == 'E' || chr == 'I' || chr == 'O' || chr == 'U')
             count++;
        }
        if (count>0)
          alert("The given string:" + str + " has " + count + " number of vowels.");
        else
          alert("No vowel found in the entered string");
     }
  </script>
</body>
</html>
```

#### **OUTPUT:**

