

```

<html>
<head>
  <title>HTML-Lists</title>

</head>
<body>
  <h1>Html allows web developers to group set of related items in lists</h1>
  <h2>Unordered list starts with <ul> each list item with <li> tag by Default marked with BULlets</h2>
  <h2>Ordered list statr with<ol> & list item with<li> tag Here, Def is numbers .<br>It have disc, circle, square,
none</h2>
  <h2>Description list have dl,dt,dd tags. <br> It have numeric, alphabets, roman</h2>
  <h2>By Def ol stats with1 we change it by using start attribute</h2>
<ul style="list-style-type:disc;">
  <li>Cofee</li>
  <li>Tea
    <ul>
      <li>black tea</li>
      <li>cold tea</li>
    </ul>
  </li>
  <li>Milk</li>
</ul>
<ol type="a">
  <li>Cofee</li>
  <li>Tea
    <ol type="I">
      <li>Black Tea</li>
      <li>Cold Tea</li>
    </ol>
  </li>
  <li>Milk</li>
</ol>
<ol start="50">
  <li>Cofee</li>
  <li>Tea</li>
  <li>Milk</li>
</ol>
<dl>
  <dt>Cofee</dt>
  <dd>-black hot drink</dd>
  <dt>Milk</dt>
  <dd>-white cold drink</dd>
</dl>

```