

OPERATING HISTORY

Date : 11/01/2025 00:07 ~ 11/01/2025 20:03

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1	01:13:23	gd98961	ACICLO400MG STVI1B00	VIM2500140	Target Quantity Count Reset		TRUE	
2	01:13:31	gd98961	ACICLO400MG STVI1B00	VIM2500140	Target Quantity	1740000	1500000	
3	01:13:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Time Reset		TRUE	
4	01:13:57	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
5	01:13:58	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
6	01:13:59	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
7	01:14:00	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
8	01:14:01	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
9	01:14:03	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
10	01:14:11	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
11	01:15:16	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
12	01:15:22	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.65	7.85	
13	01:15:25	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.65	7.85	
14	01:15:29	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
15	01:15:34	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.80	7.86	
16	01:15:37	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.80	7.86	
17	01:16:30	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
18	01:16:40	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
19	01:20:21	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
20	01:20:24	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		14	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
21	01:20:29	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
22	01:20:36	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.86	7.75	
23	01:20:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.86	7.75	
24	01:20:46	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
25	01:20:49	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.85	7.92	
26	01:20:53	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.85	7.92	
27	01:21:45	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
28	01:21:51	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
29	01:21:57	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
30	01:22:04	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.92	7.85	
31	01:22:07	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.92	7.85	
32	01:22:10	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
33	01:22:18	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.75	7.65	
34	01:22:24	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
35	01:22:30	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.75	7.65	
36	01:22:32	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
37	01:22:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
38	01:22:43	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
39	01:22:48	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.65	7.55	
40	01:22:50	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.65	7.55	
41	01:22:55	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
42	01:22:58	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.85	7.68	
43	01:23:01	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.85	7.68	
44	01:23:03	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
45	01:23:07	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
46	01:23:11	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
47	01:23:15	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.68	7.58	
48	01:23:18	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.68	7.58	
49	01:23:22	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
50	01:23:29	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
51	01:25:00	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
52	01:25:03	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.55	7.48	
53	01:25:06	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.55	7.48	
54	01:25:10	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
55	01:25:14	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.58	7.40	
56	01:25:17	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.58	7.40	
57	01:26:20	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
58	01:26:25	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
59	01:26:31	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
60	01:26:35	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.40	7.30	
61	01:26:38	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.40	7.30	
62	01:26:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
63	01:26:51	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
64	01:26:55	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	
65	01:26:57	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
66	01:30:51	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
67	01:30:56	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.48	7.55	
68	01:31:03	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.55	7.53	
69	01:31:06	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.48	7.53	
70	01:31:09	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
71	01:31:12	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.30	7.20	
72	01:31:15	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.30	7.20	
73	01:31:17	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
74	01:31:30	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
75	01:31:35	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	
76	01:31:38	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
77	01:36:40	gd98961	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
78	01:54:14	gd98961	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
79	03:10:29	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
80	03:10:30	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
81	03:10:36	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
82	03:10:38	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
83	03:10:41	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
84	03:10:42	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
85	03:12:47	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
86	03:12:52	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
87	03:14:18	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
88	03:14:34	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.20	8.01	
89	03:14:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.20	8.01	
90	03:14:43	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
91	03:14:55	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.53	8.29	
92	03:15:02	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.53	8.29	
93	03:15:07	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
94	03:15:11	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
95	03:15:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
96	03:15:41	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
97	03:15:42	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
98	03:15:43	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
99	03:17:03	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
100	03:17:07	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
101	03:17:08	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
102	03:17:09	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
103	03:19:34	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
104	03:19:38	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	8.29	7.79	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
105	03:19:41	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	8.01	7.79	
106	03:19:45	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
107	03:19:58	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	8.29	8.11	
108	03:20:03	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	8.29	8.11	
109	03:20:07	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
110	03:20:09	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
111	03:20:11	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
112	03:20:13	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
113	03:20:15	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
114	03:20:17	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
115	03:20:52	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
116	03:20:53	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
117	03:22:04	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
118	03:22:09	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
119	03:22:11	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
120	03:22:12	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
121	03:23:53	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
122	03:24:08	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.79	6.62	
123	03:24:11	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.79	7.53	
124	03:24:14	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
125	03:24:23	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	8.11	6.98	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
126	03:24:26	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	8.11	7.80	
127	03:24:32	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
128	03:24:35	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
129	03:24:36	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
130	03:24:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
131	03:24:40	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
132	03:24:42	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
133	03:26:30	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
134	03:26:32	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
135	03:26:34	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
136	03:26:35	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
137	03:28:10	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
138	03:28:14	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	6.62	6.42	
139	03:28:20	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
140	03:28:31	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	6.42	6.50	
141	03:28:51	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	6.62	6.50	
142	03:28:52	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
143	03:29:05	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
144	03:29:22	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	6.98	6.99	
145	03:29:33	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	6.99	6.75	
146	03:29:36	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	6.98	6.75	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
147	03:29:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
148	03:29:44	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
149	03:29:47	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
150	03:29:48	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
151	03:30:26	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
152	03:30:27	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
153	03:30:28	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
154	03:30:29	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
155	03:31:14	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
156	03:31:18	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
157	03:34:24	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
158	03:34:25	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
159	03:37:09	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
160	03:37:09	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
161	03:37:10	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
162	03:37:11	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
163	03:40:54	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
164	03:40:57	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
165	03:40:58	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	Off	On	
166	03:41:00	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
167	03:41:02	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
168	03:41:30	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	On	Off	
169	03:41:37	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
170	03:41:40	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	6.50	7.20	
171	03:41:46	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	6.50	7.20	
172	03:41:50	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
173	03:41:53	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	6.75	7.50	
174	03:41:58	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	6.75	7.50	
175	03:42:01	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
176	03:42:06	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
177	03:42:10	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
178	03:42:14	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.20	7.60	
179	03:42:21	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.20	7.45	
180	03:42:22	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
181	03:42:29	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
182	03:47:30	gd98961	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
183	03:48:38	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
184	03:48:39	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
185	03:48:40	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
186	03:48:43	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
187	03:50:02	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
188	03:50:04	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
189	03:52:18	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
190	03:52:19	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
191	03:54:49	gd98961	ACICLO400MG STVI1B00	VIM2500140	LEP S2	25.0	1.0	
192	03:54:52	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
193	03:54:52	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	Off	On	
194	03:54:53	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
195	03:54:54	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	On	Off	
196	03:54:56	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
197	03:54:57	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
198	03:54:57	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	Off	On	
199	03:54:58	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
200	03:55:00	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
201	03:55:11	gd98961	ACICLO400MG STVI1B00	VIM2500140	LEP S2	1.0	25.0	
202	03:55:17	gd98961	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
203	03:55:20	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.60	7.70	
204	03:55:22	gd98961	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.63	7.70	
205	03:55:24	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
206	03:55:28	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
207	03:55:38	gd98961	ACICLO400MG STVI1B00	VIM2500140	HEP S1	25.0	1.0	
208	03:55:41	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
209	03:55:45	gd98961	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
210	03:56:02	gd98961	ACICLO400MG STVI1B00	VIM2500140	HEP S1	1.0	25.0	
211	03:56:17	gd98961	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	On	Off	
212	04:01:21	gd98961	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
213	04:08:06	ng96299	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
214	04:25:11	vg96371	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
215	04:25:13	vg96371	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	Off	On	
216	04:25:19	vg96371	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
217	04:25:26	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.70	7.55	
218	04:25:28	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.70	7.67	
219	04:25:34	vg96371	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
220	04:25:37	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.55	7.42	
221	04:25:40	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.52	7.42	
222	04:25:46	vg96371	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
223	04:25:52	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.42	7.32	
224	04:25:54	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.42	7.32	
225	04:27:21	vg96371	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
226	04:27:24	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.50	7.56	
227	04:27:28	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.56	7.60	
228	04:27:29	vg96371	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.53	7.56	
229	04:28:12	vg96371	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
230	04:28:16	vg96371	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
231	04:55:15	vg96371	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
232	05:04:08	vg96371	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
233	06:16:44	vj98837	ACICLO400MG STVI1B00	VIM2500140	Password changed.			
234	06:37:55	pl98382	ACICLO400MG STVI1B00	VIM2500140	Disk Speed	15	22	
235	06:37:56	pl98382	ACICLO400MG STVI1B00	VIM2500140	Disk Speed	22	25	
236	06:38:03	pl98382	ACICLO400MG STVI1B00	VIM2500140	Feeder Auto % 1	70	78	
237	06:38:05	pl98382	ACICLO400MG STVI1B00	VIM2500140	Feeder Auto % 1	78	82	
238	06:38:09	pl98382	ACICLO400MG STVI1B00	VIM2500140	Feeder Auto % 1	82	84	
239	06:38:10	pl98382	ACICLO400MG STVI1B00	VIM2500140	Feeder Auto % 1	84	87	
240	06:38:13	pl98382	ACICLO400MG STVI1B00	VIM2500140	Feeder Auto % 1	87	89	
241	06:38:14	pl98382	ACICLO400MG STVI1B00	VIM2500140	Feeder Auto % 1	89	91	
242	06:38:18	pl98382	ACICLO400MG STVI1B00	VIM2500140	Feeder Auto % 1	91	89	
243	06:38:27	pl98382	ACICLO400MG STVI1B00	VIM2500140	Feeder Auto % 2	70	89	
244	06:43:30	pl98382	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
245	07:04:16	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	On	Off	
246	07:05:17	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
247	07:05:22	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
248	07:05:52	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
249	07:05:58	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
250	07:12:50	pl98382	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
251	07:20:31		ACICLO400MG STVI1B00	VIM2500140	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		pl98382	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
252	07:22:02	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
253	07:22:13	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
254	07:23:04	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
255	07:23:13	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
256	07:23:58	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
257	07:24:03	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
258	07:24:23	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
259	07:24:30	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.60	7.52	
260	07:24:33	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.43	7.52	
261	07:24:36	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
262	07:24:41	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.52	7.30	
263	07:24:46	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
264	07:24:51	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
265	07:25:18	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
266	07:25:21	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.30	7.45	
267	07:25:24	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.30	7.45	
268	07:25:28	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
269	07:25:33	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.52	7.56	
270	07:25:36	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.52	7.56	
271	07:25:38	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
272	07:25:43	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
273	07:26:36	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
274	07:26:42	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
275	07:26:45	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.45	7.50	
276	07:26:48	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.45	7.50	
277	07:38:40	pl98382	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
278	08:10:06	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
279	08:10:11	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
280	08:10:58	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
281	08:11:02	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
282	08:11:44	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		14	
283	08:11:47	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
284	08:13:48	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
285	08:13:51	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.50	8.12	
286	08:13:54	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.60	7.85	
287	08:13:59	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
288	08:14:02	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.56	8.22	
289	08:14:05	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.51	7.81	
290	08:14:17	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
291	08:14:22	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
292	08:15:54	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		17	
293	08:15:56	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		17	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
294	08:18:00	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
295	08:18:03	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	8.12	7.82	
296	08:18:06	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	8.12	7.87	
297	08:18:09	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
298	08:18:14	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.82	7.80	
299	08:18:17	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	8.22	7.91	
300	08:18:47	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
301	08:18:51	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
302	08:22:06	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
303	08:22:09	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.82	6.52	
304	08:22:12	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.82	7.57	
305	08:22:15	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
306	08:22:20	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	6.52	6.58	
307	08:22:24	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.80	6.58	
308	08:22:45	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
309	08:22:50	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
310	08:23:31	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		9	
311	08:23:32	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
312	08:26:11	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
313	08:26:30	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	6.52	6.75	
314	08:26:33	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	6.52	6.75	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
315	08:26:36	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
316	08:26:41	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	6.75	6.95	
317	08:26:46	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
318	08:26:51	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
319	08:27:17	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
320	08:33:35	pl98382	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
321	08:33:55	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
322	08:33:59	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	6.75	7.60	
323	08:34:05	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
324	08:34:12	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	6.95	7.51	
325	08:34:15	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	6.95	7.25	
326	08:34:44	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
327	08:34:48	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
328	08:35:14	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		14	
329	08:35:17	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
330	08:35:18	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
331	08:35:19	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
332	08:35:19	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
333	08:35:19	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
334	08:35:20	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
335	08:35:20	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
336	08:35:21	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
337	08:35:21	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
338	08:35:22	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
339	08:35:22	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		12	
340	08:40:24	pl98382	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
341	08:45:02	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
342	08:45:08	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
343	08:45:08	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	
344	08:45:10	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
345	08:50:12	pl98382	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
346	08:55:07	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	Off	On	
347	08:55:07	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
348	08:55:16	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
349	09:04:56	pb97604	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
350	09:05:09	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
351	09:06:47	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	
352	09:06:51	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
353	09:07:35	pb97604	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
354	09:07:37	pb97604	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.60	7.40	
355	09:07:40	pb97604	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.49	7.40	
356	09:08:03	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
357	09:08:29	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	
358	09:34:50	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
359	09:34:58	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
360	09:35:48	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
361	09:36:48	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
362	09:44:22	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Enable/Disable	Enable	Disable	
363	09:44:25	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S2	Off	On	
364	09:44:40	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S2	On	Off	
365	09:44:43	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S1	Off	On	
366	09:44:55	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S1	On	Off	
367	09:45:04	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S1	Off	On	
368	09:45:13	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S1	On	Off	
369	09:45:19	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Enable/Disable	Disable	Enable	
370	10:24:16	pb97604	ACICLO400MG STVI1B00	VIM2500140	Dust Collector Auto/Manual	Manual	Auto	
371	10:30:09	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Enable/Disable	Enable	Disable	
372	10:30:11	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S1	Off	On	
373	10:30:20	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S1	On	Off	
374	10:30:22	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S2	Off	On	
375	10:30:26	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S2	On	Off	
376	10:33:14	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S2	Off	On	
377	10:33:20	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Inching S2	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
378	10:33:26	pb97604	ACICLO400MG STVI1B00	VIM2500140	Oil Lubrication Enable/Disable	Disable	Enable	
379	11:03:47	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
380	11:03:49	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	
381	11:04:02	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
382	11:04:14	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
383	11:04:20	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
384	11:05:54	pb97604	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
385	11:05:58	pb97604	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.51	7.44	
386	11:10:25	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
387	11:10:50	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	On	Off	
388	11:10:53	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
389	11:10:59	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	Off	On	
390	11:11:13	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
391	11:24:12	pb97604	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	
392	12:01:57	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
393	12:04:03	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
394	12:38:18	pb97604	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
395	12:43:50	pl98382	ACICLO400MG STVI1B00	VIM2500140	Disk Speed	25	22	
396	12:43:51	pl98382	ACICLO400MG STVI1B00	VIM2500140	Disk Speed	22	21	
397	12:43:51	pl98382	ACICLO400MG STVI1B00	VIM2500140	Disk Speed	21	20	
398	12:44:01	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
399	12:48:31	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
400	12:48:40	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
401	12:53:02	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S1		15	
402	12:53:05	pl98382	ACICLO400MG STVI1B00	VIM2500140	AWC REF Acquire S2		15	
403	12:55:22	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
404	12:55:28	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.40	8.10	
405	12:55:43	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
406	12:55:46	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.44	8.20	
407	12:55:56	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
408	12:56:00	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
409	12:56:05	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
410	12:56:08	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
411	12:56:37	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
412	12:56:42	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	8.10	7.78	
413	12:56:52	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
414	12:56:59	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	8.20	7.95	
415	12:58:20	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
416	12:58:24	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
417	12:58:37	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
418	12:58:40	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.95	7.90	
419	12:58:44	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
420	12:58:49	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	8.10	7.84	
421	12:58:52	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
422	12:58:59	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
423	12:59:31	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.90	0.00	
424	12:59:35	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
425	12:59:38	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.78	7.00	
426	12:59:43	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
427	12:59:45	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	7.78	7.10	
428	13:01:27	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
429	13:01:43	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
430	13:01:48	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
431	13:02:36	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
432	13:02:39	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 1	7.00	6.80	
433	13:02:43	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 1	7.00	6.80	
434	13:02:46	pl98382	ACICLO400MG STVI1B00	VIM2500140	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
435	13:02:49	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth Set Value 2	6.80	6.90	
436	13:02:56	pl98382	ACICLO400MG STVI1B00	VIM2500140	Filling Depth 2	7.10	6.90	
437	13:04:53	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	Off	On	
438	13:04:59	pl98382	ACICLO400MG STVI1B00	VIM2500140	Main Motor On/Off	On	Off	
439	13:11:57	pl98382	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			
440	13:17:18	pl98382	ACICLO400MG STVI1B00	VIM2500140	Auto Logout			

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
441	13:27:05		ACICLO400MG STVI1B00	VIM2500140	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		pl98382	
442	13:27:13		ACICLO400MG STVI1B00	VIM2500140	Please enter your password again....login Fault Lock Count (3) Ramining Count (1)		pl98382	