

OPERATING HISTORY

Date : 24/12/2024 00:41 ~ 24/12/2024 23:02

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1	00:46:57	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
2	00:46:58	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
3	00:52:00	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
4	00:52:11		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		pl98382	
5	00:52:37	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Pressure Installed Sensor S1	196	196.14	
6	00:52:37	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Pressure Span S1	119	121	
7	00:52:37	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Pressure Zero S1	99	105	
8	00:52:41	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
9	00:52:43	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
10	00:52:56	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
11	00:52:59	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
12	00:53:01	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
13	00:53:01	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
14	00:54:00	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
15	00:54:19	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
16	00:56:32	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		15	
17	00:56:50	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Pressure Installed Sensor S1	196	196.14	
18	00:56:50	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Pressure Zero S1	105	114	
19	00:56:51	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Pressure Span S1	121	123	
20	00:56:55	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
21	00:57:12	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
22	00:57:12	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		17	
23	01:02:47	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
24	01:02:49	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
25	01:03:00	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre Pressure Installed Sensor S2	196	196.14	
26	01:03:01	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre Pressure Zero S2	84	89	
27	01:03:05	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
28	01:03:06	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
29	01:03:08	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
30	01:03:09	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
31	01:04:53	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
32	01:05:10	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.60	6.25	
33	01:05:12	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.60	5.83	
34	01:05:16	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
35	01:05:21	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.30	6.10	
36	01:05:26	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
37	01:05:27	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
38	01:05:28	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
39	01:05:29	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
40	01:05:30	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
41	01:05:35	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
42	01:07:14	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
43	01:07:15	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
44	01:08:12	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
45	01:08:19	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.10	6.15	
46	01:08:21	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.25	6.15	
47	01:08:25	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
48	01:08:30	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	6.10	5.82	
49	01:08:33	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	6.10	5.82	
50	01:08:35	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
51	01:08:38	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
52	01:08:39	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
53	01:08:40	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
54	01:10:01	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
55	01:10:02	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
56	01:10:04	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
57	01:10:06	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
58	01:11:01	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
59	01:11:25	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
60	01:11:26	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
61	01:11:43	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
62	01:11:57	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.15	5.18	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
63	01:12:05	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
64	01:12:15	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.82	4.81	
65	01:12:20	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
66	01:12:26	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
67	01:14:01	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
68	01:14:02	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
69	01:14:03	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
70	01:14:04	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
71	01:14:59	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
72	01:15:03	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.18	5.01	
73	01:15:05	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.18	5.01	
74	01:15:11	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
75	01:15:24	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	4.81	4.60	
76	01:15:26	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	4.81	4.60	
77	01:15:28	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
78	01:15:30	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
79	01:16:02	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
80	01:16:02	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
81	01:16:03	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
82	01:16:05	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
83	01:17:25	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
84	01:17:26	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
85	01:17:27	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
86	01:17:28	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
87	01:18:04	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
88	01:18:04	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
89	01:18:05	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
90	01:18:06	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
91	01:23:08	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
92	01:25:08		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		pl98382	
93	01:25:21	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
94	01:25:22	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
95	01:25:26	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
96	01:27:08	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
97	01:27:11	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
98	01:28:23	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
99	01:28:34	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
100	01:33:45	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
101	01:36:43		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		pl98382	
102	01:36:57	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
103	01:36:59	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
104	01:37:12	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
105	01:37:19	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
106	01:37:22	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.01	5.60	
107	01:37:25	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.04	5.60	
108	01:37:29	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
109	01:37:32	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	4.60	5.40	
110	01:37:38	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
111	01:37:48	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
112	01:37:52	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
113	01:38:02	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
114	01:38:05	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.60	0.00	
115	01:38:10	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto/Manual 1	Auto	Manual	
116	01:38:13	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Inching 1	Off	On	
117	01:38:18	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto/Manual 1	Manual	Auto	
118	01:38:18	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Inching 1	On	Off	
119	01:38:22	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
120	01:38:25	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.40	5.80	
121	01:38:32	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.80	5.40	
122	01:38:35	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.40	5.60	
123	01:38:38	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.40	5.60	
124	01:38:44	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
125	01:38:49	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
126	01:38:52	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.60	5.40	
127	01:38:54	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.60	5.40	
128	01:38:57	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
129	01:39:00	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.60	5.80	
130	01:39:05	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
131	01:39:12	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
132	01:44:13	pl98382	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
133	01:50:08	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
134	01:50:09	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
135	01:50:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
136	01:50:14	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
137	01:50:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
138	01:50:25	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.80	6.00	
139	01:50:29	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.83	6.00	
140	01:50:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
141	01:50:44	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.00	5.80	
142	01:50:46	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.03	5.80	
143	01:50:51	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
144	01:50:54	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.40	5.60	
145	01:50:56	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.80	5.60	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
146	01:51:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
147	01:52:57	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
148	01:57:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
149	02:17:48	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	7.00	5.00	
150	02:17:56	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	7.00	6.92	
151	02:18:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	7.00	5.00	
152	02:18:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 2	7.00	6.31	
153	02:18:18	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	5.00	5.50	
154	02:18:21	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	5.00	5.07	
155	02:18:29	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 2	5.00	5.09	
156	02:18:42	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.90	3.92	
157	02:18:43	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
158	02:18:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	3.90	3.92	
159	02:18:52	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.90	3.92	
160	02:18:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
161	02:18:57	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	3.90	3.92	
162	02:18:59	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
163	02:19:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
164	02:19:17	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
165	02:24:18	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
166	02:27:10		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		vg96371	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
167	02:27:30		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (1)		vg96371	
168	02:28:19	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
169	02:28:21	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
170	02:28:27	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	100	96	
171	02:28:30	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	96	94	
172	02:28:36	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
173	02:28:39	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.48	5.60	
174	02:28:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	94	93	
175	02:28:42	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	93	92	
176	02:28:42	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	92	90	
177	02:28:43	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	90	89	
178	02:28:43	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	89	88	
179	02:28:48	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	100	99	
180	02:28:48	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	99	98	
181	02:28:49	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	98	97	
182	02:28:49	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	97	95	
183	02:28:50	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	95	93	
184	02:28:52	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	93	92	
185	02:28:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	92	91	
186	02:28:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	91	90	
187	02:28:54	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	90	88	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
188	02:28:54	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	88	86	
189	02:29:11	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	86	85	
190	02:29:11	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	85	84	
191	02:29:12	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	84	83	
192	02:29:13	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	82	81	
193	02:29:13	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	83	82	
194	02:29:14	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	81	80	
195	02:29:21	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	88	84	
196	02:29:21	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	84	83	
197	02:29:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	83	82	
198	02:29:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	82	81	
199	02:29:23	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	81	80	
200	02:36:24	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
201	02:39:18	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
202	02:39:23	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.60	6.25	
203	02:39:26	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.20	6.25	
204	02:39:30	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
205	02:39:33	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.25	6.32	
206	02:39:38	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.25	6.32	
207	02:39:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		17	
208	02:44:59	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
209	02:53:48	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
210	02:57:27	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	5.50	5.00	
211	02:57:37	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	5.50	5.12	
212	03:02:42	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
213	03:05:12		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		vg96371	
214	03:05:37	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 1	3.00	2.00	
215	03:05:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 1	3.00	2.98	
216	03:05:47	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 1	3.00	2.00	
217	03:05:48	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
218	03:05:51	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 1	3.00	2.33	
219	03:05:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 2	3.00	0.00	
220	03:06:00	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 2	0.00	2.00	
221	03:06:04	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 2	3.00	2.99	
222	03:06:09	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 2	3.00	2.00	
223	03:06:12	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
224	03:06:16	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 2	3.00	2.30	
225	03:06:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Speed 2	100	3000	
226	03:06:47	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Speed 2	3000	300	
227	03:06:47	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 2	2.67	2.54	
228	03:06:57	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Speed 1	100	300	
229	03:06:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 1	2.22	2.18	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
230	03:07:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
231	03:07:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
232	03:07:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
233	03:07:49	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
234	03:07:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
235	03:07:54	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
236	03:07:55	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
237	03:07:57	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
238	03:07:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
239	03:08:00	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
240	03:08:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
241	03:08:11	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 1	2.00	2.50	
242	03:08:13	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
243	03:08:20	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 1	2.00	2.50	
244	03:08:27	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 2	2.00	2.50	
245	03:08:28	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
246	03:08:31	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 2	2.00	2.39	
247	03:08:39	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
248	03:08:50	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
249	03:08:59	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.92	3.60	
250	03:09:05	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
251	03:09:14	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.60	3.30	
252	03:09:15	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
253	03:09:21	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.30	3.42	
254	03:09:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
255	03:09:24	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	3.92	3.37	
256	03:09:31	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.92	3.42	
257	03:09:32	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
258	03:09:35	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	3.92	3.81	
259	03:09:52	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
260	03:10:11	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
261	03:11:15	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 1	2.00	2.50	
262	03:11:20	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 1	2.00	2.06	
263	03:11:28	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 2	2.00	2.50	
264	03:11:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 2	2.00	2.21	
265	03:13:38	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.42	3.50	
266	03:13:39	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
267	03:13:42	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	3.42	3.50	
268	03:13:50	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.42	3.50	
269	03:13:51	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
270	03:13:57	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	3.42	3.50	
271	03:14:19	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
272	03:14:21	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
273	03:14:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
274	03:14:23	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
275	03:14:24	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
276	03:14:27	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
277	03:14:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
278	03:14:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
279	03:15:03	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
280	03:15:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.40	6.00	
281	03:15:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	6.00	5.80	
282	03:15:25	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
283	03:15:29	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.80	5.65	
284	03:15:35	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
285	03:15:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
286	03:16:31	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
287	03:16:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.32	6.50	
288	03:16:51	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.38	6.50	
289	03:16:54	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
290	03:17:01	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.65	5.56	
291	03:17:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
292	03:17:24	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
293	03:22:25	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
294	03:25:29		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		vg96371	
295	03:29:39	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Disk Speed	15	30	
296	03:29:47	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
297	03:29:49	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
298	03:29:50	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
299	03:29:56	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
300	03:32:36	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
301	03:32:46	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
302	03:33:28	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
303	03:33:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
304	03:40:25	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
305	03:55:48		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		vg96371	
306	03:56:23	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Disk Speed	30	25	
307	03:56:34	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
308	03:56:36	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
309	03:56:37	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
310	03:56:38	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
311	03:56:47	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
312	03:57:01	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
313	03:57:55	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
314	03:58:59	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 1	2.50	2.00	
315	03:59:09	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Speed 1	300	3000	
316	03:59:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 1	2.50	2.25	
317	03:59:23	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	5.00	4.50	
318	03:59:27	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	5.00	4.62	
319	03:59:36	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 1	2.50	2.00	
320	03:59:36	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
321	03:59:38	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
322	03:59:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 1	2.50	2.00	
323	03:59:57	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.50	3.00	
324	03:59:59	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
325	04:00:01	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	3.50	3.12	
326	04:00:09	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 2	2.50	2.00	
327	04:00:20	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Speed 2	300	3000	
328	04:00:31	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	5.00	4.50	
329	04:00:35	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 2	2.50	2.00	
330	04:00:36	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 2	5.00	4.50	
331	04:00:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 2	2.50	2.00	
332	04:00:43	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
333	04:00:44	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
334	04:00:46	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.50	3.00	
335	04:00:48	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
336	04:00:54	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 2	2.50	2.00	
337	04:00:54	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	3.50	3.00	
338	04:00:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
339	04:01:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.56	6.80	
340	04:01:06	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.50	6.80	
341	04:01:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
342	04:01:12	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.56	6.00	
343	04:01:15	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.56	5.85	
344	04:01:39	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Oil Lubrication Enable/Disable	Disable	Enable	
345	04:01:44	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
346	04:01:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
347	04:01:49	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
348	04:01:50	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
349	04:03:12	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
350	04:03:13	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
351	04:03:16	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
352	04:03:29	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
353	04:05:31	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
354	04:05:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Disk Speed	25	20	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
355	04:06:05	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.00	3.03	
356	04:06:06	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
357	04:06:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
358	04:06:11	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	3.00	3.03	
359	04:06:18	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.00	3.03	
360	04:06:20	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
361	04:06:24	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	3.00	3.03	
362	04:06:32	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
363	04:06:34	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
364	04:06:50	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	4.50	4.40	
365	04:06:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	4.50	4.42	
366	04:07:00	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	4.50	4.40	
367	04:07:03	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 2	4.50	4.40	
368	04:07:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	4.40	4.30	
369	04:07:12	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	4.40	4.32	
370	04:07:19	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	4.40	4.30	
371	04:07:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 2	4.40	4.30	
372	04:07:31	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
373	04:07:32	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
374	04:07:33	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
375	04:07:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
376	04:07:44	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
377	04:07:51	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
378	04:07:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	6.00	6.10	
379	04:07:56	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	6.00	6.10	
380	04:08:52	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
381	04:09:09	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
382	04:11:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
383	04:11:05	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	6.10	5.80	
384	04:11:09	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.80	5.90	
385	04:11:12	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	6.10	5.90	
386	04:11:15	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
387	04:11:18	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.00	6.70	
388	04:12:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
389	04:12:18	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
390	04:13:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		16	
391	04:13:46	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
392	04:14:01	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.90	5.75	
393	04:14:06	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.90	5.75	
394	04:14:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
395	04:14:12	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.70	6.60	
396	04:14:15	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.70	6.60	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
397	04:14:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
398	04:14:30	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
399	04:14:32	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
400	04:14:35	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.60	6.55	
401	04:14:38	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.60	6.55	
402	04:14:42	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
403	04:14:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
404	04:16:37	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
405	04:16:41	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.55	6.40	
406	04:16:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.55	6.40	
407	04:16:47	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
408	04:16:56	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	6.40	5.62	
409	04:17:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.75	5.62	
410	04:17:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
411	04:17:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
412	04:18:55	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		14	
413	04:19:03	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
414	04:19:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.40	6.00	
415	04:19:14	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
416	04:19:32	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
417	04:19:50	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		14	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
418	04:19:55	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
419	04:19:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.00	6.10	
420	04:20:00	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.00	6.10	
421	04:20:05	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
422	04:20:23	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
423	04:20:24	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		15	
424	04:21:05	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
425	04:21:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.10	6.20	
426	04:22:03	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
427	04:22:22	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
428	04:23:01	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
429	04:23:03	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.20	6.30	
430	04:23:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
431	04:23:20	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
432	04:23:24	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
433	04:23:26	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.62	6.40	
434	04:23:28	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.30	6.40	
435	04:28:32	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
436	05:33:23		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
437	05:33:25		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
438	05:34:51		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
439	05:34:52		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
440	05:35:00		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
441	05:35:02		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
442	05:35:07		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
443	05:35:09		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
444	05:35:19		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
445	05:35:20		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
446	05:35:39		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
447	05:35:40		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
448	05:36:27		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
449	05:36:29		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
450	05:36:33		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
451	05:36:34		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
452	05:36:57		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
453	05:36:58		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
454	05:37:02		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
455	05:37:03		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
456	05:37:08		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
457	05:37:09		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
458	05:37:16		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
459	05:37:17		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
460	05:37:45		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
461	05:37:46		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
462	05:37:52		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
463	05:37:53		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
464	05:38:00		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
465	05:38:01		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
466	05:38:07		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
467	05:38:08		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
468	05:38:14		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
469	05:38:15		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
470	05:38:41		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
471	05:38:42		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
472	05:38:48		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
473	05:38:49		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
474	05:39:00		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
475	05:39:01		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
476	05:39:23		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
477	05:39:24		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
478	05:39:59		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
479	05:40:00		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
480	05:40:07		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
481	05:40:08		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
482	05:40:38		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
483	05:40:39		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
484	05:41:22		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
485	05:41:23		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
486	05:41:34		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
487	05:41:35		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
488	05:42:01		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
489	05:42:02		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
490	05:42:29		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
491	05:42:30		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
492	05:43:07		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
493	05:43:08		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
494	05:43:19		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
495	05:43:21		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
496	05:43:31		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
497	05:43:32		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
498	05:43:40		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
499	05:43:41		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
500	05:44:41		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
501	05:44:42		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
502	05:44:50		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
503	05:44:51		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
504	05:45:37		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
505	05:45:38		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
506	05:45:50		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
507	05:45:52		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
508	10:14:55		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		kr83216	
509	10:15:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
510	10:15:27	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
511	10:15:29	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
512	10:15:30	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
513	10:15:32	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
514	10:15:34	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
515	10:15:37	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
516	10:15:38	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
517	10:15:39	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
518	10:15:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
519	10:15:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
520	10:15:47	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
521	10:15:52	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
522	10:15:53	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
523	10:16:11	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
524	10:16:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
525	10:16:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
526	10:16:14	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
527	10:16:19	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
528	10:16:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
529	10:16:52	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 2	2.00	3.50	
530	10:17:00	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 2	3.50	3.00	
531	10:17:07	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	4.30	5.30	
532	10:17:15	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 2	2.00	3.00	
533	10:17:15	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 2	4.30	5.30	
534	10:17:22	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.03	4.05	
535	10:17:23	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
536	10:17:24	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
537	10:17:27	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 2	2.00	6.00	
538	10:17:29	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 2	6.00	3.00	
539	10:17:30	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
540	10:17:31	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
541	10:17:31	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 2	2.00	2.09	
542	10:17:31	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	3.03	4.05	
543	10:17:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 1	2.00	3.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
544	10:17:48	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	4.30	5.30	
545	10:17:50	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	4.30	4.37	
546	10:17:50	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 1	2.00	3.00	
547	10:17:59	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.03	4.05	
548	10:18:00	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
549	10:18:01	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
550	10:18:04	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 1	2.00	3.00	
551	10:18:05	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
552	10:18:06	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
553	10:20:01	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 1	2.00	3.00	
554	10:20:02	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	3.03	4.05	
555	10:20:10	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
556	10:20:19	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
557	10:20:45	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	5.30	5.60	
558	10:20:48	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	5.30	5.37	
559	10:20:54	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	5.30	5.60	
560	10:21:07	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Disk Speed	20	16	
561	10:21:07	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Disk Speed	16	15	
562	10:21:22	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
563	10:21:36	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
564	10:22:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
565	10:22:39	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.62	6.20	
566	10:22:42	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.40	6.20	
567	10:22:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
568	10:22:51	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.20	6.10	
569	10:22:56	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
570	10:22:58	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.62	5.30	
571	10:23:07	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		17	
572	10:23:09	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		16	
573	10:23:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	SD S2	20.0	35.0	
574	10:23:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre HSP S2	35.00	30.00	
575	10:23:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HCP S2	2.0	3.0	
576	10:23:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LCP S2	2.0	3.0	
577	10:23:32	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HCP S1	2.0	3.0	
578	10:23:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LCP S1	2.0	3.0	
579	10:23:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	SD S1	20.0	35.0	
580	10:23:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre HSP S1	35.00	30.00	
581	10:23:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
582	10:23:50	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
583	10:25:29	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		14	
584	10:25:35	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
585	10:25:37	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.10	5.90	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
586	10:25:39	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.10	5.90	
587	10:25:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
588	10:25:45	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.90	5.40	
589	10:25:52	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
590	10:25:54	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.90	5.85	
591	10:26:00	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
592	10:26:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
593	10:31:15	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
594	10:37:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		15	
595	10:37:24	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		13	
596	10:46:50	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
597	10:49:33		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
598	10:49:33		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
599	10:49:34		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
600	10:49:36		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
601	10:49:37		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
602	10:49:42		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
603	10:52:58		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
604	10:53:00		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
605	10:53:09		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
606	10:53:11		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
607	10:53:22		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
608	10:53:23		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
609	11:01:47	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
610	11:01:54	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
611	11:02:10	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
612	11:02:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.40	5.46	
613	11:02:18	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		14	
614	11:02:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		14	
615	11:02:32	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
616	11:02:34	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.85	5.75	
617	11:02:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
618	11:02:57	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HSP S1	30.0	35.0	
619	11:02:58	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LSP S1	30.0	35.0	
620	11:02:58	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HEP S1	25.0	30.0	
621	11:02:58	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LEP S1	25.0	30.0	
622	11:03:05	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LSP S2	30.0	35.0	
623	11:03:05	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HSP S2	30.0	35.0	
624	11:03:06	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HEP S2	25.0	30.0	
625	11:03:06	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LEP S2	25.0	30.0	
626	11:03:10	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		14	
627	11:04:18	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		14	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
628	11:04:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HCP S2	3.0	2.5	
629	11:04:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LCP S2	3.0	2.5	
630	11:04:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HCP S1	3.0	2.5	
631	11:04:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LCP S1	3.0	2.5	
632	11:04:57	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
633	11:04:59	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.75	5.90	
634	11:05:28	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	80	89	
635	11:05:29	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	89	90	
636	11:05:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	80	91	
637	11:05:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	91	90	
638	11:05:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
639	11:05:42	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.90	6.20	
640	11:05:56	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
641	11:05:58	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.46	5.55	
642	11:06:11	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
643	11:06:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.55	5.45	
644	11:07:44	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		14	
645	11:07:44	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		14	
646	11:07:57	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		14	
647	11:08:32	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	5.60	5.40	
648	11:09:04	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		15	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
649	11:09:47	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
650	11:15:07	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	5.40	5.60	
651	11:15:14	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	5.40	5.60	
652	11:17:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
653	11:23:06	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
654	11:28:11	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	4.05	3.80	
655	11:28:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
656	11:28:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
657	11:28:19	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
658	11:28:20	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
659	11:28:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 1	3.00	2.00	
660	11:28:38	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	5.60	4.60	
661	11:28:42	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 1	3.00	2.00	
662	11:28:42	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	5.40	5.32	
663	11:28:50	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 1	3.00	2.00	
664	11:28:51	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
665	11:28:52	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
666	11:28:59	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.80	3.00	
667	11:29:00	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
668	11:29:01	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
669	11:29:01	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 1	3.00	2.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
670	11:29:01	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	3.80	3.72	
671	11:29:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Speed 1	3000	300	
672	11:29:28	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 2	3.00	2.02	
673	11:29:34	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 2	3.00	2.00	
674	11:29:35	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
675	11:29:36	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
676	11:29:39	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.80	3.00	
677	11:29:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
678	11:29:41	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
679	11:29:42	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	3.80	3.70	
680	11:29:42	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 2	3.00	2.00	
681	11:29:52	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement S1	300.00	3.00	
682	11:29:52	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement Speed S1	0	300	
683	11:29:53	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Decrease S1		On	
684	11:30:03	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Decrease S1		Off	
685	11:30:07	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Increase S1		On	
686	11:30:08	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Increase S1		Off	
687	11:30:11	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Increase S1		On	
688	11:30:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Increase S1		Off	
689	11:30:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement Speed S2	0	3000	
690	11:30:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement S2	3000.00	3.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
691	11:30:22	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Use Turret Change		Off	
692	11:30:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement S2	300.00	3.00	
693	11:30:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement Speed S2	0	300	
694	11:30:27	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Decrease S2		On	
695	11:30:28	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Decrease S2		Off	
696	11:30:29	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Decrease S2		On	
697	11:30:39	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Decrease S2		Off	
698	11:31:09	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement Speed S1	0	300	
699	11:31:09	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement S1	300.00	3.00	
700	11:31:10	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Increase S1		On	
701	11:31:15	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Increase S1		Off	
702	11:31:23	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement S2	300.00	3.00	
703	11:31:23	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Movement Speed S2	0	300	
704	11:31:24	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Increase S2		On	
705	11:31:30	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Low Punch Position Increase S2		Off	
706	11:31:41	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
707	11:31:42	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
708	11:31:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	2.87	2.88	
709	11:31:48	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
710	11:31:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	2.85	2.86	
711	11:31:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
712	11:32:08	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 1	2.00	2.20	
713	11:32:09	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
714	11:32:10	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
715	11:32:19	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 1	2.20	2.00	
716	11:32:19	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
717	11:32:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
718	11:32:34	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
719	11:32:38	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
720	11:32:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
721	11:32:59	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
722	11:33:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
723	11:36:24	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.00	3.01	
724	11:36:25	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
725	11:36:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
726	11:36:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
727	11:36:34	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
728	11:52:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
729	12:45:53		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
730	12:45:54		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
731	12:46:55		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
732	12:46:56		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
733	12:46:58		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
734	12:46:59		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
735	12:47:05		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
736	12:47:06		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
737	12:47:09		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
738	12:47:10		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
739	12:47:12		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
740	12:47:13		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
741	12:47:16		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
742	12:47:17		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
743	12:47:22		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
744	12:47:23		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
745	12:47:24		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
746	12:47:25		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
747	12:47:27		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
748	12:47:28		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
749	12:47:31		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
750	12:47:32		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
751	12:47:59		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
752	12:48:00		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
753	12:48:01		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
754	12:48:02		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
755	12:48:12		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
756	12:48:13		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
757	12:48:16		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
758	12:48:17		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
759	12:48:20		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
760	12:48:21		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
761	12:48:24		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
762	12:48:25		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
763	12:48:58		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
764	12:48:59		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
765	12:49:00		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
766	12:49:01		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
767	12:49:06		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
768	12:49:07		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
769	12:49:11		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
770	12:49:12		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
771	12:49:14		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
772	12:49:15		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
773	12:49:18		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
774	12:49:19		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
775	12:49:25		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
776	12:49:26		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
777	14:41:44		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
778	14:41:45		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
779	14:41:54		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
780	14:41:55		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
781	14:42:03		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
782	14:42:05		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
783	14:42:20		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
784	14:42:21		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
785	14:42:33		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
786	14:42:34		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
787	14:42:39		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
788	14:42:40		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
789	14:42:45		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
790	14:42:46		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
791	14:43:03		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
792	14:43:04		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
793	14:43:10		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
794	14:43:11		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
795	14:43:24		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
796	14:43:25		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
797	14:43:41		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
798	14:43:42		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
799	14:43:56		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
800	14:43:57		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
801	14:44:02		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
802	14:44:03		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
803	14:44:29		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
804	14:44:29		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
805	14:44:39		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
806	14:44:40		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
807	14:45:06		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
808	14:45:07		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
809	14:45:20		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
810	14:45:21		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
811	14:45:32		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
812	14:45:32		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
813	14:45:38		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
814	14:45:39		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
815	14:46:06		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
816	14:46:07		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
817	14:46:19		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
818	14:46:20		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
819	14:46:39		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
820	14:46:40		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
821	14:46:57		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
822	14:46:58		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
823	14:47:04		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
824	14:47:05		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
825	14:47:21		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
826	14:47:22		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
827	14:47:30		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
828	14:47:31		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
829	14:47:36		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
830	14:47:38		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
831	14:47:58		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
832	14:47:59		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
833	14:48:04		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
834	14:48:05		AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
835	14:51:24	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 1	2.00	3.00	
836	14:51:37	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	4.60	5.00	
837	14:51:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 1	5.00	5.60	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
838	14:51:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 1	2.00	3.00	
839	14:51:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 1	4.60	4.67	
840	14:51:53	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 1	2.00	3.00	
841	14:51:54	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
842	14:51:55	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
843	14:51:59	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	3.01	4.25	
844	14:52:02	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	4.25	4.05	
845	14:52:03	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
846	14:52:04	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
847	14:52:08	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
848	14:52:09	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
849	14:52:35	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
850	14:52:36	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
851	14:52:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Speed 1	300	3000	
852	14:52:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
853	14:52:44	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
854	14:52:48	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
855	14:52:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 1	2.00	1.68	
856	14:52:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	3.01	4.05	
857	14:52:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
858	14:53:01	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position Set Value 2	4.60	5.60	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
859	14:53:08	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration Set Value 2	2.00	3.00	
860	14:53:10	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Penetration 2	2.00	2.10	
861	14:53:10	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Pre-Lower Punch Position 2	5.31	5.60	
862	14:53:16	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration Set Value 2	2.00	3.00	
863	14:53:17	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
864	14:53:18	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
865	14:53:23	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	3.01	0.00	
866	14:53:25	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Speed 2	300	3000	
867	14:53:30	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	0.00	4.05	
868	14:53:31	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
869	14:53:32	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
870	14:53:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
871	14:53:44	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
872	14:53:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
873	14:53:50	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
874	14:53:56	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	3.00	4.05	
875	14:53:56	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Penetration 2	2.00	3.00	
876	14:54:05	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	4.05	4.20	
877	14:54:06	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
878	14:54:07	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
879	14:54:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
880	14:54:14	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
881	14:54:18	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
882	14:54:19	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
883	14:54:23	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
884	14:54:24	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
885	14:54:26	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
886	14:54:35	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
887	14:54:39	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	4.20	4.05	
888	14:54:39	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
889	14:54:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
890	14:54:48	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 2	4.20	4.05	
891	14:54:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
892	14:54:50	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
893	14:54:51	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 2	4.20	4.09	
894	14:54:53	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
895	14:55:06	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
896	14:57:10	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	4.05	4.00	
897	14:57:11	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
898	14:57:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
899	14:57:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	4.05	4.00	
900	14:57:52	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position Set Value 1	4.00	4.01	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
901	14:57:53	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
902	14:57:54	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main-Lower Punch Position 1	4.00	4.01	
903	14:57:54	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Penetration Inertia Ratio		On	
904	15:03:04	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
905	15:08:17	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
906	15:08:22	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
907	15:08:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
908	15:08:43	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.45	5.55	
909	15:08:46	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.47	5.55	
910	15:08:57	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		16	
911	15:09:22	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
912	15:10:03	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		15	
913	15:10:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
914	15:10:51	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.55	5.40	
915	15:11:01	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		13	
916	15:11:32	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Air Pressure Low limit	0.000	0.400	
917	15:11:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
918	15:11:46	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.20	6.15	
919	15:12:03	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
920	15:12:06	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.15	6.25	
921	15:12:09	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.25	6.30	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
922	15:12:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.18	6.25	
923	15:12:16	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
924	15:12:18	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.30	6.35	
925	15:12:22	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.35	6.40	
926	15:12:25	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.33	6.40	
927	15:12:30	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
928	15:12:33	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.40	5.50	
929	15:12:36	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.43	5.50	
930	15:12:40	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 2	90	100	
931	15:12:44	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Feeder Auto % 1	90	100	
932	15:14:37	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		15	
933	15:15:09	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Oil Lubrication S2 Interval time	20	40	
934	15:15:11	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Oil Lubrication S2 Supply time	0.5	0.4	
935	15:15:11	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Oil Lubrication S2 Supply time	0.4	0.3	
936	15:15:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Oil Lubrication S2 Supply time	0.3	0.2	
937	15:15:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Oil Lubrication S1 Supply time	0.4	0.3	
938	15:15:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Oil Lubrication S1 Supply time	0.3	0.2	
939	15:16:19	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
940	15:16:21	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.50	5.65	
941	15:16:23	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.57	5.60	
942	15:16:27	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
943	15:16:29	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.40	6.10	
944	15:16:31	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.19	6.10	
945	15:16:35	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
946	15:16:37	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.10	6.00	
947	15:16:45	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
948	15:16:47	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.00	5.90	
949	15:16:49	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.00	5.97	
950	15:17:04	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
951	15:18:03	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LCP S1	2.5	2.0	
952	15:18:03	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HCP S1	2.5	2.0	
953	15:18:12	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HCP S2	2.5	2.0	
954	15:18:13	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LCP S2	2.5	2.0	
955	15:20:16	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HSP S1	35.0	30.0	
956	15:20:16	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LSP S1	35.0	30.0	
957	15:20:16	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HEP S1	30.0	25.0	
958	15:20:16	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LEP S1	30.0	25.0	
959	15:20:27	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HSP S2	35.0	30.0	
960	15:20:27	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	HEP S2	30.0	25.0	
961	15:20:27	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LSP S2	35.0	30.0	
962	15:20:28	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	LEP S2	30.0	25.0	
963	15:21:37	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		13	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
964	15:27:32	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
965	15:32:34	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
966	15:41:56	kr83216	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
967	16:33:34	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
968	16:33:36	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
969	16:33:39	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
970	16:35:04	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
971	16:35:08	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
972	16:39:38	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
973	16:39:42	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
974	16:39:46	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
975	16:39:48	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.90	6.70	
976	16:39:50	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.75	6.00	
977	16:39:54	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
978	16:39:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	6.70	6.60	
979	16:40:24	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Disk Speed	15	18	
980	16:42:23	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S1	15.19	20.69	
981	16:42:29	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S2	13.34	18.16	
982	16:42:31	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
983	16:42:37	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
984	16:42:49	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
985	16:42:56	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
986	16:43:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
987	16:43:59	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.70	6.25	
988	16:44:01	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.70	6.45	
989	16:44:05	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
990	16:44:07	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	6.60	6.10	
991	16:46:11	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S1	20.69	16.58	
992	16:46:17	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S2	18.16	14.30	
993	16:46:19	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
994	16:46:26	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
995	16:47:19	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
996	16:47:21	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.25	5.20	
997	16:47:30	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
998	16:47:32	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	6.10	5.10	
999	16:47:55	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S1	16.58	13.80	
1000	16:48:14	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S2	14.30	12.38	
1001	16:48:46	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1002	16:48:56	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1003	16:49:37	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1004	16:49:41	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.10	4.80	
1005	16:49:43	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.10	4.80	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1006	16:49:47	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1007	16:49:53	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	4.80	4.65	
1008	16:49:55	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.20	4.95	
1009	16:50:51	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S1	13.80	9.69	
1010	16:50:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S2	12.38	8.52	
1011	16:51:03	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1012	16:51:09	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1013	16:51:38	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1014	16:51:43	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1015	16:56:43	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
1016	16:58:21		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		sp98936	
1017	16:59:00	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1018	16:59:03	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	4.65	5.75	
1019	16:59:06	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	4.65	4.88	
1020	16:59:08	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1021	16:59:10	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.75	5.60	
1022	16:59:21	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S1	9.69	15.19	
1023	16:59:27	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	REF S2	8.52	13.34	
1024	16:59:33	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1025	16:59:56	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1026	16:59:58	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.75	6.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1027	17:00:01	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.75	5.99	
1028	17:00:05	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1029	17:00:08	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.60	6.30	
1030	17:00:16	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1031	17:00:18	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.60	5.70	
1032	17:00:24	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1033	17:01:55	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	HEP S1	25.0	36.0	
1034	17:01:55	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	LEP S1	25.0	36.0	
1035	17:02:02	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	HEP S2	25.0	36.0	
1036	17:02:02	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	LEP S2	25.0	36.0	
1037	17:03:04	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1038	17:03:13	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1039	17:04:24	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1040	17:04:32	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1041	17:09:34	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
1042	17:15:55	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1043	17:15:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1044	17:18:27	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1045	17:22:33	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1046	17:30:51	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	HEP S1	36.0	25.0	
1047	17:30:52	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	LEP S1	36.0	25.0	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1048	17:30:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	HEP S2	36.0	25.0	
1049	17:30:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	LEP S2	36.0	25.0	
1050	17:40:10	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1051	17:45:35	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
1052	17:56:02	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1053	17:56:03	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1054	17:56:06	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
1055	17:56:08	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1056	17:56:11	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1057	17:56:17	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1058	17:56:18	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1059	17:56:21	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.78	6.53	
1060	17:56:23	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
1061	17:56:25	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1062	17:56:27	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1063	17:56:30	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1064	17:56:34	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1065	17:56:36	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.30	5.60	
1066	17:56:43	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1067	17:56:45	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1068	17:56:46	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1069	17:56:49	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1070	17:56:56	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1071	17:57:00	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1072	17:57:01	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.60	6.00	
1073	17:57:11	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1074	17:57:13	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.00	6.15	
1075	18:01:37	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1076	18:20:04	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
1077	18:20:21		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		vg96371	
1078	18:20:33	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
1079	18:20:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1080	18:25:44	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
1081	18:30:39	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1082	18:30:42	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1083	18:30:43	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1084	18:30:44	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1085	18:31:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1086	18:31:03	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1087	18:31:04	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1088	18:31:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1089	18:31:25	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1090	18:31:28	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.70	5.60	
1091	18:31:31	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.49	5.52	
1092	18:32:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1093	18:35:26	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1094	18:35:34	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.15	5.00	
1095	18:35:37	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.00	6.10	
1096	18:35:43	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.88	6.10	
1097	18:37:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1098	18:44:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		14	
1099	18:49:27	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S1		15	
1100	19:10:27	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1101	19:10:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1102	19:10:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
1103	19:10:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1104	19:10:49	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1105	19:10:55	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.10	5.90	
1106	19:10:59	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.01	5.98	
1107	19:50:45	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		14	
1108	19:50:58	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1109	19:51:01	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.60	5.50	
1110	19:51:04	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.42	5.50	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1111	19:51:07	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC REF Acquire S2		14	
1112	20:09:54	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1113	20:14:55	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
1114	20:59:14	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
1115	21:00:13	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1116	21:00:17	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1117	21:00:40	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1118	21:25:06	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1119	21:25:40	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
1120	21:25:46	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Disk Speed	18	17	
1121	21:28:21	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1122	21:28:22	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1123	21:28:25	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1124	21:28:32	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1125	21:30:09	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1126	21:30:15	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1127	21:30:45	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1128	21:31:08	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1129	21:31:23	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.50	7.25	
1130	21:31:34	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	7.25	7.29	
1131	21:31:37	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.49	7.29	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1132	21:31:40	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1133	21:31:55	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1134	21:32:04	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	7.29	6.44	
1135	21:32:08	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.65	5.95	
1136	21:32:12	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1137	21:32:14	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1138	21:32:15	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1139	21:32:16	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1140	21:32:18	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1141	21:32:19	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1142	21:32:20	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1143	21:32:23	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1144	21:34:03	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1145	21:34:05	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1146	21:34:06	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1147	21:34:08	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1148	21:36:05	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1149	21:36:08	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1150	21:36:16	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1151	21:37:19	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.44	5.90	
1152	21:37:55	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.90	7.08	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1153	21:37:59	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	7.29	7.08	
1154	21:38:02	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1155	21:38:17	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	7.08	6.27	
1156	21:38:21	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	6.44	6.27	
1157	21:38:24	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1158	21:38:28	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1159	21:40:10	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1160	21:40:11	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1161	21:41:35	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1162	21:41:36	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1163	21:41:42	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1164	21:42:15	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	7.08	5.91	
1165	21:42:18	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	7.08	6.83	
1166	21:42:21	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1167	21:42:36	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.91	5.10	
1168	21:42:38	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	6.27	5.96	
1169	21:42:42	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1170	21:42:43	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1171	21:42:45	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1172	21:42:48	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1173	21:44:19	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1174	21:44:22	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1175	21:45:37	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1176	21:45:48	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	5.10	5.66	
1177	21:45:53	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.91	5.66	
1178	21:45:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1179	21:46:45	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.10	4.85	
1180	21:46:50	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.10	4.85	
1181	21:46:53	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1182	21:46:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1183	21:47:13	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1184	21:47:17	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1185	21:49:52	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1186	21:49:53	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1187	21:49:54	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1188	21:49:57	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1189	21:54:59	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
1190	21:55:23		AMIODARONE 200 MG	AMD TAB XV 24 001	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		sp98936	
1191	21:57:42	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1192	21:57:43	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1193	21:57:46	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1194	22:01:22	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1195	22:01:24	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1196	22:03:32	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
1197	22:05:44	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1198	22:05:44	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1199	22:05:47	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1200	22:10:51	sp98936	AMIODARONE 200 MG	AMD TAB XV 24 001	Auto Logout			
1201	22:11:08	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	
1202	22:11:13	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1203	22:11:14	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1204	22:11:15	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1205	22:11:16	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1206	22:11:59	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1207	22:12:09	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	4.85	6.50	
1208	22:12:12	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	5.69	5.93	
1209	22:12:19	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1210	22:12:23	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	4.85	5.70	
1211	22:12:27	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	4.88	5.70	
1212	22:12:29	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1213	22:12:37	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1214	22:12:43	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	On	Off	
1215	22:12:43	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1216	22:14:03	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Main Motor On/Off	Off	On	
1217	22:14:06	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	AWC On/Off	Off	On	
1218	22:14:49	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1219	22:14:53	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.70	5.55	
1220	22:14:55	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.58	5.55	
1221	22:14:59	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
1222	22:15:02	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 2	5.55	5.50	
1223	22:15:03	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 2	5.55	5.52	
1224	22:45:10	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1225	22:45:13	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.50	6.40	
1226	22:45:17	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth 1	6.20	6.40	
1227	22:45:24	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
1228	22:45:31	vg96371	AMIODARONE 200 MG	AMD TAB XV 24 001	Filling Depth Set Value 1	6.40	6.50	