

OPERATING HISTORY

Date : 29/04/2025 04:42 ~ 29/04/2025 22:02

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1	18:57:11	sp98936	MET 500 MG,STEW1A00	EWM2507750	Target Quantity	3000000	4500000	
2	18:57:17	sp98936	MET 500 MG,STEW1A00	EWM2507750	Target Quantity Count Reset		TRUE	
3	18:57:24	sp98936	MET 500 MG,STEW1A00	EWM2507750	Time Reset		TRUE	
4	18:57:33	sp98936	MET 500 MG,STEW1A00	EWM2507750	AWC Time Reset		On	
5	18:57:42	sp98936	MET 500 MG,STEW1A00	EWM2507750	Disk Speed	15	28	
6	18:57:54	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto % 1	26	58	
7	18:57:57	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto % 1	58	67	
8	18:58:00	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto % 1	67	100	
9	18:58:03	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto % 1	100	102	
10	18:58:04	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto % 1	102	108	
11	18:58:13	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto % 2	25	108	
12	19:03:21	sp98936	MET 500 MG,STEW1A00	EWM2507750	Auto Logout			
13	19:08:20		MET 500 MG,STEW1A00	EWM2507750	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		sp98936	
14	19:09:43	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto/Manual 2	Auto	Manual	
15	19:09:45	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder On Signal 2	Off	On	
16	19:09:50	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder On Signal 2	On	Off	
17	19:10:13	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder On Signal 2	Off	On	
18	19:10:19	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder On Signal 2	On	Off	
19	19:10:21	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto/Manual 2	Manual	Auto	
20	19:10:25	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto/Manual 1	Auto	Manual	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
21	19:10:27	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder On Signal 1	Off	On	
22	19:10:33	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder On Signal 1	On	Off	
23	19:10:38	sp98936	MET 500 MG,STEW1A00	EWM2507750	Feeder Auto/Manual 1	Manual	Auto	
24	19:10:44	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
25	19:10:46	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
26	19:10:47	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
27	19:10:48	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
28	19:11:28	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
29	19:11:37	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
30	19:11:58	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
31	19:12:00	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 1	7.32	8.00	
32	19:12:03	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 1	7.32	7.56	
33	19:12:10	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
34	19:12:13	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 2	6.95	7.40	
35	19:12:16	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 2	6.95	7.25	
36	19:12:17	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
37	19:12:25	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
38	19:12:50	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
39	19:12:56	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 2	7.40	7.70	
40	19:12:59	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 2	7.40	7.69	
41	19:13:03	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
42	19:13:06	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 1	8.00	8.40	
43	19:13:09	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 1	8.00	8.25	
44	19:13:10	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
45	19:13:18	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
46	19:13:38	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
47	19:13:41	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 1	8.40	8.30	
48	19:13:44	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 1	8.40	8.30	
49	19:13:47	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
50	19:13:53	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 2	7.70	7.85	
51	19:13:56	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 2	7.70	7.85	
52	19:14:11	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
53	19:14:17	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
54	19:16:10	sp98936	MET 500 MG,STEW1A00	EWM2507750	AWC REF Acquire S1		14	
55	19:16:19	sp98936	MET 500 MG,STEW1A00	EWM2507750	AWC REF Acquire S2		16	
56	19:22:35	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
57	19:22:36	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
58	19:24:01	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
59	19:24:02	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
60	19:24:05	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
61	19:24:15	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
62	19:27:15	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
63	19:27:25	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
64	19:27:59	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
65	19:28:01	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 2	7.85	7.50	
66	19:28:05	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 2	7.69	7.50	
67	19:28:06	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
68	19:28:14	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
69	19:28:27	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
70	19:28:30	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 2	7.50	7.45	
71	19:28:34	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 2	7.50	7.45	
72	19:28:36	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
73	19:28:43	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
74	19:28:56	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
75	19:28:58	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 2	7.45	7.50	
76	19:29:04	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
77	19:29:08	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 2	7.45	7.50	
78	19:29:09	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
79	19:29:16	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
80	19:29:32	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
81	19:29:35	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 2	7.50	7.55	
82	19:29:41	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 2	7.50	7.55	
83	19:29:48	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
84	19:29:50	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 1	8.30	8.00	
85	19:29:53	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 1	8.37	8.12	
86	19:29:56	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
87	19:30:00	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
88	19:30:04	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
89	19:30:06	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 1	8.00	7.90	
90	19:30:11	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 1	8.00	7.90	
91	19:30:12	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
92	19:30:19	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
93	19:30:42	sp98936	MET 500 MG,STEW1A00	EWM2507750	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
94	19:30:45	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth Set Value 1	7.90	7.75	
95	19:30:48	sp98936	MET 500 MG,STEW1A00	EWM2507750	Filling Depth 1	7.90	7.75	
96	19:30:50	sp98936	MET 500 MG,STEW1A00	EWM2507750	AWC REF Acquire S2		16	
97	19:30:54	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	Off	On	
98	19:30:59	sp98936	MET 500 MG,STEW1A00	EWM2507750	Main Motor On/Off	On	Off	
99	19:36:44	sp98936	MET 500 MG,STEW1A00	EWM2507750	Auto Logout			
100	20:16:58	sr99224	MET 500 MG,STEW1A00	EWM2507750	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
101	20:17:21	sr99224	MET 500 MG,STEW1A00	EWM2507750	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	