

OPERATING HISTORY

Date : 03/07/2025 04:43 ~ 03/07/2025 22:01

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1	04:49:48	cj99902	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
2	07:01:48	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
3	07:01:51	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
4	07:01:52	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
5	07:01:53	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
6	07:04:40	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
7	07:10:43	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
8	07:10:55	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
9	07:17:13	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position Set Value 1	5.00	4.50	
10	07:17:23	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position Speed 1	100	2000	
11	07:17:31	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position 1	3.99	4.13	
12	07:17:53	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position Set Value 1	4.50	3.50	
13	07:18:12	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position 1	4.25	4.23	
14	07:18:45	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position Set Value 2	5.00	3.50	
15	07:18:48	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position 2	4.20	4.19	
16	07:19:07	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position Speed 2	100	3000	
17	07:19:16	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position 2	4.02	3.50	
18	07:20:10	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
19	07:20:15	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.73	6.92	
20	07:21:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration Set Value 1	2.20	1.90	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
21	07:21:12	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
22	07:21:13	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
23	07:21:16	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration 1	2.20	2.12	
24	07:21:23	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration Set Value 2	2.20	1.90	
25	07:21:24	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
26	07:21:25	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
27	07:21:29	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration 2	2.20	1.90	
28	07:21:38	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 1	3.00	2.70	
29	07:21:39	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
30	07:21:40	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
31	07:21:54	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
32	07:23:06	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration Set Value 1	1.90	2.50	
33	07:23:08	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
34	07:23:35	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration 1	1.90	2.50	
35	07:23:56	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 1	2.70	3.00	
36	07:23:58	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
37	07:24:01	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 1	3.00	3.30	
38	07:24:02	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
39	07:24:07	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position 1	3.00	3.30	
40	07:24:35	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration Set Value 2	1.90	2.50	
41	07:24:36	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
42	07:24:38	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration 2	1.90	2.00	
43	07:24:47	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 2	5.00	3.30	
44	07:24:49	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
45	07:24:59	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Speed 2	100	3000	
46	07:25:08	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position 2	3.10	3.30	
47	07:25:26	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
48	07:25:26	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 1	3.30	3.60	
49	07:25:27	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
50	07:25:36	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration Set Value 1	2.50	2.80	
51	07:25:37	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
52	07:25:38	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
53	07:25:53	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
54	07:25:54	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
55	07:25:55	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position 2	3.30	3.40	
56	07:25:58	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
57	07:25:59	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
58	07:26:00	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Penetration 2	2.50	2.51	
59	07:26:16	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 1	3.60	3.50	
60	07:26:17	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
61	07:26:18	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
62	07:26:25	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 2	3.60	3.50	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
63	07:26:26	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
64	07:26:29	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position 2	3.60	3.50	
65	07:26:48	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
66	07:26:49	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
67	07:27:04	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
68	07:27:05	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
69	07:27:06	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
70	07:27:09	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
71	07:28:06	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
72	07:28:08	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
73	07:28:14	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
74	07:28:16	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
75	07:28:17	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
76	07:28:18	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
77	07:28:19	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
78	07:28:20	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
79	07:28:23	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
80	07:28:25	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
81	07:28:57	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
82	07:28:58	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
83	07:29:10	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
84	07:29:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
85	07:29:45	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
86	07:29:46	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
87	07:29:47	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
88	07:29:48	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
89	07:29:50	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
90	07:29:51	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
91	07:29:52	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
92	07:29:53	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
93	07:30:25	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
94	07:30:26	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
95	07:30:49	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
96	07:30:50	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
97	07:30:51	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
98	07:30:52	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
99	07:30:53	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
100	07:30:54	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
101	07:30:55	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
102	07:30:56	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
103	07:31:09	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
104	07:31:10	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
105	07:31:12	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
106	07:31:13	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
107	07:31:14	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
108	07:31:17	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
109	07:35:39	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
110	07:35:40	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
111	07:35:41	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
112	07:35:42	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
113	07:35:50	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
114	07:35:54	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
115	07:35:55	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
116	07:35:57	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
117	07:36:26	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
118	07:36:27	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
119	07:38:22	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
120	07:38:24	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
121	07:38:41	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
122	07:38:42	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
123	07:38:49	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
124	07:38:50	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
125	07:38:52	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
126	07:38:53	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
127	07:39:00	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
128	07:39:04	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
129	07:43:13	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication S2 Supply time	0.2	1.0	
130	07:43:22	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Enable/Disable	Disable	Enable	
131	07:43:32	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication S1 Supply time	0.2	1.0	
132	07:43:38	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
133	07:43:48	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
134	07:48:50	vg96371	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
135	07:49:19	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		19	
136	07:49:24	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
137	07:49:31	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.59	6.80	
138	07:50:44	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position Set Value 1	3.50	3.40	
139	07:50:46	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position 1	3.50	3.44	
140	07:50:55	vg96371	Amio 200mg STAI3A00	AIM2500420	Pre-Lower Punch Position 2	3.50	3.40	
141	07:51:07	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 1	3.50	3.45	
142	07:51:08	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
143	07:51:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position 1	3.50	3.45	
144	07:51:19	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 2	3.50	3.45	
145	07:51:20	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
146	07:51:22	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position 2	3.50	3.45	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
147	07:56:27	vg96371	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
148	08:02:47		Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
149	08:02:50		Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
150	08:02:51		Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
151	08:02:52		Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
152	08:07:56	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
153	08:08:07	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
154	08:13:19	vg96371	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
155	08:16:00	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 1	3.45	3.40	
156	08:16:01	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
157	08:16:02	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
158	08:16:02	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position 1	3.45	3.40	
159	08:16:09	vg96371	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 2	3.45	3.40	
160	08:16:10	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
161	08:16:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
162	08:21:32	vg96371	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
163	08:24:27	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
164	08:24:30	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.80	5.00	
165	08:24:49	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.80	5.22	
166	08:24:53	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
167	08:24:56	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	5.00	7.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
168	08:25:04	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	5.00	5.81	
169	08:32:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
170	08:32:24	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
171	08:36:50	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		19	
172	08:36:53	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		22	
173	08:38:29	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
174	08:38:31	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
175	08:42:41	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
176	08:44:48	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
177	08:52:26	vg96371	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
178	09:05:29	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
179	09:05:31	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
180	09:05:47	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
181	09:10:48	vg96371	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
182	09:17:54	vg96371	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
183	09:42:18	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
184	09:44:48	ps99585	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
185	09:44:53	ps99585	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 2	6.92	7.00	
186	09:44:55	ps99585	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.89	6.97	
187	09:49:58	ps99585	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
188	09:52:20		Amio 200mg STAI3A00	AIM2500420	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		ps99585	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
189	09:52:47	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
190	09:52:56	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
191	09:54:40	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Installed Sensor S2	196	196.14	
192	09:54:40	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Span S2	135	120	
193	09:54:44	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
194	09:54:45	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
195	09:54:47	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
196	09:54:48	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
197	09:55:05	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Installed Sensor S1	196	196.14	
198	09:55:05	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Span S1	84	77	
199	09:55:14	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Installed Sensor S2	196	196.14	
200	09:55:14	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Span S2	96	82	
201	09:55:20	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
202	09:55:21	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
203	09:55:32	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
204	09:55:45	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
205	09:55:51	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		18	
206	09:56:13	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Installed Sensor S2	196	196.14	
207	09:56:13	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Zero S2	98	90	
208	09:56:18	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Installed Sensor S1	196	196.14	
209	09:56:18	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Zero S1	96	90	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
210	09:56:25	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
211	09:56:31	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
212	09:56:58	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
213	10:01:49	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
214	10:01:54	ps99585	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
215	10:01:59	ps99585	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	7.00	6.50	
216	10:02:02	ps99585	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.58	6.53	
217	10:02:16	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Span S1	77	72	
218	10:02:16	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Installed Sensor S1	196	196.14	
219	10:02:16	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Zero S1	90	85	
220	10:02:24	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Installed Sensor S2	196	196.14	
221	10:02:24	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Zero S2	90	86	
222	10:02:25	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Span S2	82	77	
223	10:02:55	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
224	10:03:07	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
225	10:11:54	ps99585	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
226	10:20:09	ps99585	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
227	10:20:16	ps99585	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
228	10:27:16	ps99585	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
229	10:54:02	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
230	10:54:03	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
231	10:54:13	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
232	10:59:14	ps99585	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
233	11:05:06	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
234	11:05:08	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
235	11:05:12	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
236	11:05:14	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
237	11:05:22	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
238	11:05:23	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
239	11:05:30	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
240	11:06:54	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
241	11:06:55	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
242	11:06:56	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
243	11:06:57	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
244	11:06:58	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
245	11:07:00	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
246	11:07:07	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
247	11:07:08	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
248	11:07:09	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
249	11:07:10	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
250	11:07:12	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
251	11:07:13	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
252	11:07:30	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
253	11:07:31	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
254	11:07:33	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
255	11:07:34	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
256	11:07:41	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
257	11:07:42	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
258	11:07:45	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
259	11:07:46	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
260	11:07:48	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
261	11:07:49	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
262	11:11:58	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
263	11:12:08	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Installed Sensor S2	196	196.14	
264	11:12:08	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Position S2	1078	1979	
265	11:12:17	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Installed Sensor S1	196	196.14	
266	11:12:17	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Position S1	2878	180	
267	11:12:25	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
268	11:12:26	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		27	
269	11:12:29	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		25	
270	11:12:50	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
271	11:12:52	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
272	11:12:54	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
273	11:12:55	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
274	11:12:56	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
275	11:12:58	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
276	11:15:55	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
277	11:15:56	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
278	11:15:57	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
279	11:16:00	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
280	11:16:02	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
281	11:16:04	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
282	11:19:54	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
283	11:20:06	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
284	11:20:14	ps99585	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
285	11:20:20	ps99585	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	7.00	6.60	
286	11:20:23	ps99585	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.44	6.48	
287	11:20:33	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
288	11:20:37	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
289	11:20:42	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
290	11:21:11	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		25	
291	11:21:14	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
292	11:21:22	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
293	11:21:34	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
294	11:21:49	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		26	
295	11:22:23	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
296	11:22:25	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
297	11:22:42	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Installed Sensor S2	196	196.14	
298	11:22:42	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Zero S2	105	98	
299	11:22:42	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Span S2	120	113	
300	11:22:47	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		23	
301	11:22:50	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		22	
302	11:22:59	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Span S1	134	126	
303	11:22:59	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Installed Sensor S1	196	196.14	
304	11:22:59	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Zero S1	117	109	
305	11:23:06	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		25	
306	11:23:07	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		25	
307	11:23:09	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		24	
308	11:23:10	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		24	
309	11:23:11	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		24	
310	11:23:18	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Installed Sensor S1	196	196.14	
311	11:23:19	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Zero S1	109	99	
312	11:23:19	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Span S1	126	119	
313	11:23:23	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		23	
314	11:23:25	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		22	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
315	11:23:26	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		22	
316	11:23:28	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		21	
317	11:23:35	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Installed Sensor S2	196	196.14	
318	11:23:35	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Pressure Span S2	113	106	
319	11:23:43	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	
320	11:23:43	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	
321	11:23:43	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	
322	11:23:46	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		21	
323	11:23:46	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		21	
324	11:23:46	ps99585	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		21	
325	11:23:59	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Span S1	72	69	
326	11:23:59	ps99585	Amio 200mg STAI3A00	AIM2500420	Pre Pressure Installed Sensor S1	196	196.14	
327	11:25:23	ps99585	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
328	11:30:07	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
329	11:30:10	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
330	11:30:11	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
331	11:30:27	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		20	
332	11:30:32	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		20	
333	11:32:01	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		20	
334	11:32:57	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Enable/Disable	Enable	Disable	
335	11:33:10	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S2	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
336	11:33:36	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S2	On	Off	
337	11:33:37	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S1	Off	On	
338	11:33:48	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S1	On	Off	
339	11:33:49	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S2	Off	On	
340	11:33:58	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Enable/Disable	Disable	Enable	
341	11:33:58	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S2	On	Off	
342	11:51:35	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Enable/Disable	Enable	Disable	
343	11:51:37	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S2	Off	On	
344	11:51:48	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S2	On	Off	
345	11:51:49	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S1	Off	On	
346	11:51:56	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S1	On	Off	
347	11:52:00	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S1	Off	On	
348	11:52:06	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S1	On	Off	
349	11:52:09	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S2	Off	On	
350	11:52:13	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Inching S2	On	Off	
351	11:52:16	vg96371	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Enable/Disable	Disable	Enable	
352	11:52:22	vg96371	Amio 200mg STAI3A00	AIM2500420	Dust Collector Auto/Manual	Manual	Auto	
353	11:52:41	vg96371	Amio 200mg STAI3A00	AIM2500420	Dust Collector Auto/Manual	Auto	Manual	
354	11:52:43	vg96371	Amio 200mg STAI3A00	AIM2500420	Dust Collector On Signal	Off	On	
355	12:06:52	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
356	12:08:14	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
357	12:08:18	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
358	12:08:20	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
359	12:15:18	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
360	12:15:22	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
361	12:15:26	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 2	7.00	6.85	
362	12:15:28	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.94	6.85	
363	12:34:27	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
364	12:34:31	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 2	6.85	6.92	
365	12:34:34	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.85	6.90	
366	12:34:38	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	
367	12:37:50	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
368	12:39:08	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
369	12:39:10	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
370	12:39:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
371	12:39:12	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
372	12:48:35	vg96371	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
373	12:48:42		Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
374	12:48:44		Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
375	12:48:45		Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
376	12:48:46		Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
377	12:49:54	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
378	12:49:56	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
379	12:49:57	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
380	12:49:58	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
381	12:49:59	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
382	12:50:00	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
383	12:54:10	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
384	12:54:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
385	12:58:14	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
386	12:58:15	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
387	12:58:19	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
388	12:58:21	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
389	12:59:46	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
390	12:59:56	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
391	12:59:58	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
392	12:59:59	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
393	13:00:01	vg96371	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
394	13:00:13	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
395	13:00:17	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.60	6.90	
396	13:00:23	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
397	13:00:25	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 2	6.92	7.00	
398	13:00:27	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.80	6.83	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
399	13:01:01	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
400	13:01:07	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	7.06	6.97	
401	13:01:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
402	13:01:15	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.90	6.65	
403	13:01:46	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
404	13:01:52	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
405	13:01:54	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.65	6.50	
406	13:01:57	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.56	6.51	
407	13:02:08	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
408	13:02:11	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.50	6.40	
409	13:02:15	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.47	6.40	
410	13:02:25	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
411	13:06:00	vg96371	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
412	13:06:03	vg96371	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.99	6.94	
413	13:20:10	vg96371	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
414	14:43:12	sj97904	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
415	14:52:20	sj97904	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
416	15:01:05	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
417	15:06:17	sj97904	Amio 200mg STAI3A00	AIM2500420	Auto Logout			
418	15:10:14	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
419	15:10:19	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
420	15:12:36	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	122	120	
421	15:12:37	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	120	119	
422	15:12:37	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	119	118	
423	15:12:41	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	116	115	
424	15:12:41	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	118	116	
425	15:12:43	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	114	113	
426	15:12:43	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	115	114	
427	15:12:44	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	113	112	
428	15:12:44	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	112	111	
429	15:12:47	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	111	112	
430	15:13:40	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	112	116	
431	15:13:41	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	116	117	
432	15:13:42	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	117	118	
433	15:17:26	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	120	121	
434	15:17:26	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	118	119	
435	15:17:26	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	119	120	
436	15:17:27	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	121	122	
437	15:34:23	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	122	123	
438	15:34:24	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	123	125	
439	15:34:27	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	125	124	
440	15:41:38	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
441	15:41:43	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 2	6.90	6.95	
442	15:41:45	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.90	6.93	
443	15:41:57	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
444	15:42:03	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.93	6.95	
445	15:43:11	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	
446	15:45:54	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	124	123	
447	15:45:54	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	123	122	
448	15:45:58	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		20	
449	15:46:44	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
450	15:47:37	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	
451	15:52:11	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
452	15:52:24	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	On	Off	
453	15:52:52	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
454	15:52:57	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
455	16:22:49	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
456	16:22:52	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 2	6.95	7.05	
457	16:22:55	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.92	6.97	
458	16:23:03	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	
459	16:23:06	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	
460	16:38:20	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		20	
461	16:38:23	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		20	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
462	16:48:56	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
463	16:51:49	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto/Manual 1	Manual	Auto	
464	16:51:54	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto/Manual 2	Manual	Auto	
465	16:51:59	sj97904	Amio 200mg STAI3A00	AIM2500420	Oil Lubrication Enable/Disable	Disable	Enable	
466	16:52:04	sj97904	Amio 200mg STAI3A00	AIM2500420	Dust Collector Auto/Manual	Manual	Auto	
467	16:52:11	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
468	16:52:15	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC On/Off	Off	On	
469	17:11:24	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
470	17:11:26	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.40	6.55	
471	17:11:29	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.47	6.51	
472	17:12:24	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	123	124	
473	17:12:24	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	122	123	
474	17:20:15	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		22	
475	18:28:22	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	124	122	
476	18:28:22	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	122	121	
477	18:28:23	sj97904	Amio 200mg STAI3A00	AIM2500420	Feeder Auto % 1	121	120	
478	18:31:39	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
479	18:31:42	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.55	6.30	
480	18:31:44	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.41	6.38	
481	18:31:53	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		20	
482	18:33:25	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
483	18:33:29	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 2	6.91	6.97	
484	18:35:10	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		22	
485	18:36:03	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
486	18:36:06	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.30	6.70	
487	18:36:07	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.58	6.61	
488	18:36:11	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
489	18:36:16	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
490	18:36:39	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
491	18:36:41	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.70	6.85	
492	18:36:44	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.73	6.77	
493	18:36:47	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		20	
494	18:38:46	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
495	18:38:48	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth Set Value 1	6.85	6.50	
496	18:38:51	sj97904	Amio 200mg STAI3A00	AIM2500420	Filling Depth 1	6.57	6.53	
497	18:39:21	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		20	
498	18:40:13	sj97904	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 2	3.40	3.42	
499	18:40:14	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
500	18:40:15	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
501	18:40:19	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		22	
502	18:40:23	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		22	
503	18:40:27	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		21	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
504	18:41:05	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
505	18:41:24	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		23	
506	18:41:29	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		23	
507	18:41:31	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S2		23	
508	18:56:03	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
509	18:56:30		Amio 200mg STAI3A00	AIM2500420	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		yu98249	
510	18:56:43		Amio 200mg STAI3A00	AIM2500420	Please enter your password again....login Fault Lock Count (3) Ramining Count (1)		yu98249	
511	18:57:03	yu98249	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
512	19:55:03	yu98249	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	On	Off	
513	19:55:21	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Motor On/Off	Off	On	
514	20:19:00	sj97904	Amio 200mg STAI3A00	AIM2500420	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
515	20:19:12	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		22	
516	20:40:39	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		22	
517	20:40:43	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		21	
518	20:40:48	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		21	
519	21:33:31	sj97904	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position Set Value 1	3.40	3.42	
520	21:33:32	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
521	21:33:34	sj97904	Amio 200mg STAI3A00	AIM2500420	Main Penetration Inertia Ratio		On	
522	21:33:34	sj97904	Amio 200mg STAI3A00	AIM2500420	Main-Lower Punch Position 1	3.40	3.42	
523	21:39:07	sj97904	Amio 200mg STAI3A00	AIM2500420	AWC REF Acquire S1		21	