

OPERATING HISTORY

Date : 20/06/2025 04:41 ~ 20/06/2025 22:02

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1	12:29:56	sp98936	SERTRA100MG STSH4B00	SHM2502110	Target Quantity	5500000	3000000	
2	12:30:10	sp98936	SERTRA100MG STSH4B00	SHM2502110	Target Quantity Count Reset		TRUE	
3	12:31:41	sp98936	SERTRA100MG STSH4B00	SHM2502110	Disk Speed	30	29	
4	12:31:41	sp98936	SERTRA100MG STSH4B00	SHM2502110	Disk Speed	29	28	
5	12:31:49	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 1	Manual	Auto	
6	12:31:55	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	32	31	
7	12:31:56	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	31	30	
8	12:31:56	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	30	29	
9	12:31:57	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	28	27	
10	12:31:57	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	29	28	
11	12:31:58	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	27	26	
12	12:32:00	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	26	25	
13	12:32:09	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 2	Manual	Auto	
14	12:32:12	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	27	26	
15	12:32:12	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	26	25	
16	12:32:13	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	25	24	
17	12:37:06	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 1	Auto	Manual	
18	12:39:45	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 2	Auto	Manual	
19	12:40:13	sp98936	SERTRA100MG STSH4B00	SHM2502110	Air Pressure Low limit	0.400	0.000	
20	12:40:29	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 2	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
21	12:40:46	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 2	On	Off	
22	12:40:52	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	Off	On	
23	12:41:04	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	On	Off	
24	12:41:18	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Penetration Set Value 1	3.00	2.50	
25	12:41:26	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Penetration 1	3.00	2.50	
26	12:41:35	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Penetration Set Value 1	3.00	2.50	
27	12:41:36	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
28	12:41:43	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Penetration 1	3.00	2.50	
29	12:42:00	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Penetration 2	3.00	2.50	
30	12:42:16	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Penetration Set Value 2	3.00	2.50	
31	12:42:17	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
32	12:42:22	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Penetration 2	3.00	2.50	
33	12:43:11	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position Set Value 2	4.05	5.80	
34	12:43:27	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position 2	9.00	5.80	
35	12:43:37	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position Set Value 2	3.53	4.60	
36	12:43:38	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
37	12:43:58	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position 2	9.00	4.60	
38	12:44:08	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
39	12:44:10	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
40	12:44:11	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
41	12:44:13	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
42	12:44:45	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position Set Value 1	4.05	5.75	
43	12:45:01	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position 1	9.00	5.75	
44	12:45:14	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position Set Value 1	3.53	4.60	
45	12:45:15	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
46	12:45:44	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position 1	9.00	4.60	
47	12:46:06	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
48	12:46:07	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
49	12:46:13	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
50	12:46:16	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
51	12:48:04	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position Set Value 1	5.75	5.65	
52	12:48:11	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position 1	5.75	5.65	
53	12:48:18	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position Set Value 1	4.60	4.50	
54	12:48:19	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
55	12:48:25	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position 1	4.60	4.50	
56	12:48:37	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position 2	5.80	5.65	
57	12:48:54	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
58	12:48:56	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
59	12:48:57	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
60	12:49:03	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
61	12:49:13	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 2	Manual	Auto	
62	12:49:18	sp98936	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 1	Manual	Auto	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
63	12:49:23	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
64	12:49:34	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
65	12:50:07	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
66	12:50:14	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 2	6.75	8.50	
67	12:50:20	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 2	8.00	8.50	
68	12:50:22	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
69	12:50:26	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.50	8.30	
70	12:50:35	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
71	12:50:36	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
72	12:50:38	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
73	12:50:45	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
74	12:50:50	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		6	
75	12:52:21	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
76	12:52:31	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		0	
77	12:52:45	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
78	12:53:05	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	Filling Depth Range B	Filling Depth Range C	
79	12:53:05	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	2.50 ~ 8.00	6.50 ~ 12.00	
80	12:53:12	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
81	12:53:25	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.00	8.50	
82	12:53:29	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
83	12:53:33	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 2	8.50	8.70	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
84	12:53:37	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 2	8.50	8.70	
85	12:53:40	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
86	12:53:44	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.50	8.65	
87	12:53:47	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.50	8.54	
88	12:54:56	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
89	12:55:01	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		3	
90	12:55:05	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
91	12:55:48	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
92	12:55:52	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 2	8.70	8.95	
93	12:55:57	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 2	8.70	8.95	
94	12:56:00	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
95	12:56:04	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.65	8.70	
96	12:56:36	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.65	8.70	
97	12:57:24	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
98	12:57:33	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
99	12:58:11	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
100	12:58:14	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.70	8.90	
101	12:59:05	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.70	8.90	
102	12:59:18	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position Set Value 1	5.65	5.63	
103	12:59:25	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position 1	5.65	5.63	
104	12:59:35	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position Set Value 1	4.50	4.47	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
105	12:59:36	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
106	12:59:39	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position 1	4.50	4.47	
107	12:59:49	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position 2	5.65	5.63	
108	13:00:04	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position Set Value 2	4.60	4.56	
109	13:00:05	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
110	13:02:47	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
111	13:02:54	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
112	13:03:46	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position 2	4.60	4.56	
113	13:03:50	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
114	13:04:00	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.90	9.00	
115	13:04:04	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.90	9.00	
116	13:04:08	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		3	
117	13:04:11	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		6	
118	13:04:19	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
119	13:04:26	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
120	13:05:11	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
121	13:05:22	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.00	9.15	
122	13:05:28	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.00	9.15	
123	13:06:04	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
124	13:06:15	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		3	
125	13:06:17	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		6	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
126	13:06:19	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
127	13:08:45	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
128	13:08:49	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.15	9.20	
129	13:08:53	sp98936	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.15	9.20	
130	13:13:39	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
131	13:13:48	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Pressure Installed Sensor S2	196	196.14	
132	13:13:48	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Pressure Position S2	1977	552	
133	13:13:51	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
134	13:13:55	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		11	
135	13:14:31	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
136	13:14:41	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Pressure Installed Sensor S1	196	196.14	
137	13:14:41	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Pressure Position S1	178	2353	
138	13:14:43	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
139	13:14:47	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		13	
140	13:15:29	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
141	13:15:31	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
142	13:15:32	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
143	13:15:37	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
144	13:15:38	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
145	13:15:39	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
146	13:17:11	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position Set Value 2	5.63	5.58	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
147	13:17:17	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position 2	5.63	5.58	
148	13:17:38	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position Set Value 2	4.56	4.53	
149	13:17:39	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
150	13:17:48	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position 2	4.56	4.53	
151	13:17:57	sp98936	SERTRA100MG STSH4B00	SHM2502110	Pre-Lower Punch Position 1	5.63	5.58	
152	13:18:05	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position Set Value 2	4.53	4.50	
153	13:18:06	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Penetration Inertia Ratio		On	
154	13:18:08	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main-Lower Punch Position 2	4.53	4.50	
155	13:18:20	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
156	13:18:30	sp98936	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
157	13:18:40	sp98936	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		13	
158	13:22:08	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
159	13:22:12	sp98936	SERTRA100MG STSH4B00	SHM2502110	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
160	13:31:55	sp98936	SERTRA100MG STSH4B00	SHM2502110	Auto Logout			
161	14:42:24	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
162	14:42:25	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
163	14:47:59	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
164	14:48:01	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
165	14:48:22	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
166	14:48:27	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
167	14:50:05	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 1	Auto	Manual	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
168	14:50:07	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	Off	On	
169	14:50:43	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 2	Auto	Manual	
170	14:50:45	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 2	Off	On	
171	14:51:16	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	On	Off	
172	14:51:42	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 2	On	Off	
173	15:09:23	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 2	Off	On	
174	15:09:27	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	Off	On	
175	15:09:36	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	On	Off	
176	15:09:38	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 1	Manual	Auto	
177	15:09:43	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 2	On	Off	
178	15:09:47	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 2	Manual	Auto	
179	15:16:28		SERTRA100MG STSH4B00	SHM2502110	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		yn96884	
180	15:21:24	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
181	15:21:26	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
182	15:26:28	pb97604	SERTRA100MG STSH4B00	SHM2502110	Auto Logout			
183	15:27:33	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
184	15:27:34	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
185	15:27:35	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
186	15:27:39	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	Off	On	
187	15:27:48	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
188	15:32:37	pb97604	SERTRA100MG STSH4B00	SHM2502110	Air Pressure Low limit	0.000	0.600	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
189	15:32:44	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Enable/Disable	Disable	Enable	
190	15:32:53	pb97604	SERTRA100MG STSH4B00	SHM2502110	Dust Collector Auto/Manual	Manual	Auto	
191	15:33:26	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	On	Off	
192	15:38:29	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
193	15:38:32	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	Off	On	
194	15:39:26	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		13	
195	15:39:33	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		13	
196	15:40:20	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		13	
197	15:40:43	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		13	
198	15:41:26	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		12	
199	15:41:29	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
200	15:42:42	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	On	Off	
201	15:42:45	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
202	15:42:47	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	Off	On	
203	15:43:06	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
204	15:44:59	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
205	15:45:00	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
206	15:45:01	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
207	15:45:05	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
208	15:45:26	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
209	15:45:34	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
210	15:48:22	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
211	15:48:29	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
212	15:49:17	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	On	Off	
213	15:49:25	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
214	15:49:27	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	Off	On	
215	15:50:00	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		12	
216	15:50:12	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
217	15:50:28	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
218	15:50:33	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.20	8.50	
219	15:50:37	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.90	8.86	
220	15:50:39	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	On	Off	
221	15:50:41	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
222	15:50:46	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
223	15:50:48	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
224	15:50:51	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.50	8.70	
225	15:50:53	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.50	8.54	
226	15:50:56	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
227	15:51:01	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
228	15:51:03	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
229	15:51:06	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.70	8.95	
230	15:51:09	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.70	8.74	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
231	15:51:11	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
232	15:51:14	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	Off	On	
233	15:52:11	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		13	
234	16:13:56	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	24	23	
235	16:13:57	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	23	21	
236	16:13:57	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	21	20	
237	16:13:59	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	20	19	
238	16:14:00	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	19	18	
239	16:14:02	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	18	19	
240	16:14:05	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	19	20	
241	16:14:07	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	20	22	
242	16:14:16	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	25	22	
243	16:15:38	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
244	16:15:41	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.95	9.20	
245	16:15:45	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.20	9.25	
246	16:15:48	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.16	9.20	
247	16:22:25	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
248	16:26:11	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
249	16:26:30	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
250	16:26:35	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.25	9.50	
251	16:26:39	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.34	9.50	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
252	16:31:18	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Enable/Disable	Enable	Disable	
253	16:31:21	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Inching S1	Off	On	
254	16:31:54	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Inching S1	On	Off	
255	16:31:58	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Inching S1	Off	On	
256	16:32:04	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Inching S1	On	Off	
257	16:32:10	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Inching S1	Off	On	
258	16:32:23	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Inching S1	On	Off	
259	16:32:33	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Inching S2	Off	On	
260	16:33:06	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Inching S2	On	Off	
261	16:33:08	pb97604	SERTRA100MG STSH4B00	SHM2502110	Oil Lubrication Enable/Disable	Disable	Enable	
262	16:33:52	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		14	
263	16:35:09	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
264	16:35:33	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
265	16:36:34	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		14	
266	16:45:39	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
267	16:50:41	pb97604	SERTRA100MG STSH4B00	SHM2502110	Auto Logout			
268	16:56:22	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 1	Auto	Manual	
269	16:56:24	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	Off	On	
270	16:57:14	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	On	Off	
271	17:02:16	pb97604	SERTRA100MG STSH4B00	SHM2502110	Auto Logout			
272	17:17:06	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
273	17:17:10	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
274	17:17:18	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
275	17:17:34	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	Off	On	
276	17:17:41	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder On Signal 1	On	Off	
277	17:17:43	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto/Manual 1	Manual	Auto	
278	17:17:46	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
279	17:17:51	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
280	17:18:03	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
281	17:18:06	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.50	8.90	
282	17:18:10	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.90	8.70	
283	17:18:12	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.16	9.12	
284	17:18:16	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
285	17:18:19	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
286	17:18:22	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
287	17:18:25	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	8.70	9.10	
288	17:18:28	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	8.70	8.74	
289	17:18:32	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
290	17:18:36	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
291	17:18:40	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
292	17:18:43	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.10	9.25	
293	17:18:46	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.10	9.14	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
294	17:18:48	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
295	17:18:52	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
296	17:23:53	pb97604	SERTRA100MG STSH4B00	SHM2502110	Auto Logout			
297	17:25:01	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
298	17:25:04	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	Off	On	
299	17:25:08	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	22	24	
300	17:25:09	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	24	25	
301	17:25:16	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
302	17:25:19	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.25	9.50	
303	17:25:24	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.34	9.50	
304	17:27:32	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	22	24	
305	17:27:33	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	24	25	
306	17:27:33	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	25	26	
307	18:01:28	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	25	23	
308	18:01:28	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	23	22	
309	18:01:34	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	26	24	
310	18:01:34	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	24	23	
311	18:01:35	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	23	22	
312	18:02:09	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
313	18:02:18	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.50	9.60	
314	18:02:26	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.60	9.70	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
315	18:02:30	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.32	9.70	
316	18:02:36	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
317	18:02:39	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 2	8.95	9.25	
318	18:10:26	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	22	24	
319	18:10:26	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	24	25	
320	18:10:29	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	25	27	
321	18:10:42	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 2	27	25	
322	18:11:44	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	22	26	
323	18:11:46	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	26	28	
324	18:11:49	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	28	27	
325	18:11:52	pb97604	SERTRA100MG STSH4B00	SHM2502110	Feeder Auto % 1	27	26	
326	18:12:30	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
327	18:12:34	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.70	9.20	
328	18:12:39	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.37	9.17	
329	18:19:06	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		12	
330	18:19:44	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
331	18:19:52	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.05	9.20	
332	18:19:57	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		14	
333	18:20:21	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
334	18:20:24	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.20	9.30	
335	18:20:32	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.30	9.35	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
336	18:20:36	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.20	9.35	
337	18:21:03	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		14	
338	18:21:25	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S2		13	
339	19:15:55	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
340	19:20:57	pb97604	SERTRA100MG STSH4B00	SHM2502110	Auto Logout			
341	20:37:54	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	On	Off	
342	20:38:01	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	Off	On	
343	20:38:04	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC On/Off	Off	On	
344	20:41:32	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
345	20:41:36	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth 1	9.23	9.28	
346	20:41:52	pb97604	SERTRA100MG STSH4B00	SHM2502110	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
347	20:41:55	pb97604	SERTRA100MG STSH4B00	SHM2502110	Filling Depth Set Value 1	9.35	9.50	
348	20:42:23	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		14	
349	20:42:27	pb97604	SERTRA100MG STSH4B00	SHM2502110	AWC REF Acquire S1		14	
350	21:35:21	pb97604	SERTRA100MG STSH4B00	SHM2502110	Main Motor On/Off	On	Off	
351	21:40:23	pb97604	SERTRA100MG STSH4B00	SHM2502110	Auto Logout			