

OPERATING HISTORY

Date : 26/09/2025 00:08 ~ 26/09/2025 14:03

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1	12:19:21	ps99585	Allo200mg STUB3D00	UBM2500320	Target Quantity Count Reset		TRUE	
2	12:19:25	ps99585	Allo200mg STUB3D00	UBM2500320	Target Quantity	4500000	1500000	
3	12:19:32	ps99585	Allo200mg STUB3D00	UBM2500320	Time Reset		TRUE	
4	12:19:36	ps99585	Allo200mg STUB3D00	UBM2500320	AWC On/Off	On	Off	
5	12:19:38	ps99585	Allo200mg STUB3D00	UBM2500320	AWC Time Reset		On	
6	12:19:47	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 1	Off	On	
7	12:19:49	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 1	On	Off	
8	12:19:53	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 1	Off	On	
9	12:19:55	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 1	On	Off	
10	12:19:58	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Auto/Manual 1	Manual	Auto	
11	12:20:03	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 2	Off	On	
12	12:20:05	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 2	On	Off	
13	12:20:07	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 2	Off	On	
14	12:20:10	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 2	On	Off	
15	12:20:12	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Auto/Manual 2	Manual	Auto	
16	12:20:18	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
17	12:20:22	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth Set Value 2	8.00	6.50	
18	12:20:26	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
19	12:20:27	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 2	6.50 ~ 12.00	2.50 ~ 8.00	
20	12:20:28	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth 2	Filling Depth Range C	Filling Depth Range B	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
21	12:20:28	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth 2	7.70	6.50	
22	12:20:32	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
23	12:20:34	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth Set Value 1	8.00	6.60	
24	12:20:39	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth 1	8.03	6.60	
25	12:20:40	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
26	12:20:43	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 1	6.50 ~ 12.00	2.50 ~ 8.00	
27	12:20:43	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth 1	Filling Depth Range C	Filling Depth Range B	
28	12:20:48	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 1	9.00	5.50	
29	12:20:49	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
30	12:20:50	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
31	12:20:51	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position 1	9.00	8.92	
32	12:20:55	ps99585	Allo200mg STUB3D00	UBM2500320	Pre-Lower Punch Position Set Value 1	9.00	7.00	
33	12:21:09	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 2	9.00	5.50	
34	12:21:10	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
35	12:21:11	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
36	12:21:12	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position 2	9.00	8.90	
37	12:21:42	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
38	12:21:43	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
39	12:21:45	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
40	12:21:46	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
41	12:22:00	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
42	12:22:01	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
43	12:22:03	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
44	12:22:04	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
45	12:22:05	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
46	12:22:06	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
47	12:22:07	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
48	12:22:08	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
49	12:22:44	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Auto/Manual 2	Auto	Manual	
50	12:22:45	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 2	Off	On	
51	12:22:49	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Inching 2	On	Off	
52	12:22:50	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Auto/Manual 2	Manual	Auto	
53	12:22:55	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
54	12:22:56	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
55	12:22:58	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
56	12:22:59	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
57	12:23:00	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
58	12:23:02	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
59	12:23:03	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
60	12:23:04	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
61	12:23:22	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
62	12:23:34	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
63	12:24:56	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 2	5.50	5.85	
64	12:24:57	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
65	12:24:58	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
66	12:25:01	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
67	12:25:05	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth Set Value 2	6.50	6.90	
68	12:25:10	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
69	12:25:16	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth Set Value 1	6.60	6.95	
70	12:25:18	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth 1	6.60	6.83	
71	12:25:24	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 1	5.50	5.85	
72	12:25:25	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
73	12:25:26	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
74	12:25:26	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position 1	5.50	5.57	
75	12:25:31	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
76	12:25:43	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
77	12:27:03	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 1	5.85	6.20	
78	12:27:03	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
79	12:27:04	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
80	12:27:10	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
81	12:27:11	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
82	12:27:11	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position 1	5.85	5.92	
83	12:27:27	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 2	5.85	6.20	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
84	12:27:28	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
85	12:27:29	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
86	12:27:30	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position 2	5.85	5.94	
87	12:27:32	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
88	12:27:59	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth Set Value 2	6.90	7.35	
89	12:28:01	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth 2	6.90	7.18	
90	12:28:04	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
91	12:28:08	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth Set Value 1	7.35	7.65	
92	12:28:13	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Auto % 1	88	120	
93	12:28:18	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Auto % 2	92	120	
94	12:28:23	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
95	12:28:40	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
96	12:30:55	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
97	12:30:59	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth Set Value 1	7.65	7.85	
98	12:31:11	ps99585	Allo200mg STUB3D00	UBM2500320	Pre-Lower Punch Position Set Value 1	7.00	8.00	
99	12:31:13	ps99585	Allo200mg STUB3D00	UBM2500320	Pre-Lower Punch Position 1	7.00	7.07	
100	12:31:19	ps99585	Allo200mg STUB3D00	UBM2500320	Pre-Lower Punch Position Set Value 2	7.00	8.00	
101	12:31:22	ps99585	Allo200mg STUB3D00	UBM2500320	Pre-Lower Punch Position 2	7.00	7.09	
102	12:31:27	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 2	6.20	6.25	
103	12:31:30	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 2	6.25	6.50	
104	12:31:31	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
105	12:31:32	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
106	12:31:33	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position 2	6.20	6.29	
107	12:31:46	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 2	6.50	6.20	
108	12:31:47	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
109	12:31:48	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
110	12:31:49	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position 2	6.50	6.40	
111	12:31:54	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
112	12:32:08	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
113	12:34:54	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 2	8.00 ~ 2.50	2.50 ~ 8.00	
114	12:34:56	ps99585	Allo200mg STUB3D00	UBM2500320	Filling Depth Set Value 2	7.35	7.39	
115	12:35:03	ps99585	Allo200mg STUB3D00	UBM2500320	Main-Lower Punch Position Set Value 2	6.20	6.35	
116	12:35:05	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
117	12:35:06	ps99585	Allo200mg STUB3D00	UBM2500320	Main Penetration Inertia Ratio		On	
118	12:35:12	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
119	12:35:29	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
120	12:36:24	ps99585	Allo200mg STUB3D00	UBM2500320	AWC REF Acquire S2		10	
121	12:36:29	ps99585	Allo200mg STUB3D00	UBM2500320	AWC REF Acquire S1		12	
122	12:36:32	ps99585	Allo200mg STUB3D00	UBM2500320	Cam Range 1	8.00 ~ 2.50	2.50 ~ 8.00	
123	12:36:39	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Auto % 1	120	135	
124	12:41:56	ps99585	Allo200mg STUB3D00	UBM2500320	Pre Pressure Installed Sensor S1	196	196.14	
125	12:41:56	ps99585	Allo200mg STUB3D00	UBM2500320	Pre Pressure Zero S1	90	100	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
126	12:41:56	ps99585	Allo200mg STUB3D00	UBM2500320	Pre Pressure Span S1	90	95	
127	12:42:06	ps99585	Allo200mg STUB3D00	UBM2500320	Pre Pressure Zero S2	90	109	
128	12:42:06	ps99585	Allo200mg STUB3D00	UBM2500320	Pre Pressure Span S2	100	104	
129	12:42:06	ps99585	Allo200mg STUB3D00	UBM2500320	Pre Pressure Installed Sensor S2	196	196.14	
130	12:42:34	ps99585	Allo200mg STUB3D00	UBM2500320	Pre Pressure Zero S2	109	100	
131	12:42:34	ps99585	Allo200mg STUB3D00	UBM2500320	Pre Pressure Installed Sensor S2	196	196.14	
132	12:42:37	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
133	12:42:38	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
134	12:51:17	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	Off	On	
135	12:51:37	ps99585	Allo200mg STUB3D00	UBM2500320	Main Motor On/Off	On	Off	
136	12:52:30	ps99585	Allo200mg STUB3D00	UBM2500320	Feeder Auto % 2	120	110	
137	12:57:33	ps99585	Allo200mg STUB3D00	UBM2500320	Auto Logout			