

OPERATING HISTORY

Date : 15/12/2025 00:01 ~ 15/12/2025 23:59

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
1	00:26:59	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
2	00:29:08	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
3	00:29:10	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	Off	On	
4	00:29:21	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
5	00:29:50	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Feeder Auto/Manual 2	Auto	Manual	
6	00:29:52	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Feeder On Signal 2	Off	On	
7	00:30:04	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Feeder Auto/Manual 2	Manual	Auto	
8	00:30:04	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Feeder On Signal 2	On	Off	
9	00:30:18	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	Off	On	
10	00:30:28	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
11	00:30:34	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 2	12.00 ~ 6.50	6.50 ~ 12.00	
12	00:30:37	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 2	7.00	7.20	
13	00:30:43	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 2	7.41	7.20	
14	01:46:11	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
15	01:51:13	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Auto Logout			
16	03:17:40	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
17	03:22:43	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Auto Logout			
18	03:26:04	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	Off	On	
19	03:26:10	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
20	03:26:34	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
21	03:27:05	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
22	03:27:23	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	6.90	7.80	
23	03:27:31	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	7.80	7.60	
24	03:27:38	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	7.60	7.50	
25	03:27:48	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	7.50	7.40	
26	03:27:53	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	7.41	7.37	
27	03:27:56	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
28	03:28:00	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	7.40	7.30	
29	03:28:01	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	7.37	7.34	
30	03:28:08	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
31	03:28:12	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	7.30	7.20	
32	03:28:16	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	7.31	7.20	
33	03:43:42	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
34	03:43:46	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	7.20	7.60	
35	03:43:50	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	7.50	7.60	
36	03:43:55	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
37	03:43:58	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	7.60	7.80	
38	03:44:02	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	7.60	7.80	
39	03:50:37	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
40	03:50:47	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	7.80	8.80	
41	03:50:53	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	8.49	8.83	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
42	03:59:03	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
43	03:59:09	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.80	9.20	
44	03:59:22	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	9.20	8.20	
45	03:59:22	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	8.95	9.23	
46	03:59:45	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
47	03:59:48	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.20	8.90	
48	03:59:54	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.90	8.60	
49	03:59:58	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	9.11	8.63	
50	04:00:04	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
51	04:00:05	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
52	04:00:06	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.60	8.40	
53	04:00:08	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	8.60	8.57	
54	04:00:16	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
55	04:00:35	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
56	04:00:37	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.40	8.00	
57	04:00:45	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	Off	On	
58	04:00:47	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
59	04:00:50	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
60	04:00:52	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
61	04:00:56	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
62	04:00:59	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.00	8.80	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
63	04:01:05	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	Off	On	
64	04:01:15	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
65	04:01:21	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
66	04:01:27	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
67	04:01:29	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.80	9.00	
68	04:01:35	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	8.86	9.00	
69	04:01:45	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
70	04:01:48	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	9.00	8.90	
71	04:01:57	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.90	8.80	
72	04:02:05	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.80	8.70	
73	04:02:12	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.70	8.60	
74	04:02:17	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.60	8.40	
75	04:02:22	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.40	8.00	
76	04:02:31	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.00	8.20	
77	04:02:40	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.20	8.28	
78	04:02:54	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
79	04:02:54	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	8.97	8.31	
80	04:07:46	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
81	04:07:53	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	Off	On	
82	04:08:03	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
83	04:08:23	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
84	04:08:26	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.28	8.60	
85	04:08:32	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	8.40	8.63	
86	04:09:14	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
87	04:09:18	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.60	8.90	
88	04:09:25	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	8.66	8.90	
89	04:09:53	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
90	04:09:56	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.90	9.10	
91	04:10:05	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	9.10	9.30	
92	04:10:27	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	9.30	9.50	
93	04:10:35	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	8.96	9.53	
94	04:10:45	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
95	04:10:48	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	9.50	9.90	
96	04:10:55	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	9.56	9.90	
97	04:11:09	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
98	04:16:11	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Auto Logout			
99	04:17:28	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
100	04:17:31	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	Off	On	
101	04:17:33	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
102	04:17:37	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
103	04:17:38	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
104	04:17:40	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	

OPERATING HISTORY

NO.	Time	UserID	Product Name	Batch NO	Message	Previous	New	Remark
105	04:17:41	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
106	04:17:43	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	Off	On	
107	04:17:44	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
108	04:17:46	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
109	04:17:50	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
110	04:17:52	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
111	04:17:54	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
112	04:17:57	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
113	04:18:00	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	Off	On	
114	04:18:02	cb83530	IBU 400 MG,STIU1B00	IUM2501240	AWC On/Off	On	Off	
115	04:18:03	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Main Motor On/Off	On	Off	
116	04:18:24	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
117	04:18:29	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	9.90	8.20	
118	04:18:33	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth 1	10.08	8.95	
119	04:24:42	cb83530	IBU 400 MG,STIU1B00	IUM2501240	Auto Logout			
120	04:46:42		IBU 400 MG,STIU1B00	IUM2501240	Please enter your password again....login Fault Lock Count (3) Ramining Count (2)		cj99902	
121	04:59:03	cj99902	IBU 400 MG,STIU1B00	IUM2501240	Auto Logout			
122	05:01:39	sp98469	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
123	05:01:43	sp98469	IBU 400 MG,STIU1B00	IUM2501240	Filling Depth Set Value 1	8.20	7.80	
124	05:01:48	sp98469	IBU 400 MG,STIU1B00	IUM2501240	Cam Range 1	12.00 ~ 6.50	6.50 ~ 12.00	
125	05:02:16	sp98469	Gaba 600mg STKS1A00	KSM2500160	Load Product Parameter		GABAPENTIN 600 MG_251025	