

## PRODUCTION REPORT

### Product Information

|                  |               |                      |                         |
|------------------|---------------|----------------------|-------------------------|
| Machine Name :   | VANTIX P720D  | Product Name :       | PANTO 40<br>MG,STKQ1B00 |
| User ID :        | cb83530       | Batch NO. :          | KQM2510440              |
| Print Interval : | 50000 Tablets | Running Time :       | 04 Hour 54 Min 48 Sec   |
| Total Counter :  | 900420        | Total Running Time : | 2995 Hour 22 Min        |
| Station :        | Station 1     |                      |                         |

### Setting Value

|                                    |             |                   |         |                    |              |           |
|------------------------------------|-------------|-------------------|---------|--------------------|--------------|-----------|
| Feeder :                           | Auto ;      | 64                | %       | Manual ;           | 21           | RPM       |
| Filling Cam :                      |             | Cam B<br>4.5-10mm |         | Cam Range :        | Min :        | 2.50 mm   |
| Target Quantity :                  |             | 2750000           | Tablets |                    | Max :        | 8.00 mm   |
| Air Pressure Low Limit :           |             | 0.400             | MPa     |                    |              |           |
| Oil Lubrication :                  |             |                   |         |                    |              |           |
| Upper Punch Interval Time(S1) ;    |             | 50                | Min     | Supply Time ;      | 2.0          | Sec       |
| Lower Punch Interval Time(S2) ;    |             | 20                | Min     | Supply Time ;      | 10.0         | Sec       |
| Powder Supply Time :               |             | 60.0              | Sec     |                    |              |           |
| Initial Reject Time :              |             | 1                 | Tablets |                    |              |           |
| Upper Punch Tightness High Limit : |             | 2.00              | kN      |                    |              |           |
| Lower Punch Tightness High Limit : |             | 3.00              | kN      |                    |              |           |
| Ejecting Force High Limit :        |             | 4.90              | kN      |                    |              |           |
|                                    |             |                   |         | Stop Condition ;   |              |           |
| HSP :                              | 30.0 %      | 44.43             | kN      | No                 |              |           |
| HEP :                              | 25.0 %      | 42.72             | kN      | Yes 10             | Rotations 15 | Tablets   |
| HCP :                              | 2.0 %       | 34.86             | kN      | Yes 15             | Times        |           |
| Ref :                              |             | 34.18             | kN      |                    |              |           |
| LCP :                              | 2.0 %       | 33.49             | kN      | Yes 15             | Times        |           |
| LEP :                              | 25.0 %      | 25.63             | kN      | Yes 10             | Rotations 15 | Tablets   |
| LSP :                              | 30.0 %      | 23.92             | kN      | No                 |              |           |
| SD limit :                         | 45.0 %      |                   |         | Yes                |              |           |
| Pre HSP                            |             | 40.00             | kN      | Yes                |              |           |
| Mean Calculation range :           | 2 Rotations |                   |         | Calculation Pass : | 2            | Rotations |
| Empty Punch No. :                  | None        |                   |         |                    |              |           |

### Pressure Data

|                      |                |       |            |       |       |            |    |
|----------------------|----------------|-------|------------|-------|-------|------------|----|
| Mean Pre Pressure :  | 3.95           | kN    | Min :      | 3.41  | kN    | Punch NO.; | 52 |
| SD :                 | 6.10           | %     | Max :      | 4.54  | kN    | Punch NO.; | 13 |
| Mean Main Pressure : | 34.65          | kN    | Min :      | 30.18 | kN    | Punch NO.; | 2  |
| SD :                 | 4.60           | %     | Max :      | 38.37 | kN    | Punch NO.; | 13 |
| Filling Depth :      | Increase ; 344 | Times | Decrease ; | 343   | Times |            |    |

## PRODUCTION REPORT

### Operation Value

|                               |         |     |                  |          |              |
|-------------------------------|---------|-----|------------------|----------|--------------|
| Disk Speed :                  | 20      | RPM | Capacity :       | 184800   | Tablets/hour |
| Feeder : Status ;             | Auto    |     | Speed ;          | 13       | RPM          |
| Pre Upper Punch Position ;    | 2.70    | mm  |                  |          |              |
| Pre Lower Punch Position ;    | 4.00    | mm  | Pre Thickness ;  | 1.30     | mm           |
| Main Upper Punch Position ;   | 2.70    | mm  |                  |          |              |
| Main Lower Punch Position ;   | 3.52    | mm  | Main Thickness ; | 0.82     | mm           |
| Filling Depth :               | 4.44    | mm  | Current Cam :    | Cam B    |              |
| Main Air pressure :           | 0.743   | MPa |                  | 4.5-10mm |              |
| Oil Lubrication status :      |         |     |                  |          |              |
| Upper Punch Remain Time (S1): | 48      | Min |                  |          |              |
| Lower Punch Remain Time (S2): | 20      | Min |                  |          |              |
| Lower Head Remain Time (S3):  | 0       | Min |                  |          |              |
| Powder Status :               | Disable |     | Dust Collector : | Off      |              |
| Initial Reject :              | Off     |     | Buzzer :         | Off      |              |

### Tightness

|                  |           |      |    |             |    |
|------------------|-----------|------|----|-------------|----|
| Upper Punch :    | Average ; | 0.17 | kN |             |    |
|                  | Max ;     | 0.25 | kN | Max Punch ; | 10 |
| Lower Punch :    | Average ; | 0.47 | kN |             |    |
|                  | Max ;     | 1.44 | kN | Max Punch ; | 52 |
| Ejection Force : | Average ; | 0.00 | kN |             |    |
|                  | Max ;     | 0.00 | kN | Max Punch ; | 0  |

### Tablet Data (N/A)

|                 |                    |         |       |            |         |
|-----------------|--------------------|---------|-------|------------|---------|
| Total Counter : | 900420             | Tablets |       |            |         |
| A.W.C Counter : | 878396             | Tablets |       |            |         |
| HEP :           | 87 (0.0%)          | Tablets | LEP : | 275 (0.0%) | Tablets |
| GOOD :          | 878034<br>(100.0%) | Tablets |       |            |         |

## PRODUCTION REPORT

### Product Information

|                  |               |                      |                         |
|------------------|---------------|----------------------|-------------------------|
| Machine Name :   | VANTIX P720D  | Product Name :       | PANTO 40<br>MG,STKQ1B00 |
| User ID :        | cb83530       | Batch NO. :          | KQM2510440              |
| Print Interval : | 50000 Tablets | Running Time :       | 04 Hour 54 Min 48 Sec   |
| Total Counter :  | 900420        | Total Running Time : | 2995 Hour 22 Min        |
| Station :        | Station 2     |                      |                         |

### Setting Value

|                                    |        |                   |         |                    |       |                      |
|------------------------------------|--------|-------------------|---------|--------------------|-------|----------------------|
| Feeder :                           | Auto ; | 53                | %       | Manual ;           | 24    | RPM                  |
| Filling Cam :                      |        | Cam B<br>4.5-10mm |         | Cam Range :        | Min : | 2.50 mm              |
| Target Quantity :                  |        | 2750000           | Tablets |                    | Max : | 8.00 mm              |
| Air Pressure Low Limit :           |        | 0.400             | MPa     |                    |       |                      |
| Oil Lubrication :                  |        |                   |         |                    |       |                      |
| Upper Punch Interval Time(S1) ;    |        | 50                | Min     | Supply Time ;      | 2.0   | Sec                  |
| Lower Punch Interval Time(S2) ;    |        | 20                | Min     | Supply Time ;      | 10.0  | Sec                  |
| Powder Supply Time :               |        | 60.0              | Sec     |                    |       |                      |
| Initial Reject Time :              |        | 1                 | Tablets |                    |       |                      |
| Upper Punch Tightness High Limit : |        | 2.00              | kN      |                    |       |                      |
| Lower Punch Tightness High Limit : |        | 3.00              | kN      |                    |       |                      |
| Ejecting Force High Limit :        |        | 4.90              | kN      |                    |       |                      |
|                                    |        |                   |         | Stop Condition ;   |       |                      |
| HSP :                              | 30.0 % | 42.22             | kN      | No                 |       |                      |
| HEP :                              | 25.0 % | 40.59             | kN      | Yes                | 10    | Rotations 15 Tablets |
| HCP :                              | 2.0 %  | 33.13             | kN      | Yes                | 15    | Times                |
| Ref :                              |        | 32.48             | kN      |                    |       |                      |
| LCP :                              | 2.0 %  | 31.83             | kN      | Yes                | 15    | Times                |
| LEP :                              | 25.0 % | 24.36             | kN      | Yes                | 10    | Rotations 15 Tablets |
| LSP :                              | 30.0 % | 22.73             | kN      | No                 |       |                      |
| SD limit :                         | 45.0 % |                   |         | Yes                |       |                      |
| Pre HSP                            |        | 40.00             | kN      | Yes                |       |                      |
| Mean Calculation range :           | 1      | Rotations         |         | Calculation Pass : | 1     | Rotations            |
| Empty Punch No. :                  | N      |                   |         |                    |       |                      |

### Pressure Data

|                      |            |    |       |            |    |            |    |
|----------------------|------------|----|-------|------------|----|------------|----|
| Mean Pre Pressure :  | 3.89       | kN | Min : | 3.37       | kN | Punch NO.; | 12 |
| SD :                 | 4.70       | %  | Max : | 4.33       | kN | Punch NO.; | 76 |
| Mean Main Pressure : | 32.02      | kN | Min : | 28.49      | kN | Punch NO.; | 12 |
| SD :                 | 3.70       | %  | Max : | 34.94      | kN | Punch NO.; | 32 |
| Filling Depth :      | Increase ; | 77 | Times | Decrease ; | 80 | Times      |    |

## PRODUCTION REPORT

### Operation Value

|                               |         |     |                  |          |              |
|-------------------------------|---------|-----|------------------|----------|--------------|
| Disk Speed :                  | 20      | RPM | Capacity :       | 184800   | Tablets/hour |
| Feeder : Status ;             | Auto    |     | Speed ;          | 11       | RPM          |
| Pre Upper Punch Position ;    | 2.70    | mm  |                  |          |              |
| Pre Lower Punch Position ;    | 4.00    | mm  | Pre Thickness ;  | 1.30     | mm           |
| Main Upper Punch Position ;   | 2.70    | mm  |                  |          |              |
| Main Lower Punch Position ;   | 3.50    | mm  | Main Thickness ; | 0.80     | mm           |
| Filling Depth :               | 3.56    | mm  | Current Cam :    | Cam B    |              |
| Main Air pressure :           | 0.743   | MPa |                  | 4.5-10mm |              |
| Oil Lubrication status :      |         |     |                  |          |              |
| Upper Punch Remain Time (S1): | 48      | Min |                  |          |              |
| Lower Punch Remain Time (S2): | 20      | Min |                  |          |              |
| Lower Head Remain Time (S3):  | 0       | Min |                  |          |              |
| Powder Status :               | Disable |     | Dust Collector : | Off      |              |
| Initial Reject :              | Off     |     | Buzzer :         | Off      |              |

### Tightness

|                  |           |      |    |             |    |
|------------------|-----------|------|----|-------------|----|
| Upper Punch :    | Average ; | 0.17 | kN |             |    |
|                  | Max ;     | 0.25 | kN | Max Punch ; | 39 |
| Lower Punch :    | Average ; | 0.47 | kN |             |    |
|                  | Max ;     | 1.44 | kN | Max Punch ; | 52 |
| Ejection Force : | Average ; | 0.00 | kN |             |    |
|                  | Max ;     | 0.00 | kN | Max Punch ; | 0  |

### Tablet Data (N/A)

|                 |                    |         |       |            |         |
|-----------------|--------------------|---------|-------|------------|---------|
| Total Counter : | 900420             | Tablets |       |            |         |
| A.W.C Counter : | 878396             | Tablets |       |            |         |
| HEP :           | 87 (0.0%)          | Tablets | LEP : | 275 (0.0%) | Tablets |
| GOOD :          | 878034<br>(100.0%) | Tablets |       |            |         |