

## PRODUCTION REPORT

### Product Information

|                  |               |                      |                       |
|------------------|---------------|----------------------|-----------------------|
| Machine Name :   | VANTIX P720D  | Product Name :       | Allo300mg STUB2B00    |
| User ID :        | yu98249       | Batch NO. :          | UBM2501830            |
| Print Interval : | 50000 Tablets | Running Time :       | 07 Hour 41 Min 54 Sec |
| Total Counter :  | 977608        | Total Running Time : | 3104 Hour 3 Min       |
| Station :        | Station 1     |                      |                       |

### Setting Value

|                                    |             |          |         |                    |              |           |
|------------------------------------|-------------|----------|---------|--------------------|--------------|-----------|
| Feeder :                           | Auto ;      | 71       | %       | Manual ;           | 15           | RPM       |
| Filling Cam :                      |             | Cam C    |         | Cam Range :        | Min :        | 6.50 mm   |
|                                    |             | 8.5-14mm |         |                    | Max :        | 12.00 mm  |
| Target Quantity :                  |             | 1000000  | Tablets |                    |              |           |
| Air Pressure Low Limit :           |             | 0.000    | MPa     |                    |              |           |
| Oil Lubrication :                  |             |          |         |                    |              |           |
| Upper Punch Interval Time(S1) ;    |             | 50       | Min     | Supply Time ;      | 0.2          | Sec       |
| Lower Punch Interval Time(S2) ;    |             | 20       | Min     | Supply Time ;      | 3.0          | Sec       |
| Powder Supply Time :               |             | 60.0     | Sec     |                    |              |           |
| Initial Reject Time :              |             | 1        | Tablets |                    |              |           |
| Upper Punch Tightness High Limit : |             | 2.00     | kN      |                    |              |           |
| Lower Punch Tightness High Limit : |             | 3.00     | kN      |                    |              |           |
| Ejecting Force High Limit :        |             | 4.90     | kN      |                    |              |           |
|                                    |             |          |         | Stop Condition ;   |              |           |
| HSP :                              | 23.0 %      | 12.66    | kN      | No                 |              |           |
| HEP :                              | 20.0 %      | 12.35    | kN      | Yes 10             | Rotations 15 | Tablets   |
| HCP :                              | 1.5 %       | 10.45    | kN      | Yes 15             | Times        |           |
| Ref :                              |             | 10.29    | kN      |                    |              |           |
| LCP :                              | 1.5 %       | 10.14    | kN      | Yes 15             | Times        |           |
| LEP :                              | 20.0 %      | 8.23     | kN      | Yes 10             | Rotations 15 | Tablets   |
| LSP :                              | 23.0 %      | 7.93     | kN      | No                 |              |           |
| SD limit :                         | 45.0 %      |          |         | Yes                |              |           |
| Pre HSP                            |             | 40.00    | kN      | Yes                |              |           |
| Mean Calculation range :           | 2 Rotations |          |         | Calculation Pass : | 1            | Rotations |
| Empty Punch No. :                  | None        |          |         |                    |              |           |

### Pressure Data

|                      |            |     |       |            |     |            |    |
|----------------------|------------|-----|-------|------------|-----|------------|----|
| Mean Pre Pressure :  | 0.98       | kN  | Min : | 0.90       | kN  | Punch NO.; | 2  |
| SD :                 | 3.90       | %   | Max : | 1.07       | kN  | Punch NO.; | 25 |
| Mean Main Pressure : | 10.22      | kN  | Min : | 9.45       | kN  | Punch NO.; | 45 |
| SD :                 | 4.50       | %   | Max : | 11.38      | kN  | Punch NO.; | 11 |
| Filling Depth :      | Increase ; | 538 | Times | Decrease ; | 552 | Times      |    |

## PRODUCTION REPORT

### Operation Value

|                               |         |     |                  |                   |              |
|-------------------------------|---------|-----|------------------|-------------------|--------------|
| Disk Speed :                  | 20      | RPM | Capacity :       | 127200            | Tablets/hour |
| Feeder : Status ;             | Auto    |     | Speed ;          | 14                | RPM          |
| Pre Upper Punch Position ;    | 3.00    | mm  |                  |                   |              |
| Pre Lower Punch Position ;    | 7.00    | mm  | Pre Thickness ;  | 4.00              | mm           |
| Main Upper Punch Position ;   | 3.00    | mm  |                  |                   |              |
| Main Lower Punch Position ;   | 6.15    | mm  | Main Thickness ; | 3.15              | mm           |
| Filling Depth :               | 7.33    | mm  | Current Cam :    | Cam C<br>8.5-14mm |              |
| Main Air pressure :           | 0.785   | MPa |                  |                   |              |
| Oil Lubrication status :      |         |     |                  |                   |              |
| Upper Punch Remain Time (S1): | 39      | Min |                  |                   |              |
| Lower Punch Remain Time (S2): | 4       | Min |                  |                   |              |
| Lower Head Remain Time (S3):  | 0       | Min |                  |                   |              |
| Powder Status :               | Disable |     | Dust Collector : | Off               |              |
| Initial Reject :              | Off     |     | Buzzer :         | Off               |              |

### Tightness

|                  |           |      |    |             |    |
|------------------|-----------|------|----|-------------|----|
| Upper Punch :    | Average ; | 0.00 | kN |             |    |
|                  | Max ;     | 0.00 | kN | Max Punch ; | 0  |
| Lower Punch :    | Average ; | 0.11 | kN |             |    |
|                  | Max ;     | 0.16 | kN | Max Punch ; | 19 |
| Ejection Force : | Average ; | 0.00 | kN |             |    |
|                  | Max ;     | 0.00 | kN | Max Punch ; | 0  |

### Tablet Data (N/A)

|                 |                    |         |       |           |         |
|-----------------|--------------------|---------|-------|-----------|---------|
| Total Counter : | 977608             | Tablets |       |           |         |
| A.W.C Counter : | 973371             | Tablets |       |           |         |
| HEP :           | 101 (0.0%)         | Tablets | LEP : | 10 (0.0%) | Tablets |
| GOOD :          | 973260<br>(100.0%) | Tablets |       |           |         |

## PRODUCTION REPORT

### Product Information

|                  |               |                      |                       |
|------------------|---------------|----------------------|-----------------------|
| Machine Name :   | VANTIX P720D  | Product Name :       | Allo300mg STUB2B00    |
| User ID :        | yu98249       | Batch NO. :          | UBM2501830            |
| Print Interval : | 50000 Tablets | Running Time :       | 07 Hour 41 Min 54 Sec |
| Total Counter :  | 977608        | Total Running Time : | 3104 Hour 3 Min       |
| Station :        | Station 2     |                      |                       |

### Setting Value

|                                    |             |          |         |                    |              |           |
|------------------------------------|-------------|----------|---------|--------------------|--------------|-----------|
| Feeder :                           | Auto ;      | 65       | %       | Manual ;           | 15           | RPM       |
| Filling Cam :                      |             | Cam C    |         | Cam Range :        | Min :        | 6.50 mm   |
|                                    |             | 8.5-14mm |         |                    | Max :        | 12.00 mm  |
| Target Quantity :                  |             | 1000000  | Tablets |                    |              |           |
| Air Pressure Low Limit :           |             | 0.000    | MPa     |                    |              |           |
| Oil Lubrication :                  |             |          |         |                    |              |           |
| Upper Punch Interval Time(S1) ;    |             | 50       | Min     | Supply Time ;      | 0.2          | Sec       |
| Lower Punch Interval Time(S2) ;    |             | 20       | Min     | Supply Time ;      | 3.0          | Sec       |
| Powder Supply Time :               |             | 60.0     | Sec     |                    |              |           |
| Initial Reject Time :              |             | 1        | Tablets |                    |              |           |
| Upper Punch Tightness High Limit : |             | 2.00     | kN      |                    |              |           |
| Lower Punch Tightness High Limit : |             | 3.00     | kN      |                    |              |           |
| Ejecting Force High Limit :        |             | 4.90     | kN      |                    |              |           |
|                                    |             |          |         | Stop Condition ;   |              |           |
| HSP :                              | 23.0 %      | 11.68    | kN      | No                 |              |           |
| HEP :                              | 20.0 %      | 11.40    | kN      | Yes 10             | Rotations 15 | Tablets   |
| HCP :                              | 1.5 %       | 9.64     | kN      | Yes 15             | Times        |           |
| Ref :                              |             | 9.50     | kN      |                    |              |           |
| LCP :                              | 1.5 %       | 9.35     | kN      | Yes 15             | Times        |           |
| LEP :                              | 20.0 %      | 7.60     | kN      | Yes 10             | Rotations 15 | Tablets   |
| LSP :                              | 23.0 %      | 7.31     | kN      | No                 |              |           |
| SD limit :                         | 45.0 %      |          |         | Yes                |              |           |
| Pre HSP                            |             | 40.00    | kN      | Yes                |              |           |
| Mean Calculation range :           | 2 Rotations |          |         | Calculation Pass : | 1            | Rotations |
| Empty Punch No. :                  | N           |          |         |                    |              |           |

### Pressure Data

|                      |            |     |       |            |     |            |    |
|----------------------|------------|-----|-------|------------|-----|------------|----|
| Mean Pre Pressure :  | 1.07       | kN  | Min : | 0.95       | kN  | Punch NO.; | 13 |
| SD :                 | 4.70       | %   | Max : | 1.16       | kN  | Punch NO.; | 19 |
| Mean Main Pressure : | 9.69       | kN  | Min : | 8.77       | kN  | Punch NO.; | 45 |
| SD :                 | 5.10       | %   | Max : | 10.58      | kN  | Punch NO.; | 11 |
| Filling Depth :      | Increase ; | 512 | Times | Decrease ; | 501 | Times      |    |

## PRODUCTION REPORT

### Operation Value

|                               |         |     |                  |          |              |
|-------------------------------|---------|-----|------------------|----------|--------------|
| Disk Speed :                  | 20      | RPM | Capacity :       | 127200   | Tablets/hour |
| Feeder : Status ;             | Auto    |     | Speed ;          | 13       | RPM          |
| Pre Upper Punch Position ;    | 3.00    | mm  |                  |          |              |
| Pre Lower Punch Position ;    | 7.00    | mm  | Pre Thickness ;  | 4.00     | mm           |
| Main Upper Punch Position ;   | 3.00    | mm  |                  |          |              |
| Main Lower Punch Position ;   | 6.30    | mm  | Main Thickness ; | 3.30     | mm           |
| Filling Depth :               | 6.94    | mm  | Current Cam :    | Cam C    |              |
| Main Air pressure :           | 0.785   | MPa |                  | 8.5-14mm |              |
| Oil Lubrication status :      |         |     |                  |          |              |
| Upper Punch Remain Time (S1): | 39      | Min |                  |          |              |
| Lower Punch Remain Time (S2): | 4       | Min |                  |          |              |
| Lower Head Remain Time (S3):  | 0       | Min |                  |          |              |
| Powder Status :               | Disable |     | Dust Collector : | Off      |              |
| Initial Reject :              | Off     |     | Buzzer :         | Off      |              |

### Tightness

|                  |           |      |    |             |    |
|------------------|-----------|------|----|-------------|----|
| Upper Punch :    | Average ; | 0.00 | kN |             |    |
|                  | Max ;     | 0.00 | kN | Max Punch ; | 0  |
| Lower Punch :    | Average ; | 0.11 | kN |             |    |
|                  | Max ;     | 0.16 | kN | Max Punch ; | 19 |
| Ejection Force : | Average ; | 0.00 | kN |             |    |
|                  | Max ;     | 0.00 | kN | Max Punch ; | 0  |

### Tablet Data (N/A)

|                 |            |         |       |           |         |
|-----------------|------------|---------|-------|-----------|---------|
| Total Counter : | 977608     | Tablets |       |           |         |
| A.W.C Counter : | 973371     | Tablets |       |           |         |
| HEP :           | 101 (0.0%) | Tablets | LEP : | 10 (0.0%) | Tablets |
| GOOD :          | 973260     | Tablets |       |           |         |
|                 | (100.0%)   |         |       |           |         |