

SUNIKAI

SOURCING · IMPORT · EXPORT

Product catalogue

Panels · Flooring · Decking · Veneer · Cladding

Sunikai imports Asian wood products for the European market. Tailored sourcing, in-factory quality control before every shipment, DAP delivery to your warehouse.

Edition September 2026 — sunikai.com

Frédéric Gachon · Sales Director · +33 6 08 51 22 88

Vincent Bergeron · Export Director · vincent@sunikai.com

PANELS

Rubberwood Panel

Edge-glued · AB grade



The most versatile edge-glued panel in our range: light, even colour, good dimensional stability and a competitive price per square metre.

SPECIES	Rubberwood (Hevea brasiliensis)
GRADE	AB
CONSTRUCTION	Edge-glued, finger-jointed or full-length laths
FINISHES	Sanded, ready to finish

STANDARD DIMENSIONS (MM)	
LENGTH	2400 · 2800 · 3100
WIDTH	650 · 1220
THICKNESS	18 · 20 · 25 · 30 · 38 · 40

APPLICATIONS

- Worktops and shelving
- Shopfitting and furniture
- Stair treads and risers
- Interior lining panels

Other dimensions and special formats on request.

PANELS

Acacia Panel

Edge-glued · BC grade



Darker and harder than rubberwood, acacia brings character: strong colour contrast, lively grain and an excellent hardness-to-price ratio.

SPECIES	Acacia (Acacia mangium)
GRADE	BC
CONSTRUCTION	Edge-glued, finger-jointed laths
FINISHES	Sanded, ready to finish

STANDARD DIMENSIONS (MM)	
LENGTH	2400 · 2800 · 3100
WIDTH	650 · 1220
THICKNESS	18 · 20 · 25 · 30 · 38 · 40

APPLICATIONS

- Furniture and shopfitting
- Decorative worktops
- Shelving
- Wall panels

Other dimensions and special formats on request.

PANELS

Natural Bamboo Panel

Horizontal or vertical · Natural tone



Bamboo in its original pale blond tone. Two possible patterns depending on the press: wide visible strips in horizontal, fine regular stripes in vertical.

SPECIES	Moso bamboo
GRADE	Premium
CONSTRUCTION	Glued strips, horizontal or vertical press, 3-ply
FINISHES	Sanded, ready to finish

STANDARD DIMENSIONS (MM)	
LENGTH	2440
WIDTH	1220
THICKNESS	20 · 30 · 40

APPLICATIONS

- Worktops
- Furniture and shopfitting
- Wall linings
- Stair treads

Other dimensions and special formats on request.

PANELS

Caramel Bamboo Panel

Horizontal or vertical · Caramel tone



The same panel as natural bamboo, but steam-treated: heat caramelises the sugars in the bamboo and gives a deep honey tone that runs right through the material.

SPECIES	Moso bamboo
GRADE	Premium
CONSTRUCTION	Glued strips, horizontal or vertical press, 3-ply
FINISHES	Sanded, ready to finish

STANDARD DIMENSIONS (MM)	
LENGTH	2440
WIDTH	1220
THICKNESS	20 · 30 · 40

APPLICATIONS

- Worktops
- Furniture and shopfitting
- Wall linings
- Counters and reception desks

Other dimensions and special formats on request.

PANELS

Black Strand Woven Bamboo Panel

Strand woven · Black tone



The top of the bamboo family: fibres are shredded then compressed under very high pressure. The result is a markedly denser material with a dark tone and a fibrous grain.

SPECIES	Moso bamboo
GRADE	Premium
CONSTRUCTION	Shredded fibres, resin-bonded and compressed under high pressure
FINISHES	Sanded, ready to finish

STANDARD DIMENSIONS (MM)	
LENGTH	2440
WIDTH	1220
THICKNESS	20 · 30 · 40

APPLICATIONS

- Premium worktops
- Counters and retail fit-out
- Stair treads
- Dark wall linings

Other dimensions and special formats on request.

Rubberwood Flooring

AB grade · 2 or 4 strips · Natural, Whitewash, Oak



A light, quiet floor available in three finishes. The 2-strip format reads wider and more contemporary; the 4-strip gives a finer, more regular pattern.

SPECIES	Rubberwood (Hevea brasiliensis)
GRADE	AB
CONSTRUCTION	Solid, 2-strip or 4-strip
FINISHES	Natural · Whitewash · Oak

STANDARD DIMENSIONS (MM)

LENGTH	1250 · 1850
WIDTH	135 · 160
THICKNESS	15 · 16 · 18


APPLICATIONS

- Residential floors
- Hotel rooms
- Offices
- Moderate-traffic commercial spaces

Other dimensions and special formats on request.

Acacia Flooring

ABCD grade · 4-strip · Natural



The most contrasted floor in the range. In ABCD grade, every shade of acacia lives in the same batch: from pale honey to deep brown.

SPECIES	Acacia (Acacia mangium)
GRADE	ABCD
CONSTRUCTION	Solid, 4-strip
FINISHES	Natural

STANDARD DIMENSIONS (MM)	
LENGTH	1250
WIDTH	160
THICKNESS	15

APPLICATIONS

- Residential floors
- Restaurants and retail
- Circulation areas
- Renovation

Other dimensions and special formats on request.

DECKING

Light Bamboo Decking

Strand woven · Light tone



A very dense decking board in a warm, light tone. Strand woven bamboo is a credible alternative to classic tropical hardwoods, from a short-cycle plantation resource.

SPECIES	Strand woven Moso bamboo
GRADE	Exterior
CONSTRUCTION	Solid strand woven board, grooved profile
FINISHES	Factory-oiled, light tone

STANDARD DIMENSIONS (MM)	
LENGTH	1860
WIDTH	139
THICKNESS	18 · 20

APPLICATIONS

- Residential decks
- Pool surrounds
- Restaurant terraces
- Walkways and boardwalks

Other dimensions and special formats on request.

Dark Bamboo Decking

Strand woven · Dark tone



The same board as the Light version, in a dark brown tone obtained through a more intense heat treatment. A look close to dense tropical hardwoods.

SPECIES	Strand woven Moso bamboo
GRADE	Exterior
CONSTRUCTION	Solid strand woven board, grooved profile
FINISHES	Factory-oiled, dark tone

STANDARD DIMENSIONS (MM)

LENGTH	1860
WIDTH	139
THICKNESS	18 · 20

APPLICATIONS

- Residential decks
- Pool surrounds
- Restaurant terraces
- Landscaping

Other dimensions and special formats on request.

Bamboo Veneer

Horizontal or vertical · Natural or caramel



0.6 mm thick: the lightest and most economical way to give a panel substrate the look of solid bamboo.

SPECIES	Moso bamboo
GRADE	Premium
CONSTRUCTION	Sliced veneer sheet
FINISHES	Natural · Caramel

STANDARD DIMENSIONS (MM)

LENGTH	2460
WIDTH	430
THICKNESS	0,6

APPLICATIONS

- Furniture fronts
- Retail fit-out
- Doors and partitions
- Yacht and vehicle interiors

Other dimensions and special formats on request.

Bamboo Cladding

Strand woven · Dark or Light



The facade board of the strand woven range: narrower and thinner than the decking, for a tight vertical or horizontal rhythm.

SPECIES	Strand woven Moso bamboo
GRADE	Exterior
CONSTRUCTION	Solid strand woven board for facade installation
FINISHES	Dark · Light

STANDARD DIMENSIONS (MM)	
LENGTH	1860
WIDTH	103
THICKNESS	12

APPLICATIONS

- Facade cladding
- Exterior lining
- Screens and privacy fences
- Roof overhang soffits

Other dimensions and special formats on request.

Our services

Tailored sourcing

Our network of Asian partners lets us build solutions matched to the precise needs of your market.

- Partner mill research and audit
- Samples and approval before ordering
- Price and lead time negotiation
- Custom product development

Quality control

For every order, our team runs an on-site quality check and hands you a detailed report before shipment.

- Pre-shipment inspection inside the mill
- Detailed photo report
- Dimension and moisture checks
- Packing and marking verification

Import and DAP delivery

We handle delivery under DAP Incoterm: transport, customs formalities and haulage to your warehouse.

- One single price, delivered to your warehouse
- Ocean booking and documentation
- Customs formalities
- Shipment tracking through to delivery

CONTACT

Frédéric Gachon — Sales Director
+33 6 08 51 22 88

Vincent Bergeron — Export Director
vincent@sunikai.com

sunikai.com

The dimensions and grades listed are our standards. Every quotation is issued on request, under DAP Incoterm.