Automated Network Request Management in ServiceNow

Functional & Flow Testing

Project Name	Automated Network Request Management in ServiceNow
Document	Functional & Flow Testing
Phase	5. Project Development Phase
Date	04-09-2026
Team ID	
Maximum Marks	4 Marks

1. Purpose

This document defines the functional test cases relevant to the Network Request catalog item and its Flow Designer automation. It replaces the generic AI-model performance-testing template found in the Drive, which measures model accuracy metrics and does not apply to this ServiceNow workflow project.

2. Test Cases

Test ID	Test Case	Steps	Expected Result	Status
TC-1	Catalog item submission	Open Network Request catalog item; fill required fields; submit	Request is submitted without error	VERIFIED
TC-2	Requester info auto-population	Select a user in 'Opened on behalf of'	Email, User Name, Phone Number auto-populate from the user record	VERIFIED
TC-3	Dynamic field visibility	Change Connection Type selection	Dependent field shows/hides per configured UI Policy condition	VERIFIED
TC-4	Record creation	Submit a request	A new record appears in Database Tables with an ANR-prefixed, 7-digit number	VERIFIED
TC-5	Assignment group lookup	Submit a request	Assignment Group is set to Network Team on the created record	VERIFIED
TC-6	Email notification	Submit a request	Configured recipient receives an email	VERIFIED
TC-7	Approval — approved path	Approve the request	Database Tables record is updated per the approved branch	VERIFIED
TC-8	Approval — rejected path	Reject the request	Database Tables record is updated per the rejected branch	VERIFIED

3. Test Evidence




Figure 2 — Submitted Network Request record in Database Tables

What this proves: *That a request was successfully captured and routed as designed.*




Figure 3 — Flow Designer run/execution log for a submitted request

What this proves: *That the automation executed end-to-end as designed.*

4. Status

No actual test execution results/screenshots were available at the time of writing. Test cases above are defined based on the implemented design; results must be filled in from the requester's own testing.