



INSPECTION CERTIFICATE  
CERTIFICADO DE INSPECCIÓN  
CERTIFICAT DE RECEPTION  
ABNAHMEPRÜFZEUGNIS  
EN 10204:2004 / 3.1

Number: 670640 Page: 1 / 5	Rev: 00
Created on: Date: 19.10.2017	Modified on: 31.10.2017

TTI - TUBACEX TUBOS INOXIDABLES

Registro Mercantil de Alava, Tomo 587, Folio 189, Hoja VI 2885 - N.I.F. A-01140227

Tres cruces, 8

01400 Llodio (Alava)

SPAIN

CUSTOMER DESCRIPTION/DESCRIPCIÓN DEL CLIENTE/KUNDENBEZEICHNUNG/COMMETTANT

--

CLIENT ORDER/PEDIDO CLIENTE/KUNDEN AUFTRAGSNUMMER/NO.DE COMMANDE:

SALES ORDER/PEDIDO VENTAS/AUFTRAGSNUMMER/NO.DE COMMANDE D'USINE:

MATERIAL: SEAML. STAINL. STEEL TUBES/PIPES/TUBOS INOXIDABLES SIN SOLDADURA/TUBES INOX SANS SOUDURE/NAHTLOSE EDELSTAHLROHRE  
HEAT-TREATED, PICKLED / TRATADO, DECAPADO / HYPERTREMPE, DECAPE / WÄRMEBEHANDELT, GEBEIZT, PASSIVATED / PASIVADO / PASSIVÉ / PASSIVIERT  
GRADE / ACERO / GRADE / WERKSTOFF: S31254, 1.4547,  
STANDARD / NORMA / STANDARD / LIEFERUNG NACH: ASME SECT.II PART.A SA312/SA312M-2015 ED.  
ASTM A312/A312M-16a  
EN 10216-5:2013 TC2  
EN 10297-2:2005  
Materials System Specification 01-SAMSS-046 - 30 October 2013  
Hydrotest for all tubes  
CORROSION TESTED ACC. TO ASTM A262 PRACTICE E  
CORROSION TESTED ACC. TO ASTM A923 TEST METHOD C  
CORROSION TESTED ACC. TO ASTM G48 TEST METHOD A, 24 hours & 48 hours.  
CORROSION TESTED ACC. TO EN ISO 3651-2 METHOD C  
VICKERS HARDNESS TEST  
HYDROTEST  
MICROGRAPHIC EXAMINATION  
NACE MR0103-2012  
ANSI/NACE MR0175/ISO15156-3:2015  
NORSOK M650 QTR No.3  
NORSOK M630 REV.6 MDS R11 REV.5  
TOLERANCES / TOLERANCIAS / TOLERANCES / TOLERANZEN NACH: ASME SECT.II PART.A SA999/SA999M-2015 ED.  
ASTM A999/A999M-16  
EN ISO 1127/03.97 D3/T3  
RANDOM LENGTHS / LARGOS VARIABLES / LONGUEUR COURANTE / EINGEENGTE LÄNGE 6.096/7.315 MM  
PLAIN ENDS / LISOS / EXTRÉMITÉ D'EQUERRE / GLATTE ENDEN,  
DIMENSIONS/DIMENSIONES/DIMENSIONS/DIMENSIONS: 21,34 X 2,77 MM - 1/2" SCH 40S  
COLD FINISHED/LAMINADOS EN FRIO/KALTGEFORMT/LAMINES A FROID



TUBACEX TUBOS  
INOXIDABLES S.A.U.  
INGENIERIA DE CALIDAD

*[Signature]*

Isigo Arriola Alciabar

We hereby certify that the material herein described has been manufactured, sampled, tested, and inspected in accordance with above standards and specifications and satisfies order's requirements. This certificate is issued by a computerized system and it is valid without original signature. In case the owner of the certificate would release as a copy of it, he must attest its conformity to the issued, assuming the responsibility for any unlawful or TUBACEX, not allowed use. Any forgery or falsification of this certificate shall legally prosecuted.

TTI

TUBACEX  
GROUP

**INSPECTION CERTIFICATE  
CERTIFICADO DE INSPECCIÓN  
CERTIFICAT DE RECEPTION  
ABNAHMEPRÜFZEUGNIS  
EN 10204:2004 / 3.1**

Number: 670640 Page: 2 / 5	Rev: 00
Created on: Date: 19.10.2017	Modified on: 31.10.2017

Sales Item	Client Item	Delivery No	Lot No.	Heat No	Pieces	Weight	Tot Lgth	Un Lgth
Pos Ped.	Pos Clnt	Nº Entrega	Nº lote	Colada	Piezas	Peso	Long. Tot	Long. Un
Auftrag Pos	Kunde Pos	Lieferung	Los Nr.	Schmelze	Stück	Gewicht	Gesamtlänge	Längentyp
Usine Pos	Com. Pos	Avis. d'exp	Lot d'inspection	Coulée	Pcs	Poids	Tolength	Long. Un
10		8110051342	P1704255	53236	100	904 KG	681.68 M	6096-7315 MM

## RAW MATERIAL/DATOS MATERIAL/VORMATERIAL/MATIERE PREMIERE

Heat Nr:

53236

Method

Electric furnace+AOD

## CHEMICAL COMPOSITION (%) / COMPOSICIÓN QUÍMICA (%) / CHEMISCHE ZUSAMMENSETZUNG (%) / COMPOSITION CHIMIQUE (%)

\*L: Ladle C: Products

*	Heat	Seq	C	Mn	Si	P	S	Ni	Cr	Mo	Cu	N
L	53236	1	0.012	0.73	0.210	0.020	0.0003	18.00	19.95	6.13	0.89	0.2260
C	53236	5	0.012	0.76	0.220	0.021	0.0003	17.75	19.90	6.42	0.87	0.2260

*	Heat	Seq	Pren
L	53236	1	43.7950
C	53236	5	44.7020

## HEAT TREATMENT/TRATAMIENTO TÉRMICO/WÄRMEBEHANDLUNG/TRAITEMENT THERMIQUE

HIPERTEMLADOS A 1150 °C , 18 min , Agua

SOLUTION ANNEALED AT 1150 °C , 18 min , WATER

HYPERTREMPE 1150 °C , 18 min , L'EAU

LOESUNGSGEGLUEHT 1150 °C , 18 min , Wasser

## TENSILE TEST/TEST DE TENSION/ESSAI TRACTION/ZUGVERSUCH

Lot No.	Sample	T	Rp0.2	Rp1.0	Rm	A2"	A5	Type	Spc.Type	Spc.Dim
		°C	MPa	MPa	MPa	%	%			mm
P1704255	1	20	379	433	762	47	44	L	F	21.29
	2	20	403	451	757	48	45	L	F	21.36

## HARDNESS TEST/TEST DE DUREZA/DUREE/HÄRTEPRÜFUNG

Lot No.	Sample	HRB1	HRB2	HV1	HV2
P1704255	1	86	85	165	169
	2	87	85		
	3	87	86		

## Corrosion test ASTM G48 practice "A"/Corrosión ASTM G48 práctica "A"/LOCHFRASSTEST ASTM G 48 PRA

Lot No.	Sample	T	Pits-20x	W.loss	time
		°C		g/m2	Horas
P1704255	1	50	N	0.2877	48.0



**TUBACEX TUBOS  
INOXIDABLES S.A.U.**  
INGENIERIA DE CALIDAD

*[Signature]*

**Isigo Arriola Alciabar**

We hereby certify that the material herein described has been manufactured, sampled, tested, and inspected in accordance with above standards and specifications and satisfies order's requirements. This certificate is issued by a computerized system and it is valid without original signature: in case the owner of the certificate would release as a copy of it, he must attest its conformity to the issued, assuming the responsibility for any unlawful or TUBACEX, not allowed use. Any forgery or falsification of this certificate shall legally prosecuted.



INSPECTION CERTIFICATE  
CERTIFICADO DE INSPECCION  
CERTIFICAT DE RECEPTION  
ABNAHMEPRÜFZEUGNIS  
EN 10204:2004 / 3.1

Number: 670640 Page: 3 / 5	Rev: 00
Created on: Date: 19.10.2017	Modified on: 31.10.2017

CORROSION ACCORDING TO ASTM A923 C/CORROSION DE ACUERDO A ASTM A923 C/CORROSION ACCORDING TO ASTM A923 C/CORROSION ACCORDING TO ASTM

Lot No.	Sample	T	Pits-20x	Wloss	time
		°C		MDD	Horas
P1704255	1	50	N	0,9746	24,0

Corrosion test ASTM G48 practice "A"/Corrosión ASTM G48 práctica "A"/LOCHFRASSTEST ASTM G 48 PR.A

Lot No.	Sample	T	Pits-20x	W.loss	time
		°C		g/m2	Horas
P1704255	1	50	N	0,0975	24,0

METALURGICAL TESTS/ENSAYOS METALÚRGICOS/METALLURGISCHE PRÜFUNGEN/ESSAIS  
METALLURGIQUES

MACROETCHING ACCORDING TO ASTM E381: SATISFACTORY

MACROATAQUE DE ACUERDO A ASTM E381: SATISFACTORIO

MAKROETCH PRUEFUNG ASTM E381: O.B

MACROETCHING ACCORDING TO ASTM E381: SATISFACTORY

INTERGRANULAR CORROSION TEST ACC. TO ASTM A262 PRACT."E": SATISFACTORY

ENSAYO DE CORROSION INTERGRANULAR DE ACUERDO A ASTM A262 PRACT.E:

SATISFACTORIO

BESTÄNDIGKEIT GEGEN INTERKRISTALLINE KORROSION ENTSPRECHEND ASTM A262

PRACT.E: IN ORDNUNG

ESSAI DE CORR. INTERGR. SELON ASTM A262 PRACT.E:SATISFAISANT

INTERGRANULAR CORROSION TEST ACC. TO ISO 3651-2 MET.C: SATISFACTORY

ENSAYO DE CORROSION INTERGRANULAR DE ACUERDO A ISO 3651-2 MET.C:

SATISFACTORIO

BESTÄNDIGKEIT GEGEN INTERKRISTALLINE KORROSION ENTSPRECHEND ISO 3651-2

MET."C": IN ORDNUNG

ESSAI DE CORR. INTERGR. SELON ASTM ISO 3651-2 MET."C":SATISFAISANT

NON-DESTRUCTIVE TESTS/ENSAYOS NO DESTRUCTIVOS/ZERSTÖRUNGSFREIE  
PRÜFUNGEN/ESSAIS NON DESTRUCTIFS

POSITIVE MATERIAL IDENTIFICATION TEST ON EACH TUBE/PIPE BY

"X-RAY-FLUORESCENCE-ANALYZER": SATISFACTORY

VERIFICACION DEL GRADO DE ACERO EN CADA TUBO MEDIANTE "ANALIZADOR DE

FLUORESCENCIA DE RAYOS X": SATISFACTORIO

VERWECHSLUNGSPRUEFUNG AN JEDEM ROHR MIT

"RÖNTGEN-FLUORESZENZ-ANALYSATOR": IN ORDNUNG

VERIFICATION DE LA NUANCE SUR CHAQUE TUBE PAR

"X-RAY-FLUORESCENCE-ANALYZER": SATISFAISANT

HYDROSTATIC PRESSURE TESTED AT 170 bar, 2500 PSI DURING 5 SEC ON EACH

TUBE/PIPE: SATISFACTORY

ENSAYO HIDROSTÁTICO A 170 bar, 2500 PSI DURANTE 5 SEC EN CADA TUBO:

SATISFACTORIO



TUBACEX TUBOS  
INOXIDABLES S.A.C.  
INGENIERIA DE CALIDAD

*[Signature]*

Isidro Arriola Alciabar

We hereby certify that the material herein described has been manufactured, sampled, tested, and inspected in accordance with above standards and specifications and satisfies order's requirements. This certificate is issued by a computerized system and it is valid without original signature. In case the owner of the certificate would release as a copy of it, he must attest its conformity to the issued, assuming the responsibility for any unlawful or TUBACEX, not allowed use. Any forgery or falsification of this certificate shall legally prosecuted.

**INSPECTION CERTIFICATE**  
**CERTIFICADO DE INSPECCIÓN**  
**CERTIFICAT DE RECEPTION**  
**ABNAHMEPRÜFZEUGNIS**  
**EN 10204:2004 / 3.1**

Number: 670640  
Page: 4 / 5

Rev: 00

Created on:  
Date: 19.10.2017

Modified on:  
31.10.2017

WASSERDRUCKPRÜFUNG BEI 170 bar, 2500 PSI HALTEZEIT 5 SEC JE ROHR: IN  
ORDNUNG  
ESSAI DE PRESSION HYDROSTATIQUE À 170 bar, 2500 PSI PENDANT 5 SEC SUR  
CHAQUE TUBE: SATISFAISANT

CHLORIDE CONTENT LESS THAN 50 PPM  
CONTENIDO DE CLORURO INFERIOR A 50 PPM  
CHLORIDGEHALT IM WASSERVERWENDET: 50 PPM  
CHLORURE CONTENU DANS L'EAU UTILISEE: 50 PPM

100% EDDY CURRENT TEST AT DIN EN 10246-2: SATISFACTORY  
100% ENSAYO DE CORRIENTES INDUCIDAS DE ACUERDO A DIN EN 10246-2:  
SATISFACTORIO  
100% WIRBELSTROM PRUEFUNG NACH DIN EN 10246-2: O.B.  
100% CONTROLE COURANTS FOUCAULT D'APRES DIN EN 10246-2: BIEN

DIMENSIONAL CHECKING ON EACH TUBE: SATISFACTORY  
INSPECCION DIMENSIONAL AL 100% DE LOS TUBOS SATISFACTORIA  
100% MASSKONTROLLE: O.B.  
VERIFICATION DIMENTIONNELLE AU 100% DES TUBES, SATISFAISANTE

VISUAL INSPECTION ON EACH TUBE: SATISFACTORY  
INSPECCION VISUAL AL 100% DE LOS TUBOS, SATISFACTORIA  
100% BESICHTIGUNG: O.B.  
EXAMEN VISUEL AU 100% DES TUBES, SATISFAISANT

**TECHNOLOGICAL TESTS/ENSAYOS TECNOLÓGICOS/TECHNOLOGISCHE  
PRÜFUNGEN/TECHNOLOGICAL TESTS**

FLARING TEST: SATISFACTORY  
ABOCARDADO S.NORMA: SATISFACTORIO  
AUFWEITVERSUCH: IN ORDNUNG  
ESSAI D'EVASEMENT: SATISFAISANT

FLATTENING TEST: SATISFACTORY  
APLASTADO S.NORMA: SATISFACTORIO  
RINGFALTVERSUCH: IN ORDNUNG  
ESSAI D'APLATISSEMENT: SATISFAISANT

**MARKING/ETIQUETADO/KENNZEICHNUNG/MARKSTEXT**

TX2 TX1 TUBACEX 21,34 X 2,77 MM - 1/2" SCH 40S ASME SA312 ASTM A312 EN 10216-5 TC2 EN 10297-2 S31254 1.4547  
CFD CD SMLS ET HEAT/ PMI-AV LOTNO/ MADE IN SPAIN

**REMARKS/OBSERVACIONES/ANMERKUNG/REMARQUES**



**TUBACEX TUBOS**  
**INOXIDABLES S.A.U.**  
**INGENIERIA DE CALIDAD**

*[Signature]*

**Isigo Arriola Alcibar**

We hereby certify that the material herein described has been manufactured, sampled, tested, and inspected in accordance with above standards and specifications and satisfies order requirements. This certificate is issued by a computerized system and it is valid without original signature. In case the owner of the certificate would release as a copy of it, he must attest its conformity to the issued, assuming the responsibility for any unlawful or TUBACEX not allowed use. Any forgery or falsification of this certificate shall legally prosecuted.



INSPECTION CERTIFICATE  
CERTIFICADO DE INSPECCIÓN  
CERTIFICAT DE RECEPTION  
ABNAHMEPRÜFZEUGNIS  
EN 10204:2004 / 3.1

Number: 670640 Page: 5 / 5	Rev: 00
Created on: Date: 19.10.2017	Modified on: 31.10.2017

REMARKS/OBSERVACIONES/ANMERKUNG/REMARQUES

NO MERCURY, MERCURY COMPOUNDS OR MERCURY BEARING INSTRUMENTS AND/OR EQUIPMENT HAVE BEEN USED ALONG MANUFACTURING AND INSPECTION PROCESS.  
DURANTE LOS PROCESOS DE FABRICACIÓN E INSPECCIÓN NO SE HA USADO MERCURIO NI INSTRUMENTOS Y/O EQUIPOS CONTENIENDO MERCURIO O CON COMPONENTES DE MERCURIO.  
KEINE QUEKSILBER, BZW. QUEKSILBERVERUNREINIGTES KOMONENTEN ODER KUGELLAGERINSTRUMENTE UND/ODER GERÄTE SIND BENUTZT WORDEN PRODUKTIONS UND BESICHTIGUNGSPROZESS.  
IL N'A PAS ÉTÉ FAIT USAGE DE MERCURE, DE COMPOSÉS CONTENANT DU MERCURE OU DE MATÉRIAUX ET/OU D'INSTRUMENT CONTENANT DU MERCURE TOUT AU LONG DES ÉTAPES DE FABRICATION ET DU PROCESSUS D'INSPECTION ET DE CONTRÔLE.

NO WELDING OR WELD REPAIRS WERE MADE  
SIN REPARACION POR SOLDADURA  
KEINE SCHWEISSBEARBEITUNG WURDE VORGENOMMEN  
SANS RÉPARATION AVEC SOUDURE

MATERIAL MANUFACTURER APPROVED BY TÜV SÜD Industrie Service GmbH  
(NOTIFIED BODY 036) TO ISSUE CERTIFICATES OF SPECIFIC PRODUCT CONTROL IN  
ACCORDING TO PRESSURE EQUIPMENT DIRECTIVE 2014/68/EU ANNEX 1 POINT 4.3.  
FABRICANTE DE MATERIALES APROBADO POR TÜV SÜD Industrie Service GmbH (ORGANISMO NOTIFICADO 0036) PARA LA EMISION DE CERTIFICADOS ESPECIFICOS DE CONTROL DE PRODUCTO DE ACUERDO AL ANEXO 1, PUNTO 4.3 DE LA DIRECTIVA DE EQUIPOS A PRESION 2014/68/EU.  
WERKSTOFFHERSTELLER MIT BERECHTIGUNG ZUR AUSSTELLUNG VON BESCHEINIGUNGEN ÜBER SPEZIFISCHE PRÜFUNGEN AN DEN WERKSTOFFEN IM GELTUNGSBEREICH DER ZERTIFIZIERUNG UND IN ÜBEREINSTIMMUNG MIT DER DRUCKGERÄTERICHTLINIE 2014/68/EU UND DEN ZUGRUNDE LIEGENDEN SPEZIFIKATIONEN ENTSPR. DER BENANNTE STELLE NR.0036, TÜV SÜD Industrie Service GmbH  
PRODUCTEUR DU MATERIEL APPROUVE PAR TÜV SÜD Industrie Service GmbH N.B. 0036) POUR EMISSION DES CERTIFICATS SPECIFIQUE DE CONTROLE DE PRODUIT SELON LA DIRECTIVE DES EQUIPES A PRESION 2014/68/EU ANNEXE 1 POINT 4.3.

MATERIAL CHARACTERISTICS COMPLY WITH POINT 7.5 OF ANNEX I TO PED BY HAVING AN ELONGATION AFTER RUPTURE AT TENSILE TEST NO LESS THAN 14% AND A BENDING RUPTURE ENERGY AT IMPACT TEST NO LESS THAN 27J AT 20°C.  
LAS CARACTERISTICAS DEL MATERIAL CUMPLEN CON LOS REQUISITOS DEL PUNTO 7.5 DE LA DIRECTIVA PED POR TENER UN ALARGAMIENTO TRAS ROTURA EN EL ENSAYO DE TRACCION NO INFERIOR AL 14% Y PO DE TRACCION NO INFERIOR AL 14% Y POR TENER UNA RESISTENCIA AL IMPACTO NO INFERIOR A 27 J A 20° C.  
DIE WERKSTOFF-WERTE ENTSPRECHEN PUNKT 7.5, DER DGRL, ANHANG I, MIT EINERBRUCHDEHNUNG = 14% IM NORMGEMÄSS DURCHFÜHRTE ZUGVERSUCH UND DER KERBSCHLAGARBEIT = 27J AN EINER ISO - v PRO PROBE BEI EINER TEMPERATUR VON HÖCHSTENS 20°C  
LES CARACTERISTIQUES DU MATERIEL, AYANT UN ALLONGEMENT APRES RUPTURE A L'ESSAI DE TRACTION NON INFERIEUR DU 14% ET UNE RESISTENCE A LA FLEXION PAR CHOC A 20°C NON INFERIEUR A 27J, SONT CONFORMES AUX PRESCRIPTIONS DU PONT 7.5 DE L'ANNEXE I DE PED.

MATERIAL IS FREE OF RADIATION CONTAMINATION  
EL MATERIAL ESTA LIBRE DE CONTAMINACION POR RADIACIONES  
MATERIAL IS FREI VON RADIOAKTIVITÄT  
MATÉRIEL LIBRE DE POLLUTION RADIOACTIVE

OBSERVATIONS:

Radiation levels on pipes are less than 100 Becquerels/gram



TUBACEX TUBOS  
INOXIDABLES S.A.U.  
INGENIERIA DE CALIDAD

*[Signature]*

Isigo Arriola Alcebar


We hereby certify that the material herein described has been manufactured, sampled, tested, and inspected in accordance with above standards and specifications and satisfies orders requirements. This certificate is issued by a computerized system and it is valid without original signature. In case the owner of the certificate would release as a copy of it, he must attest its conformity to the issued, assuming the responsibility for any unlawful or TUBACEX, not allowed use. Any forgery or falsification of this certificate shall legally prosecuted.

**TTI - TUBACEX TUBOS INOXIDABLES, S.A.U.**

Registro Mercantil de Alava, Tomo 587, Folio 189, Hoja VI2885 - N.I.F. A-01140227  
Tres Cruces, 8  
01400 Llodio (Alava)  
SPAIN

Sales Order : I002395  
Sales Item : 10  
  
Standard : ASTM A312  
Grade : UNS S31254  
Dimensions : 21,34 X 2,77 MM - 1/2" SCH 40S

Microstructure: MATERIAL FREE FROM INTERMETALLIC PHASES  
AND PRECIPITATES. UNIFORM STRUCTURE  
ACROSS FULL WALL THICKNESS



P1704255 I002395-10 C-53236 LONG. X500.jpg



We hereby certify that the material herein described has been manufactured, sampled, tested and inspected in accordance with above standards and specifications and satisfies order requirements. This certificate is issued by a computerized system and is valid without original signature. In case the user of the certificate would request a copy of it, he must attest its conformity to the issued, assuming the responsibility for any counterfeit or TUBACEX, not allowed use. Any forgery or falsification of this certificate must report or denounce.

TUBACEX TUBOS  
INOXIDABLES  
INGENIERIA DE CALIDAD

*[Signature]*

Isiigo Artola Alcibar