Introduction to HTML & CSS

SUPINFO Hands-On 1










Your mission





Your mission



Your tools







JS.everywhere Europe (Paris, 16-17, Nov)

Your tools













JS.everywhere Europe (Paris, 16-17, Nov)

To guide you






To guide you





Project Skeleton



Project Skeleton

```
0 0
                                                                                                               UNREGISTERED NO
                                                        style.css - Starter
FOLDERS
                                      index.html
                                                                style.css
                                                                                         css-tests.js

▼ Starter

                                         body > header {
  images
                                              text-align: center:
  ▶ lib
                                              background-image: url('images/jseverywhere.png');
                                              background-size: contain;
  ▼ tests
                                              background-position: right;
       css-tests.js
                                              background-repeat: no-repeat;
     index.html
                                     8
     style.css
                                         body > footer {
                                              text-align: center;
                                    10
                                              font-style: italic;
                                    11
                                              padding: 20px;
                                    12
                                              clear: both;
                                    13
                                    14
                                    15
Expected (<bg-position>) but found 'right', Line 5, Column 33
                                                                                                  Tab Size: 4
                                                                                                                      CSS
```

Project Skeleton

```
0 0
                                                 css-tests.js - Starter
                                                                                                          UNREGISTERED P
FOLDERS
                                    index.html
                                                             style.css
                                                                                     css-tests.is

▼ Starter

                                       /* Todos : .todo */
  images
                                       module("Todos");
  ▶ lib
                                       var todos = $(".todo");
  ▼ tests
      css-tests.js
                                       test("Todos must have a 200px width.", function() {
     index.html
                                            equal(todos.css("width"), "200px");
                                       }):
     style.css
                                   9
                                       test("Todos elements must have a 200px height.", function() {
                                  10
                                            equal(todos.css("height"), "200px");
                                  11
                                       });
                                  12
                                  13
                                  14
                                       test("Todos elements must be floating.", function() {
                                            equal(todos.css("float"), "left");
                                  15
                                  16
                                       });
                                  17
                                       test("Todos elements must have centered text.", function() {
                                  18
                                            equal(todos.css("text-align"), "center");
                                  19
                                  20
                                       }):
                                  21
                                  22
                                        test("Todos elements must have a no-repeated 200px post-it as background
                                            ok(/.*images\/post\-it.png/.test(todos.css("background-image")));
                                  23
                                            equal(todos.css("background-size"), "200px");
                                  24
                                            equal(todos.css("background-repeat"), "no-repeat");
                                  25
                                  26
                                       });
                                  27
Line 8, Column 4
                                                                                              Tab Size: 4
                                                                                                               JavaScript
```

Need help?

- If you are stuck or have any questions:
 - Renaud
 - Marc
 - Adrien
 - And me (Brice)



Questions?



Download the project!





JS.everywhere Europe (Paris, 16-17, Nov)