
SharePoint 2013 REST service: selected endpoints for files and folders



SharePoint 2013 REST service: selected endpoints for users and groups H (http://) server name /_api/web site SiteGroups removeByID ()— group id removeByLoginName (') group name - group id \rightarrow \downarrow \rightarrow \downarrow \rightarrow \downarrow \rightarrow \downarrow getByName —()—group name —()__ removeByID () user id () $(removeByLoginName(@v?)@v=')-(login name)-(')\rightarrow$ $(@v)?@v=')-[login name]-()_{\leftarrow|\rightarrow|\downarrow|\nearrow \kappa|\times}$ getByEmail — (′)— email address — (´)— Email getByID — ()— user id — ()— Groups Userid RoleAssignments -()- principal id -() \leftarrow (\rightarrow (\times RoleDefinitionBindings groups roledefid) addRoleAssignment — ()— principalid — (, removeRoleAssignment)—()— principalid —(,)roledefid () RoleDefinitions role definition id () $\leftarrow |\rightarrow|\downarrow|$ $|\rightarrow|\downarrow|$ -((')- role definition name BasePermissions ← → getByName getByType role definition type RoleTypeKind SiteUsers $\leftarrow \mid \rightarrow \mid$ UserCustomActions user custom action id $-\bigcirc$ Rights Legend O literal value variable → post begin syntax ↓ put end syntax **⊅** merge × delete