EXP NO: 10	Implement a program using Hive External Table
DATE:	

AIM: -

BACKGROUND THEORY: -

PROCEDURE: -

- Switch to superuser mode using sudo su.
- Start Hive
- Upload the data to HDFS
- Load Data into the Table
- Create an External Table in Hive
- Query the External Table

CODING: -

- sudo su
- -- Step 1: Start Hive
    - hive
- -- Step 2: Create a Hive Table
    - CREATE TABLE employees (
    - id INT,
    - name STRING,
    - age INT,
    - department STRING
    -) ROW FORMAT DELIMITED
    - FIELDS TERMINATED BY ','
    - STORED AS TEXTFILE;
- -- Step 3: Load Data into the Table
    - LOAD DATA LOCAL INPATH '/path/to/your/employees.csv' INTO TABLE employees;
- -- Step 4: Create a View
    - CREATE VIEW sales_employees AS
    - SELECT id, name, age
    - FROM employees
    - WHERE department = 'Sales';

- -- Step 5: Query the View
    - SELECT * FROM sales_employees;
- -- Step 6: Update the View (Optional)
    - DROP VIEW sales_employees;
    - CREATE VIEW sales_employees AS
    - SELECT id, name, age, department
    - FROM employees
    - WHERE department = 'Sales';
- -- Step 7: Drop the View (Optional)
    - DROP VIEW sales_employees;
- -- Select all data from the external table
- SELECT * FROM employee_info;
-
- -- Filter the data
- SELECT * FROM employee_info WHERE department = 'Engineering';

OUTPUT: -

```
hive> CREATE EXTERNAL TABLE employees (
    >     id INT,
    >     name STRING,
    >     department STRING
    > )
    > ROW FORMAT DELIMITED
    > FIELDS TERMINATED BY ','
    > STORED AS TEXTFILE
    > LOCATION '/user/hive/warehouse/employees/';
OK
Time taken: 0.443 seconds
```