

Exercise 1:


IPL Committee wants to display the match summary of a league match in a webpage. Help them by creating a webpage to display the match summary. Build the web page with the details mentioned in the below screenshot. Have the content and look and feel of the page as shown in the screenshot.

UI Constraints:

For class "heading" have the font-style as "italic" and color **#C71585**.

Have the color **#FFFF00** for hr tag

For all headings except "Indian Premier League" use heading class.



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>IPL Match Summary</title>
  <style>
    body {
      background-color: #ffc0cb;
```

```
font-family: Arial, sans-serif;
margin: 0;
padding: 20px;
}

h1 {
  text-align: center;
  color: white;
}

.container {
  background-color: white;
  border: 1px solid black;
  padding: 20px;
  margin: auto;
  width: 80%;
}

.heading {
  font-style: italic;
  color: #C71585;
  text-align: center;
}

hr {
  color: #FFFF00;
  background-color: #FFFF00;
  height: 2px;
  border: none;
  margin: 20px 0;
}

.team-section {
  display: flex;
  justify-content: space-between;
  padding: 0 40px;
}

.team-section ul {
  list-style-type: disc;
```

```
}

.result, .score-section {
  padding: 0 40px;
}

.score-section {
  display: flex;
  justify-content: space-between;
  margin-top: 10px;
}

.team-name {
  font-style: italic;
  color: #C71585;
}

.score-section p {
  margin: 5px 0;
}

strong {
  font-weight: bold;
}
</style>
</head>
<body>

<h1>Indian Premier League</h1>

<div class="container">
  <h2 class="heading">Team Details</h2>
  <p class="heading">Mumbai Indians vs Rising Pune Supergiants</p>

  <div class="team-section">
    <div>
      <p class="team-name">Team 1 : Mumbai Indians</p>
      <ul>
        <li>Lendl Simmons</li>
        <li>Rohit Sharma</li>
      </ul>
    </div>
  </div>
</div>
```

```
<li>Hardik Pandya</li>
<li>Jos Buttler</li>
<li>Ambati Rayudu</li>
<li>Kieron Pollard</li>
<li>Shreyas Gopal</li>
<li>Harbhajan Singh</li>
<li>Vinay Kumar</li>
<li>Mitchell McClenaghan</li>
<li>Bumrah</li>
</ul>
</div>

<div>
  <p class="team-name">Team 2 : Rising Pune Supergiants</p>
  <ul>
    <li>Ajinkya Rahane</li>
    <li>Faf du Plessis</li>
    <li>Kevin Pietersen</li>
    <li>S Smith</li>
    <li>Mitchell Marsh</li>
    <li>Dhoni</li>
    <li>R Bhatia</li>
    <li>Ashwin</li>
    <li>M Ashwin</li>
    <li>Ishant</li>
    <li>RP Singh</li>
  </ul>
</div>
</div>

<hr />

<h2 class="heading">Winning Details</h2>
<div class="result">
  <p><strong>Rising Pune Supergiants</strong> won the match by
<strong>7 wickets</strong></p>
</div>

<hr />
```

```
<h2 class="heading">Score Details</h2>
<div class="score-section">
  <div>
    <p class="team-name">Mumbai Indians</p>
    <p><strong>Runs</strong> - 121</p>
    <p><strong>Overs</strong> - 20</p>
    <p><strong>Wickets</strong> - 8</p>
  </div>
  <div>
    <p class="team-name">Rising Pune Supergiants</p>
    <p><strong>Runs</strong> - 126</p>
    <p><strong>Overs</strong> - 14.4</p>
    <p><strong>Wickets</strong> - 1</p>
  </div>
</div>
</div>
</body>
</html>
```

Exercise 2:

IPL Committee wants to display the team details and differentiate the teams based on their points as Low, Average and High. Help them by creating a HTML table to display IPL team details, as shown in the below screenshot.

Teams are classified based on their Points as below:

Less than 50 and equal to 50 - Low

Greater than 50 and less than 80 - Average

Greater than 80 and equal to 80 - High

Use CSS class for these three classification and have the appropriate background color as mentioned below.

UI constraints should be followed for the element id and name as shown in the screenshot below,

The file name should be index.html.

UI Constraints:

For class "high" background-color is #FFB6C1.

For class "average" background-color is #FFFF00.

For class "low" background-color is #98FB98.

For Thead background-color is #00BFFF.

Font-style: oblique

Font-size-adjust: 0.50

"IPL Team Details" should be declared under colspan.

IPL Team Details							
S.No	Team	Matches	Won	Lost	Tie	NetRun Rate	Points
1	Royal Challengers Bangalore	14	9	5	0	9.7	95
2	Mumbai Indians	14	7	7	0	9.5	90
3	Raising Pune Supergiants	14	5	9	0	7.5	75
4	Sunrisers Hyderabad	14	8	6	0	6.8	70
5	Delhi Daredevils	14	7	7	0	6.4	64
6	Gujarat Lions	14	8	6	0	5.8	55
7	Kolkata Knight Riders	14	6	8	0	3.5	25
8	Kings XI Punjab	14	4	10	0	2.5	20

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>IPL Team Details</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      font-style: oblique;
      font-size-adjust: 0.50;
    }
  </style>
</head>
<body>
  <table>
    <tr>
      <th data-cs="8" data-kind="parent">IPL Team Details</th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
    </tr>
    <tr>
      <th>S.No</th>
      <th>Team</th>
      <th>Matches</th>
      <th>Won</th>
      <th>Lost</th>
      <th>Tie</th>
      <th>NetRun Rate</th>
      <th>Points</th>
    </tr>
    <tr>
      <td>1</td>
      <td>Royal Challengers Bangalore</td>
      <td>14</td>
      <td>9</td>
      <td>5</td>
      <td>0</td>
      <td>9.7</td>
      <td>95</td>
    </tr>
    <tr>
      <td>2</td>
      <td>Mumbai Indians</td>
      <td>14</td>
      <td>7</td>
      <td>7</td>
      <td>0</td>
      <td>9.5</td>
      <td>90</td>
    </tr>
    <tr>
      <td>3</td>
      <td>Raising Pune Supergiants</td>
      <td>14</td>
      <td>5</td>
      <td>9</td>
      <td>0</td>
      <td>7.5</td>
      <td>75</td>
    </tr>
    <tr>
      <td>4</td>
      <td>Sunrisers Hyderabad</td>
      <td>14</td>
      <td>8</td>
      <td>6</td>
      <td>0</td>
      <td>6.8</td>
      <td>70</td>
    </tr>
    <tr>
      <td>5</td>
      <td>Delhi Daredevils</td>
      <td>14</td>
      <td>7</td>
      <td>7</td>
      <td>0</td>
      <td>6.4</td>
      <td>64</td>
    </tr>
    <tr>
      <td>6</td>
      <td>Gujarat Lions</td>
      <td>14</td>
      <td>8</td>
      <td>6</td>
      <td>0</td>
      <td>5.8</td>
      <td>55</td>
    </tr>
    <tr>
      <td>7</td>
      <td>Kolkata Knight Riders</td>
      <td>14</td>
      <td>6</td>
      <td>8</td>
      <td>0</td>
      <td>3.5</td>
      <td>25</td>
    </tr>
    <tr>
      <td>8</td>
      <td>Kings XI Punjab</td>
      <td>14</td>
      <td>4</td>
      <td>10</td>
      <td>0</td>
      <td>2.5</td>
      <td>20</td>
    </tr>
  </table>
</body>
</html>
```

```
}

table {
  width: 80%;
  margin: 30px auto;
  border-collapse: collapse;
  text-align: center;
}

thead {
  background-color: #00BFFF;
  color: white;
}

th, td {
  border: 1px solid black;
  padding: 10px;
}

.high {
  background-color: #FFB6C1; /* Light Pink */
}

.average {
  background-color: #FFFF00; /* Yellow */
}

.low {
  background-color: #98FB98; /* Pale Green */
}
</style>
</head>
<body>

<table id="ipl-table">
  <thead>
    <tr>
      <th colspan="8">IPL Team Details</th>
    </tr>
    <tr>
```

```
<th>S.No</th>
<th>Team</th>
<th>Matches</th>
<th>Won</th>
<th>Lost</th>
<th>Tie</th>
<th>NetRun Rate</th>
<th>Points</th>
</tr>
</thead>
<tbody>
<tr class="high">
<td>1</td>
<td>Royal Challengers Bangalore</td>
<td>14</td>
<td>9</td>
<td>5</td>
<td>0</td>
<td>9.7</td>
<td>95</td>
</tr>
<tr class="high">
<td>2</td>
<td>Mumbai Indians</td>
<td>14</td>
<td>7</td>
<td>7</td>
<td>0</td>
<td>9.5</td>
<td>90</td>
</tr>
<tr class="average">
<td>3</td>
<td>Raising Pune Supergiants</td>
<td>14</td>
<td>5</td>
<td>9</td>
<td>0</td>
<td>7.5</td>
<td>75</td>
```




```
</tr>
<tr class="average">
  <td>4</td>
  <td>Sunrisers Hyderabad</td>
  <td>14</td>
  <td>8</td>
  <td>6</td>
  <td>0</td>
  <td>6.8</td>
  <td>70</td>
</tr>
<tr class="average">
  <td>5</td>
  <td>Delhi Daredevils</td>
  <td>14</td>
  <td>7</td>
  <td>7</td>
  <td>0</td>
  <td>6.4</td>
  <td>64</td>
</tr>
<tr class="average">
  <td>6</td>
  <td>Gujarat Lions</td>
  <td>14</td>
  <td>8</td>
  <td>6</td>
  <td>0</td>
  <td>5.8</td>
  <td>55</td>
</tr>
<tr class="low">
  <td>7</td>
  <td>Kolkata Knight Riders</td>
  <td>14</td>
  <td>6</td>
  <td>8</td>
  <td>0</td>
  <td>3.5</td>
  <td>25</td>
```

```
</tr>
<tr class="low">
  <td>8</td>
  <td>Kings XI Punjab</td>
  <td>14</td>
  <td>4</td>
  <td>10</td>
  <td>0</td>
  <td>2.5</td>
  <td>20</td>
</tr>
</tbody>
</table>

</body>
</html>
```

Exercise 3:

Create a home page layout for an ecommerce website using html, css and bootstrap. Create header with bootstrap navbar , footer .and main body content.



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <title>Fashi - Ecommerce Home</title>
  <!-- Bootstrap CSS CDN -->
  <link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.
css"
    rel="stylesheet"
  />
<style>
  body {
    padding-top: 70px; /* space for fixed navbar */
  }
  .banner {
    background-color: #f7f8f8;
    padding: 60px 20px;
    text-align: center;
  }
  .banner h1 {
    font-weight: 700;
    font-size: 3rem;
    margin-bottom: 20px;
  }
  .banner p {
    font-size: 1.2rem;
    margin-bottom: 30px;
    color: #555;
  }
  footer {
    background-color: #222;
    color: #aaa;
    padding: 20px 0;
    text-align: center;
    margin-top: 50px;
  }
</style>
</head>
<body>

  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg navbar-light bg-light fixed-top
shadow-sm">
    <div class="container">
      <a class="navbar-brand fw-bold" href="#">Fashi.</a>
```

```
<button
  class="navbar-toggler"
  type="button"
  data-bs-toggle="collapse"
  data-bs-target="#navbarNav"
  aria-controls="navbarNav"
  aria-expanded="false"
  aria-label="Toggle navigation"
>
  <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
  <ul class="navbar-nav ms-auto gap-3">
    <li class="nav-item">
      <a class="nav-link active" href="#">All Categories</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Shop</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Collection</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Blog</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Contact</a>
    </li>
    <li class="nav-item">
      <a class="btn btn-primary px-4" href="#">Cart (0)</a>
    </li>
  </ul>
</div>
</div>
</nav>

<!-- Banner -->
<section class="banner">
  <div class="container">
    <h1>Black Friday</h1>
```

```
<p>Don't miss out on amazing discounts. Sale 50% off on selected
items!</p>
<a href="#" class="btn btn-warning btn-lg">Shop Now</a>
</div>
</section>

<!-- Main Content: Product Grid -->
<section class="py-5">
  <div class="container">
    <h2 class="mb-4">Featured Products</h2>
    <div class="row g-4">

      <!-- Product Card 2 -->
      <div class="col-md-3">
        <div class="card h-100 shadow-sm">
          

          <div class="card-body">
            <h5 class="card-title">RCB Jersey</h5>
            <p class="card-text">$49.99</p>
            <a href="#" class="btn btn-outline-primary btn-sm">View
Details</a>
          </div>
        </div>
      </div>

      <!-- Product Card 3 -->
      <div class="col-md-3">
        <div class="card h-100 shadow-sm">
          

          <div class="card-body">
            <h5 class="card-title">Csk Jersey</h5>
            <p class="card-text">$59.99</p>
            <a href="#" class="btn btn-outline-primary btn-sm">View
Details</a>
          </div>
        </div>
      </div>

      <!-- Product Card 4 -->
      <div class="col-md-3">
```

```
<div class="card h-100 shadow-sm">
  

  <div class="card-body">
    <h5 class="card-title">SRH Jersey</h5>
    <p class="card-text">$99.99</p>
    <a href="#" class="btn btn-outline-primary btn-sm">View
Details</a>
  </div>
</div>
</div>
</div>
</div>
</section>

<!-- Footer -->
<footer>
  <div class="container">
    <p>&copy; 2025 Fashi. All rights reserved.</p>
    <p>Follow us on
      <a href="#" class="text-decoration-none text-white">Facebook</a>,
      <a href="#" class="text-decoration-none text-white">Twitter</a>,
      <a href="#" class="text-decoration-none text-white">Instagram</a>
    </p>
  </div>
</footer>

<!-- Bootstrap JS Bundle CDN -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle
.min.js"></script>
</body>
</html>
```