

Output :

MVC Home Privacy Stores Create Store Create Cloth View Cloths

Cloth Details

Create or Edit Cloth

Name :

Enter Name

Price :

Enter Price

Gender :

Enter the Gender

Size :

Enter the Size

Submit

© 2025 - MVC - [Privacy](#)

MVC Home Privacy Stores Create Store Create Cloth View Cloths

Employees Page

Add Cloth

Name	Price	Gender	Size
Shirt	450	Male	L
Jeans Pant	900	Male	L
T-shirt	240	Male	L

Model:

```
namespace MVC.Models
{
    public class Cloth
    {
        public int Id { get; set; }

        public string Name { get; set; }

        public int Price { get; set; }

        public string Gender { get; set; }
        public string Size { get; set; }
    }
}
```

Context:

```
using Microsoft.EntityFrameworkCore;
using MVC.Models;

namespace MVC.MyDbContext
{
    public class MyDbContext : DbContext
    {
        public MyDbContext(DbContextOptions<MyDbContext> options) : base(options) { }
        public DbSet<Cloth> Cloths { get; set; }
    }
}
```

Controller:

```
using System.Diagnostics;
using System.Runtime.CompilerServices;
using Microsoft.AspNetCore.Mvc;
using MVC.Models;
using MVC.MyDbContext;

namespace MVC.Controllers
{
    public class HomeController : Controller
    {
        private readonly ILogger<HomeController> _logger;
        private MyDbContext.MyDbContext MyDbContext { get; set; }

        public HomeController(ILogger<HomeController> logger, MyDbContext.MyDbContext
myDbContext)
        {
            _logger = logger;
            MyDbContext = myDbContext;
        }

        public IActionResult Index()
        {
            return View();
        }

        public IActionResult Stores()
        {
            var allstores = MyDbContext.stores.ToList();
            return View(allstores);
        }
        public IActionResult Privacy()
        {
            return View();
        }
        public IActionResult CreateEditStore()
        {
            return View();
        }
        public IActionResult SearchStore(string searchText)
        {
            if (searchText == null)
            {
```

```
        return RedirectToAction("Stores");
    }
    else
    {
        var allstores = MyDbContext.stores.Where(m =>
m.Name.ToLower().Contains(searchText.ToLower()) ||
m.Location.ToLower().Contains(searchText.ToLower())).ToList();
        return View("Stores", allstores);
    }
}

public IActionResult EditStore(int ID)
{
    var store = MyDbContext.stores.FirstOrDefault(m => m.id == ID);
    RedirectToAction("EditStore");
    return View(store);
}

public IActionResult DeleteStore(int ID)
{
    var storetoDelete = MyDbContext.stores.FirstOrDefault(m => m.id == ID);
    if (storetoDelete != null)
    {
        MyDbContext.stores.Remove(storetoDelete);
        MyDbContext.SaveChanges();
    }

    return RedirectToAction("Stores");
}

public IActionResult SaveEditedStore(Store store)
{
    var storetoedit = MyDbContext.stores.FirstOrDefault(m => m.id == store.id);
    if (storetoedit != null)
    {
        storetoedit.Name = store.Name;
        storetoedit.Location = store.Location;
        storetoedit.NofEmployee = store.NofEmployee;
        MyDbContext.SaveChanges();
    }
    return RedirectToAction("Stores");
}
```

```
}
public IActionResult AddStore(Store store)
{
    MyDbContext.stores.Add(store);
    MyDbContext.SaveChanges();
    return RedirectToAction("Stores");
}

[ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore =
true)]
public IActionResult Error()
{
    return View(new ErrorViewModel { RequestId = Activity.Current?.Id ??
HttpContext.TraceIdentifier });
}

public IActionResult ViewCloths()
{
    var allCloths = MyDbContext.Cloths.ToList();
    return View(allCloths);
}
public IActionResult CreateCloth()
{
    return View();
}
public IActionResult AddCloth(Cloth cloth)
{
    MyDbContext.Cloths.Add(cloth);
    MyDbContext.SaveChanges();
    return RedirectToAction("ViewCloths");
}
}
}
```

CreatCloth:

```
@{
    ViewData["Title"] = "Employee Details";
}
<div>
    <h2>Cloth Details</h2>
```

```
</div>
```

@model MVC.Models.Cloth

```
<div>
    <h2> Create or Edit Cloth</h2>
</div>
<form asp-action="AddCloth">
    <label class="mt-4">Name :</label>
    <input class="form-control" type="text" placeholder="Enter Name" asp-for="Name" />

    <label class="mt-4">Price :</label>
    <input class="form-control" type="number" placeholder="Enter Price" asp-for="Price" />

    <label class="mt-4">Gender :</label>
    <input class="form-control" type="text" placeholder="Enter the Gender" asp-for="Gender" />

    <label class="mt-4">Size :</label>
    <input class="form-control" type="text" placeholder="Enter the Size" asp-for="Size" />

    <button class="btn btn-primary mt-4" type="submit"> Submit</button>
</form>
```

ViewCloth:

@{

ViewData["Title"] = "Cloth Page";

}

@model List<Cloth>

<div class="text-center ">

<h1 class="display-4">Employees Page</h1>

<a class="btn btn-dark float-end" asp-area="" asp-controller="Home"
asp-action="CreateCloth">Add Cloth

<table class="table">

<thead>

<tr>

<th>Name</th>

<th>Price</th>

<th>Gender</th>

<th>Size</th>

</tr>

</thead>

<tbody>

@{

foreach (var shop in Model)

{

<tr>

<td>

@shop.Name

</td>

<td>@shop.Price</td>

<td>@shop.Gender</td>

<td>@shop.Size</td>

</tr>

}

}

</tbody>

</table>

</div>