

Output :

MVC Home Privacy Stores Create Store Create Cloth View Cloths

Cloth Details

Create or Edit Cloth

Name :

Enter Name

Price :

Enter Price

Gender :

Enter the Gender

Size :

Enter the Size

Submit

© 2025 - MVC - [Privacy](#)

MVC Home Privacy Stores Create Store Create Cloth View Cloths

Cloth Page

Add Cloth

Name	Price	Gender	Size
Shirt	450	Male	L
Jeans Pant	900	Male	L
T-shirt	240	Male	L

© 2025 - MVC - [Privacy](#)

Model:

```
namespace MVC.Models
```

```
{  
    public class Cloth  
    {  
        public int Id { get; set; }  
  
        public string Name { get; set; }  
  
        public int Price { get; set; }  
  
        public string Gender { get; set; }  
        public string Size { get; set; }  
  
    }  
}
```

Context:

```
using Microsoft.EntityFrameworkCore;  
using MVC.Models;
```

```
namespace MVC.MyDbContext
```

```
{  
    public class MyDbContext : DbContext  
    {  
        public MyDbContext(DbContextOptions<MyDbContext> options) : base(options) { }  
        public DbSet<Cloth> Cloths { get; set; }  
  
    }  
}
```

Controller:

```
using System.Diagnostics;
using System.Runtime.CompilerServices;
using Microsoft.AspNetCore.Mvc;
using MVC.Models;
using MVC.MyDbContext;

namespace MVC.Controllers
{
    public class HomeController : Controller
    {
        private readonly ILogger<HomeController> _logger;
        private MyDbContext.MyDbContext MyDbContext { get; set; }

        public HomeController(ILogger<HomeController> logger, MyDbContext.MyDbContext
myDbContext)
        {
            _logger = logger;
            MyDbContext = myDbContext;
        }

        public IActionResult Index()
        {
            return View();
        }

        public IActionResult Stores()
        {
            var allstores = MyDbContext.stores.ToList();
            return View(allstores);
        }

        public IActionResult Privacy()
        {
            return View();
        }

        public IActionResult CreateEditStore()
        {
            return View();
        }
    }
}
```

```
public IActionResult SearchStore(string searchText)
{
    if (searchText == null)
    {
        return RedirectToAction("Stores");
    }
    else
    {
        var allstores = MyDbContext.stores.Where(m =>
m.Name.ToLower().Contains(searchText.ToLower()) ||
m.Location.ToLower().Contains(searchText.ToLower())).ToList();
        return View("Stores", allstores);
    }
}

public IActionResult EditStore(int ID)
{
    var store = MyDbContext.stores.FirstOrDefault(m => m.id == ID);
    RedirectToAction("EditStore");
    return View(store);
}

public IActionResult DeleteStore(int ID)
{
    var storetoDelete = MyDbContext.stores.FirstOrDefault(m => m.id == ID);
    if (storetoDelete != null)
    {
        MyDbContext.stores.Remove(storetoDelete);
        MyDbContext.SaveChanges();
    }

    return RedirectToAction("Stores");
}

public IActionResult SaveEditedStore(Store store)
{
    var storetoedit = MyDbContext.stores.FirstOrDefault(m => m.id == store.id);
    if (storetoedit != null)
    {
        storetoedit.Name = store.Name;
        storetoedit.Location = store.Location;
        storetoedit.NofEmployee = store.NofEmployee;
```

```
        MyDbContext.SaveChanges();
    }
    return RedirectToAction("Stores");

}

public IActionResult AddStore(Store store)
{
    MyDbContext.stores.Add(store);
    MyDbContext.SaveChanges();
    return RedirectToAction("Stores");
}

[ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore =
true)]
public IActionResult Error()
{
    return View(new ErrorViewModel { RequestId = Activity.Current?.Id ??
HttpContext.TraceIdentifier });
}

public IActionResult ViewCloths()
{
    var allCloths = MyDbContext.Cloths.ToList();
    return View(allCloths);
}

public IActionResult CreateCloth()
{
    return View();
}

public IActionResult AddCloth(Cloth cloth)
{
    MyDbContext.Cloths.Add(cloth);
    MyDbContext.SaveChanges();
    return RedirectToAction("ViewCloths");
}

}

}
```

CreatCloth:

```
@{  
    ViewData["Title"] = "Employee Details";  
}
```

```
<div>  
    <h2>Cloth Details</h2>
```

```
</div>
```

```
@model MVC.Models.Cloth
```

```
<div>  
    <h2> Create or Edit Cloth</h2>
```

```
</div>
```

```
<form asp-action="AddCloth">
```

```
    <label class="mt-4">Name :</label>
```

```
    <input class="form-control" type="text" placeholder="Enter Name" asp-for="Name" />
```

```
    <label class="mt-4">Price :</label>
```

```
    <input class="form-control" type="number" placeholder="Enter Price" asp-for="Price" />
```

```
    <label class="mt-4">Gender :</label>
```

```
    <input class="form-control" type="text" placeholder="Enter the Gender" asp-for="Gender" />
```

```
    <label class="mt-4">Size :</label>
```

```
    <input class="form-control" type="text" placeholder="Enter the Size" asp-for="Size" />
```

```
    <button class="btn btn-primary mt-4" type="submit"> Submit</button>
```

```
</form>
```

ViewCloth:

```
@{
    ViewData["Title"] = "Cloth Page";
}
@model List<Cloth>

<div class="text-center ">
    <h1 class="display-4">Employees Page</h1>
    <a class="btn btn-dark float-end" asp-area="" asp-controller="Home"
asp-action="CreateCloth">Add Cloth</a>

    <table class="table">
        <thead>
            <tr>
                <th>Name</th>
                <th>Price</th>
                <th>Gender</th>
                <th>Size</th>

            </tr>
        </thead>
        <tbody>
            @{
                foreach (var shop in Model)
                {
                    <tr>
                        <td>
                            @shop.Name
                        </td>
                        <td>@shop.Price</td>
                        <td>@shop.Gender</td>
                        <td>@shop.Size</td>

                    </tr>
                }
            }
        </tbody>
    </table>
</div>
```