ADVANCEMACHINGLEARNINGPROJECT

1. Introduction

- **ProjectTitle:** RevolutionizingLiverCare:PredictingLiverCirrhosisUsing Advanced Machine Learning Techniques.
- TeamMembers: 1) Chennamsetty Guruteja
 - 2) Cherivi Suryavardhan
 - 3) Doddipalli Venkata Siva Reddy
 - 4) G R Tejaswini

2. ProjectOverview

- Purpose: This project aims to develop a machine learning-based predictive model
 forearlydetectionoflivercirrhosisusing clinical and biochemical data. By applying
 advanced algorithms and performance tuning, the model identifies patients at risk
 with high accuracy. The best-performing model is deployed using Flask, enabling
 integration into real-time diagnostic systems. This approach supports faster, datadriven decisions in liver healthcare and improves patient outcomes through early
 intervention.
- **Features**: The Liver Cirrhosis Prediction projectis a comprehensive machine learning solution designed to predict the likelihood of liver cirrhosis in patients based on their medical and lifestyle data. The project involves key steps such as data preprocessing, handling missing values, encoding categorical variables, and normalizing numerical features. Multiple classification algorithms including Logistic Regression, Random Forest, K-Nearest Neighbors (KNN), and XGBoost are trained and evaluated using metrics like accuracy, precision, recall, and F1 score. The best-performing model is selected, saved, and integrated into a Flask-based web application, enabling users to input patient data and receive instant predictions. This project aims to support early diagnosis and assist health care professional sinclinical decision-making.

3. Architecture

• **Frontend:** The front end of the Liver Cirrhosis Prediction project is a simple, user-friendly interface built with HTML and CSS. It includes a form where users input patient details like age, gender, medical history, and test results. Upon submission, the data is sent to

the Flask backend, which returns a prediction. The result is then displayed clearly on the same page, making it easy for users to understand whether the patient is at risk of liver cirrhosis.

- **Backend:** The backend of the Liver Cirrhosis Prediction project is built using Flask, a light weight Python web framework. It handles user input from the frontend, processes the data, and loads a trained machine learning model to make predictions. The backend also includes data preprocessing steps like encoding and scaling to ensure the input matches the model's requirements. Once the prediction is generated, the result is sent back to the frontend for display. The backend ensures smooth integration between the user interface and the predictive model, maintaining accuracy and performance.
- **Database:** The projectuses Mongo DB to store patient in put data and corresponding liver cirrhosis prediction results. Each prediction is saved as a document containing keymedical features, the model's outcome and a timestamp. When a users ubmits data through the front end, the backend processes the input, predicts the result using a trained model, and stores the full record in the predictions collection using insert_one(). Mongo DB provides flexible schema design, seamless integration with Flask using PyMongo, and efficient storage of medical records for further analysis.

4. SetupInstructions

• Prerequisites:

- 1. Python3.x–Corelanguagefordevelopment
- 2. Pandas–Fordata manipulation and preprocessing
- 3. NumPy-Fornumerical operations
- 4. Scikit-learn–Machinelearningmodelsandevaluationmetrics
- 5. XGBoost–Gradientboosting classifier
- 6. Flask-Backendwebframework
- 7. Flask-PyMongo-ToconnectFlask withMongoDB
- 8. PickleorJoblib-For saving andloading ML models
- 9. MongoDB–NoSQLdatabasetostoreuserinputsand predictions

• Installation:

- 1. Python3installed
- 2. Flaskinstalled:pipinstallflask
- 3. Clone the repository: _
 https://github.com/SURYA22508/Liver_Cirrhosis_pred
 iction/tree/main
- 4. Navigatetoprojectfolder: cd liver_cirrhosis cdproject executable files
- 5. RuntheFlaskapp:pythonapp.py

6. Visit: http://127.0.0.1:5000/

5. FolderStructure

- **Client**:Inthisproject,theclientreferstothefrontendinterfacethroughwhichusers interact with the liver cirrhosis prediction system. The client is built using HTML, CSS, and optionally JavaScript to ensure a responsive and user-friendly experience. Userscaninputpatientdataviaastructuredform,anduponsubmission,thedatais senttotheFlaskbackendforprocessing.Theclientthendisplaysthepredictionresult (whetherthepatientislikelysufferingfromlivercirrhosisornot)clearlyonthesame or a redirected results page. This interface aims to be intuitive, clean, and accessible for medical professionals or researchers using the system.
- **Server**:TheserverinthisprojectisdevelopedusingtheFlaskwebframework, serving asthe backend that handlesthe corelogic and communication between the clientandthemachinelearningmodel.Whenausersubmitsinputdatathroughthe frontend, the Flask server receives the data via HTTP requests, preprocesses it as needed,loadsthetrainedmachinelearningmodel,andperformstheprediction.Itthen sends the prediction result back to the client for display.Additionally, the server ensuresproperrouting,errorhandling,andintegratesseamlesslywiththeMongoDB database for storing input data and prediction results if required.

6. APIDocumentation

1. POST/predict

- **Description**: Accepts patient data and returns a prediction indicating whether the patient is likely to suffer from liver cirrhosis.
- RequestType:application/json
- RequestBody:

```
{
"Age":45,
"Gender": "male",
"Duration_of_alcohol_consumption":10,
"Hepatitis_B_infection": "positive",
...
```

• Response:

```
{
    "prediction":1,
    "result":"Patientislikelysufferingfromlivercirrhosis"
}
```

2. GET /

• **Description**:Returnsawelcomemessageorahomepageroute.

• Response:

```
{
    "message":"WelcometotheLiverCirrhosisPredictionAPI"
}
```

2. POST/store-data(OptionalifusingMongoDB)

- **Description**: Savespatientin putand prediction result to the database.
- RequestBody:Sameas/predict
- Response:

```
{
    "status":"success",
    "message":"Datastoredsuccessfully"
}
```

8. Authentication

 Nospecificloginorauthenticationisprovidedforthisprojectasitcanbeusedby anyone and everyone.

9. UserInterface

• The User Interface (UI) of the Liver Cirrhosis Prediction project is designed to be clean, user-friendly, and accessible to both medical professionals and non-technical users. It focuses on simplicity and functionality, enabling users to easily input data and receive predictions.



9. Testing

• To ensure the accuracy, reliability, and robustness of the Liver Cirrhosis Prediction project, a combination of testing strategies and tools were

employedacrossbothmachinelearningandwebapplicationcomponents.

Testing Strategies:

1. DataValidationTesting:

- Checkedformissingvalues, outliers, and incorrect datatypes.
- Ensuredbalancedpreprocessing,especiallyforcategorical encoding and numerical normalization.

2. ModelEvaluation:

- o Usedstratifiedtrain-testsplittopreserveclassdistribution.
- Evaluatedmultiplemodels(LogisticRegression,RandomForest, KNN, XGBoost) using metrics like accuracy, precision, recall, and F1-score.
- o Appliedcross-validationtoensuregeneralization.

3. APITesting:

- o Ensuredendpointsrespondcorrectlytovalidandinvalidinputs.
- o CheckedforcorrectHTTPstatuscodesandJSONresponses.

4. IntegrationTesting:

- o Validatedend-to-endflowfromUItobackendtomodelandback.
- Confirmedcorrectdatahandlingbetweenfrontendforms,Flask server, and MongoDB database.

5. EdgeCaseTesting:


 Inputedgevalues(e.g.,extremeages,abnormaltestresults)to observe model and system behavior.

ToolsUsed:


- Scikit-learn-formodelevaluation and metrics.
- Pytest/Unittest(Python)—totestbackendfunctionsandlogic.
- **Postman/ cURL** formanual APItesting.
- JupyterNotebook for exploratory data analysis and testing preprocessing logic.

.BrowserDevTools -totestanddebugfrontendinteractions.

10. Screenshots







11 .KnownIssues

WhiletheLiverCirrhosisPredictionSystemfunctionseffectivelyinmostcases,thereare several limitations and known issues that users and developers should be aware of:

1. DataImbalance

- Thedatasetisheavilyimbalanced (very fewpositivecirrhosiscases).
- Thismayleadtooverfittingwheremodelspredictthemajorityclassmoreoften, impacting real-world accuracy.
- Mitigation:Stratifiedsplitting,modeltuning,andfutureinclusionofresampling techniques (SMOTE) are recommended.

2. MissingorIncompleteData

- Severalfeaturesintheoriginal dataset containmissing values, especially in medical metrics like MCH, RBC, TG, and LDL.
- Mitigation:Imputationisperformedusingmean/mode,butitmayaffectmodel reliability. Future data collection should focus on completeness.

3. PrecisionWarninginClassificationReport

- Incases where the model predicts only one class, scikit-learn raises awarning: "Precisionisill-defined and being set to 0.0 in labels with no predicted samples..."
- Mitigation:Ensuringpropermodelgeneralization and handling edge cases helps reduce this issue.

4. NoRole-BasedAccessControl

- The current authentication system is basic (login/signup) and does not support role-based access (e.g., doctor vs patient).
- Mitigation:Futureversionsshouldimplementuserrolesandpermissionsfor enhanced security.

5. LimitedInputValidationonFrontend

- The front end does not fully validate form inputs (e.g., negative numbers, non-numeric entries).
- Mitigation:JavaScript-basedandbackendvalidationshouldbeaddedtoprevent malformed data submissions.

6. Browser Compatibility

- UImightdisplayinconsistentlyonolderbrowsers ormobileviews.
- Mitigation:Frontendshouldbetestedwithresponsivedesigntoolsandcross-browser testing.

7. ModelDeploymentLimitations

- ModelishostedwithintheFlaskserver andmaynot scalewellforhigh traffic.
- Mitigation:ConsidercontainerizingwithDockeranddeployingviaserviceslike Heroku or AWS for better scalability.

13. Future Enhancements

• ModelExplainability

 $Integrate SHAP or LIME\ to help users under stand the reasoning behind predictions.$

• Real-TimeAPIIntegration

Exposetheprediction modelviaaRESTAPI for real-time usein hospitalsor clinics.

• Mobile-FriendlyUI

Optimize the frontend for mobile devices to improve accessibility.

• Role-BasedAccessControl

Addloginroleslikedoctor,admin,orresearcherforsecure,personalizedaccess.

• DashboardandVisualization

Addavisualdashboardfor tracking patient trends and prediction statistics.