----- ---------

32 → number = 32

Sample Output 0

0

Explanation 0

- Convert the decimal number 32 to binary number: $32_{10} = (100000)_2$.
- The value of the 4th index from the right in the binary representation is 0.

Sample Case 1

Sample Input 1

STDIN Function

----- ---------

77 → number = 77

Sample Output 1

1

Explanation 1

- Convert the decimal number 77 to binary number: $77_{10} = (1001101)_2$.
- The value of the 4th index from the right in the binary representation is 1.

Answer: (penalty regime: 0 %)

Reset answer

```
/*
 * Complete the 'fourthBit' function belo
 *
 * The function is expected to return an
 * The function accepts INTEGER number as
 */

int fourthBit(int number)
{
       int binary[32];
       int i=0;
       while(number>0)
       {
            binary[i]=number%2;
            number/=2;
            i++;
       }
       if(i>=4)
       {
            return binary[3];
       }
       else
       return 0;
}
```

	Test	Expected	Got
✓	printf("%d", fourthBit(32))	0	0
✓	printf("%d", fourthBit(77))	1	1

Passed all tests! ✓

Sample Case 2

Sample Input 2

```
STDIN    Function
-----    --------
1    →   n = 1
1    →   p = 1
```

Sample Output 2

```
1
```

Explanation 2

Factoring n = 1 results in {1}. The p = 1st factor of 1 is returned as the answer.

Answer: (penalty regime: 0 %)

Reset answer

```c
/*
 * Complete the 'pthFactor' function belo
 *
 * The function is expected to return a L
 * The function accepts following paramet
 *  1. LONG_INTEGER n
 *  2. LONG_INTEGER p
 */

long pthFactor(long n, long p)
{
    int count=0;
    for(long i=1;i<=n;i++)
    {
        if(n%i==0)
        {
            count++;
            if(count==p)
            {
                return i;
            }
        }
    }
    return 0;
}
```

	Test	Expected
✓	printf("%ld", pthFactor(10, 3))	5
✓	printf("%ld", pthFactor(10, 5))	0
✓	printf("%ld", pthFactor(1, 1))	1

Passed all tests! ✓

Finish review