

Alien Invasion Row Setup



I am working on a project converting alien invasion to space invaders. I want to rework a portion of this code such that I specify the number of columns and use that to determine how many aliens are spawned in each row.

Since you want to specify the number of columns and use that to determine how many aliens spawn per row, you'll need to adjust your alien placement logic.

Approach:

- 1. Set a fixed number of **columns**.
- 2. Use that number to determine the horizontal spacing.
- 3. Calculate how many **rows** fit based on available screen space.

Would you like me to adjust your current alien placement code, or would you like a fresh function to implement this? If you share your current fleet placement logic, I can refine it accordingly.



```
import pygame as pg
from vector import Vector
from point import Point
from laser import Laser
from alien import Alien
from pygame.sprite import Sprite
class Fleet(Sprite):
  def __init__(self, ai_game):
    self.ai_game = ai_game
    self.screen = ai_game.screen
    self.ship = ai game.ship
    self.aliens = pg.sprite.Group()
    self.settings = ai_game.settings
    self.stats = ai_game.stats
    self.sb = ai game.sb
    self.v = Vector(self.settings.alien speed, 0)
    # alien = Alien(ai_game=ai_game)
    # self.aliens.add(alien)
    self.spacing = 1.4
    self.create_fleet()
    # self.create_row()
    self.lasers = pg.sprite.Group()
```

```
def reset_fleet(self):
  self.aliens.empty()
  self.create_fleet()
def create fleet(self):
  # Updating velocity
  self.v = Vector(self.settings.alien_speed, 0)
  # Creating fleet
  alien = Alien(ai_game=self.ai_game, v=self.v)
  # Grabbing largest alien for spacing
  alien_tile = Alien.alien_images2[0].get_rect()
  tile_height = alien_tile.height
  current_y = tile_height
  while current_y < (self.settings.scr_height - self.spacing * 6 * tile_height):
    self.create_row(current_y)
    current_y += self.spacing * tile_height
def create_row(self, y):
  alien = Alien(ai_game=self.ai_game, v=self.v)
  # tile_width = alien.rect.width
  # Grabbing largest alien for spacing
  alien_tile = Alien.alien_images2[0].get_rect()
  tile_width = alien_tile.width
  current x = tile width
  while current_x < (self.settings.scr_width - self.spacing * tile_width):
     new_alien = Alien(self, v=self.v)
     new alien.rect.centery = y
     new_alien.y = y
     new_alien.x = current_x
     new_alien.rect.centerx = current_x
     self.aliens.add(new alien)
     current_x += self.spacing * tile_width
def check_edges(self):
  for alien in self.aliens:
    if alien.check_edges():
       return True
  return False
def check_bottom(self):
  for alien in self.aliens:
    if alien.rect.bottom >= self.settings.scr_height:
       self.ship.ship_hit()
       return True
  return False
```



```
def update(self):
  collisions = pq.sprite.groupcollide(self.ship.lasers, self.aliens, True, False)
  if collisions:
    for aliens in collisions.values():
       self.stats.score += self.settings.alien_points * len(aliens)
       for alien in aliens:
         alien.hit()
    self.sb.prep_score()
    self.sb.check_high_score()
  if not self.aliens:
    self.ship.lasers.empty()
    self.settings.increase_speed()
    self.create fleet()
         # Increase level.
    self.stats.level += 1
    self.sb.prep_level()
    return
  # Check if aliens hit the ship.
  if pg.sprite.spritecollideany(self.ship, self.aliens):
    print("Ship hit!")
    self.ship.ship_hit()
    return
  # Check if alien lasers hit the ship
  for self.alien in self.aliens:
    if pg.sprite.spritecollideany(self.ship, self.alien.lasers):
       print("Ship hit!")
       self.ship.ship hit()
       return
  # Check if aliens reached the bottom
  if self.check_bottom():
    return
  # Check if an alien has hit the edge
  if self.check_edges():
    self.v.x *= -1
    for alien in self.aliens:
       alien.v.x = self.v.x
       alien.y += self.settings.fleet_drop_speed
  for alien in self.aliens:
    alien.update()
def draw(self): pass
```



```
# for alien in self.aliens:
    # alien.draw()

def main():
    print('\n run from alien_invasions.py\n')

if __name__ == "__main__":
    main()
```

Thanks for sharing your Fleet class! To modify it so that the number of **columns** is specified and used to determine how many aliens appear per row, we need to adjust the create_row and create_fleet methods.

Key Adjustments

- 1. **Specify the number of columns** (e.g., self.num_columns = desired_value).
- 2. Calculate column spacing based on screen width.
- 3. **Determine the number of rows** based on available height.

Updated Code (with Column Control)

```
python
def create_fleet(self):
    """Create a fleet of aliens with a fixed number of columns."""
    self.v = Vector(self.settings.alien_speed, 0)
    num columns = 10  # Adjust as needed
    # Get the size of the largest alien sprite for spacing
    alien tile = Alien.alien images2[0].get_rect()
    tile_width = alien_tile.width
    tile_height = alien_tile.height
    # Calculate horizontal spacing based on screen width
    total width = self.settings.scr_width
    available_space_x = total_width - (self.spacing * tile_width)
    column_spacing = available_space_x / num_columns
    available_space_y = self.settings.scr_height - (self.spacing * 6 * tile_height)
    num rows = int(available space y // (self.spacing * tile height))
    # Create the fleet using specified columns and calculated rows
    for row in range(num_rows):
        y = (row + 1) * \overline{self.spacing * tile height}
        self.create_row(y, num_columns, column_spacing)
def create_row(self, y, num_columns, column_spacing):
    """Create a row of aliens with a fixed number of columns."""
    for col in range(num_columns):
        x = (col + 1) * column_spacing
        new_alien = Alien(self, v=self.v)
        new_alien.rect.centery = y
        new_alien.y = y
        new alien.x = x
```

```
new_alien.rect.centerx = x
self.aliens.add(new_alien)
```

How It Works

- The **number of columns** is fixed (num_columns).
- The **column spacing** is determined dynamically based on screen width.
- The **number of rows** is determined dynamically based on screen height.
- create_row now takes num_columns and column_spacing as arguments.

Benefits

- Keeps alien spacing even.
- Ensures the fleet fits dynamically within the screen.
- Maintains fine control over the number of columns.

Would you like to tweak the spacing further or make any other refinements? 🖋



For the spacing between columns and rows, I actually just want it based on the tile width and height.

Got it! If you want the spacing between columns and rows to be based solely on the **tile width and height**, we can simplify the calculations.

Key Adjustments:

- 1. Spacing between columns = tile_width * self.spacing
- 2. **Spacing between rows** = tile_height * self.spacing
- 3. Number of rows and columns are controlled purely by screen size

Updated Code:

```
def create_fleet(self):
    """Create a fleet of aliens with a fixed number of columns."""
    self.v = Vector(self.settings.alien_speed, 0)

# Set the desired number of columns
    num_columns = 10  # Adjust as needed

# Get the size of the largest alien sprite for spacing
    alien_tile = Alien.alien_images2[0].get_rect()
    tile_width = alien_tile.width
    tile_height = alien_tile.height
```



```
# Calculate horizontal spacing
column_spacing = tile_width * self.spacing

# Determine how many rows fit on the screen
num_rows = (self.settings.scr_height - (self.spacing * 6 * tile_height)) // (tile_height *
self.spacing)

# Create the fleet using specified columns and calculated rows
for row in range(int(num_rows)):
    y = (row + 1) * tile_height * self.spacing
    self.create_row(y, num_columns, column_spacing)

def create_row(self, y, num_columns, column_spacing):
    """Create a row of aliens with a fixed number of columns."""
    alien_tile = Alien.alien_images2[0].get_rect()
    tile_width = alien_tile.width

for col in range(num_columns):
    x = (col + 1) * tile_width * self.spacing
    new_alien = Alien(self, v=self.v)
    new_alien.rect.centery = y
    new_alien.rect.centerx = x
    self.aliens.add(new_alien)
```

How It Works

- Column spacing is just tile_width * spacing.
- Row spacing is just tile_height * spacing.
- **Nows are dynamically determined** based on screen height.
- **Columns are fixed** to a given number (e.g., 10).

Would you like to make the number of columns dynamic as well based on screen width? 🖋