

# App Name

API Reference Document

# Contents

Section	
<b>General Information</b>	<a href="#">Skip</a>
• Contact	<a href="#">Skip</a>
• License	<a href="#">Skip</a>
<b>Servers</b>	<a href="#">Skip</a>
<b>Security</b>	<a href="#">Skip</a>
• API Key Authentication	<a href="#">Skip</a>
•   ◦ Api Key	<a href="#">Skip</a>
<b>Operations</b>	<a href="#">Skip</a>
• Users	<a href="#">Skip</a>
•   ◦ GET /users/{user_id}	<a href="#">Skip</a>
•   ◦   ▪ Path Parameters	<a href="#">Skip</a>
•   ◦   ▪ Query Parameters	<a href="#">Skip</a>
•   ◦   ▪ Request Headers	<a href="#">Skip</a>
•   ◦   ▪ Cookies	<a href="#">Skip</a>
•   ◦   ▪ Request Body	<a href="#">Skip</a>
•   ◦   ▪ Responses	<a href="#">Skip</a>
•   ◦   ▪   ▪ 200 OK	<a href="#">Skip</a>
•   ◦   ▪   ▪   ▪ Response Headers	<a href="#">Skip</a>
•   ◦   ▪   ▪   ▪ Response Body	<a href="#">Skip</a>
•   ◦   ▪   ▪ 404 Not Found	<a href="#">Skip</a>

Section	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Response Headers</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Response Body</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>429 Too Many Requests</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Response Headers</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Response Body</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li>Others</li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>POST /users</li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Path Parameters</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Query Parameters</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Request Headers</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Cookies</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Request Body</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Responses</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>200 OK</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Response Headers</li> </ul> </li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Response Body</li> </ul> </li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>422 Unprocessable Content</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Response Headers</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Response Body</li> </ul> </li> </ul> </li> </ul>	<a href="#">Skip</a>

Section	
<ul style="list-style-type: none"><li>•<ul style="list-style-type: none"><li>◦<ul style="list-style-type: none"><li>■<ul style="list-style-type: none"><li>■ 429 Too Many Requests</li></ul></li></ul></li></ul></li></ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"><li>•<ul style="list-style-type: none"><li>◦<ul style="list-style-type: none"><li>■<ul style="list-style-type: none"><li>■<ul style="list-style-type: none"><li>■ Response Headers</li></ul></li></ul></li></ul></li></ul></li></ul>	<a href="#">Skip</a>
<ul style="list-style-type: none"><li>•<ul style="list-style-type: none"><li>◦<ul style="list-style-type: none"><li>■<ul style="list-style-type: none"><li>■<ul style="list-style-type: none"><li>■ Response Body</li></ul></li></ul></li></ul></li></ul></li></ul>	<a href="#">Skip</a>

# General Information

App Name v1.0.0

## Contact

- Email: [refreshing@sengroup.com](mailto:refreshing@sengroup.com)
- URL: <https://sengroup.com>

## License

This API is under a PROPRIETARY license.

## Servers

The following servers may be utilized for this API:

URL	Description	Variables
<a href="http://localhost:8000/api">http://localhost:8000/api</a>	-	-
<a href="https://dev.example.com/api">https://dev.example.com/api</a>	-	-

## Security

The following security schemes are used by this API for authentication and authorization. These must be taken into account in every request unless otherwise stated.

### API Key Authentication

This API is secured through API Keys which you must obtain separately.

#### Api Key

To authenticate requests, include `X-API-KEY` as a request header.

```
GET /example
Host: example.com
X-API-Key: SAMPLE-API-KEY-a29@102&3djSF9
```

# Operations

- [Users](#)
- [Others](#)

## Users

- [GET /users/{user\\_id}](#)

### GET /users/{user\_id}

Get a User

#### Path Parameters

Key	Type	Required	Example	Notes
user_id	integer	Yes	-	-

#### Query Parameters

No Query Parameters.

#### Request Headers

No Specific Request Headers

#### Cookies

No Cookies.

#### Request Body

No Request Body.

#### Responses

- [200 OK](#)
- [404 Not Found](#)
- [429 Too Many Requests](#)

#### 200 OK

Successful Get User Response

#### RESPONSE HEADERS

No Specific Response Headers.

#### RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-
success	boolean	Yes	-	-
data	object	Yes	-	-
data.id	integer	Yes	-	The autogenerated resource ID. <ul style="list-style-type: none"><li>• Nullable: false</li></ul>
data.first_name	string	Yes	John	<ul style="list-style-type: none"><li>• Nullable: false</li><li>• Maximum Length: 255</li></ul>

Key	Type	Required	Example	Notes
data.last_name	string	Yes	Doe	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Maximum Length: 255</li> </ul>
data.email	string	Yes	<a href="mailto:john@example.com">john@example.com</a>	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Format: email</li> <li>Maximum Length: 255</li> </ul>
data.status	string	Yes	-	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Allowed Values: invited, active, suspended</li> </ul>
data.role_id	integer	Yes	-	<ul style="list-style-type: none"> <li>Nullable: false</li> </ul>
data.name	string	Yes	John Doe	<ul style="list-style-type: none"> <li>Nullable: false</li> </ul>
data.created_at	string	Yes	2022-09-27T18:00:00.000Z	<ul style="list-style-type: none"> <li>Format: dateTime</li> <li>Nullable: false</li> </ul>
data.updated_at	string	Yes	2022-09-27T18:00:00.000Z	<ul style="list-style-type: none"> <li>Format: dateTime</li> <li>Nullable: false</li> </ul>

#### 404 Not Found

Not Found Error Response

##### RESPONSE HEADERS

No Specific Response Headers.

##### RESPONSE BODY

No Response Body

#### 429 Too Many Requests

Rate Limited Error Response

##### RESPONSE HEADERS

Key	Type	Required	Example
Retry-After	integer	No	-

##### RESPONSE BODY

No Response Body

## Others

- [POST /users](#)

#### POST /users

Create a User

##### Path Parameters

No Path Parameters.

##### Query Parameters

No Query Parameters.

##### Request Headers

Key	Type	Required	Example	Notes
Content-Type	string	No	application/json	-
Accept	string	No	application/json	-

## Cookies

No Cookies.

## Request Body

Required.

Media Type: application/json

Key	Type	Required	Example	Notes
first_name	string	Yes	John	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Maximum Length: 255</li> </ul>
last_name	string	Yes	Doe	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Maximum Length: 255</li> </ul>
email	string	Yes	<a href="mailto:john@example.com">john@example.com</a>	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Format: email</li> <li>Maximum Length: 255</li> </ul>
role_id	integer	Yes	-	<ul style="list-style-type: none"> <li>Nullable: false</li> </ul>

## Responses

- [200 OK](#)
- [422 Unprocessable Content](#)
- [429 Too Many Requests](#)

### 200 OK

Successful Create User Response

## RESPONSE HEADERS

No Specific Response Headers.

## RESPONSE BODY

Media Type: application/json

Key	Type	Required	Example	Notes
message	string	Yes	-	-
success	boolean	Yes	-	-
data	object	Yes	-	-
data.id	integer	Yes	-	The autogenerated resource ID. <ul style="list-style-type: none"> <li>Nullable: false</li> </ul>
data.first_name	string	Yes	John	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Maximum Length: 255</li> </ul>
data.last_name	string	Yes	Doe	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Maximum Length: 255</li> </ul>



Key	Type	Required	Example	Notes
data.email	string	Yes	<a href="mailto:john@example.com">john@example.com</a>	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Format: email</li> <li>Maximum Length: 255</li> </ul>
data.status	string	Yes	-	<ul style="list-style-type: none"> <li>Nullable: false</li> <li>Allowed Values: invited, active, suspended</li> </ul>
data.role_id	integer	Yes	-	<ul style="list-style-type: none"> <li>Nullable: false</li> </ul>
data.name	string	Yes	John Doe	<ul style="list-style-type: none"> <li>Nullable: false</li> </ul>
data.created_at	string	Yes	2022-09-27T18:00:00.000Z	<ul style="list-style-type: none"> <li>Format: dateTime</li> <li>Nullable: false</li> </ul>
data.updated_at	string	Yes	2022-09-27T18:00:00.000Z	<ul style="list-style-type: none"> <li>Format: dateTime</li> <li>Nullable: false</li> </ul>

## 422 Unprocessable Content

Validation Error Response

### RESPONSE HEADERS

No Specific Response Headers.

### RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-
success	boolean	Yes	-	-
errors	object	Yes	-	-
errors.{attribute}	array	No	-	-
errors.{attribute}.*	string	No	-	-

## 429 Too Many Requests

Rate Limited Error Response

### RESPONSE HEADERS

Key	Type	Required	Example
Retry-After	integer	No	-

### RESPONSE BODY

No Response Body