

EX:NO:4		STOCK MAINTAINANCE SYSTEM	CONFERENCE
DATE:			MANAGEMENT
			SYSTEM
<u>AIM:</u>			
To draw the diagrams [usecase, activity, sequence, collaboration, class, collaboration, deployment, state chart , package] for the Stock maintainence system.			
<u>SOFTWARE REQUIREMENTS SPECIFICATION:</u>			
		SOFTWARE REQUIREMENTS SPECIFICATION	
	1.0	Hardware Requirements	
	1.1	Software Requirements	
	1.2	Problem Analysis and Project Plan	
	1.3	Project Description	
	1.4	Reference	
<u>1.0HARDWARE REQUIREMENTS:</u>			
Intel Pentium Processor I3/I5			
<u>1.1SOFTWARE REQUIREMENTS:</u>			
Rational rose / Argo UML			
<u>1.2 PROBLEM ANALYSIS AND PROJECT PLANNING :</u>			
The Stock Maintenance System, initial requirement to develop the project about the mechanism of the Stock Maintenance System is caught from the customer. The requirement are analyzed and refined which enables the end users to efficiently use Stock Maintenance System. The complete project is developed after the whole project analysis explaining about the scope and the project statement is prepared.			
<u>1.3PROJECT DESCRIPTION:</u>			
This software is designed for supporting the computerized stock maintainence System .In this system, the customer can place order and purchase items with the aid of the stock dealer and central stock system. This orders are verified and the items are delivered to the customer. <u>1.4</u>			
<u>REFERENCES:</u>			

EX:NO:11 CONFERENCE MANAGEMENT SYSTEM	
DATE:	

AIM:

To draw the diagrams [use case, activity, sequence, collaboration, class, component, deployment, package] for Conference management system

SOFTWARE REQUIREMENTS SPECIFICATION

	SOFTWARE REQUIREMENTS SPECIFICATION
1.0	Hardware Requirements
1.1	Software Requirements
1.2	Problem Analysis and Project Plan
1.3	Project description
1.4	Reference

1.0 HARDWARE REQUIREMENTS:

Intel Pentium Processor I3/I5

1.1 SOFTWARE REQUIREMENTS:

Rational rose / Argo UML

1.2 PROBLEM ANALYSIS AND PROJECT PLANNING

The Conference Management System is an online website in which candidate can submit the paper and register themselves and then attend the conference. The paper will be reviewed. The details of the conference, date and time will be made available to them through the website. After getting the confirmation details the candidate should submit the revised and camera ready paper. Then the registration process will be done.

1.3 PROJECT DESCRIPTION:

This software is designed to manage the details of the process that will be taken place in the conference in a place. It works along with the organizer, who arranges all these program and central management system, which consists of the all the details of the member who participates in the presentation

1.4 REFERENCES:


IEEE Software Requirement Specification format.

USE CASE DIAGRAM:

This diagram will contain the actors, use cases which are given below

Actors: Member, Organizer, Central system


Use case: planning, invite delegates, allocate seats, presenting paper, prize distribution



CLASS DIAGRAM:

This diagram consists of the following classes, attributes and their operations

CLASSES	ATTRIBUTES	OPERATIONS
Member	Name, id	Presenting paper()
Organizer	Member details	Allocating seats()
Central management system	Member details	Updating()




ACTIVITY DIAGRAM:

This diagram will have the activities as Start point, End point, Decision boxes as given below:

Activities: Invite delegates, Allocate seats, Presenting paper, Choose the winner


Decision box: Whether it is reserved or not, Whether the presentation is good or not



SEQUENCE DIAGRAM:


This diagram consists of the objects, messages and return messages.

Object: Member, Organiser, Central management system




COLLABORATION DIAGRAM:

This diagram contains the objects and actors. This will be obtained by the completion of the sequence diagram and pressing the F5 key.



COMPONENT DIAGRAM:


The component diagram is represented by figure dependency and it is a graph of design of figure dependency. The component diagram's main purpose is to show the structural relationships between the components of a systems. It is represented by boxed figure. Dependencies are represented by communication association.



DEPLOYMENT DIAGRAM:

A deployment diagram in the unified modeling language serves to model the physical deployment of artifacts on deployment targets. Deployment diagrams show "the allocation of


artifacts to nodes according to the Deployments defined between them. It is represented by 3-dimensional box. Dependencies are represented by communication association



PACKAGE DIAGRAM:

A package diagram in unified modeling language that depicts the dependencies between the packages that make up a model. A Package Diagram (PD) shows a grouping of elements in the OO model, and is a Cradle extension to UML. PDs can be used to show groups of classes in Class Diagrams (CDs), groups of components or processes in Component Diagrams (CPDs), or groups of processors in Deployment Diagrams (DPDs). There are three types of layer. They are

- o User interface layer
- o Domain layer
- o Technical services layer



PROGRAM CODING:

MEMBER 1:

```

public class member
{
    public integer name; public
        integer id; public integer
        proof; public void
        winning prize()
        {
        }
    public void member()
    {
    }
}

```

ORGANIZER:

```

public class organizer
{
    public integer member
        attributes; public integer

```



```

        function details; public
        void choosing for
        winner() {
        }
    }
}

```

CENTRAL MANAGEMENT

SYSTEM: public class central management

```

system {
    public integer function details; public
    integer detail of seat allocation;
    public void storing()
    {
    }
    public void updating
    details()
    {
    }
}

```

RESULT:

Thus draw the diagrams [use case, activity, sequence, collaboration, class, state chart, component, deployment, package] for Conference management system has been designed, executed and output is verified.