




Practical - 2



eu-north-1.console.aws.amazon.com/console/home?nc2=h_si&region=eu-north-1...
Search [Alt+S] Ask AWS assistant
Europe (Stockholm)
SATWIKA GANDHE (373760245656)
SATWIKA GANDHE
Give your coding agent current AWS knowledge and safe resource access
Agent Toolkit for AWS provides up-to-date documentation, tested procedures, and IAM guardrails configured through a single setup prompt in your IDE.
Get setup prompt
Free | Works with Kiro, Claude Code, Codex and more
Console Home Info
Reset to default layout
+ Add widgets
Recently visited Info
All services
IAM
EC2
Welcome to AWS
Getting started with AWS
Learn the fundamentals and find valuable information to get the most out of AWS.
AWS Health Info
Open issues
0
Past 7 days
Scheduled changes
0
Upcoming and past 7 days
Other notifications
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Home:
Europe (Stockholm)
SATWIKA GANDHE (373760245656)
SATWIKA GANDHE
EC2
Dashboard
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Resources
You are using the following Amazon EC2 resources in the Europe (Stockholm) Region:
Instances (running)
Auto Scaling Groups
Capacity Reservations
Dedicated Hosts
Elastic IPs
Instances
Key pairs
Load balancers
Placement groups
Security groups
Snapshots
Volumes
Launch instance
To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.
Launch instance
Migrate a server
Service health
AWS Health Dashboard
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Instances Info
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
No instances
You do not have any instances in this region
Launch instances
All instances
Instance alarm states
In alarm
None
Service health
EC2 service status
Operating normally
Health events affecting EC2 instances
Open events
None
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances > Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
e.g. My Web Server
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Summary
Number of instances Info
1
Software Image (AMI)
-
Virtual server type (instance type)
-
Firewall (security group)
-
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances > Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
mylinuxvm
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
linux key1
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair



Network settings Info
Edit
Network Info
vpc-09969ab948e7a0e02
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-1' with the following rules:
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.



EC2 > Instances > Launch an instance
access from known IP addresses only.
Configure storage Info
Advanced
1x 8 GiB gp3 Root volume, 3000 IOPS, Not encrypted
Add new volume
Click refresh to view backup information
The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.
File systems
S3 Files - new
EFS
FSx
None
Advanced details Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-08071ad14a56bfea6)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the
Create Load Balancer
Create a application, network gateway or classic
Create AWS budget
AWS Budgets allows you to create budgets,
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Instances (1/1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
mylinuxvm
i-08071ad14a56bfea6
Running
t3.micro
3/3 checks passec
eu-north-1b
ec2-13-60-49-184.eu-n...
i-08071ad14a56bfea6 (mylinuxvm)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-08071ad14a56bfea6
IPv6 address
Public IPv4 address
13.60.49.184 | open address
Instance state
Running
Private IPv4 addresses
172.31.33.246
Public DNS
ec2-13-60-49-184.eu-north-1.compute.amazonaws.com | open address



EC2 > Instances > i-08071ad14a56bfea6 > Connect to instance
Connect to Linux instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an SSH client.
Instance info
Instance
i-08071ad14a56bfea6 (mylinuxvm)
State: Running
Status: 3/3 checks passed
VPC
vpc-09969ab948e7a0e02
Subnet
subnet-0b02a40096521185c
Security groups
sg-022df6a97420601fe (launch-wizard-1)
In web browser
In SSH client
Choose how to connect
Public subnet access
Managed SSH keys
EC2 Instance Connect
Use for instances with public IPs or accessible via standard routing. Requires network connectivity to your instance. Connect using temporary SSH keys managed by AWS.
Private subnet access
Managed SSH keys
EC2 Instance Connect Endpoint
Use for instances in private subnets. Traffic is routed through a VPC endpoint. Connect using temporary SSH keys managed by AWS.
Maximum security
IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.
Direct
Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
Settings
Choose public IP address
IPv4 address (13.60.49.184)
IPv6 address
Username
Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user. Read your AMI usage instructions to check if the AMI owner has changed the default AMI username.
Cancel
Connect assist
Connect
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



aws
Search
[Alt+S]
Europe (Stockholm)
SATWIKA GANDHE (373760245656)
SATWIKA GANDHE
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-33-246 ~]$
i-08071ad14a56bfea6 (mylinuxvm)
PublicIPs: 13.60.49.184 PrivateIPs: 172.31.33.246
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances > Launch an instance
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
mywindowsvm
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Summary
Number of instances Info
1
Software Image (AMI)
Microsoft Windows Server 2025 ...read more
ami-055eb33c79b889b43
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
mywindowskey1
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair (Not supported for Windows instances)
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair



EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-0e4bdd36b44aad105)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Create Load Balancer
Create AWS budget
AWS Budgets allows you to create budgets,
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Instances (1/2) Info
Last updated 2 minutes ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
mylinuxvm
i-08071ad14a56bfea6
Running
t3.micro
3/3 checks passed
eu-north-1b
ec2-13-60-49-184.eu-n...
mywindowsvm
i-0e4bdd36b44aad105
Running
t3.micro
Initializing
eu-north-1b
ec2-13-53-41-231.eu-n...
i-0e4bdd36b44aad105 (mywindowsvm)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0e4bdd36b44aad105
IPv6 address
-
Public IPv4 address
13.53.41.231 | open address
Instance state
Running
Private IPv4 addresses
172.31.47.55
Public DNS
ec2-13-53-41-231.eu-north-1.compute.amazonaws.com | open address
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



In web browser
RDP (Remote Desktop Protocol)
Choose how to connect
Maximum security
IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.
Remote desktop
SSM agent-based
Fleet Manager
Browser-based remote desktop session powered by Systems Manager. Supports copy-paste between your local machine and remote session.
Direct
Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
SSM agent info
Ping status
-
Session Manager connection status
Not connected
SSM agent version
-
IAM role
-
Systems Manager default role not enabled (No SSM fallback)
DHMC is not enabled and IAM instance profile is not attached
To connect to an instance using Session Manager, you can either set up SSM permissions by default for all instances in your account using the default host management configuration (DHMC), or link an IAM role with required permissions to this instance. Learn more
DHMC setup
Modify IAM role
Session duration preferences
Manage preferences in Systems Manager
Cancel
Connect with Fleet Manager Remote Desktop



EC2 > Instances > i-0e4bdd36b44aad105 > Get Windows password
Use your private key to retrieve and decrypt the initial Windows administrator password for this instance.
Instance ID
i-0e4bdd36b44aad105 (mywindowsvm)
Key pair associated with this instance
mywindowskey1
Private key
Either upload your private key file or copy and paste its contents into the field below.
Upload private key file
mywindowskey1.pem
1.67 KB
Private key contents
-----BEGIN RSA PRIVATE KEY-----
MIIEowIBAAKCAQEAyex8vtWRHHo+XOFMaDFlPOiPod+TMNcFkNfvsV9hOLNkQK3u
wNJzAxcuC2PergkN9/Xh+Om1gIM49p/nHpArYoH7toWLR0WzZr59r13TzJYVj8c+
jz+XRRfXxnkp3dndBoZEnb6Yf686eH2NZDIYCwD3ftOySPKQtntNpzohl1C0XYrP
M2u9/w8+N3zPPU1FPNvF1h4XZ5yuMnbRK0RMjRtYhvJpajablmtBLp3lulTHGt8B
dSnESqC4ftm1h8EizTquNE/cCHzd7ehXol+9bah/OnuQ/mneV88HZhzlhTfz9ZqG
YAvgzKiWBAq4x/4Yd/P3ymksi10B/altzxEy3wIDAQABAoIBAEiUpd5em/N1iVcP
cMx+/Nng6kgQOjMzBwAibjj+hM7BxMZu/sP2oXq56UYU1uUNwiSgEGLNdv1DrcUQ
Cancel
Decrypt password
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Get Windows password
Connect to your Windows instance using Remote Desktop with this information.
Instance ID
i-0e4bdd36b44aad105 (mywindowsvm)
Private IP address
172.31.47.55
Username
Administrator
Password copied
KcQ0gKsDWRp
Password change recommended
We recommend that you change your default password. Note: If a default password is changed, it cannot be retrieved using this tool. It is important that you change your password to one that you will remember.
Cancel
OK



EC2 > Instances > i-0e4bdd36b44aad105 > Connect to instance
Instance info
Instance
i-0e4bdd36b44aad105 (mywindowsvm)
State: Running
Status: 3/3 checks passed
VPC
vpc-09969ab948e7a0e02
Subnet
subnet-0b02a40096521185c
Security groups
sg-048bdecb01cdb341a (launch-wizard-2)
In web browser
RDP (Remote Desktop Protocol)
How to connect
1. Open or install a remote desktop client
2. Download the RDP shortcut file
3. Open the RDP client and run the shortcut file
4. Retrieve password
5. Enter username and password
6. Connect
RDP shortcut file
Download
Public DNS
ec2-13-53-41-231.eu-north-1.compute.amazonaws.com
Username
Administrator
Password
Get Windows password
If you've joined your instance to a directory, you can use your directory credentials to connect to your instance.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
linuxui
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.small
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
linuxuikey1
Create new key pair
Network settings Info
Edit
Network Info
vpc-09969ab948e7a0e02
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info



EC2 > Instances > Launch an instance
Description - required | Info
launch-wizard-3 created 2026-11-11T05:48:22.107Z
Inbound Security Group Rules
Security group rule 1 (TCP, 22, 2409:40f0:159:c151:d123:5cda:43cf:96c5/32)
Remove
Type | Info
ssh
Protocol | Info
TCP
Port range | Info
22
Source type | Info
My IP
Name | Info
Add CIDR, prefix list or security group
Description - optional | Info
e.g. SSH for admin desktop
2409:40f0:159:c151:d123:5cda:43cf:96c5/32
Security group rule 2 (TCP, 0, 2409:40f0:159:c151:d123:5cda:43cf:96c5/32)
Remove
Type | Info
Custom TCP
Protocol | Info
TCP
Port range | Info
0
Source type | Info
My IP
Name | Info
Add CIDR, prefix list or security group
Description - optional | Info
e.g. SSH for admin desktop
2409:40f0:159:c151:d123:5cda:43cf:96c5/32
Summary
Number of instances | Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.small
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Configure storage Info
Advanced
1x
30
GiB
gp3
Root volume, 3000 IOPS, Not encrypted
Add new volume
The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance
Click refresh to view backup information
The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.
File systems
S3 Files - new
EFS
FSx
None
Advanced details Info
Summary
Number of instances
1
Software Image (AM
Canonical, Ubuntu, 2
ami-021aaf3749be668
Virtual server type
t3.small
Firewall (security gr
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel



EC2 > Instances > Launch an instance
2
Allow tags in metadata | Info
Select
User data - optional | Info
Upload a file with your user data or enter it in the field.
Choose file
#!/bin/bash
apt update -y
DEBIAN_FRONTEND=noninteractive apt install -y xfce4 xfce4-goodies xrdp
echo "xfce4-session" > /home/ubuntu/.xsession
chown ubuntu:ubuntu /home/ubuntu/.xsession
adduser xrdp ssl-cert
echo "ubuntu:student1}" | chpasswd
systemctl enable xrdp
systemctl restart xrdp
User data has already been base64 encoded
Summary
Number of instances | Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.small
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code



EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-014c728aa052dfcda)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
Create billing usage alarms
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alarms
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the
Create Load Balancer
Create a application, network gateway or classic
Create AWS budget
AWS Budgets allows you to create budgets,
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



aws
s3
Ask AWS assistant
Europe (Stockholm)
Amazon S3
Services
Features
Documentation
Knowledge articles
Marketplace
Blog posts
Events
Tutorials
Services
Show more
S3
Scalable Storage in the Cloud
S3 Glacier
Amazon S3 Glacier API for vaults only. For the Glacier Deep Archive, Glacier Flexible Retrie...
AWS Snow Family
Large Scale Data Transport
Features
Show more
S3 Files
S3 feature
S3 on Outposts
AWS Outposts feature
Exports to S3
DynamoDB feature



Amazon S3
Storage
Amazon S3
Store and retrieve any amount of data from anywhere
Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance.
Create a bucket
Every object in S3 is stored in a bucket. To upload files and folders to S3, you'll need to create a bucket where the objects will be stored.
Create bucket
How it works
Introduction to Amazon S3 | Amazon Web Services
Amazon Web Services
Pricing
With S3, there are no minimum fees. You only pay for what you use. Prices are based on the location of your S3 bucket.
Estimate your monthly bill using the AWS Simple Monthly Calculator
View pricing details
Resources



Create bucket Info
Buckets are containers for data stored in S3.
General configuration
AWS Region
Europe (Stockholm) eu-north-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name Info
vennelafilestorage
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more
Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.
Choose bucket



Default encryption Info
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page.
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Server-side encryption with AWS Key Management Service keys (SSE-KMS)
Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)
Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. Learn more
Disable
Enable
Advanced settings
After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.
Cancel
Create bucket


Amazon S3 / Buckets / vennelafilestorage / Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (5 total, 4.4 MB)
Remove
Add files
Add folder
All files and folders in this table will be uploaded.
Find by name
1
Name
Folder
Type
Size
GENAI-20260611.pdf - application/pdf 1.4 MB
Lab - Implement Advanced STP Modifications a... - application/pdf 437.4 KB
CO5-DSA-3-Module 5- Session18-Part-2.pptx - application/vnd.openxmlformats-officedocum... 762.9 KB
ossp skill session-13&14.pdf - application/pdf 1010.2 KB
IWMS_Project_Review_New_Template.pptx - application/vnd.openxmlformats-officedocum... 853.9 KB
Destination Info
Destination
s3://vennelafilestorage



Amazon S3 / Buckets / vennelafilestorage
Successfully created bucket "vennelafilestorage"
vennelafilestorage Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (0)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions.
Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
No objects
You don't have any objects in this bucket.
Upload



Destination details
Bucket settings that impact new objects stored in the specified destination.
Permissions
Grant public access and access to other AWS accounts.
Properties
Specify storage class, encryption settings, tags, and more.
Cancel
Upload



Amazon S3
Upload succeeded
For more information, see the Files and folders table.
Summary
Destination
s3://vennelafilestorage
Succeeded
5 files, 4.4 MB (100.00%)
Failed
0 files, 0 B (0%)
Files and folders
Configuration
Files and folders (5 total, 4.4 MB)
Find by name
Name
Folder
Type
Size
Status
Error
GENAI-20260611.pdf
Lab - Implement Advanced STP ...
CO5-DSA-3-Module 5- Session18...
ossp skill session-13&14.pdf
IWMS_Project_Review_New_Tem...
application/pdf
application/vnd.openxmlform...
1.4 MB
437.4 KB
762.9 KB
1010.2 KB
853.9 KB
Succeeded


ec2
Ask AWS assistant
Services
Show more
Services
Features
Resources
Documentation
Knowledge articles
Marketplace
Blog posts
Events
Tutorials
EC2
Virtual Servers in the Cloud
EC2 Image Builder
A managed service to automate build, customize and deploy OS images
Recycle Bin
Protect resources from accidental deletion
Features
Show more
EC2 Instances
CloudWatch feature
EC2 Resource Health
CloudWatch feature
Dashboard
EC2 feature


Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Settings
Compute
Amazon Elastic Compute Cloud (EC2)
Create, manage, and monitor virtual servers in the cloud.
Amazon Elastic Compute Cloud (Amazon EC2) offers the broadest and deepest compute platform, with over 600 instance types and a choice of the latest processors, storage, networking, operating systems, and purchase models to help you best match the needs of your workload.
Launch a virtual server
Launch instance
View dashboard
Additional actions
View running instances
Migrate a server
Benefits and features
EC2 offers ultimate scalability and control
Fully resizable compute capacity to support virtually any workload. This service is best if you want:
Highest level of control of the entire technology stack, allowing full integration with all AWS services
Widest variety of server size options
Widest availability of operating systems to choose from including Linux, Windows, and macOS
Pricing (US)
EC2 pricing options
Use the AWS pricing calculator


EC2 / Key pairs
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Settings
Key pairs (3/3) Info
Actions
Create key pair
Filter Key Pair by attribute or tag
Name
Type
Created
Fingerprint
ID
linuxkey 1
rsa
2026/11/11 10:26 GMT+5:30
cf:56:b6:b1:7b:84:72:ae:80:45:1c:91:3...
key-0b1be61d9036a5280
linuxui key1
rsa
2026/11/11 11:28 GMT+5:30
3a:53:c1:87:f5:c8:67:01:ed:98:a2:ea:...
key-07920de1c9c58cb30
mywindowskey 1
rsa
2026/11/11 10:45 GMT+5:30
b2:5f:28:b1:6d:f1:39:c7:79:e8:d7:fc:0...
key-0fd5f5a4b03a5d219


EC2 / Key pairs
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Key pairs Info
Actions
Create key pair
Filter Key Pair by attribute or tag
Name
Type
Created
Fingerprint
ID
No key pairs to display
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Successfully initiated starting of i-02a426dc6d0acff6c,i-0b8070d54e091fa88,i-00c3e666b2a85c95c
Instances (3/3) Info
Last updated 14 minutes ago
Connect
Instance state
Actions
Launch instances
Stop instance
Start instance
Reboot instance
Hibernate instance
Terminate (delete) instance
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Instance state = stopped
Instance state = stopped
Clear filters
Name
Instance ID
Instance state
Instance type
Public IPv4 DNS
mywindowsvm
i-02a426dc6d0acff6c
Running
t3.micro
Initializing
eu-north-1b
ec2-13-60-214-11
mylinuxvm
i-0b8070d54e091fa88
Running
t3.micro
Initializing
eu-north-1b
ec2-51-20-51-211
linuxui
i-00c3e666b2a85c95c
Running
t3.small
Initializing
eu-north-1c
ec2-16-16-173-19

Terminate (delete) instances

On an EBS-backed instance, the default action is for the root EBS volume to be deleted when the instance is terminated. Storage on any local drives will be lost.

Are you sure you want to terminate these instances?

Instance ID	Termination protection
i-02a426dc6d0acff6c (mywindowsvm)	Disabled
i-0b8070d54e091fa88 (mylinuxvm)	Disabled
i-00c3e666b2a85c95c (linuxui)	Disabled


To confirm that you want to delete the instances, choose the terminate button below. Instances with termination protection enabled will not be terminated. Terminating the instance cannot be undone.

Skip OS shutdown

This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.

☐ Skip OS shutdown

Cancel | Terminate (delete)



Delete security groups


Are you sure that you want to delete these security groups?


- sg-01d9e123b9f5f6228 - launch-wizard-3
- sg-0ec63c0a3265a448e - launch-wizard-1
- sg-0c217cb54363a8d9b - launch-wizard-2

To confirm deletion, enter *delete* below.

delete

Cancel | Delete




EC2 / Security Groups
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Security Groups (1) Info
Actions
Export security groups to CSV
Create security group
Find security groups by attribute or tag
1
Name
Security group ID
Security group name
VPC ID
-
sg-011f0afee6920ec8
default
vpc-0bea3c54a0db245f4