Hands-on Lab : Basics of SQL SELECT Statement

Estimated time needed: 20 minutes

In this lab, you will learn one of the most commonly used statements of SQL (Structured Query Language), the SELECT statement. The SELECT statement is used to select data from a database.

How does the syntax of a SELECT statement look?

```
SELECT column1, column2, ...
FROM table_name
WHERE condition
;
```

What do the keywords / clauses of a SQL statement shown above do?

- **FROM**: Specifies from which table to get the data. The clause can include optional JOIN subclauses to specify the rules for joining tables.
- [Optional Clause] **WHERE** : Specifies which rows to retrieve.

Why is there a semicolon after the SQL statements?

- Some database systems require a semicolon at the end of each SQL statement for execution. It is a standard way to separate one SQL statement from another which allows more than one SQL statement to be executed in the same call to the server. So, it is good practice to use a semicolon at the end of each SQL statement.

Software Used in this Lab

In this lab, you will use Datasette , an open source multi-tool for exploring and publishing data.

Database Used in this Lab

The database used in this lab comes from the following dataset source: Film Locations in San Francisco under a PDDL: Public Domain Dedication and License.

Objectives

After completing this lab, you will be able to:

- Query a database
- Retrieve data records from one or more tables of a database as resultset according to the criteria you specify

Task A: Exploring the Database

Let us first explore the **SanFranciscoFilmLocations** database using the **Datasette** tool:

1. If the first statement listed below is not already in the Datasette textbox on the right, then copy the code below by clicking on the little copy button on the bottom right of the codeblock below and then paste it into the textbox of the Datasette tool using either **Ctrl+V** or right-click in the text box and choose **Paste**.

```
SELECT * FROM FilmLocations;
```



2. Click **Submit Query**.

3. Now you can scroll down the table and explore all the columns and rows of the **FilmLocations** table to get an overall idea of the table contents.



Title	ReleaseYear	Locations	FunFacts	ProductionCompany	Distributor	Director	Writer	Actor1	Actor2	Actor3
180	2011	Epic Roasthouse (399 Embarcadero)		SPI Cinemas		Jayendra	Umarji Anuradha, Jayendra, Aarthi Sriram, & Suba	Siddarth	Nithya Menon	Priya Anand
180	2011	Mason & California Streets (Nob Hill)		SPI Cinemas		Jayendra	Umarji Anuradha, Jayendra, Aarthi Sriram, & Suba	Siddarth	Nithya Menon	Priya Anand
180	2011	Justin Herman Plaza		SPI Cinemas		Jayendra	Umarji Anuradha, Jayendra, Aarthi Sriram, & Suba	Siddarth	Nithya Menon	Priya Anand
180	2011	200 block Market Street		SPI Cinemas		Jayendra	Umarji Anuradha, Jayendra, Aarthi Sriram, & Suba	Siddarth	Nithya Menon	Priya Anand
180	2011	City Hall		SPI Cinemas		Jayendra	Umarji Anuradha, Jayendra, Aarthi Sriram, & Suba	Siddarth	Nithya Menon	Priya Anand
180	2011	Polk & Larkin Streets		SPI Cinemas		Jayendra	Umarji Anuradha, Jayendra, Aarthi Sriram, & Suba	Siddarth	Nithya Menon	Priya Anand
180	2011	Randall Museum		SPI Cinemas		Jayendra	Umarji Anuradha, Jayendra, Aarthi Sriram, & Suba	Siddarth	Nithya Menon	Priya Anand

4. These are the column attribute descriptions from the **FilmLocations** table:

```
FilmLocations(
    Title:              titles of the films,
    ReleaseYear:        time of public release of the films,
    Locations:          locations of San Francisco where the films were shot,
    FunFacts:           funny facts about the filming locations,
    ProductionCompany:  companies who produced the films,
    Distributor:        companies who distributed the films,
    Director:           people who directed the films,
    Writer:             people who wrote the films,
    Actor1:             person 1 who acted in the films,
    Actor2:             person 2 who acted in the films,
    Actor3:             person 3 who acted in the films
)
```