


Quiz : 17/3/22



Swaroop

Kiran

Akshay

Chandani

Quader

1. pyth - core sensitive

2. vc indexing
↳ cont. dep.

→ map len variable (-vc)
sugest. 79
↳ but: no limit.

→ ~~so~~ ~~str~~ lower() str → lower.

→ params:
~~sys~~ functionality: no specific control just pass

→ help (function name)

↳ (documentation) → within ~~of~~ function.

→ list of all keys . dict.keys()
index.

→ retrieve only part of text = slicing

→ .isalpha()

→ find if string has sp

→ .isspace()
find space()

→ insert at index
x.insert(number, index)

→ Break & continue
↓ out of loop ↓ skips that

→ will do while work if not put semicolon?

→ do while not in python

→ which direction you are working?

OS get ~~cwd~~
cwd()

→ list to string

$l_1 \cdot \text{join} [l_2]$

~~$l_1 \cdot \text{join} [l_2]$~~

$\text{join}(l_1)$

\rightarrow removing duplicates in list

$$L_2 = \text{set}(L_1)$$

$$l_1 = \text{list}(L_2)$$

\rightarrow

$$a // 3$$

$$a = a // 3$$

$$a \neq 1$$

$$a = a + 1$$

need . stry of first

f : -- doc --

Recursion

↳ use ~~for~~ calling ~~calling~~ of function within a function

Ex: Factor, fibo-

List comp

↳ simple way of creating another list using existing list

Ex: $l2 = [x \times 2 \text{ for } x \text{ in } l1]$

How to
Toggle

core of stry

stry $\xrightarrow{2}$ "is bed"
1 1 1 \rightarrow small

capital
small \leftrightarrow car

if (x is ~~small~~ lower) {
 y = x - upper
}

else : y = x - lower

for Swap
car

stress. swap car
lower \rightarrow

Zip front



two tuple

key value

2 tuple \rightarrow distance

conv conv

num int biner

$\binom{4}{2}$

rem = 1

varname =

win()

how many args range, if)

③

for (start, stop, ~~and~~ step)

list comprehensions - to create

can have

used for dictionaries

python

interpreter

compiled pyth.

~~python~~

for deploy, ↑
compiled file
off

~~1~~

opyc

~~1~~

compiled

Power Squad

won 7/ps

Team 6

Aug-5

We covered 200

Explos
stry June -80
Unit June -80

Target
Ty-Arch
Bridge 222