

34m left

ALL

1

2

### 1. Products Without Sales

Given the product and invoice details for products at an online store, find all the products that were not sold. For each such product, display its SKU and product name. Order the result by SKU, ascending.

► Schema

► Sample Data Tables

LanguageMS SQL ServerAutocomplete not supported

```
1 > SET NOCOUNT ON; ...
3
4 /*
5  Enter your query below.
6  Please append a semicolon ";" at the end of the query
7
8  Output:
9  sku
10 product_name
11
12 ORDER BY:
13
14 */
15
16 go
```

Test Results

Zur Suche Text hier eingeben

17°C Regenwahr

33m left

ALL

1

2

### 1. Products without sales

Given the product and invoice details for products at an online store, find all the products that were not sold. For each such product, display its SKU and product name. Order the result by SKU, ascending.

▼ Schema

There are 2 tables: *PRODUCT*, *INVOICE\_ITEM*.

PRODUCT		
Name	Type	Description
id	int	PK
sku	varchar(32)	
product_name	varchar(128)	
product_description	varchar(255)	
current_price	decimal(8,2)	
quantity_in_stock	decimal(8,2)	
is_active	int	

INVOICE_ITEM		
Name	Type	Description
invoice_id	int	FK
product_id	int	FK
quantity	decimal(8,2)	
price	decimal(8,2)	
line_total_price	decimal(8,2)	

Note: *invoice\_item.product\_id* references *product.id*

LanguageMS SQL ServerAutocomplete not supported

```
1 > SET NOCOUNT ON; ...
3
4 /*
5  Enter your query below.
6  Please append a semicolon ";" at the end of the query
7
8  Output:
9  sku
10 product_name
11
12 ORDER BY: sku asc
13
14 */
15
16 go
17
18 |
```

Test Results

Zur Suche Text hier eingeben

17°C Regenwahr

32m left

ALL

1

2

▼ Schema

There are 2 tables: *PRODUCT*, *INVOICE\_ITEM*.

PRODUCT		
Name	Type	Description
id	int	PK
sku	varchar(32)	
product_name	varchar(128)	
product_description	varchar(255)	
current_price	decimal(8,2)	
quantity_in_stock	decimal(8,2)	
is_active	int	

INVOICE_ITEM		
Name	Type	Description
invoice_id	int	FK
product_id	int	FK
quantity	decimal(8,2)	
price	decimal(8,2)	
line_total_price	decimal(8,2)	


Note: *invoice\_item.product\_id* references *product.id*

► Sample Data Tables

Language MS SQL Server Autocomplete not supported ⓘ

```
1 > SET NOCOUNT ON; ...
2
3
4 /*
5 Enter your query below.
6 Please append a semicolon ";" at the end of the query
7
8 Output:
9 sku
10 product_name
11
12 ORDER BY: sku asc
13
14 */
15
16 go
17
18 SELECT
19     sku,
20     product_name,
21     invoice_item
22 FROM     PRODUCT p
23 LEFT JOIN INVOICE_ITEM ii ON ii.product_id = p.id
```

Uploading



```
13
14 */
15
16 go
17
18 SELECT
19     sku,
20     product_name
21 FROM   PRODUCT p
22 LEFT JOIN INVOICE_ITEM ii ON ii.product_id = p.id
23
24 WHERE invoice_id is null
25 ORDER BY sku
26
```

Line: 25 Col: 13

# Notes

Q Search

**SP.SKU,Ppname**

7:14 PM Handwritten note

**posi-O**

11:46 AM Handwritten note

**creat lange array oto**

Monday Handwritten note

**Unix**

Saturday Aswini , Oracle

**Karthik Sir Day 3**

Friday Discipline , A mindset

**List all the employees in dept 20.**

Wednesday List the employee earning m...

**Till now uncertain , so fund certaint...**

05/04/22 K choice n options

**— SQL Assignment Ch5 State...**

03/04/22 —Create Table

\$ p, SKU, pname

from

pro p, inv d.

where

~~not sold~~  
p, id is not in  
inv or

~~group~~

Q

p.id = i.p\_id