

title → Tab title

ul - li

p

br

b, i, u strike

strong em

mark (highlight)

del

ins

hr

div id=" " class

span

\$

+ card of style
padding:
color:

}

img < src alt

video <

audio <

b

del

li

ul

del type = square

circle

list order
ul type: 1, 2, start
ol type


list

ul
ol
ol

table
tr

td

td ← →



<center> tag

</center>

~~attributes~~

<addr title="NCSway">

NCS

</addr>

Acronym>

NCS

<Acronym>

comment

<!-- -->

(img)

width: " " width
height
align
border

alt: " " alt
to put img in center
L P : align: "center" >
padding: " " padding
in P

(p)

<p style = "text-align:center"

video L

src = " " src

~~autoplay~~

autoplay

poster = " " poster

.jpg" jpg

... more ...

if

<iframe src=

autoplay

frameborder border

Lfr

(img) video just open tag
audio doublet, (iframe) also don't do

audios controls autoplay >

source = " .ogg "
type = " audio/ogg "

< | audio >

< object type = " application/pdf "

date = " 2023-01-01.pdf " >

< | object >

... 1 →

Lembled /

```
<div id="zz" class="lambcl>
  <span style="color:blue">
    <span>
    </span>
  </span>
</div>
<title>
  <title>
<style media="screen">
```

#LamID {

```
background-color: powderblue;
color: red;
padding: 15px;
text-align: center;
}
```

form:

<form class=" " action = "index.html" method = "post" >

<label for="fname" > First name </label>

<input type="text" name="fname" value=" " placeholder=" " >

Drop Down options

<select class="Age" name="Age" >

<option value = "18" > 18-25
Options? </option>

`<input type="checkbox"/>`

group click ⓠ radio

`<input id="Male" type="radio" name="Gender" value="Male" />`

long text ↴
~~IP~~

`<text area name="feedback" rows="6" cols="60" placeholder="Placeholder" />`

`<text area>`

~~IP~~

`(checkbox) type="checkbox" />, "button"`

`button" name="submit" value="submit")`

good type r SW

V V-