

EXPERIMENT-02

1.Using text formatting tags for commenting the lines, text as bidirectional object, progress bar, meter bar, format text in document, strike through the text, underline the text, description list, description data, description text, display elements in the form, metadata, create a list of navigation elements, format the text, creating hyperlink over a text, move the text from one direction to another(marquee) and etc.

```
<!DOCTYPE html>
<html>
<head>
<title>abc</title>
<meta charset="UTF-8">
<meta name="description" content="Free Web Tutorials">
<meta name="keywords" content="HTML,CSS,XML,JavaScript">
<meta name="author" content="John Doe">
<meta name="viewport" content="width=device-width, intial-scale=1.0">
</head>

<body bgcolor="white" text="blue">
<p>Hello from Swati</p>
<h1>WELCOME..!!</h1>
<h2>WELCOME..!!</h2>
<h3>WELCOME..!!</h3>
<h4>WELCOME..!!</h4>

<b>WELCOME TO 1ST HTML WEB PAGE</b>
<br>
<br>

<strong><i>INTERNET AND WEB TECHNOLOGY</i></strong>
<br>
<u>BEGINNING OF HTML PROGRAMMING</u> <br>

<del>HTML</del> <BR>

H<sub>2</sub>O <br>

(A+B)<sup>2</sup><br>

WELCOME TO <small>HTML</small><br>
WELCOME TO <mark>HTML</mark><br>
<b><address>WELCOME TO <ins>HTML</ins></address></b>
```

```
<blockquote>Example of Blockquote</blockquote>
<!--This is a COMMENT LINE-->
<progress value="75" max="100"></progress><br>
<meter value="5" min="0" max="10">5 out 10</meter><br>
<meter value="0.7">70%</meter> <br>
<code>Used to format text in a document</code><br>

<p>The<abbr title="WORLD HEALTH ORGANISATION"> WHO</abbr> was founded in 1948.</p>

<kbd>Used to display the text in a format in a document</kbd> <br>
<s>STRIKETHROUGH</s> <br>
<strike>another tag to strike through the text</strike> <br>
<var>To Italic the Text</var> <br>

<p>Welcome<span style="color:red"> to HTML.</span></p>

<caption>login info</caption>
<dl>
<dt>DESCRIPTION TEXT</dt>
<dd>DESCRIPTION DATA</dd>
</dl>

<form>
<fieldset>
<legend>Personal Database:</legend>
Name: <input type="text"> <br>
Email: <input type="text"> <br>
<input type="button" value="submit"></input>
</fieldset>
</form>

<nav>
<a href="/html/">HTML</a> | 
<a href="/css/">CSS</a> | 
<a href="/js/">JavaScript</a> | 
<a href="/jquery/">jQuery</a>
</nav>

<marquee direction="right"bgcolor="green"height="50" width="100%" scrolldelay=10
scrollamount=10>
<font size=7>Example of Marquee Text</font>
```

```
</marquee>
</body>
</html>
```

