

Pseudo-classes

syntax :

.myClass:<pseudo_class> { css modified properties }

- hover --> event where mouse move through element

ex. .myClass:hover{ background-color : black }

-click --> instantly while click on element

- focus --> last focused or clicked element

TRAINING MODULE

Flex

Flex properties

-flex direction

row , row-reverse , column , column-reverse



-flex wrap

wrap , no-wrap .

-flex grow (for child)

number : 1 , 1.2 , 4.1

TRAINING MODULE

GRID (your task)


TRAINING MODULE

Position

relative

move according its
initial position


his place in layout still
found



absolute

move according its
closed parent with
relative position

his place in layout
discarded



static

still at fixed place
in page

its place can be
changed while
scrolling



scrolling down



fixed

still at screen
itself

its place can't be
changed while
scrolling



scrolling down



TRAINING MODULE

Responsive Customization

TRAINING MODULE

screen ranges

1200px +

992px

768px

425px

**ex. i want in my div be flex-
direction row with large
screens and column with small
screens**

```
.myDiv{  
display:flex;  
flex-direction: column;  
@media and (min-width:768px){  
    flex-direction : row  
}  
}
```

this code will make flex direction be row after screen reach width 768px

طول ما الشاشة عرضها اقل من 768 px سيكون column ولما الشاشة تكون اكبر
سيكون row

TRAINING MODULE

Animation

```
.mydiv{  
  animation-name: jump;  
  animation-duration : 1s;  
  animation-iteration-count: infinite;  
}
```

```
@keyframes jump{  
0%{ transform:translateY(0);}  
50%{transform:translateY(-1rem)}  
100%{transform:translateY(0)}  
}
```