Practical 8: Discover Live Hosts.

Aim:
To discover Live Host using Nmap Scans on the TryHackMe Platform Room link

Introduction:
When Targeting a Network, we need an efficient tool to Handle repetitive Tasks. This tool should help us find out which systems are active and what services are running on those systems. The tool that we will rely on is Nmap. The first question about finding live computers is answered in this room. This room is the first in a series of four rooms dedicated to Nmap. The second question about discovering running service is answered in the next Nmap rooms that focus on port-scanning.


This room is the first of four in this Nmap series. These four rooms are also part of the network security module.


→ Nmap Live Host Discovery
→ Nmap Basic Port Scans
→ Nmap advanced Port Scans
→ Nmap Post Port Scans.

Subnetworks


A network segment is a group of computers linked through a shared medium, like an ethernet switch or WiFi aues. In IP networks, a subnet typically consists of one or more network segments connected together & configured to use the same router. A network segment is a physical connection, while a subnetwork is a logical or


⇒ TCP/IP





⇒ ARP





⇒ ICMP.

Room progress: 90%

Answer the questions below

What is the option required to tell Nmap to use ICMP Timestamp to discover live hosts?

-PP

✓ Correct Answer

What is the option required to tell Nmap to use ICMP Address Mask to discover live hosts?


-PM

✓ Correct Answer

What is the option required to tell Nmap to use ICMP Echo to discover live hosts?

-PE

✓ Correct Answer



⇒ TCP/UDP

```
apt install masscan
```

Answer the questions below

Which TCP ping scan does not require a privileged account?

TCP SYN Ping

✓ Correct Answer

Which TCP ping scan requires a privileged account?


TCP ACK Ping

✓ Correct Answer

What option do you need to add to Nmap to run a TCP SYN ping scan on the telnet port?

-PS23

Correct Answer



Result:

Hence the output is successfully obtained.