

DasAll Events and Associated Data Fields. (updated 4-24-2020 by Jim Carretta)

All event records, except events "1"- "8" and "?", begin with these six data fields:

Sequence (columns 1-3)
Event (columns 4-4)
On Effort (columns 5-5)
Time (columns 6-11)
Date (columns 13-18)
Position (columns 20-39),

followed by up to eight more data fields (depending on the Event code in column 4) with the following locations in the record:

Field 1 (columns 41-44)
Field 2 (columns 46-49)
Field 3 (columns 51-54)
Field 4 (columns 56-59)
Field 5 (columns 61-64)
Field 6 (columns 66-69)
Field 7 (columns 71-74)
Field 8 (columns 76-79)
Field 9 (columns 81-84)

Event "B" Begin effort for the day.

Field 1: **Cruise Number**, the unique number assigned to the cruise.
Field 2: **Mode**, passing or closing on sightings. C=closing, P=passing.
Field 3: **Dev from GMT**, the difference in hours between local time and GMT.
Field 4: **Echo Sounder**, monitors use of EQ50 or similar echo sounding gear.
Y = in use, N = not in use.

Event "R" Resume effort. in the study area.

Field 1: **Effort Type**: S = Standard, N = Non-standard, F = Fine scale.

Event "E" End on-effort searching mode. (No other data fields accompany this event.)

Field 1: **Reason for Ending**

Event "P" Observer Positions.

Field 1: **Left Bino**, identity of the observer on the port binoculars.
Field 2: **Rec**, identity of the observer acting as data recorder.
Field 3: **Right Bino**, identity of the observer on the starboard binoculars.
Field 4: **Ind Obs**, identity of the observer acting as independent observer.

Event "V" Sea state viewing conditions.

Field 1: **Beaufort**, beaufort sea state.
Field 2: **Swell Ht**, height of predominant swell in feet.

- Field 3: **Swell Dir**, compass direction of predominant swell.
 Field 4: **SSurf Temp**, sea surface temperature, normally left blank.
 Field 5: **Wind Speed**, true wind speed in knots.
 Field 6: **Observation Index**, subjective value between 1 and 5, decimal values ok

Event "N" Navigation information.

- Field 1: **Course**, direction the ship is moving, course made true.
 Field 2: **Speed**, ship's speed over ground.
 Field 2: **Water Color**, Forel Scale.

Event "W" Weather information.

- Field 1: **Fog or Rain**, indication of the presence of rain, fog, or haze. 1 = no fog/rain, 2 = fog, 3 = rain, 4 = rain and fog, 5 = haze.
 Field 2: **Horiz Sun**, horizontal sun angle, corresponding to a clock face: 12 = on the bow, 3 = starboard beam, 6 = astern, 9 = port beam, etc.
 Field 3: **Vert Sun**, vertical sun angle: 12 (overhead), 1, 2 or 3 (at the horizon).
 Field 4: **Wind Dir**, wind direction in degrees, relative to true North.
 Field 5: **Visibility**, distance in nautical miles at which a dolphin could be seen surfacing with the water (not sky) as background.

Events "S" or "K", "M" Marine mammal sighting. (S = standard sighting, K = tracker sighting, and M = matched sighting)

- Field 1: **Sight**, the unique sighting number.
 Field 2: **Detec By**, identity of the observer who first detected the cue leading to the sighting.
 Field 3: **Sighting Cue**, type of cue that led to the sighting. 1 = birds, 2 = splashes, 3 = mammals, 4 = ships, 5 = other/unknown, 6 = whale blow.
 Field 4: **Sighting Method**, the method by which the school was detected. 1 = naked eye, 2 = 7x or 10x handheld binos, 4 = 25x mounted binos, 5 = unknown but not 25x, 6 = other/unknown, 7 = helicopter.
 Field 5: **Bearing**, the horizontal angle between the track line and sighting in degrees.
 Field 6: **Reticle**, the number of eyepiece reticle marks between the horizon and sighting in the binocular field of view.
 Field 7: **Distance**, the radial distance to the sighting in nautical miles.
 Field 8: **MM Heading**, the course the school is moving relative to the vessel's track line.
 Field 9: **MM Speed**, estimated speed of the school in knots.

Event "A" Auxiliary sighting information.

- Field 1: **Sight**, the unique sighting number (same as in Event S).
 Field 2: (This field not used.)
 Field 3: **Photos**, indication of whether photographs were taken of the school. Y = yes, N = no.
 Field 4: **Birds**, indication of whether birds were present with the school. Y = yes, N = no.

Field 5: **Sp1 Code**, the first of up to four species/stock components of the school.
Field 6: **Sp2 Code**, the second of up to four species/stock components of the school.
Field 7: **Sp3 Code**, the third of up to four species/stock components of the school.
Field 8: **Sp4 Code**, the fourth of four species/stock components of the school.

Events "s" or "k" Resighting information.

Field 1: **Sight**, the sighting number assigned to the original sighting.
Field 2: **Bearing**, the bearing to the sighting in degrees.
Field 3: **Reticle**, the number of eyepiece reticle marks between the horizon and sighting in the binocular field of view.
Field 4: **Distance**, the radial distance to the sighting in nautical miles.
Field 5: **Course**, the course the school is moving relative to the vessel's track line.

Event "t" Turtle sighting.

Field 1: **TDetec By**, the identity of the observer that made the sighting.
Field 2: **Sp Code**, the turtle species.
Field 3: **TBearing**, the bearing in degrees to the turtle.
Field 4: **TDistance**, the distance in nautical miles to the turtle.
Field 5: **Num Turtles**, the number of individual turtles.
Field 6: **Assoc JFR**, presence of associated jellyfish, floating debris, or red tide.
Field 7: **TReticle**, the number of eyepiece reticle marks between the horizon and sighting in the binocular field of view.
Field 8: **Maturity**, observer estimate of whether the turtle is an adult or juvenile.
Field 9: **Captured**, whether the turtle was captured.

Event "F" Fishing vessel or fishing gear or buoy sighting.

Field 1: **Boat Detec By**, the observer who made the sighting.
Field 2: **BBearing**, the bearing to fishing vessel/gear.
Field 3: **Distance**, the distance in nautical miles to the vessel/gear.
Field 4: **Reticle**, the number of eyepiece reticle marks between the horizon and sighting in the binocular field of view.
Field 5: **Boat Type**, the type of boat or gear sighted.
Field 6: **Number of Boats**, the number of individual boats, buoys or gear arrays.

Event "C" Comment. (Comments are not confined to discrete data fields.)

Event "Q" Tracking team positions (used during special projects).

Field 1: **Obs A**, the identity of tracker team member number 1.
Field 2: **Obs B**, the identity of tracker team member number 2.
Field 3: **Obs C**, the identity of tracker team member number 3.
Field 4: **Obs D**, the identity of tracker team member number 4.

Event "*" Automatic position recorded every 10 minutes if no intervening event is entered. (No other data fields accompany this event.)

Event "#" Deleted event. Event was deleted from the event buffer. (No other data fields accompany this event.)

Event "?" Probable species/stock identity (used in conjunction with "A" events.)

Field 1: **Sight**, the unique sighting number (same as in Event S).

Field 2: (This field not used.)

Field 3: (This field not used.)

Field 4: (This field not used.)

Field 5: **Sp1 Code**, the first of four probable species/stock components of the school.

Field 6: **Sp2 Code**, the second of four probable species/stock components of the school.

Field 7: **Sp3 Code**, the third of four probable species/stock components of the school.

Field 8: **Sp4 Code**, the fourth probable species/stock components of the school.

Events "1"-"8" Observer estimates of school size and species/stock composition.

Field 1: **Obs Code**, identity of the observer providing estimates.

Field 2: **Bst Est Schl**, observer's best estimate of school size.

Field 3: **Hi Est Schl**, observer's highest estimate of school size.

Field 4: **Lo Est Schl**, observer's lowest estimate of school size.

Field 5: **Sp1 Percent**, observer's estimate of the percentage of the school represented by the first species/stock component.

Field 6: **Sp2 Percent**, observer's estimate of the percentage of the school represented by the second species/stock component.

Field 7: **Sp3 Percent**, observer's estimate of the percentage of the school represented by the third species/stock component.

Field 8: **Sp4 Percent**, observer's estimate of the percentage of the school represented by the fourth species/stock component.