API Document of SW PAY

Contents

METHODS:

1. Recharge

url: https://api.swpay.in/api/Fastest/TransactionApi

userid	User ID auto generated by system
token	Generate API Token from API TOKEN page based on IP Address
account	Mobile No. to be recharged
op	Operator Code available in Commission Page
amount	Recharge Amount
reqid	unique request id generated by user alphanumeric max length 20
option1	Only in case of BSNL, MTNL LANDLINE send account number in optional1 else its blank
option2	Optional field for future reference

SAMPLE:

https://api.swpay.in/api/Fastest/TransactionApi?userid=UserId&token=ApiToken&account=0123456789&op=SAT&amount=0&reqid=ffss45uiiu89&option1=&option2=

SUPPORT: HTTPS GET Method

RESPONSE:

```
{

  "reqid": "HGSGruyru4387",

  "apistatus": "SUCCESS",

  "apifiredid": "4537126392818124454",

  "remarks": "Recharge Success.",

  "api_ref": "2013910715",

  "ec": "1000",

  "balance": 270

}
```

2. Error Codes

Error code	Error description	Error Type
1000	SUCCESS	SUCCESS
1017	REFUND DECLINED	SUCCESS
1018	RECHARGE ACCEPTED	PENDING
1010	RECHARGE PENDING	PENDING
For rest of code returned by "ec"will be considered as FAILED		

3. Get API Balance

url: **https://api.swpay.in/api/Fastest/GetBalance**

userid	UserId auto generated by system provided in API login portal
token	Generate ApiToken from API TOKEN page based on IP Address

SAMPLE:

https://api.swpay.in/api/Fastest/GetBalance?userid=UserId&token=ApiToken

SUPPORT: HTTPS GET Method

RESPONSE:

```
{
    "apibalance": "270.000"
}
```

4. Get Status of Transaction

url: **https://api.swpay.in/api/Fastest/GetStatus**

userid	UserId auto generated by system provided in API login portal
token	Generate ApiToken from API TOKEN page based on IP Address
reqid	Unique Id used as Transaction Id or reqid from transaction history

SAMPLE:

https://api.swpay.in/api/Fastest/GetStatus?userid=UserId&token=ApiToken&reqid=H23Gr uyru4387

SUPPORT: HTTPS GET Method

RESPONSE:

```
{
  "balance": "270.000",
  "status": "SUCCESS",
  "account": "9876543210",
  "amount": "10.00",
  "remarks": "Recharge Success.",
  "reqid": "HGSGruyru4387",
  "ec": "1000",
  "option1": "2013910715"
}
```

5. Raise Complain for a Transaction

url: https://api.swpay.in/api/Fastest/Complain

userid	UserId auto generated by system provided in API login portal
token	Generate ApiToken from API TOKEN page based on IP Address
transid	Unique Id used as Transaction Id or reqid from transaction history
remarks	

SAMPLE:

https://api.swpay.in/api/Fastest/Complain?userid=46&token=b5dd276a3c319ef&transid=84&remarks=hi%20api%20testing

SUPPORT: HTTPS GET Method

RESPONSE:

```
{
    "Complain": "Complain Successfully Raised"
}
```