

Universal USB 3.0 Laptop Docking Station with Video, Audio, Ethernet

USB3SDOCKD
USB3SDOCKHD



*actual product may vary from photos

DE: Bedienungsanleitung - de.startech.com

FR: Guide de l'utilisateur - fr.startech.com

ES: Guía del usuario - es.startech.com

IT: Guida per l'uso - it.startech.com

NL: Gebruiksaanwijzing - nl.startech.com

PT: Guia do usuário - pt.startech.com

For the most up-to-date information, please visit: www.startech.com



FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a different circuit than the receiver.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the device. If shielded interface cables are included with the product, or if additional components or accessories are designated for use with the installation, they must be used to ensure compliance with FCC regulations.

ISED Statement / Déclaration d'ISDE

CAN ICES-003(B) / NMB-003(B)

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

This device complies with ISED Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'ISDE Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Use of Trademarks, Registered Trademarks, and other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of third-party companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. Regardless of any direct acknowledgement elsewhere in the body of this document, StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders.

Table of Contents

Introduction	1
Packaging Contents	1
System Requirements.....	1
Front View	2
Rear View.....	2
Installation	3
Windows.....	3
MacOS	3
Supported Video Resolutions	4
Specifications.....	5
Technical Support	6
Warranty Information.....	6

Introduction

The Universal USB 3.0 Laptop Docking Station with Video, Audio and Ethernet adds an external DVI output (and HDMI® for USB3SDOCKHD), headphone/mic, Gigabit Ethernet and additional USB 3.0 and USB 2.0 ports all from a single device and over a single SuperSpeed USB 3.0 connection.

Featuring a DVI monitor output (and HDMI for USB3SDOCKHD) that can be used to expand or mirror your computer's main desktop, at video resolutions up to 2048x1152. Also combining USB 2.0 and USB 3.0 hubs, headphone and microphone audio connectors and a Gigabit Ethernet RJ45 port into an all-in-one laptop/notebook docking station that is the perfect accessory for those that need to connect and manage many devices on their laptops at home or the office.


Packaging Contents

- 1 x USB 3.0 Docking Station
- 1 x USB 3.0 Cable
- 1 x Universal Power Adapter (NA/UK/EU/AU)
- 1 x DVI to VGA Adapter
- 1 x Instruction Manual


System Requirements

- USB 3.0 enabled computer system with available USB 3.0 port
- Available AC electrical outlet
- Windows® 11, 10, 8 / 8.1 (32/64bit), 7 (32/64), Vista (32/64), XP SP3 (32), Mac OS® 10.6 and up.
- DVI (and/or HDMI for USB3SDOCKHD) enabled display device (e.g. monitor, projector, HTDV, etc) with cables
- 10/ 100/ 1000 Mbps compatible TCP/IP Ethernet network
- **CPU:** Intel® Core™2 Duo 2.0 GHz or better (Intel® Core™ i5 Quad Core 2.4 GHz or better recommended for video playback)
- **RAM:** 2 GB or more (4 GB recommended for video playback)

Front View



Rear View



Installation

Windows

1. Navigate to www.startech.com/USB3SDOCKHD, and click the Support tab.
2. Click the “[displaylink] windows usb display adapter.zip” file, and download the drivers.
3. Right-click the zip folder that you downloaded, select **Extract All**, and follow the onscreen instructions.
4. Right-click **Setup.exe**, and click **Run as Administrator**.

Note: If the Run as Administrator option is not available, you might be attempting to run the installer from within the zipped file. Extract the files using the instructions in Step 4.

5. Follow the on-screen prompts to install the device drivers and restart the computer when prompted.
6. Once Windows has restarted, connect the USB video adapter to your computer.
7. Your computer will automatically complete the driver installation and your device should be ready to use.

MacOS

1. Navigate to www.startech.com/USB3SDOCKHD, and click the Support tab.
2. Click “[displaylink] mac usb display adapter.zip” file, and download the drivers.
3. Run the **DMG File** associated with the installed **macOS Version**, located in the [DisplayLink] Mac USB Display Adapter folder.
4. Navigate to Finder > Applications and open the DisplayLink Manager app.
5. Select the **DisplayLink Manager app** icon from the Menu Bar.
6. Select the check-box for “**Launch app automatically after logging-in**” from the Automatic startup section.
7. Connect the **StarTech.com Adapter** to the **Mac and Video Display Device**.
8. Navigate to System **Preferences** > **Security & Privacy**, and go to the **Privacy tab**.
9. Select **Screen Recording** > **DisplayLink Manager**. This step permits the Mac to use the **DisplayLink Manager app** to send video from the StarTech.com Adapter to the Video Display Device.
10. Since the new permission will activate the next time the **DisplayLink Manager app** is started, select the prompt to **Quit & Reopen** or **Quit Now**.
11. Navigate to **Finder** > Applications and open the **DisplayLink Manager app**.

Supported Video Resolutions

Resolution	Refresh Rate
640 x 480	60/ 72/ 75/ 85 Hz
800 x 600	56/ 60/ 72/ 75/ 85 Hz
1024 x 768	60/ 70/ 75/ 85 Hz
1280 x 720	60 Hz
1280 x 768	60/ 75/ 85 Hz
1280 x 800	60 Hz
1280 x 1024	60/ 75 Hz
1366 x 768	60 Hz
1400 x 1050	60/ 75/ 85 Hz
1600 x 1200	60 Hz
1680 x 1050	60 Hz
1920 x 1080	60 Hz
1920 x 1200	60 Hz

Specifications

	USB3SDOCKD	USB3SDOCKHD
Host Interface	USB 3.0	
Chipset	DisplayLink DL-3700 VLI VL810 Terminus FE1.1 Realtek RTL8211E	DisplayLink DL-3900 VLI VL810 Terminus FE1.1 Realtek RTL8211E
Connectors	2 x USB 3.0 type A female 4 x USB 2.0 type A female 1 x 29-pin DVI-I female 1 x USB 3.0 type B female 1 x DC Power	1 x USB 3.0 type A female with BC 1.2 (1.5A) charging 4 x USB 2.0 type A female 1 x 29-pin DVI-I female 1 x HDMI female 1 x USB 3.0 type B female 1 x DC Power
LEDs	1 x Power 1 x USB Hub Link	
Maximum Data Transfer Rate	USB 3.0: 5 Gbps USB 2.0: 480 Mbps	
Supported Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab	
Supported Network Link Speeds	10/ 100/ 1000 Mbps	
Ethernet Full Duplex Support	Yes	
Auto MDIX	Yes	
Maximum Video Resolution	1920 x 1200	
Audio Support	Yes (headphone, mic)	

Specifications - Cont'd

Power Adapter	5V DC, 4000mA, center positive
Enclosure Material	Plastic
Operating Temperature	10°C ~ 40°C (50°F ~ 104°F)
Storage Temperature	-10°C ~ 80°C (14°F ~ 176°F)
Dimensions	195.7mm x 77.0mm x 126.3mm
Weight	364g
Compatible Operating Systems	Windows® 11, 10, 8 / 8.1 (32/64bit), 7 (32/64), Vista (32/64), XP SP3 (32), Mac OS® 10.6 and up

Technical Support

StarTech.com's lifetime technical support is an integral part of our commitment to provide industry-leading solutions. If you ever need help with your product, visit www.startech.com/support and access our comprehensive selection of online tools, documentation, and downloads.

For the latest drivers/software, please visit www.startech.com/downloads

Warranty Information

This product is backed by a two year warranty.

In addition, StarTech.com warrants its products against defects in materials and workmanship for the periods noted, following the initial date of purchase. During this period, the products may be returned for repair, or replacement with equivalent products at our discretion. The warranty covers parts and labor costs only. StarTech.com does not warrant its products from defects or damages arising from misuse, abuse, alteration, or normal wear and tear.

Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.





Hard-to-find made easy®

Hard-to-find made easy. At StarTech.com, that isn't a slogan. It's a promise.

StarTech.com is your one-stop source for every connectivity part you need. From the latest technology to legacy products — and all the parts that bridge the old and new — we can help you find the parts that connect your solutions.

We make it easy to locate the parts, and we quickly deliver them wherever they need to go. Just talk to one of our tech advisors or visit our website. You'll be connected to the products you need in no time.

Visit www.startech.com for complete information on all StarTech.com products and to access exclusive resources and time-saving tools.

StarTech.com is an ISO 9001 Registered manufacturer of connectivity and technology parts. StarTech.com was founded in 1985 and has operations in the United States, Canada, the United Kingdom and Taiwan servicing a worldwide market.