

Compliance Report



Map Height & Width:	11.00 X 8.50 in
Time Zone:	Pacific Standard Time
Exclusion Radius:	0 m
Report Mode:	Standard
Boundary	DistrictPlat-3279-J6

- ☐ LISA Investigation Complete
- ☐ GAP Investigation Complete
- ☐ CGI Investigation Complete

Report Creation Date 2/7/2016 3:11 PM PST

Approver Name

Approver Signature

Date

Show Coverage

Percent Coverage Assets



Percent Coverage Report Area



Percent Coverage Forecast



Coverage Values

Total Linear Asset Coverage

20%

Percent Coverage Report Area

9%

Layers

Asset

Protected Steel



Other Plastic



Un-protected Steel



PE Plastic



Cast Iron



Copper



Boundary

District Plat



District



View Table

Selected Views

View Name	Show LISAs	Show FOV	Show Breadcrumb	Show Indications	Show Isotopic Analyses	Show Field Notes	Show Gaps	Show Assets	Show Boundaries	Base Map
View 1										Map
View 2										Satellite
View 3										Map
View 4										Satellite
View 5										Map
View 6										Satellite

Selected Driving Surveys

Start Date/Time	End Date/Time	Duration (min)	User Name	Surveyor	Analyzer	Tag	FOV	Indication	LISA	Analysis	Stability Class
2/18/2015 8:40 PM PST	2/18/2015 10:02 PM PST	82	achowdhury@pge.com	Gray Chevy	FEDS2028-1	Menlo Grey Night 2/18					D
2/18/2015 10:03 PM PST	2/19/2015 12:17 AM PST	134	achowdhury@pge.com	Gray Chevy	FEDS2028-1	Menlo2 Grey Night 2/18					E

Isotopic Analysis Table

No Isotopic records are present

Indication Table

No Lisa records are present
