MINISTRY OF
ELECTRONICS AND
INFORMATION TECHNOLOGY

ISEA

DSCI
PROMOTING DATA PROTECTION

FORENSICS LOG REPORT

YEAR 2025-2026

Prepared for
Ministry of Electronics and Information Technology

FEBRUARY 2026 | CONFIDENTIAL REPORT

TABLE OF CONTENTS

1. Case Snapshot and Dataset Overview

Case CASE-UNKNOWN was processed to summarize evidence intake, integrity, custody continuity, normalization quality, behavioral signals, and anomaly outcomes.

The dataset contains 0 artifacts with a combined size of 0 B. The observed upload window spans from N/A to N/A.

Most frequent formats in this dataset: N/A. These distributions help anticipate which parsers and correlation paths will contribute most to the investigation.

Data Coverage

Expected Field	Present
case_id	No
evidence_list	No
evidence file_type	No
evidence size_bytes	No
evidence upload_time	No

2. Evidence Intake Summary (Files, Formats, Sizes, Upload Times)

Evidence intake summarizes what was received, when it was received, and how it was categorized for downstream processing.

Artifacts are grouped by format and size to identify heavy sources (for example, memory dumps or PCAP segments) and to verify that the expected telemetry types are present.

The table below highlights the largest artifacts, which typically dominate processing time and often hold high-value forensic context.

Data Coverage

Expected Field	Present
evidence_list	No
filename	No
file_type	No
size_bytes	No
upload_time	No

3. Integrity Status (Per-File Hash Verification Results)

Per-file integrity verification ensures evidence remains bit-consistent from intake through processing.

Overall distribution: VALID=0, CORRUPTED/FAIL=0.

Any corrupted or failed artifacts should be isolated for re-acquisition or manual handling to avoid contaminating downstream analytics.

Data Coverage

Expected Field	Present

evidence_list	No
filename	No
hash	No
verification_status	No

4. Chain-of-Custody Status (Hash Chain Verification Results)

Chain-of-custody status summarizes whether custody continuity was preserved across the evidence lifecycle.

Hash chain status: N/A. Breaks observed: N/A. First break: N/A.

If breaks are present, evidence after the first break should be treated as disputed until independently validated.

Hash Chain Summary

Status	Breaks	First Break
N/A	N/A	N/A

5. Parsing and Normalization Summary (Parsed vs Unparsed Records)

Parsing and normalization summarize how much raw telemetry could be converted into structured records ready for correlation.

Records: total=N/A, parsed=N/A, unparsed=N/A.

Top parse error reasons: N/A. Addressing dominant error types typically improves coverage and reduces blind spots.

Data Coverage

Expected Field	Present
parsing_summary	No
total_records	No
parsed_records	No
unparsed_records	No
errors	No

6. Hot Store Ingestion Summary (DuckDB Tables and Row Counts)

Hot store ingestion summarizes which normalized datasets were materialized for fast querying and analytics.

DuckDB table counts are a quick sanity check: they confirm that event streams, entities, indicators, and alerts were actually persisted after parsing.

If any expected table is missing or near-empty, it usually indicates an upstream parsing or mapping issue.

Data Coverage

Expected Field	Present

hot_store	No
tables	No

7. Behavioral Feature Summary (Signals Generated and Coverage)

Behavioral features describe what signals were computed from normalized records (for example: login velocity spikes, impossible travel, privilege escalations).

Signal counts give a quick view of coverage: higher counts often represent broad, low-confidence indicators; smaller counts can represent high-precision detections.

The chart below highlights the most frequent signals in this dataset.

Data Coverage

Expected Field	Present
signals	No

8. Anomaly Detection Summary (Total Scored, Anomalies Flagged, Score Range)

Anomaly detection summarizes how many records were scored and how many were flagged above the anomaly threshold.

Scored=N/A, flagged=N/A, score range=N/A to N/A.

A tight score range usually indicates stable behavior; sharp peaks or long tails typically indicate bursty or staged activity.

Data Coverage

Expected Field	Present
anomaly_detection	No
scored_records	No
anomalies_flagged	No
score_min	No
score_max	No
scores	No

9. High-Risk Entities and Alerts (Users/IPs, Risk Levels, Key Triggers)

High-risk entities consolidate alerts by principal (user, host, IP, domain) and provide a ranked view of the most concerning actors.

A small number of entities frequently account for most high-confidence risk, making them good candidates for triage and containment checks.

The table below lists the highest-risk items and the triggers that caused scoring.

Data Coverage

Expected Field	Present
alerts	No
entity	No
risk_score	No
risk_level	No
triggers	No

10. Investigation Timeline Highlights and Recommended Actions

Timeline highlights summarize how risk evolved over the observed window and identify the most important time slices for deeper artifact correlation.

Peak windows are the best starting point for reconstruction: pivot from the timestamp into supporting logs, process events, DNS, and network captures.

Recommended actions are derived from the dominant triggers observed in signals and entity alerts.

Peak Windows

• N/A

Recommended Actions

• Maintain monitoring and validate anomalies with spot checks on top entities and peak timeline windows.
• Document all actions with timestamps and operator identity to preserve auditability.