Activity: Filter with AND, OR, and NOT

Scenario

In this scenario, you need to obtain specific information about employees, their machines, and the departments they belong to from the database.

Your team needs data to investigate potential security issues and to update computers.

You are responsible for filtering the required information from the database.

Here's how you'll do this task: **First**, you'll retrieve all failed login attempts after business hours. **Second**, you'll retrieve all login attempts that occurred on specific dates. **Third**, you'll retrieve logins that didn't originate in Mexico. **Fourth**, you'll retrieve information about certain employees in the Marketing department. **Fifth**, you'll retrieve information about employees in the Finance or the Sales department. **Finally**, you'll obtain information about employees who are not in the Information Technology department.

Task 1. Retrieve after hours failed login attempts

Your team is investigating failed login attempts that were made after business hours. You want to retrieve this information from the login activity. You'll identify all unsuccessful attempts after 18:00.

- Use the **AND** operator to retrieve the **failed** login attempts that occurred **after** business hours.

```
MariaDB [organization]> SELECT *
    ->
    -> FROM log_in_attempts
    ->
    -> WHERE login_time > '18:00' AND success = FALSE;
+----------+----------+------------+------------+---------+-----------------+---------+
| event_id | username | login_date | login_time | country | ip_address      | success |
+----------+----------+------------+------------+---------+-----------------+---------+
|        2 | apatel   | 2022-05-10 | 20:27:27   | CAN     | 192.168.205.12  |       0 |
|       18 | pwashing | 2022-05-11 | 19:28:50   | US      | 192.168.66.142  |       0 |
|       20 | tshah    | 2022-05-12 | 18:56:36   | MEXICO  | 192.168.109.50  |       0 |
|       28 | aestrada | 2022-05-09 | 19:28:12   | MEXICO  | 192.168.27.57   |       0 |
|       34 | drosas   | 2022-05-11 | 21:02:04   | US      | 192.168.45.93   |       0 |
|       42 | cgriffin | 2022-05-09 | 23:04:05   | US      | 192.168.4.157   |       0 |
|       52 | cjackson | 2022-05-10 | 22:07:07   | CAN     | 192.168.58.57   |       0 |
|       69 | wjaffrey | 2022-05-11 | 19:55:15   | USA     | 192.168.100.17  |       0 |
|       82 | abernard | 2022-05-12 | 23:38:46   | MEX     | 192.168.234.49  |       0 |
|       87 | apatel   | 2022-05-08 | 22:38:31   | CANADA  | 192.168.132.153 |       0 |
|       96 | ivelasco | 2022-05-09 | 22:36:36   | CAN     | 192.168.84.194  |       0 |
|      104 | asundara | 2022-05-11 | 18:38:07   | US      | 192.168.96.200  |       0 |
|      107 | bisles   | 2022-05-12 | 20:25:57   | USA     | 192.168.116.187 |       0 |
|      111 | aestrada | 2022-05-10 | 22:00:26   | MEXICO  | 192.168.76.27   |       0 |
|      127 | abellmas | 2022-05-09 | 21:20:51   | CANADA  | 192.168.70.122  |       0 |
|      131 | bisles   | 2022-05-09 | 20:03:55   | US      | 192.168.113.171 |       0 |
|      155 | cgriffin | 2022-05-12 | 22:18:42   | USA     | 192.168.236.176 |       0 |
|      160 | jclark   | 2022-05-10 | 20:49:00   | CANADA  | 192.168.214.49  |       0 |
|      199 | yappiah  | 2022-05-11 | 19:34:48   | MEXICO  | 192.168.44.232  |       0 |
+----------+----------+------------+------------+---------+-----------------+---------+
19 rows in set (0.266 sec)
```

Task 2. Retrieve login attempts on specific dates

Your team is investigating a suspicious event that occurred on '2022-05-09'. You want to retrieve all login attempts that occurred on **this day and the day before**

- Use the **OR** operator to retrieve the failed login attempts on the **specified days.**

```
MariaDB [organization]> SELECT *
    ->
    -> FROM log_in_attempts
    ->
    -> WHERE login_date = '2022-05-09' OR login_date = '2022-05-08';
+----------+----------+------------+------------+---------+-----------------+---------+
| event_id | username | login_date | login_time | country | ip_address      | success |
+----------+----------+------------+------------+---------+-----------------+---------+
|        1 | jrafael  | 2022-05-09 | 04:56:27   | CAN     | 192.168.243.140 |       1 |
|        3 | dkot     | 2022-05-09 | 06:47:41   | USA     | 192.168.151.162 |       1 |
|        4 | dkot     | 2022-05-08 | 02:00:39   | USA     | 192.168.178.71  |       0 |
|        8 | bisles   | 2022-05-08 | 01:30:17   | US      | 192.168.119.173 |       0 |
|       12 | dkot     | 2022-05-08 | 09:11:34   | USA     | 192.168.100.158 |       1 |
```

Task 3. Retrieve login attempts outside of Mexico

Now, your team is investigating logins that **did not originate in Mexico**, and you need to find this information. Note that the country field includes entries with 'MEX' and 'MEXICO'. You should use the NOT and LIKE operators and the matching pattern 'MEX%'.

- Run the following SQL query to retrieve login attempts that did not originate in Mexico.

```
MariaDB [organization]> SELECT *
    ->
    -> FROM log_in_attempts
    ->
    -> WHERE NOT country LIKE 'MEX%';
+----------+----------+------------+------------+---------+-----------------+---------+
| event_id | username | login_date | login_time | country | ip_address      | success |
+----------+----------+------------+------------+---------+-----------------+---------+
|        1 | jrafael  | 2022-05-09 | 04:56:27   | CAN     | 192.168.243.140 |       1 |
|        2 | apatel   | 2022-05-10 | 20:27:27   | CAN     | 192.168.205.12  |       0 |
|        3 | dkot     | 2022-05-09 | 06:47:41   | USA     | 192.168.151.162 |       1 |
|        4 | dkot     | 2022-05-08 | 02:00:39   | USA     | 192.168.178.71  |       0 |
|        5 | jrafael  | 2022-05-11 | 03:05:59   | CANADA  | 192.168.86.232  |       0 |
```

Task 4. Retrieve employees in Marketing

For tasks 4, 5 and 6 you need to retrieve the information from the department and office columns in the employees table

Your team is updating employee machines, and you need to obtain the information about employees in **the 'Marketing' department** who are located in all offices in the **East building** (such as 'East-170' or 'East-320').

- Write a SQL query to retrieve this information from the employees table.

```
MariaDB [organization]> SELECT *
    ->
    -> FROM employees
    ->
    -> WHERE department = 'Marketing' AND office LIKE 'East%';
+-------------+-------------+----------+------------+----------+
| employee_id | device_id   | username | department | office   |
+-------------+-------------+----------+------------+----------+
|        1000 | a320b137c219 | elarson  | Marketing  | East-170 |
|        1052 | a192b174c940 | jdarosa  | Marketing  | East-195 |
|        1075 | x573y883z772 | fbautist | Marketing  | East-267 |
|        1088 | k8651965m233 | rgosh    | Marketing  | East-157 |
|        1103 | NULL         | randerss | Marketing  | East-460 |
|        1156 | a184b775c707 | dellery  | Marketing  | East-417 |
|        1163 | h679i515j339 | cwilliam | Marketing  | East-216 |
+-------------+-------------+----------+------------+----------+
7 rows in set (0.001 sec)
```

Task 5. Retrieve employees in Finance or Sales

- Write a SQL query to retrieve records for employees in the **'Finance' or the 'Sales' department.**

```
MariaDB [organization]> SELECT *
    ->
    -> FROM employees
    ->
    -> WHERE department = 'Finance' OR department = 'Sales';
+-------------+-------------+----------+------------+-------------+
| employee_id | device_id   | username | department | office      |
+-------------+-------------+----------+------------+-------------+
|        1003 | d394e816f943 | sgilmore | Finance    | South-153   |
|        1007 | h174i497j413 | wjaffrey | Finance    | North-406   |
|        1008 | i858j583k571 | abernard | Finance    | South-170   |
|        1009 | NULL         | lrodriqu | Sales      | South-134   |
|        1010 | k2421212m542 | jlansky  | Finance    | South-109   |
```

Task 6. Retrieve all employees not in IT

- Write a SQL query to retrieve records for employees who are **not in the 'Information Technology' department.**

```
MariaDB [organization]> SELECT *
    ->
    -> FROM employees
    ->
    -> WHERE NOT department = 'Information Technology';
+-------------+-------------+----------+-----------------+-------------+
| employee_id | device_id   | username | department      | office      |
+-------------+-------------+----------+-----------------+-------------+
|        1000 | a320b137c219 | elarson  | Marketing       | East-170    |
|        1001 | b239c825d303 | bmoreno  | Marketing       | Central-276 |
|        1002 | c116d593e558 | tshah    | Human Resources | North-434   |
|        1003 | d394e816f943 | sgilmore | Finance         | South-153   |
|        1004 | e218f877g788 | eraab    | Human Resources | South-127   |
```