

Bit Theme Demo

Feng Kaiyu, Jiang Yingqi

北京理工大学

2026-06-11





使用示例	3
总结	14

使用示例

This is a demonstration of the Bit theme for Touying — a green university-style presentation theme designed for academic use.

The theme provides a clean and professional look with a deep green header bar, a matching footer, and a set of ready-to-use components including block environments and title slides.

The overall design is inspired by classic LaTeX Beamer themes commonly used at Beijing Institute of Technology.

Empty frame title should suppress the header.



This slide is created by a level-2 heading. The slide title in the header bar is taken from the heading text automatically.

For slides that need a subtitle, use the explicit `#slide()` form with `subtitle:`.



This slide demonstrates the subtitle feature. Subtitles appear below the main title in a lighter shade, providing additional context for the slide content.

Subtitles are optional. Use the explicit `#slide(title: ..., subtitle: ...)` form, or opt in to heading-based subtitles with `config-store(heading-subtitle: true)`.

Lemma 1 (Preemptive Broadcast)

In the case where dishonest nodes can only lead by at most one block, dishonest nodes utilizing preemptive broadcasting can achieve returns no less than their original strategy.

The lemma above characterizes the advantage dishonest participants can gain by deviating from the honest protocol. Even under conservative assumptions about the adversary's capabilities, preemptive broadcasting is never worse than following the prescribed strategy.

Definition

A standard green callout for definitions and theorems.

Caution

A high-emphasis callout for warnings and key constraints.

Example

A low-emphasis callout for worked examples and asides.


A large, light green rectangular box with rounded corners and a thin dark green border. In the center of the box is a large, bold, dark green letter 'A'. This box serves as a placeholder for the system architecture diagram.

Figure 1: System architecture


A large, light green rectangular box with rounded corners and a thin dark green border. In the center of the box is a large, bold, dark green letter 'B'. This box serves as a placeholder for the attack scenario comparison diagram.

Figure 2: Attack scenario comparison

- Nakamoto, S. (2008). *Bitcoin: A Peer-to-Peer Electronic Cash System*.
- Buterin, V. (2014). *Ethereum: A Next-Generation Smart Contract Platform*.
- Lamport, L., Shostak, R., & Pease, M. (1982). The Byzantine Generals Problem. *ACM Transactions on Programming Languages and Systems*.
- Castro, M., & Liskov, B. (1999). Practical Byzantine Fault Tolerance. *Proceedings of OSDI '99*.
- Garay, J., Kiayias, A., & Leonardos, N. (2015). The Bitcoin Backbone Protocol. *Proceedings of EUROCRYPT 2015*.



Text with a default Typst footnote¹ on a normal content slide.

More body text to verify that the footnote separator and footnote text are positioned correctly above the page footer bar.²

¹Footnote text appears above the theme footer.

²A second footnote for multi-footnote spacing verification.



Note

Content with a footnote¹ inside the green-block environment.

¹Footnote text inside a green block.

总结

谢谢!

Questions and discussion are welcome.

Preemptive broadcasting is never worse.